Explanation of Pixie-Inspired Algorithms

Pixie-inspired algorithms are recommendation methods that use random walks on a bipartite graph of users and items. Instead of relying solely on similarity measures or matrix factorization, these algorithms examine the structure of the user interaction graph, such as the movies users have rated or the posts they have engaged with or clicked. Pinterest created the original Pixie algorithm to provide real-time content recommendations, especially when users give only a few signals. Pixie-inspired systems aim to surface the most relevant items by navigating the graph and finding those that are frequently reachable from a specific point (Eksombatchai et al., 2018; Zhou et al., 2007).

In a pixie-style approach, a recommendation starts by selecting an initial node, usually a movie the user has shown interest in. The algorithm then performs a random walk, where each step moves to a connected node in the graph. For example, from a movie node, the walk might shift to users who rated that movie, and from those users, it could move to other movies they rated. Repeating this process many times causes the walk matrix to gravitate toward items in dense areas of the graph. Items reached more often during the walk receive higher scores and are returned as recommendations.

One key advantage of using random walks for recommendations is that they can reveal relationships that aren't obvious from direct similarity scores. Instead of just comparing users or movies, the random walk moves through the graph and can establish connections by passing through multiple users or items. For example, two movies might not share many viewers but could still be connected through a chain of related users and movies. The random walk method

also works well with large, sparse datasets because it doesn't rely on heavy calculations like full similarity matrices.

Pixie-inspired algorithms have significant practical applications, especially in systems that analyze large amounts of user activity. Pinterest, where Pixie was initially introduced, uses random walks to suggest pins, boards, and topics based on users' current browsing activity. Similarly, platforms like YouTube, TikTok, and Instagram depend on content feeds that quickly surface related content from expansive interaction graphs. E-commerce giants such as Amazon also employ graph-based techniques to model purchase and browsing behaviors (Eksombatchai et al., 2018; Covington et al., 2016).

References

Covington, P., Adams, J., & Sargin, E. (2016). *Deep neural networks for YouTube recommendations.* In *Proceedings of the 10th ACM Conference on Recommender Systems* (pp. 191–198). ACM. https://doi.org/10.1145/2959100.2959190

Eksombatchai, C., Jindal, P., Liu, J., Liu, Y., Sharma, J., Sugiyama, K., & Leskovec, J. (2018). *Pixie: A system for recommending 3+ billion items to 200+ million users in real-time.* In *Proceedings of the 2018 World Wide Web Conference (WWW '18)* (pp. 1775–1784). ACM. https://doi.org/10.1145/3178876.3186183

Zhou, T., Ren, J., Medo, M., & Zhang, Y. (2007). *Bipartite network projection and personal recommendation. Physical Review E*, 76(4), 046115. https://doi.org/10.1103/PhysRevE.76.046115