PROJECT & PRODUCT MANAGEMENT / AI · 2026

Lead projects with AI. And build.

Apply AI to Project and Product Management

Nine modules to connect context, data, decisions, prototypes and automation without giving up professional judgment.

COURSE AUTHOR

Cecil Servan

Developed from seven videos by Javier Garzás.

9 modules · 36 lessons · 3 levels

59 timestamped video links

COURSE MAP

Contents · 9 modules

Follow the suggested sequence or jump to the topic you need. Each module contains four lessons.

01 **Change the way you work** / STRATEGY

02 **Provide context and request useful work** / FOUNDATIONS

03 **Connect AI to real work** / DATA

04 **Delegate document and file work** / OPERATIONS

05 **Dashboards that stay up to date** / REPORTING

06 **Discovery and decision-making** / PRODUCT

07 **From requirements to working prototypes** / PRODUCT

08 **Automations and supervised agents** / AUTOMATION

09 **Adoption plan and technical pathway** / APPLICATION

HOW TO USE THIS GUIDE

Each lesson includes the core idea, a concrete action and a video link to the exact minute and second. Each module ends with a short exercise and deliverable.

Before putting anything into production, cross-check sources, verify permissions and require human review. Prototypes are learning tools, not production systems.

STRATEGY

01 · Change the way you work

From cosmetic AI to a PM who designs solutions while retaining human judgment.

OBJECTIVE Identify work worth eliminating, delegating or automating before choosing tools.

AI is not another email template

ESSENTIAL | TOPIC · STRATEGY

Garzás contrasts superficial chatbot use with a transformation of work: stop transporting information between apps and start producing verifiable outcomes. This is his thesis, not a proven prediction that every PM role will disappear.

APPLY Ask your team: which deliverables do we produce out of habit, and which ones genuinely help us make decisions?

WATCH VIDEO V5 15:10 A critique of “cosmetic AI” · V7 04:23 The AI Manager profile

Before automating: eliminate → delegate → simplify → AI

ESSENTIAL | TOPIC · STRATEGY

The speaker argues for resisting FOMO: eliminate work that adds no value, delegate appropriate tasks, streamline the process and only then automate with AI. Otherwise, we risk turning a bad process into a faster bad process.

APPLY Choose a recurring report and challenge every step: purpose, audience, frequency and usefulness.

WATCH VIDEO V5 10:17 Judgment over FOMO

The PM as a builder of experiments

ESSENTIAL | TOPIC · STRATEGY

This approach does not require coding: a creative manager can build a prototype, dashboard or small internal tool to test an idea; a technical practitioner can take it further. Final approval remains a human decision.

APPLY Replace an abstract presentation with something small that a customer can try.

WATCH VIDEO V5 19:28 Managing also means building · V7 05:03 Prototypes versus documents

Assess maturity without chasing trends

ESSENTIAL TOPIC · STRATEGY

The longer talk outlines stages: basic chat; contextual and connected AI; rapid apps; software with safeguards; agents and routines. This is the speaker’s indicative scale, not a certification standard.

APPLY Identify each team’s current stage and one next step that would deliver measurable value.

WATCH VIDEO V5 28:53 The five levels

MICRO-EXERCISE

1. List five time-consuming weekly tasks.

2. Select just one with a measurable effect (hours, errors or delays).

3. Decide who will review the output and how errors will be identified.

DELIVERABLE → A prioritized mini-case and its success metric.

FOUNDATIONS

02 · Provide context and request useful work

Structured prompts, project knowledge and organized conversations.

OBJECTIVE Achieve repeatable results without explaining the project again in every request.

Persistent context and task-specific context

ESSENTIAL TOPIC · FOUNDATIONS

AI needs information it does not know: objectives, customer, constraints, tone, roles, dates and criteria. Separate standing team instructions from the material specific to each assignment. Do not assume memory is complete or infallible.

APPLY Create a short “project-context.md” file covering purpose, audience, criteria, decisions and sources.

WATCH VIDEO V4 00:33 Memory and context · V4 08:01 Shared projects

A prompt with four elements

ESSENTIAL TOPIC · FOUNDATIONS

A useful request contains context, an expected role, a task and an output format (the CRTR framework cited by the speaker). Add examples and verification criteria, and ask the model to distinguish facts, inferences and proposals.

APPLY Turn “make me a plan” into “given these constraints, propose three options with costs, risks and evidence.”

WATCH VIDEO V6 03:23 Professional prompts

Group work by project, product or client

ESSENTIAL TOPIC · FOUNDATIONS

Project spaces bring together chats, instructions and documents. They are workspaces, not a universal guarantee of shared memory: the exact behavior depends on the platform and its settings.

APPLY Create a space per client or product and split the work into specialized conversations.

WATCH VIDEO V4 08:01 Organizing by projects

Model, mode and cost

ESSENTIAL TOPIC · FOUNDATIONS

The speaker recommends not always using the most powerful model. Match capability and spending to complexity: simple drafting, source synthesis and strategic prioritization demand different levels of analysis.

APPLY Select a default model for routine work and another for difficult decisions, then review the output.

WATCH VIDEO V4 01:26 Model selection

MICRO-EXERCISE

1. Draft a one-page shared context document.

2. Create a reusable prompt for meeting notes, a briefing or risk assessment.

3. Request a second review from an opposing perspective.

DELIVERABLE → Starter kit: context + prompt + review guideline.

DATA

03 · Connect AI to real work

Email, calendars, tasks, CRM and business data without constant copying and pasting.

OBJECTIVE Understand what a connector solves and when to involve a technical colleague.

MCP: connect tools rather than invent data

ESSENTIAL | TOPIC · DATA

Model Context Protocol lets an AI client use connected tools, subject to permissions. The point is not the acronym: it is querying current Jira/Notion, CRM, calendar or email data and combining it into a useful answer.

APPLY Request a list of unresolved blockers backed by real tasks, with links to the records.

WATCH VIDEO V4 03:32 Everyday work connectors · V1 06:11 Connected dashboard

From isolated apps to cross-system questions

ESSENTIAL | TOPIC · DATA

The examples combine project-management data with files and email: project status, pending issues and owners. With authorized access, AI can propose a weekly agenda without manually exporting everything.

APPLY Example: “Cross-check this week’s milestones against open blockers and the client’s latest email.”

WATCH VIDEO V1 07:14 Notion with live data · V2 12:32 Cross-checking Gmail or Jira

Three different mechanisms: connector, workflow and RAG

ADVANCED | TOPIC · DATA

MCP exposes a system’s tools and data; a workflow chains actions and conditions; RAG retrieves documents to ground responses. They complement one another and should not be treated as synonyms.

APPLY Draw this flow: source → query/retrieval → AI analysis → human review → action.

WATCH VIDEO V6 18:11 Workflows, RAG and MCP · V7 08:29 Minimum technical vocabulary

Permissions and traceability before automation

ADVANCED | TOPIC · DATA

A connection may allow read or write operations. Start with read-only access where possible; limit accounts, sensitive data and scope; record source and date; require confirmation for changes or messages. This is implementation guidance, not a guaranteed feature of every connector.

APPLY Create a simple matrix: application, accessible data, permission, owner and risky action.

WATCH VIDEO V2 04:54 Access to systems and files · V1 11:37 Local versus connected information

MICRO-EXERCISE

1. Pick two work tools you currently consult separately.

2. Define one valuable cross-system question.

3. Design least-privilege access and a way to validate the answer.

DELIVERABLE → Connection map and first verifiable query.

ATTENTION Caution: vendor descriptions do not replace testing the connector's actual permissions.

OPERATIONS

04 · Delegate document and file work

Turn folders of PDFs, spreadsheets and briefs into actionable summaries.

OBJECTIVE Automate the consolidation, classification and transformation of files while retaining control.

Process folders, not one document at a time

ESSENTIAL | TOPIC · OPERATIONS

Claude Code is also presented for people who do not code: it can work on files in an authorized folder and produce summaries, tables or reports. This use case can be especially useful in PM operations.

APPLY Gather briefs, minutes and schedules; request an inventory, duplicates, decisions and outstanding tasks.

WATCH VIDEO V2 00:41 What is Claude Code? · V2 06:56 Reading a whole folder

Normalize inconsistent information

ESSENTIAL | TOPIC · OPERATIONS

AI can convert PDFs, CSV files and spreadsheets into a common structure, making inventories, cost comparisons and document classification easier. Totals, columns and unparsed cases still need checking.

APPLY Convert vendor quotes into a comparison table with currencies and assumptions.

WATCH VIDEO V2 08:24 Classifying and transforming

Visual artifacts for better discussions

ESSENTIAL | TOPIC · OPERATIONS

An artifact can turn a list or a set of metrics into an interactive dashboard, experience map or browsable catalog. It does not replace the source data; it makes team conversations clearer.

APPLY Create an editable visualization of dependencies or a customer journey.

WATCH VIDEO V4 06:00 Visual artifacts · V2 09:44 Visual app using data

Skills: reusable procedures

ADVANCED | TOPIC · OPERATIONS

The speaker describes skills as packaged procedures: instructions, resources and steps for repeating tasks. A briefing review, meeting minutes or reporting template can become a reusable capability if the platform supports it.

APPLY Document a five-step routine and test it on two different projects.

WATCH VIDEO V4 17:00 Skills as an operational library

MICRO-EXERCISE

1. Choose a test folder containing anonymized data.

2. Request an inventory of decisions, risks and missing information, citing the documents.

3. Manually verify a sample of at least five findings.

DELIVERABLE → Auditable summary and classification template.

REPORTING

05 · Dashboards that stay up to date

Move from manually updated spreadsheets to interactive project indicators.

OBJECTIVE Design a decision-oriented dashboard and progress toward recurring reporting.

Level 1: data uploaded to the chat

ESSENTIAL | TOPIC · REPORTING

The demo begins with an Excel file and a prompt to analyze cost, schedule, scope and quality; it then builds an interactive artifact. This level helps validate the format and usefulness before connecting systems.

APPLY Request a dashboard with four KPIs, variances, sources and questions for the steering committee.

WATCH VIDEO V1 02:36 Excel → analysis · V1 03:16 Interactive artifact

Level 2: live data through a connector

ESSENTIAL | TOPIC · REPORTING

The next step queries a project-management tool such as Notion and combines information from other apps. The key is to decide which metrics are trustworthy, not just which charts look good.

APPLY Show where each figure comes from and when it was last updated.

WATCH VIDEO V1 07:14 Demo with Notion

Level 3: combine folders and applications

TECHNICAL | TOPIC · REPORTING

The video uses Claude Code to combine local files with Notion and create a fuller dashboard. This avoids exporting each item separately but depends on effective permissions and consistent sources.

APPLY Combine plans, risks and spending from three sources using a shared metrics dictionary.

WATCH VIDEO V1 12:47 Switching to Claude Code · V1 13:49 Combining a folder and Notion

From a one-off report to a reviewed routine

ESSENTIAL | TOPIC · REPORTING

The speaker suggests automating Friday's report. Design a sequence: collect → cross-check → summarize → draft → approve → distribute. Do not automatically publish sensitive conclusions without oversight.

APPLY Schedule the draft report; the PM approves variances and commentary before sharing.

WATCH VIDEO V1 19:51 Recurring weekly report

MICRO-EXERCISE

1. Select four indicators that trigger decisions.

2. Agree on the definition, source and update frequency of each metric.

3. Create a report showing “what changed / why / decision needed.”

DELIVERABLE → Pilot dashboard and validation checklist.

ATTENTION A well-presented chart is not proof that its data is accurate or current.

PRODUCT

06 · Discovery and decision-making

Investigate problems, compare hypotheses and decide using evidence.

OBJECTIVE Shorten exploration without mistaking synthetic research for real validation.

Research starts with the problem

ESSENTIAL | TOPIC · PRODUCT

The speaker recommends deep searches and assisted exploration to understand markets, alternatives and trends. The output should separate observations, sources and assumptions; AI-generated answers are not real user interviews.

APPLY Write three hypotheses and request supporting evidence, counterevidence and open questions.

WATCH VIDEO V6 11:37 Discovery through deep search

Assisted browsing of websites and competitors

ESSENTIAL | TOPIC · PRODUCT

The video on 15 techniques describes an extension that lets an agent explore pages and identify patterns. It can support exploratory gathering, provided that terms of use, privacy and access restrictions are respected.

APPLY Compare the public-facing experience of three competitors using the same criteria.

WATCH VIDEO V4 11:00 Web browsing and exploration

Explore the user journey visually

ESSENTIAL **TOPIC · PRODUCT**

User-story maps, journeys and diagrams expose friction and opportunities; AI can help generate and review them with stakeholders. Quality depends on the input material.

APPLY Map the journey of an event attendee or campaign customer, then validate it with a real user.

WATCH VIDEO V4 06:50 Interactive visuals

Make room for explicit disagreement

ESSENTIAL **TOPIC · PRODUCT**

Good research compares options, cost, uncertainty and reversibility. Adding a “devil’s advocate” step is a practical editorial extension of this course, not a technique literally attributed to the speaker.

APPLY Ask for three reasons why the preferred recommendation might fail.

WATCH VIDEO V5 09:22 FOMO and judgment · V6 11:37 Faster discovery

MICRO-EXERCISE

1. Choose one real customer-experience improvement.

2. Investigate the problem and map alternative approaches.

3. Design an interview or test that could confirm or disprove the hypothesis.

DELIVERABLE → Decision brief with evidence and the next experiment.

ATTENTION AI speeds up preparation for discovery; it does not replace direct user observation.

PRODUCT

07 · From requirements to working prototypes

A testable prototype may communicate an idea better than twenty slides.

OBJECTIVE Design rapid experiments and minimal specifications without confusing them with production-ready systems.

Four ways to describe a need

ESSENTIAL | TOPIC · PRODUCT

The evolution described by the speaker runs from exhaustive requirements to user stories, then AI-oriented specs and working prototypes. These are not universal replacements; the approaches coexist according to risk, scope and collaboration needs.

APPLY For the same feature, create a user story and a navigable demo.

WATCH VIDEO V3 01:46 From waterfall to user stories · V3 06:15 The emergence of specs

Vibe coding to validate before development

ESSENTIAL | TOPIC · PRODUCT

Generative tools can produce functional interfaces and flows without manual coding. The main proposal is to validate behavior and user intuition with beta testers—not to deploy a critical application without engineering.

APPLY Build a demo for booking a place or tracking a campaign and observe two users.

WATCH VIDEO V6 06:57 Real prototypes · V3 09:02 Working prototypes

Small specs, observable criteria

ADVANCED | TOPIC · PRODUCT

A spec is a persistent definition that guides AI: goal, inputs, constraints, expected behavior, edge cases and acceptance criteria. The speaker warns against recreating “waterfall” with enormous requirement documents.

APPLY Write a one-page spec and three verifiable acceptance tests.

WATCH VIDEO V6 15:25 Spec-driven development · V3 06:51 A spec as a persistent source

Connect design with the prototype

TECHNICAL | TOPIC · PRODUCT

The transcript presents Claude Design alongside Claude Code as a way to coordinate design and implementation. The reusable principle is to obtain feedback with visual prototypes; check each tool’s current availability.

APPLY Prepare two experience variants and a set of test questions.

WATCH VIDEO V4 19:30 AI-supported design · V7 05:03 Show something that works

MICRO-EXERCISE

1. Select one specific low-risk need.

2. Build a navigable prototype limited to one flow.

3. Test with two or three people and record issues before commissioning development.

DELIVERABLE → Prototype + acceptance criteria + feedback.

ATTENTION An AI prototype does not prove security, accessibility, performance or production readiness.

AUTOMATION

08 · Automations and supervised agents

Move from requesting answers to running recurring processes.

OBJECTIVE Design useful, controlled and measurable automations.

Automation versus agent

ESSENTIAL | TOPIC · AUTOMATION

Automation follows known steps or rules. An agent can plan intermediate actions to reach a goal using available tools. Greater autonomy requires stronger limits, logs and approvals.

APPLY Separate three activities: querying, preparing a draft and executing a final external action.

WATCH VIDEO V4 12:40 AI working in the team · V5 39:53 Agents with routines

Scheduled routines: Fridays without repetitive work

ESSENTIAL | TOPIC · AUTOMATION

One practice is to create a weekly draft of risks, decisions and next steps using several sources. Its value should be measured in time saved and fewer omissions, not the claim that it “works while you sleep.”

APPLY Design a monitoring routine with a frequency, sources, output and recipient.

WATCH VIDEO V4 13:30 Scheduled tasks · V1 19:51 Reporting routine

Human control over consequential actions

ADVANCED | TOPIC · AUTOMATION

Do not let an agent change contracts, send external communications, approve payments or delete documents without confirmation. Set minimum access, execution limits, logging and a rollback procedure. These safeguards are added editorial guidance.

APPLY Set a rule: “query and propose” automatically; “execute” only with approval.

WATCH VIDEO V5 40:00 Specialized agents · V2 18:40 Precautions before use

A custom internal app may be better

TECHNICAL | TOPIC · AUTOMATION

The speaker describes integrating several sources into a small AI-assisted system to understand his audience’s interests. This illustrates potential; it does not guarantee similar delivery times elsewhere.

APPLY Find a “copy between three tools” process that might justify a pilot.

WATCH VIDEO V5 02:30 Integration case using Telegram · V5 35:00 Fast internal apps

MICRO-EXERCISE

1. Define a recurring task, its frequency and expected value.

2. Design inputs, decisions, outputs, permissions and approval points.

3. Run a pilot using test data and measure errors.

DELIVERABLE → Automation brief with safeguards and an owner.

ATTENTION Do not grant broad write permissions merely for convenience.

APPLICATION

09 · Adoption plan and technical pathway

Learn through outcomes, not acronyms or promises.

OBJECTIVE Turn the course into gradual, measurable change.

Shared pathway: three pilots in 30 days

ESSENTIAL | TOPIC · APPLICATION

Week 1: context and one frequently used prompt. Week 2: a recurring file or report. Weeks 3–4: a dashboard, discovery activity or prototype. Prove value before adding complexity.

APPLY Establish a baseline metric and compare results after three runs.

WATCH VIDEO V5 28:53 A map of levels · V6 22:49 What to do next

Choose tools by capabilities

ESSENTIAL | TOPIC · APPLICATION

You do not have to install every brand named in the videos. Compare capabilities: sources, collaboration, access control, costs, editing, exports, portability and team support. Interfaces change quickly.

APPLY Build a capability matrix for your existing tools and one alternative.

WATCH VIDEO V5 09:22 Avoiding FOMO · V2 18:40 Cost and precautions

Optional technical path: files, GitHub and environments

TECHNICAL | TOPIC · APPLICATION

For technical profiles, the next step is understanding Markdown/JSON, Git repositories, change history, tests, permissions, system integration, workflows and controlled deployments. Non-technical managers need to understand their purpose, not master them as developers do.

APPLY Version a spec and an agent template in a test repository.

WATCH VIDEO V7 09:05 Vibe coding, RAG and GitHub · V7 11:13 Hybrid-profile advantage

Output hygiene: truth, safety and accountability

ESSENTIAL | TOPIC · APPLICATION

Check figures against sources, document assumptions, distinguish “prototype” from “system”, test errors and designate a human owner. Responsible data use and professional judgment matter more than a spectacular interface.

APPLY Add a five-question checklist to each AI-generated deliverable.

WATCH VIDEO V7 13:30 Three closing warnings

MICRO-EXERCISE

1. Choose a case suitable for a creative, generalist or technical profile.

2. Set the goal, input data and maximum time for the pilot.

3. Present results and failures to the team; decide whether to scale or discard.

DELIVERABLE → 30-day plan and prioritized improvement backlog.

---

5 ready-to-adapt work prompts

Templates to adapt to real situations; always review outputs and permissions.

01 · TURN A BRIEF INTO AN ACTION PLAN

Act as the PM for a [type] project. From the attached brief, extract objectives, deliverables, dependencies, pending decisions and risks. Return a table with proposed owners, documentary evidence, priorities and validation questions. Do not invent data; flag unknowns.

02 · AUDITABLE WEEKLY STATUS

Use authorized project sources to prepare a weekly report: actual progress, variance from plan, milestones, blockers, decisions needed and next steps. Cite the source and date for every claim. Separate facts, hypotheses and recommendations. Do not send anything without my approval.

03 · EVIDENCE-BASED DISCOVERY

I am exploring [problem] for [user]. Generate three alternative hypotheses, identify public evidence for and against each with links, find gaps, and design five unbiased interview questions. Do not confuse generated conclusions with validated research.

04 · SPEC FOR A PROTOTYPE

Design a prototype of [flow] for [user profile]. Include the goal, happy path, three edge cases, visual constraints, fictional data, acceptance criteria and how to test with two users. Do not add real credentials or publish to production.

05 · ADVERSARIAL REVIEWER

Review this proposal as an independent critical evaluator who did not create it. Seek factual errors, unsupported figures, security risks, contradictions, hidden costs and edge cases. Rank issues by impact, suggest tests and identify what must not yet be published.

Glossary

Terms used in the lessons of this course.

Agent An AI system that can plan and carry out actions with tools, under permissions and safeguards—not merely reply.

Artifact A structured output that may be visual or interactive.

Automation A sequence of tasks triggered by a condition or schedule; AI can help interpret inputs and make decisions.

Backlog An ordered list of needs, tasks, improvements and outstanding work.

Chatbot An AI conversational interface: the product you interact with, distinct from the model behind it.

Claude Code An Anthropic agent that works with files, code and tools; it can also handle non-programming management tasks.

Acceptance criteria Observable conditions used to check that a feature meets expectations.

CSV A tabular file format with fields separated by delimiters.

Customer journey A map of interactions a customer has with a brand or service.

Dashboard A visual overview combining indicators, trends, alerts and filters.

Discovery Research to understand needs and opportunities before deciding on a solution.

FOMO Fear of missing out, which can drive uncritical experimentation with new tools.

Git/GitHub Version control and a widely used collaboration platform for files and code.

JSON A structured text format for exchanging and storing information.

KPI A key performance indicator for assessing results or project progress.

Markdown A lightweight text format for headings, links and lists.

MCP Model Context Protocol: a way to connect AI assistants to external tools and sources, subject to permissions.

Model The specific AI engine chosen for a task, with trade-offs in capability, speed and cost.

Least privilege Granting only the permissions required for an authorized task.

Prompt An instruction to an AI; clarify the task, context, constraints and desired format.

Working prototype An interactive test of a proposed solution used to validate ideas before production.

Projects (AI workspaces) Workspaces gathering project conversations, instructions and documents to reuse context.

RAG Retrieval-Augmented Generation: selecting relevant excerpts before asking AI to respond.

Skill A packaged, reusable procedure or capability that helps an assistant follow a consistent process.

Spec A persistent specification of expected behavior and acceptance criteria.

Stakeholders People and groups interested in or affected by a project.

User journey The path someone follows when using a product or service.

Vibe coding Building prototypes or apps by directing AI in natural language.

Workflow A sequence of steps, conditions and tools that process work.

Facilitator guide: three workshops

A way to turn the concepts into short team exercises. Use sample data or information you have permission to share.

WORKSHOP 1 · 40 min

Context and workflows

Each participant drafts a project context, identifies a redundant process and tries a verifiable question.

OUTPUT: First use case and the sources it needs.

WORKSHOP 2 · 45 min

Decisions and prototypes

One group prepares a dashboard with sample data; another explores discovery and prototyping; technical participants suggest integrations and acceptance criteria.

OUTPUT: A demo with hypotheses and validation criteria.

WORKSHOP 3 · 45 min

Routines and safeguards

Design an automation with least privilege, a human approver and a rollback plan; debate whether to scale it.

OUTPUT: Pilot proposal, risks and owner.

ASSESSMENT RUBRIC

Rate 1–5: usefulness, source quality, adoption effort, cost and risk. Compare ratings before making a decision.

Checklist before publishing

Five checks before sharing, executing or publishing AI-generated work.

1. What source supports each important figure?

2. Which decisions or interpretations came from AI and which from people?

3. Did we use confidential data or excessive permissions?

4. Which edge cases or contradictions have been tested?

5. What must be approved before sharing, executing or publishing?

Sources and original video links

The seven original videos and their titles are in Spanish.

V1 El dashboard de mi proyecto en 3 min con Claude Code

V2 Claude Code para gestión de proyectos sin saber programar

V3 El PM que aún escribe requisitos está antiguo gracias a IAs como Claude Design

V4 La mayoría usa ChatGPT/Claude para chatear y NO para gestionar: 15 trucos

V5 Ya no gestionas, ahora tú también construyes con IA

V6 El viejo Product Manager ha muerto: bienvenido el IA PM

V7 El manager ya es el nuevo técnico: IA, vibe coding y GitHub