SiteLog
Built for the field

CONSTRUCTION INTELLIGENCE

Every shift. Clearly logged.

Keep site teams aligned with daily records, incident reporting and compliance in one secure workspace.

LIVE PROJECT | **Riverside Tower**
18 daily logs this month

WELCOME BACK

Sign in to SiteLog

Use your work account to continue.

Work email

alex@northstarbuild.co.uk

Password

Enter your password

Keep me signed in

Sign in

Protected workspace · Northstar Construction

DAILY REPORTING

New daily log

Record site conditions and completed work for Wednesday, 14 May.

1 Shift details

Basic conditions for this working day.

Date

dd/mm/yyyy

Weather (optional)

Select weather

Site notes

Tower crane inspection completed before work began. Concrete delivery arrived 20 minutes late.

2 Work completed

Add each activity and assign the crews involved.

01 Concrete pour — Level 08 — Remove

Description	Location	Start	End
Activity completed	Area or level	--:--	--:--

Crew	Hours	Workers	Task
Concrete crew A	9	14	Pour and level slab

+ Add another crew

02 Electrical first fix — Remove

Description	Location	Start	End
Activity completed	Area or level	--:--	--:--

Crew	Hours	Workers	Task
Electrical crew B	8	11	Install containment

+ Add another crew

+ Add work entry

LOG SUMMARY — DRAFT

Site	Riverside Tower
Date	14 May 2025
Work entries	2

Save daily log

Save and finish later

DAILY REPORTING

New daily log

Record site conditions and completed work for Wednesday, 14 May.

Daily log could not be saved
Complete the date and at least one work entry.

1 Shift details

Basic conditions for this working day.

Date

dd/mm/yyyy

Date is required

Weather (optional)

Select weather

Site notes

Tower crane inspection completed before work began. Concrete delivery arrived 20 minutes late.

LOG SUMMARY — DRAFT

Site	Riverside Tower
Date	14 May 2025
Work entries	2

Save daily log

Save and finish later

2 Work completed

Add each activity and assign the crews involved.

01 Concrete pour — Level 08

Remove

Description	Location	Start	End
Activity completed	Area or level	--:--	--:--

Crew	Hours	Workers	Task
Concrete crew A	9	14	Pour and level slab

+ Add another crew

02 Electrical first fix

Remove

Description	Location	Start	End
Activity completed	Area or level	--:--	--:--

Crew	Hours	Workers	Task
Electrical crew B	8	11	Install containment

+ Add another crew

+ Add work entry

SiteLog
Northstar Construction

WORKSPACE
- Sites
- Incidents 8
- Assisted reporting
- Compliance

ADMIN
- Users
- Crews

Alex Morgan
Site Manager

Riverside Tower

Sites / Riverside Tower

Daily log saved
Wednesday, 14 May 2025 is ready for review.

Back to site

ST-018 · ACTIVE PROJECT

Riverside Tower

42 Bridge Road, London

Site settings | + New daily log

Overview | Daily logs 18 | Incidents 3 | Compliance

LOGS THIS MONTH	AWAITING SIGN-OFF	OPEN INCIDENTS	CORRECTIVE ACTIONS
18	2	3	12
All shifts covered	Needs manager review	1 critical	3 overdue

Recent daily logs

Latest shift activity submitted by the site team.

View all logs

DATE	WEATHER	ENTRIES	CREATED BY	STATUS
14 May 2025	Cloudy	4	Alex Morgan	SIGNED OFF
13 May 2025	Light rain	3	Jamie Chen	DRAFT
12 May 2025	Clear	5	Alex Morgan	REOPENED

DAILY LOG · DL-2025-0514

Wednesday, 14 May 2025

Signed by Sam Taylor · 15 May 2025 at 08:12 · Revision 1

SIGNED OFF

Request reopen

LOG OVERVIEW

Shift details

DATE	WEATHER	CREATED BY	TOTAL WORKERS
14 May 2025	Cloudy	Alex Morgan	41

SITE NOTES

Tower crane inspection completed before work began. Concrete delivery arrived 20 minutes late. No impact to planned works.

Activity


Created
Marko Kovač · 14 May, 07:04

Signed off
Ivana Horvat · 15 May, 08:12

WORK COMPLETED

4 work entries

01	**Concrete pour** Level 08 · 08:00–17:00			
	Concrete crew A	9 hrs	14 workers	Pour and level slab
02	**Electrical first fix** Level 06 · 07:30–15:30			
	Electrical crew B	8 hrs	11 workers	Install containment
03	**Curtain wall installation** West elevation · 07:00–17:00			
	Façade crew	10 hrs	8 workers	Install panels


DAILY LOG · DL-2025-0514
Request to reopen log
Tell the Safety Supervisor what needs to be corrected. The signed record remains locked until they approve.
Reason for reopening *
Describe the correction needed...
Cancel
Send request

07 - Daily logs - Request reopen modal - validation error

DAILY LOG · DL-2025-0514

Request to reopen log

Tell the Safety Supervisor what needs to be corrected. The signed record remains locked until they approve.

Reason for reopening *

Describe the correction needed...

A reason is required to reopen a signed-off log

Cancel

Send request



DAILY LOG · DL-2025-0514

Wednesday, 14 May 2025

Signed by Sam Taylor · 15 May 2025 at 08:12 · Revision 1

SIGNED OFF

Reopen requested by Marko Kovač: wrong crew hours
15 May 2025 at 09:42 · Safety Supervisor review

The signed record remains locked until this request is reviewed.

Reject | Approve

LOG OVERVIEW

Shift details

DATE	WEATHER	CREATED BY	TOTAL WORKERS
14 May 2025	Cloudy	Alex Morgan	41

SITE NOTES

Tower crane inspection completed before work began. Concrete delivery arrived 20 minutes late. No impact to planned works.

Activity

- **Created** — Marko Kovač · 14 May, 07:04
- **Signed off** — Ivana Horvat · 15 May, 08:12
- **Reopen requested** — Marko Kovač · 15 May, 09:42

WORK COMPLETED

4 work entries

01	**Concrete pour** — Level 08 · 08:00–17:00			
	Concrete crew A	9 hrs	14 workers	Pour and level slab
02	**Electrical first fix** — Level 06 · 07:30–15:30			
	Electrical crew B	8 hrs	11 workers	Install containment
03	**Curtain wall installation** — West elevation · 07:00–17:00			
	Façade crew	10 hrs	8 workers	Install panels

DAILY LOG · DL-2025-0514

Wednesday, 14 May 2025

Created by Alex Morgan · 14 May 2025 at 07:04

REOPENED | Cancel editing | Save changes

Log reopened for correction
Requested by Marko Kovač · Approved by Ivana Horvat

Reason: Wrong crew hours were recorded for the concrete team.

LOG OVERVIEW

Shift details

DATE	WEATHER	CREATED BY	TOTAL WORKERS
14 May 2025	Cloudy	Alex Morgan	41

SITE NOTES

Tower crane inspection completed before work began. Concrete delivery arrived 20 minutes late. No impact to planned works.

Activity

- **Created** — Marko Kovač · 14 May, 07:04
- **Signed off** — Ivana Horvat · 15 May, 08:12
- **Reopen requested** — Marko Kovač · 15 May, 09:42
- **Reopen approved** — Ivana Horvat · 15 May, 10:05

WORK COMPLETED

4 work entries

01	Concrete pour (Level 08 · 08:00–17:00)	Concrete crew A	9	14	Pour and level slab
02	Electrical first fix (Level 06 · 07:30–15:30)	Electrical crew B	8	11	Install containment
03	Curtain wall installation (West elevation · 07:00–17:00)	Façade crew	10	8	Install panels

DAILY LOG · DL-2025-0514

Wednesday, 14 May 2025

Created by Alex Morgan · 14 May 2025 at 07:04

DRAFT | Edit log | Sign off

LOG OVERVIEW

Shift details

DATE	WEATHER	CREATED BY	TOTAL WORKERS
14 May 2025	Cloudy	Alex Morgan	41

SITE NOTES

Tower crane inspection completed before work began. Concrete delivery arrived 20 minutes late. No impact to planned works.

Activity

Created
Marko Kovač · 14 May, 07:04

WORK COMPLETED

4 work entries

01	**Concrete pour** — Level 08 · 08:00–17:00			
	Concrete crew A	9 hrs	14 workers	Pour and level slab
02	**Electrical first fix** — Level 06 · 07:30–15:30			
	Electrical crew B	8 hrs	11 workers	Install containment
03	**Curtain wall installation** — West elevation · 07:00–17:00			
	Façade crew	10 hrs	8 workers	Install panels



SiteLog

WELCOME BACK

Sign in to SiteLog

Use your work account to continue.

Work email

alex@northstarbuild.co.uk


Password


Enter your password

Keep me signed in

Sign in

Protected workspace · Northstar Construction


SiteLog
AM
PORTFOLIO
Sites
4 active projects
Search sites
ST-018
Riverside Tower
London
3 open incidents
ST-021
Northgate Residences
Leeds
1 open incidents
ST-026
Harbour Exchange
Bristol
4 open incidents
ST-031
Westfield Depot
Manchester
0 open incidents
Sites
Incidents
Assist
Reports


RIVERSIDE TOWER
Daily logs
AM
DAILY REPORTING
Daily logs
May 2025 · 18 logs
All
Draft
Signed off
Reopened
14
MAY 2025
14 May 2025
Cloudy
4 work entries · Alex Morgan
SIGNED OFF
13
MAY 2025
13 May 2025
Light rain
3 work entries · Alex Morgan
DRAFT
12
MAY 2025
12 May 2025
Clear
5 work entries · Alex Morgan
REOPENED
11
MAY 2025
11 May 2025
Clear
4 work entries · Alex Morgan
SIGNED OFF
Sites
Incidents
Assist
Reports

RIVERSIDE TOWER
New daily log

AM

DRAFT

New daily log

Record site conditions and completed work.

1 Shift details

Wednesday, 14 May

Date

dd/mm/yyyy

Weather (optional)

Cloudy

Site notes

Deliveries, delays or observations...

2 Work completed

Entry 1

Description

e.g. Concrete pour — Level 08

Location

Area or level

Start time

--:--

End time

--:--

Crew assignment

Crew

Concrete crew A

Hours worked

Worker count

Task

Task completed

+ Add crew

1 work entry

Save daily log

SiteLog
Northstar Construction

WORKSPACE

- Sites
- Incidents 4
- Assisted reporting
- Compliance

ADMIN

- Users
- Crews

AM Alex Morgan
Site Manager

Riverside Tower

SAFETY MANAGEMENT

Incidents

Track, investigate and resolve safety events across active sites.

+ Report incident

Open incidents	Critical priority	Awaiting review	Closed this month
4	1	1	1

Search incidents

Site: All sites

Status: All statuses

TITLE	OCCURRED AT	CATEGORY	SEVERITY	STATUS
Fall from height INC-1043	28 Oct 2026 · 09:18	Fall from height	HIGH	REPORTED
Unsecured edge protection INC-1042	14 May 2025 · 14:30	Fall from height	CRITICAL	REPORTED
Minor hand injury INC-1041	13 May 2025 · 11:15	Manual handling	MEDIUM	UNDER REVIEW
Blocked access route INC-1040	12 May 2025 · 09:40	Slip/trip	LOW	CLOSED
Falling material near miss INC-1039	10 May 2025 · 16:05	Near miss	HIGH	SIGNED OFF

SiteLog
Northstar Construction

WORKSPACE
- Sites
- Incidents 4
- Assisted reporting
- Compliance

ADMIN
- Users
- Crews

AM Alex Morgan
Site Manager

Riverside Tower

Incidents / Report incident

NEW SAFETY RECORD

Report an incident

Capture the known details now. The investigation can be updated as new information emerges.

1 Incident details

What happened, when and where.

Incident title *
Short, specific title

Occurred at *
dd/mm/yyyy, --:--

Site *
Select site

Category *
Fall from height

Severity *
Low

Description *
Describe the sequence of events and immediate response...

Affected crews
Select a site before assigning crews

Related daily log (optional)
None

Report incident

SiteLog
Northstar Construction

WORKSPACE
- Sites
- Incidents 4
- Assisted reporting
- Compliance

ADMIN
- Users
- Crews

Alex Morgan
Site Manager

Riverside Tower

Incidents / Report incident

NEW SAFETY RECORD

Report an incident

Capture the known details now. The investigation can be updated as new information emerges.

1 Incident details

What happened, when and where.

Incident title *
Short, specific title

Occurred at *
dd/mm/yyyy, --:--

Site *
Select site

Category *
Fall from height

Severity *
High

Description *
Describe the sequence of events and immediate response...

Affected crews
Select a site before assigning crews

Related daily log (optional)
None

Investigation required
High severity incidents require these details before submission.

Root cause *
Describe the known or suspected root cause...

Witnesses *
Names, or none

Medical treatment *
Treatment given, or none

Authority notified? *
Select yes or no

Report incident

NEW SAFETY RECORD

Report an incident

Capture the known details now. The investigation can be updated as new information emerges.

1 Incident details

What happened, when and where.

Incident title *
Short, specific title
Title is required

Occurred at *
dd/mm/yyyy, --:--
Occurrence date and time are required

Site *
Riverside Tower

Category *
Fall from height

Severity *
High

Description *
Describe the sequence of events and immediate response...
Description is required

Affected crews
Concrete crew A ×

Related daily log (optional)
None

Investigation required
High severity incidents require these details before submission.

Root cause *
Describe the known or suspected root cause...
Root cause is required

Witnesses *
Names, or none
Enter witnesses or “None”

Medical treatment *
Treatment given, or none
Enter treatment or “None”

Authority notified? *
Select yes or no
Select Yes or No

Report incident

INCIDENT · INC-1042

Unsecured edge protection

Riverside Tower · Reported by Marko Kovač · 14 May 2025 at 15:05

Start review | Sign off | Close

SEVERITY	STATUS	OCCURRED AT	SITE	RELATED DAILY LOG
CRITICAL	REPORTED	14 May 2025 · 14:30	Riverside Tower · ST-018	DL-2025-0514

INCIDENT RECORD

What happened

CATEGORY
Fall from height

AFFECTED CREWS
Concrete crew A | Site safety team

DESCRIPTION
A loose section of edge protection was found on level 8 near the east core. The concrete crew stopped work and isolated the area. No one was injured.

REQUIRED INVESTIGATION

Investigation

ROOT CAUSE
Edge protection fixing had loosened after adjacent material handling operations.

WITNESSES
Petar Babić, Luka Marin

MEDICAL TREATMENT
None required

AUTHORITY NOTIFIED
No

FOLLOW-UP

Corrective actions


+ Add corrective action

ACTION	ASSIGNEE	DUE DATE	STATUS	
Replace damaged edge protection	Jordan Lee	16 May 2025	OPEN	Mark as done
Deliver fall-prevention toolbox talk	Unassigned	15 May 2025	OVERDUE	Mark as done
Update level 8 inspection checklist	Ivana Horvat	20 May 2025	DONE	

Status timeline

- **Reported** — Marko Kovač · 14 May 2025 at 15:05
- **Under review** — Pending
- **Signed off** — Pending
- **Closed** — Pending

"Sign off" is available to Safety Supervisors only.


INC-1042 · CORRECTIVE ACTION
Add corrective action
Assign clear follow-up work and a realistic due date.
Action *
Describe the corrective action
Assignee (optional)
Unassigned
Due date *
dd/mm/yyyy
Cancel
Add action

INC-1042 · CORRECTIVE ACTION

Add corrective action

Assign clear follow-up work and a realistic due date.

Action *

Describe the corrective action

Action is required

Assignee (optional)

Unassigned

Due date *

dd/mm/yyyy

Due date cannot be in the past

Cancel

Add action

SiteLog
Northstar Construction

WORKSPACE

- Sites
- Incidents 4
- Assisted reporting
- Compliance

ADMIN

- Users
- Crews

AM
Alex Morgan
Site Manager

Riverside Tower

ASSISTED REPORTING

Shift note to incident draft

Turn an unstructured site note into a structured, reviewable incident record.

Human review required
SiteLog Assist proposes details only. A responsible person must review and sign every incident.

1 Add a shift note

Paste the supervisor's note exactly as recorded.

Free-text shift note

At around 14:30 a loose section of edge protection was found on level 8 near the east core. The concrete crew stopped work and isolated the area. No one was injured. Site safety replaced the section before work resumed.

Your note is processed securely within this workspace.

Analyse note

2 Review incident draft

Confirm every suggested field.

Ready when you are

Suggested incident details will appear here after SiteLog analyses the note.

ASSISTED REPORTING

Shift note to incident draft

Turn an unstructured site note into a structured, reviewable incident record.

Human review required
SiteLog Assist proposes details only. A responsible person must review and sign every incident.

1 Add a shift note

Paste the supervisor's note exactly as recorded.

Free-text shift note

At around 14:30 a loose section of edge protection was found on level 8 near the east core. The concrete crew stopped work and isolated the area. No one was injured. Site safety replaced the section before work resumed.

Your note is processed securely within this workspace.

Analysing note...

2 Review incident draft

Confirm every suggested field.

Analysing note...

Identifying severity, category, affected crews and immediate actions...

ASSISTED REPORTING

Shift note to incident draft

Turn an unstructured site note into a structured, reviewable incident record.

Human review required
SiteLog Assist proposes details only. A responsible person must review and sign every incident.

1 Add a shift note

Paste the supervisor's note exactly as recorded.

Free-text shift note

At around 14:30 a loose section of edge protection was found on level 8 near the east core. The concrete crew stopped work and isolated the area. No one was injured. Site safety replaced the section before work resumed.

Your note is processed securely within this workspace.

Analyse note

2 Review incident draft

AI DRAFT

Confirm every suggested field.

Site *
Riverside Tower

Proposed severity
High

Category
Fall from height

Affected crews
Concrete crew A ×

Immediate action
Work stopped, area isolated, and edge protection replaced before work resumed.

Needs supervisor signature
Nothing is saved until a Safety Supervisor signs.

Reject | Edit | Sign and create incident

SiteLog
Northstar Construction

WORKSPACE
- Sites
- Incidents 4
- Assisted reporting
- Compliance

ADMIN
- Users
- Crews

Alex Morgan
Site Manager

Riverside Tower

ASSISTED REPORTING

Shift note to incident draft

Turn an unstructured site note into a structured, reviewable incident record.

Human review required
SiteLog Assist proposes details only. A responsible person must review and sign every incident.

1 Add a shift note

Paste the supervisor's note exactly as recorded.

Free-text shift note

At around 14:30 a loose section of edge protection was found on level 8 near the east core. The concrete crew stopped work and isolated the area. No one was injured. Site safety replaced the section before work resumed.

Your note is processed securely within this workspace.

Analyse note

2 Review incident draft

AI DRAFT

Confirm every suggested field.

Site *
Riverside Tower

Proposed severity
High

Category
Select category

The assistant could not extract this field

Affected crews
Concrete crew A ×

Immediate action
Work stopped, area isolated, and edge protection replaced before work resumed.

Needs supervisor signature
Nothing is saved until a Safety Supervisor signs.

Reject | Edit | Sign and create incident

SiteLog
Northstar Construction

WORKSPACE
- Sites
- Incidents 4
- Assisted reporting
- Compliance

ADMIN
- Users
- Crews

Alex Morgan
Site Manager

Riverside Tower

ASSISTED REPORTING

Shift note to incident draft

Turn an unstructured site note into a structured, reviewable incident record.

Human review required
SiteLog Assist proposes details only. A responsible person must review and sign every incident.

1 Add a shift note

Paste the supervisor's note exactly as recorded.

Free-text shift note

At around 14:30 a loose section of edge protection was found on level 8 near the east core. The concrete crew stopped work and isolated the area. No one was injured. Site safety replaced the section before work resumed.

Your note is processed securely within this workspace.

Analyse note

2 Review incident draft

Confirm every suggested field.

The assistant is unavailable — fill the incident manually

Continue without assisted reporting so this safety record is not delayed.

Open manual incident form →

SiteLog
Northstar Construction

WORKSPACE
- Sites
- Incidents 4
- Assisted reporting
- Compliance

ADMIN
- Users
- Crews

AM Alex Morgan
Site Manager

Riverside Tower

SAFETY INTELLIGENCE

Compliance report

Performance and corrective action outcomes across active projects.

Export report

Site: Riverside Tower | From: dd/mm/yyyy | To: dd/mm/yyyy | Apply filters

INCIDENTS BY SEVERITY

Low	8
Medium	5
High	3
Critical	1

INCIDENTS BY CATEGORY

Near miss	7	Fall from height	5
Manual handling	3	Machinery	2

CORRECTIVE ACTIONS

Open	12	Done	6
Overdue	3		

CLOSED ON TIME

82%

5 of 6 actions

Corrective actions

Actions raised from incident investigations and reviews.

All 21 | Open 12 | Done 6 | Overdue 3

ACTION	INCIDENT	ASSIGNEE	DUE DATE	STATUS
Replace damaged edge protection	INC-1042	Jordan Lee	16 May 2025	OPEN
Clear emergency access route	INC-1040	Alex Morgan	13 May 2025	OVERDUE
Update lifting plan	INC-1039	Sam Taylor	20 May 2025	OPEN
Complete toolbox talk	INC-1036	Jamie Chen	10 May 2025	DONE

SiteLog
Northstar Construction

WORKSPACE

- Sites
- Incidents 8
- Assisted reporting
- Compliance

ADMIN

- Users
- Crews

AM Alex Morgan
Site Manager

Riverside Tower

PROJECT PORTFOLIO

Sites

Monitor active projects, daily reporting and safety at a glance.

+ New site

Search by site name, code or city

Project status: All active sites

ST-018 · ACTIVE

Riverside Tower
London

18 Daily logs · 3 Open incidents · London City

ST-021 · ACTIVE

Northgate Residences
Leeds

12 Daily logs · 1 Open incidents · Leeds City

ST-026 · ACTIVE

Harbour Exchange
Bristol

9 Daily logs · 4 Open incidents · Bristol City

ST-031 · ACTIVE

Westfield Depot
Manchester

6 Daily logs · 0 Open incidents · Manchester City

SiteLog
Northstar Construction

WORKSPACE
- Sites
- Incidents 8
- Assisted reporting
- Compliance

ADMIN
- Users
- Crews

AM Alex Morgan
Site Manager

Riverside Tower

Sites / Riverside Tower

ST-018 · ACTIVE PROJECT

Riverside Tower

42 Bridge Road, London

Site settings | + New daily log

Overview | Daily logs 18 | Incidents 3 | Compliance

LOGS THIS MONTH	AWAITING SIGN-OFF	OPEN INCIDENTS	CORRECTIVE ACTIONS
18	2	3	12
All shifts covered	Needs manager review	1 critical	3 overdue

Recent daily logs

Latest shift activity submitted by the site team.

View all logs

DATE	WEATHER	ENTRIES	CREATED BY	STATUS
14 May 2025	Cloudy	4	Alex Morgan	SIGNED OFF
13 May 2025	Light rain	3	Jamie Chen	DRAFT
12 May 2025	Clear	5	Alex Morgan	REOPENED

SiteLog
Northstar Construction

WORKSPACE
- Sites
- Incidents 8
- Assisted reporting
- Compliance

ADMIN
- Users
- Crews

Alex Morgan
Site Manager

Riverside Tower

Sites / Riverside Tower / Settings

ST-018 · SITE ADMINISTRATION

Site settings

Update project details, status and responsible managers.

Project details

Information shown throughout SiteLog reports and records.

Site name
Riverside Tower

Site code
ST-018

Address
42 Bridge Road, London


Start date
dd/mm/yyyy


End date (optional)
dd/mm/yyyy

Site Manager
Alex Morgan

Description (optional)
Construction of a 22-storey mixed-use tower with two basement levels and public realm works.

Cancel | Save settings


SiteLog
Northstar Construction
WORKSPACE
Sites
Incidents 8
Assisted reporting
Compliance
ADMIN
Users
Crews
AM
Alex Morgan
Site Manager
Riverside Tower
Sites / Riverside Tower
ST-018 · ACTIVE PROJECT
Riverside Tower
Daily reporting for this site only.
New daily log
Overview
Daily logs 18
Incidents 3
Compliance
Search daily logs
Status
All statuses
Month
mm/yyyy
DATE
WEATHER
WORK ENTRIES
WORKERS
CREATED BY
STATUS
14 May 2025
Cloudy
4
41
Alex Morgan
SIGNED OFF
13 May 2025
Light rain
3
34
Jamie Chen
DRAFT
12 May 2025
Clear
5
46
Marko Kovač
REOPENED


SiteLog
Northstar Construction
WORKSPACE
Sites
Incidents
8
Assisted reporting
Compliance
ADMIN
Users
Crews
AM
Alex Morgan
Site Manager
Riverside Tower
Sites / Riverside Tower
ST-018 · ACTIVE PROJECT
Riverside Tower
Daily reporting for this site only.
New daily log
Overview
Daily logs 0
Incidents 3
Compliance
No daily logs yet
Start recording today's site conditions and work.

SiteLog
Northstar Construction

WORKSPACE
- Sites
- Incidents 8
- Assisted reporting
- Compliance

ADMIN
- Users
- Crews

AM Alex Morgan
Site Manager

Riverside Tower

Sites / Riverside Tower

ST-018 · SITE SAFETY

Riverside Tower

Incidents reported for this site.

+ Report incident

Overview | Daily logs 18 | Incidents 3 | Compliance

Open incidents	Critical priority	Awaiting review	Closed this month
8	1	3	14

Search incidents

Status: All statuses

TITLE	OCCURRED AT	CATEGORY	SEVERITY	STATUS
Unsecured edge protection INC-1042	14 May 2025 · 14:30	Fall from height	CRITICAL	REPORTED
Minor hand injury INC-1041	13 May 2025 · 11:15	Manual handling	MEDIUM	UNDER REVIEW
Blocked access route INC-1040	12 May 2025 · 09:40	Slip/trip	LOW	CLOSED
Falling material near miss INC-1039	10 May 2025 · 16:05	Near miss	HIGH	SIGNED OFF

SiteLog
Northstar Construction

WORKSPACE
- Sites
- Incidents 8
- Assisted reporting
- Compliance

ADMIN
- Users
- Crews

AM Alex Morgan
Site Manager

Riverside Tower

Sites / Riverside Tower

ST-018 · SAFETY INTELLIGENCE

Riverside Tower

Compliance and corrective action outcomes for this site.

Export report

Overview | Daily logs 18 | Incidents 3 | Compliance

From dd/mm/yyyy To dd/mm/yyyy Apply filters

INCIDENTS BY SEVERITY

Low	8
Medium	5
High	3
Critical	1

INCIDENTS BY CATEGORY

Near miss	7	Fall from height	5
Manual handling	3	Machinery	2

CORRECTIVE ACTIONS

Open	12	Done	6
Overdue	3		

CLOSED ON TIME

82%

5 of 6 actions

Corrective actions

Actions raised from incident investigations and reviews.

All 21 | Open 12 | Done 6 | Overdue 3

ACTION	INCIDENT	ASSIGNEE	DUE DATE	STATUS
Replace damaged edge protection	INC-1042	Jordan Lee	16 May 2025	OPEN
Clear emergency access route	INC-1040	Alex Morgan	13 May 2025	OVERDUE
Update lifting plan	INC-1039	Sam Taylor	20 May 2025	OPEN
Complete toolbox talk	INC-1036	Jamie Chen	10 May 2025	DONE

SiteLog
Northstar Construction

WORKSPACE
- Sites
- Incidents 8
- Assisted reporting
- Compliance

ADMIN
- Users
- Crews

AM Alex Morgan
Site Manager

Riverside Tower

Sites / New site

SITE ADMINISTRATION

New site

Register a construction site and assign its site manager.

Site details

Code and name appear on daily logs, incidents and the compliance report.

Site name
Residential Complex Lanište

Site code
ZG-03

Address
Lanište 12, 10000 Zagreb

Start date
dd/mm/yyyy

End date (optional)
dd/mm/yyyy

Site Manager
Select a site manager

Description (optional)
Construction of a 22-storey mixed-use tower with two basement levels and public realm works.

Cancel
Create site

S SiteLog
Northstar Construction

WORKSPACE
Sites
Incidents 4
Assisted reporting
Compliance

ADMIN
Users
Crews

AM Alex Morgan
Site Manager
View profile
Language EN HR
Log out

Riverside Tower

MY ACCOUNT

Profile

Manage your personal details and workspace preferences.

AM

Alex Morgan
Site Manager
ACTIVE

ASSIGNED SITE
Riverside Tower

LAST SIGN-IN
Today, 08:14

Personal details

Used across reports, approvals and activity history.

Full name
Full name


Work email
alex@northstarbuild.co.uk


Preferences

Choose the language and regional display settings.

Language
English | Croatian

Save profile


SiteLog
Northstar Construction
WORKSPACE
Sites
Incidents
4
Assisted reporting
Compliance
ADMIN
Users
Crews
AM
Alex Morgan
Site Manager
Riverside Tower
ADMINISTRATION
Users
Manage workspace access, roles and site assignments.
New user
Search by name or email
Role
All roles
Status
Active users
NAME
EMAIL
ROLE
ACTIVE
ASSIGNED SITES
Marko Kovač
marko.kovac@sitelog.hr
SITE MANAGER
ACTIVE
Riverside Tower
Ivana Horvat
ivana.horvat@sitelog.hr
SAFETY SUPERVISOR
ACTIVE
All sites
Petar Babić
petar.babic@sitelog.hr
ADMIN
ACTIVE
All sites
Luka Marin
luka.marin@sitelog.hr
SITE MANAGER
ACTIVE
Northgate Residences, Harbour Exchange


SiteLog
Northstar Construction
WORKSPACE
Sites
Incidents
4
Assisted reporting
Compliance
ADMIN
Users
Crews
AM
Alex Morgan
Site Manager
Riverside Tower
Users / Marko Kovač
USER ACCOUNT
Marko Kovač
Site Manager · Active since 8 January 2024
Deactivate user
Edit user
MK
Marko Kovač
marko.kovac@sitelog.hr
ACTIVE
Role
SITE MANAGER
Assigned sites
Riverside Tower
Language
Croatian (HR)
Last sign-in
Today at 07:42
Recent activity
Latest records and approvals by this user.
Submitted daily log
DL-2025-0514 · Riverside Tower
14 May, 17:38
Reported incident
INC-1042 · Unsecured edge protection
14 May, 15:05
Requested log reopen
DL-2025-0512
13 May, 09:42

SiteLog
Northstar Construction

WORKSPACE
- Sites
- Incidents 4
- Assisted reporting
- Compliance

ADMIN
- Users
- Crews

Alex Morgan
Site Manager

Riverside Tower

Users / New user

ADMINISTRATION

New user

Create login access and assign the user to their sites.

User details

Account identity and access permissions.

Full name

e.g. Ana Novak

Email (used to log in)

name@company.com

Role

Site Manager

Active
User can sign in immediately

Assigned sites

Riverside Tower × Add another site

Available for Site Manager only.

Initial password

Minimum 10 characters

Cancel | Create user

SiteLog
Northstar Construction

WORKSPACE
- Sites
- Incidents 4
- Assisted reporting
- Compliance

ADMIN
- Users
- Crews

Alex Morgan
Site Manager

Riverside Tower

Users / New user

ADMINISTRATION

New user

Create login access and assign the user to their sites.

User could not be created
Check the highlighted field and try again.

User details

Account identity and access permissions.

Full name
e.g. Ana Novak

Email (used to log in)
marko.kovac@sitelog.hr
Email is already used


Role
Site Manager


Active
User can sign in immediately


Assigned sites
Riverside Tower × Add another site
Available for Site Manager only.

Initial password
Minimum 10 characters

Cancel | Create user


SiteLog
Northstar Construction
WORKSPACE
Sites
Incidents
4
Assisted reporting
Compliance
ADMIN
Users
Crews
AM
Alex Morgan
Site Manager
Riverside Tower
ADMINISTRATION
Crews
Manage contractors, trades and active site teams.
New crew
Search crews
Trade
All trades
Status
All
NAME
COMPANY
TRADE
ACTIVE
Concrete crew A
Adria Build d.o.o.
Concrete
ACTIVE
Electrical crew B
Volt Systems d.o.o.
Electrical
ACTIVE
Façade crew
Omotač Projekt d.o.o.
Façade
ACTIVE
Groundworks team
Terra Works d.o.o.
Groundworks
INACTIVE


SiteLog
Northstar Construction
WORKSPACE
Sites
Incidents
4
Assisted reporting
Compliance
ADMIN
Users
Crews
AM
Alex Morgan
Site Manager
Riverside Tower
Crews / New crew
ADMINISTRATION
New crew
Add a contractor crew for assignment to daily work entries.
Crew details
Basic company and trade information.
Name
e.g. Concrete crew C
Company
Registered company name
Trade
Concrete
Active
Crew can be assigned to work
Cancel
Create crew


SiteLog
Northstar Construction
WORKSPACE
Sites
Incidents
4
Assisted reporting
Compliance
ADMIN
Users
Crews
AM
Alex Morgan
Site Manager
Riverside Tower
Crews / New crew
ADMINISTRATION
New crew
Add a contractor crew for assignment to daily work entries.
Crew could not be created
Check the highlighted field and try again.
Crew details
Basic company and trade information.
Name
Concrete crew A
Name is already used
Company
Registered company name
Trade
Concrete
Active
Crew can be assigned to work
Cancel
Create crew

SiteLog
Northstar Construction

WORKSPACE
- Sites
- Incidents 4
- Assisted reporting
- Compliance

ADMIN
- Users
- Crews

AM Alex Morgan
Site Manager

Riverside Tower

PROJECT PORTFOLIO

Sites

Monitor active projects, daily reporting and safety at a glance.

Search by site name, code or city

ST-018 ACTIVE

Riverside Tower
London

18 Daily logs · 3 Open incidents · London City

ST-021

Northgate Residences
Leeds

12 Daily logs · 1 Open incidents · Leeds City

ST-026 ACTIVE

Harbour Exchange
Bristol

9 Daily logs · 4 Open incidents · Bristol City

ST-031 ACTIVE

Westfield Depot
Manchester

6 Daily logs · 0 Open incidents · Manchester City

Notifications
3 unread

Mark all as read

- **Corrective action overdue** — Yesterday
  Clear emergency access route · Riverside Tower · due yesterday
  Mark as read
- **Daily log not signed off** — 2 h ago
  Riverside Tower · 28 Oct 2026 · still in Draft after 24 h
  Mark as read
- **Reopen request needs review** — 12 min ago
  Marko Kovač · DL-2025-0514
  Mark as read
- **High-severity incident reported** — 6 min ago
  INC-1043 · Fall from height · Harbour Offices

Notifications are based on your role and assigned sites.

S SiteLog
Northstar Construction

WORKSPACE
- Sites
- Incidents 4
- Assisted reporting
- Compliance

ADMIN
- Users
- Crews

AM Alex Morgan
Site Manager

Riverside Tower

PROJECT PORTFOLIO

Sites

Monitor active projects, daily reporting and safety at a glance.

Search by site name, code or city

ST-018 ACTIVE

Riverside Tower
London

18 Daily logs | 3 Open incidents | London City

ST-021 ACTIVE

Northgate Residences
Leeds

12 Daily logs | 1 Open incidents | Leeds City

ST-026 ACTIVE

Harbour Exchange
Bristol

9 Daily logs | 4 Open incidents | Bristol City

ST-031 ACTIVE

Westfield Depot
Manchester

6 Daily logs | 0 Open incidents | Manchester City

Notifications
No unread notifications

✓

You're all caught up

There are no unread in-app notifications.

Notifications are based on your role and assigned sites.

00 Icons

Chevron for selects, calendar and clock for date and time pickers.

01 Actions

Buttons retain their width when translated into longer labels.

Save changes | Save changes | Save changes
Save changes | Save changes | Save changes
Save changes | Save changes | Save changes

02 Form controls

Labels wrap naturally and never constrain the control width.

Incident title *
Unsecured edge protection
Unsecured edge protection
Unsecured edge protection
Title is required
Unsecured edge protection
Unsecured edge protection

Incident title *
Unsecured edge protection
Unsecured edge protection
Unsecured edge protection
Unsecured edge protection

Incident title *
dd/mm/yyyy
dd/mm/yyyy
Title is required
Unsecured edge protection
Unsecured edge protection

Incident title *
Unsecured edge protection
Unsecured edge protection
Unsecured edge protection
Title is required
Unsecured edge protection
Unsecured edge protection

Keep me signed in | Keep me signed in

03 Data table

Header, default row and hover treatment.

DATE

Cloudy | Cloudy | Cloudy | DRAFT

DATE	WEATHER	ENTRIES	CREATED BY	STATUS
14 May 2025	Cloudy	4	Alex Morgan	SIGNED OFF

04 Status chips

Semantic chip families use distinct, high-contrast combinations.

ACTIVE ACTIVE ACTIVE ACTIVE ACTIVE ACTIVE ACTIVE ACTIVE ACTIVE ACTIVE ACTIVE ACTIVE

DAILY LOG STATUS
DRAFT SIGNED OFF REOPENED

INCIDENT STATUS
REPORTED UNDER REVIEW SIGNED OFF CLOSED

CORRECTIVE ACTION STATUS
OPEN DONE OVERDUE

SEVERITY
LOW MEDIUM HIGH CRITICAL

USER STATUS
ACTIVE INACTIVE

USER ROLE
SITE MANAGER SAFETY SUPERVISOR ADMIN

SITE STATUS
ACTIVE

ASSISTED REPORT STATUS
AI DRAFT

05 Feedback

Flash messages use icon, text and colour together.

Daily log saved
Wednesday, 14 May 2025 is ready for review.

Daily log saved
Wednesday, 14 May 2025 is ready for review.

Daily log saved
Wednesday, 14 May 2025 is ready for review.

06 Crew assignment row

Columns allow Croatian labels to grow without truncation.

9 | 9

Concrete crew A | 9 | 14 | Pour and level slab

Crew	Hours	Workers	Task
Concrete crew A	9	14	Pour and level slab

+ Add another crew

07 Toggles and modal

On/off switches for account and crew status, and a modal dialog for short focused tasks, shown with its validation error.

INC-1042 · CORRECTIVE ACTION

Add corrective action

Assign clear follow-up work and a realistic due date.

Action *
Describe the corrective action

Assignee (optional)
Unassigned

Due date *
dd/mm/yyyy

Cancel | Add action

Active
User can sign in immediately

Active
User can sign in immediately