Trajectory Mapping Results

analysis x

Cecilia Valenzuela

17 December, 2020

Deme configuration



deme	division	country	region	exclude_country	min_date	max_date
China		China	Asia		2019-12-24	2020-01-23
France		France	Europe		2020-01-23	2020-03-08
Germany		Germany	Europe		2020-01-28	2020-03-08
Italy		Italy	Europe		2020-01-29	2020-03-08
OtherEuropean			Europe	France, Germany, Italy, Spain	2020-01-29	2020-03-08
Spain		Spain	Europe		2020-02-24	2020-03-08

ECDC Case count data

Table 2: Total number of cases reported to ECDC 18th March

deme	cumcases	рор	cas100
China	81063	1439323.8	5.6
France	6633	65273.5	10.2
Germany	6012	83783.9	7.2
Italy	27980	60461.8	46.3
OtherEuropean	16685	491362.0	3.4
Spain	13994	46754.8	29.9




Figure 1: ECDC case counts for each deme from the beginning of the pandemic to March $18\,$

Epidemic trajectory data

From the Stochastic Trajectory Mapping analysis, we obtain one epidemic trajectory per set of parameters \pm typed node tree.

The processing of the trajectory data includes the generation of two different datasets:

- states: We have the total number of inferred cases by trajectory, deme and time.
- events: We have each event that happened in a epidemic trajectory, with its type (origin, birth, death or migration), the source/destination deme and time.

Table 3: States dataset

traj	type	time	N	age	date_model	date
1	China	0.0000000	0	0.3081309	2019-11-15	2019-11-25
1	China	0.0061626	0	0.3019683	2019-11-17	2019-11-27
1	China	0.0095228	0	0.2986080	2019-11-18	2019-11-28
1	China	0.0187668	0	0.2893641	2019-11-22	2019-12-02
1	China	0.0241403	0	0.2839906	2019-11-24	2019-12-04

Epidemic trajectory data


Table 4: Events dataset

traj	time	event	src	dest	mult	age	date_model	date
1	0.0000000	0				0.3081309	2019-11-15	2019-11-25
1	0.0061626	В	Germany	Germany	1	0.3019683	2019-11-17	2019-11-27
1	0.0095228	В	Germany	Germany	1	0.2986080	2019-11-18	2019-11-28
1	0.0187668	В	Germany	Germany	1	0.2893641	2019-11-22	2019-12-02
1	0.0241403	В	Germany	Germany	1	0.2839906	2019-11-24	2019-12-04

To have a feasible time of analysis of the epidemic trajectories we take a random subsample of 500 trajectories.


To facilitate visualization and summarise the results, we take a grid time of 1 day and summarise the number of events that day as the sum of the events in the corresponding time interval; and the number of inferred cases as the maximum of the interval.

Inferred case counts - China




Imedian	711268.5
llow	38683.68
lhigh	15451119
cumcases	81063
cumdeaths	3225
cases	43
рор	1439324
cas100	5.63
fc	0.11
lfc	0.01
hfc	2.1
rc	8.77
Irc	0.48
hrc	190.61

Inferred case counts - France




Imedian	332552
llow	26513.03
lhigh	4319834
cumcases	6633
cumdeaths	148
cases	1210
рор	65273.5
cas100	10.16
fc	0.02
Ifc	0
hfc	0.25
rc	50.14
Irc	4
hrc	651 26

Inferred case counts - Germany




Imedian	17133
llow	2724.67
Ihigh	212835
cumcases	6012
cumdeaths	13
cases	1174
рор	83783.95
cas100	7.18
fc	0.35
Ifc	0.03
hfc	2.21
rc	2.85
Irc	0.45
hrc	35.4

Inferred case counts - Italy




Imedian	575387
llow	41882.8
lhigh	7658113
cumcases	27980
cumdeaths	2158
cases	4000
рор	60461.8
cas100	46.28
fc	0.05
Ifc	0
hfc	0.67
rc	20.56
Irc	1.5
hrc	273.7

Inferred case counts - OtherEuropean




Imedian	866232
llow	47570.15
lhigh	14111162
cumcases	16685
cumdeaths	191
cases	9
рор	491362
cas100	3.4
fc	0.02
lfc	0
hfc	0.35
rc	51.92
Irc	2.85
hrc	845.74

Inferred case counts - Spain




Imedian	1328895
llow	81586.65
Ihigh	2569855
cumcases	13994
cumdeaths	309
cases	2503
рор	46754.78
cas100	29.93
fc	0.01
Ifc	0
hfc	0.17
rc	94.96
Irc	5.83
hrc	1836.4

Inferred case counts v2- China




llow	54560.8
lhigh	2143064
Dmedian	246809
Dlow	13074.8
Dhigh	5882031
cumcases	81063
cumdeaths	3225
cases	43
рор	1439324
cas100	5.63
fc	0.08
lfc	0
hfc	1.49
rc	12.33
Irc	0.67

Inferred case counts v2- France




llow	37642.6
lhigh	598046
Dmedian	113272.
Dlow	8918.77
Dhigh	156791
cumcases	6633
cumdeaths	148
cases	1210
рор	65273.5
cas100	10.16
fc	0.01
Ifc	0
hfc	0.18
rc	71.82
Irc	5.68

Inferred case counts v2- Germany




llow	5985.63
Ihigh	283596
Dmedian	5104.5
Dlow	639.85
Dhigh	78295
cumcases	6012
cumdeaths	13
cases	1174
рор	83783.9
cas100	7.18
fc	0.23
Ifc	0.02
hfc	1
rc	4.41
Irc	1

Inferred case counts v2- Italy




llow	60232.15
lhigh	1082215
Dmedian	196192.5
Dlow	13431.83
Dhigh	2651328
cumcases	27980
cumdeaths	2158
cases	4000
рор	60461.83
cas100	46.28
fc	0.03
lfc	0
hfc	0.46
rc	29.4
Irc	2.15

Inferred case counts v2- OtherEuropean




llow	69036.75
lhigh	1933838
Dmedian	306737
Dlow	17328.68
Dhigh	5687452
cumcases	16685
cumdeaths	191
cases	9
рор	491362
cas100	3.4
fc	0.01
lfc	0
hfc	0.24
rc	76.59
Irc	4.14

Inferred case counts v2- Spain



llow	113738.9
lhigh	35371519
Dmedian	471681
Dlow	30480.03
Dhigh	9800623
cumcases	13994
cumdeaths	309
cases	2503
рор	46754.78
cas100	29.93
fc	0.01
lfc	0
hfc	0.12
rc	132.99
Irc	8.13

Reporting rate



Inferred case counts - Additional figures

