

RACE.




express

ERHVERVSAADEMI AARHUS
BUSINESS ACADEMY AARHUS



1. ~~Velkommen til 2. semester~~
2. Node.js
3. Express.js
4. Node.js & MySQL



Agenda

Opgaver

- [Hello Node.js](#)
- [Getting Started with Express.js](#)
- [Node.js & MySQL](#)
- [Ekstraopgaver](#)
 - [Postman - Getting Started](#)
 - [Hello HTTP Module \(uden Express.js\)](#)
 - [Node.js File System](#)
 - [Introduction to Backend Development with Node.js & Express.js](#)

The screenshot shows a dark-themed code editor interface, likely Visual Studio Code, displaying a Node.js application named 'hello-express-js'. The project structure in the Explorer sidebar includes files like server.js, data.js, package.json, package-lock.json, and .gitignore. The server.js file is open in the main editor area, showing the following code:

```
server.js — hello-express-js
JS server.js M X JS data.js package.json
JS server.js > app.put("/todos/:todold") callback
1 import express from "express";
2 import todos from "./data.js";
3
4 const app = express();
5
6 app.use(express.json()); // Middleware to parse
7 // ROUTES: "/"
8
9 app.get("/", (request, response) => {
10   response.send("Hello Express.js 🚀");
11 });
12
13 app.post("/", (request, response) => {
14   response.send("Got a POST request");
15 });
16
17 app.put("/", (request, response) => {
18   response.send("Got a PUT request at /");
19 });
20
21 app.patch("/", (request, response) => {
22   response.send("Got a patch request at /");
23 });
24 }
```

The bottom status bar shows the terminal is running on a Mac (zsh), and the code editor has tabs for server.js, data.js, and package.json. The bottom right corner shows various status icons.

REST API with Node.js & Express




Formål

- At udvide vores forståelse og kompetencer indenfor backendudvikling med Node.js.
- Viden og forståelse for CRUD, REST, HTTP-metoder, request og response.
- Implementere REST API'er med Node.js og Express.js efter Best Practices.
- Kommunikere med databaser - først MySQL og dernæst MongoDB.
- Praktisk tilgang: Vi skal arbejde med opgaver kombineret med mindre teorioplæg.



Contact App with REST API

FRONTEND




REST API


FETCH(GET, POST, PUT, DELETE)

REQUEST

JSON DATA
RESPONSE



BACKEND



Code Every Day




A screenshot of the PhpStorm IDE interface. The title bar says "PhpStorm". The left sidebar shows a project structure with files like "index.php" and "main.js". The main editor area displays the content of "main.js". The code includes HTML, CSS, and JavaScript. A large yellow arrow points from the text "Code Every Day" towards the "main.js" file in the editor.

```
</script>
</head>
<body>
<main>
  <section id="intro--section">
    <article id="intro--section--text">
      
      Hey, ik ben Arnold Francisca!
      <h1>Hey, ik ben Arnold Francisca!</h1>
      <p class="section--text">Ik ben een front-end developer en student applicatieontwikkeling.</p>
      <a href="#work--section" class="pink--button scroll">Bekijk mijn werk</a>
    </article>
    
  </section>
  <section id="skills--section">
    <h2 class="section--header">Mijn Skills.</h2>
    <div id="skills--section--wrap">
```

MacBook Pro

Programming, scripting, and markup languages



<https://survey.stackoverflow.co/2023/#programming-scripting-and-markup-languages>

Web frameworks and technologies



<https://survey.stackoverflow.co/2023/#most-popular-technologies-webframe>


Databases




<https://survey.stackoverflow.co/2023/#databases>

I HAVE NO IDEA

WHAT I'M DOING






I AM A GOD



ATARI

A Warner Communications Company



CX2620

Introduction to





- Server-side JavaScript runtime environment.
- Executes JavaScript outside of the browser.



- Imagine Node.js as a powerful engine that lets you run JavaScript code outside of a web browser.
- Instead of just using JavaScript for web pages, Node.js lets you use it on your computer or on a server.
- It's like having a super-fast computer that can understand and do all the smart things you do in a web browser with JavaScript, but now it can do it on your own computer or a server.

Run JavaScript, not just in browsers



A screenshot of the Visual Studio Code (VS Code) interface, showing a Node.js application running in the terminal. The code in the editor is:

```
const yourFavoriteLecturer = {  
  name: "Peter Lind",  
  mail: "petl@kea.dk"  
};  
console.log(yourFavoriteLecturer);
```

The terminal output shows the result of running the script:

```
race@RACEs-MacBook-Pro nodejs-fun % node app.js  
{ name: 'Peter Lind', mail: 'petl@kea.dk' }  
race@RACEs-MacBook-Pro nodejs-fun %
```

The VS Code interface includes the Explorer sidebar on the left, showing a folder named "NODE-JS-FUN" containing "app.js". The status bar at the bottom shows "Ln 7, Col 1" and "Spaces: 4".

- **JavaScript Beyond Browser**

Instead of being limited to doing things only on the internet, Node.js lets you use JavaScript to build programs and applications on your computer or server. You get to use the same language you know from web pages.

- **Fast and Efficient**

Node.js is built to be really fast and efficient. It can handle many things at once without getting slow. This is really useful when you're working with apps that need to do lots of things at the same time, like chat apps or real-time updates.

- **Don't Wait for Things**

Usually, when a computer does something, it has to wait until that task is finished before moving on to the next one. Node.js does things differently. It can start a task and then keep working on other things while it waits for the first task to finish.

- **Customize with Modules**

Think of modules as little building blocks of code. Node.js gives you lots of ready-made code that you can use in your programs. You don't have to invent everything from scratch. It makes it easy to add new features to your projects.


- **Used for Many Things**

People use Node.js to build all sorts of things, from simple web servers to complex applications. It's popular in modern web development because it allows fast and efficient communication between clients and servers.



Key Points

Please,
Do not try to
understand
everything!



I DON'T UNDERSTAND

Øvelse

Hello Node.js

The screenshot shows a dark-themed code editor interface. In the center, there's a code editor window titled "app.js — hello-node". The file contains the following code:

```
JS app.js
1 console.log("Hello, Node.js 🎉");
2 
```


Below the code editor is a terminal window showing the output of running the script:

```
race@RACEs-MacBook-Pro hello-node % node app.js
Hello, Node.js 🎉
race@RACEs-MacBook-Pro hello-node % 
```

To the left of the code editor is an Explorer sidebar showing the project structure:

- HELLO-N... (expanded)
- .gitattributes
- .gitignore
- JS app.js** (selected)
- package.json

At the bottom of the interface, there are several status indicators and icons.



Why do we need it?



Why do we need it?

- In pairs, discuss and investigate
- Look at code and previous Node projects
- Ask Google and ChatGPT




Runtime Environment

- The Node.js runtime environment is an open-source, cross-platform JavaScript runtime built on Google Chrome's V8 JavaScript engine.
- It allows developers to execute JavaScript code on the server-side, outside of the browser, enabling them to build scalable and high-performance applications.
- Node.js provides a range of features and capabilities that are particularly well-suited for building real-time, networked, and event-driven applications.



Runtime Environment


- **Non-blocking I/O**
Node.js operates using an event-driven, non-blocking I/O model, which means that it can handle multiple concurrent connections without requiring a separate thread for each connection. This design choice enables efficient handling of I/O-bound tasks, making it suitable for applications that involve a lot of network communication.






Runtime Environment

- **Asynchronous Programming**
Node.js heavily emphasizes asynchronous programming patterns. This allows developers to write code that doesn't block the execution of other tasks while waiting for certain operations to complete. This approach enhances the application's responsiveness and throughput.






Runtime Environment

- **NPM (Node Package Manager)**

NPM is a powerful package manager that comes bundled with Node.js. It provides access to a vast ecosystem of open-source libraries and modules that can be easily integrated into Node.js applications, saving developers time and effort by avoiding the need to reinvent the wheel.




Runtime
Environment



- **Server-side Capabilities**
Node.js can function as a web server, handling incoming HTTP requests and serving responses. Developers can build web applications, APIs, and microservices using the same language for both client and server, which can streamline development and maintenance.




Runtime Environment




- **Scalability**

Due to its non-blocking architecture, Node.js is well-suited for building scalable applications that can handle a large number of concurrent connections. This makes it a popular choice for real-time applications like chat applications, online gaming, and streaming services.



Runtime Environment



- **Community and Ecosystem**

Node.js has a large and active community that continuously contributes to its growth. The ecosystem includes various tools, frameworks, and libraries that extend its capabilities and make development more efficient.


Remix




Runtime Environment

- In summary, Node.js provides a runtime environment that allows developers to use JavaScript beyond the browser, enabling them to create high-performance, scalable, and real-time applications for various use cases.

... we can leverage our
existing **JavaScript**
expertise to develop
backend applications,
server apps, REST APIs,
etc.



**Runtime
Environment**




=

Runtime
Environment


+


JavaScript
Library

Node.js Architecture



Node.js Architecture





Node.js also comes with a toolbox called NPM, which has all sorts of ready-made tools (like Lego blocks) that developers can use to build their programs. Instead of building everything from scratch, you can use these tools to save time and make your app even better.


npm is a package manager for Node.js packages (JS modules)

- Node.js packages contains all the files you need for a module.
- Modules are JavaScript libraries you can include in your project.

My Project

```
✓ NODE-USERS-REST-API
  > node_modules
  .gitignore
  app.js
  data.json
  package-lock.json
  package.json
```



Express 

mysql2


CORS

Remix


Mongoose

And many other
JavaScript libraries

node_modules



npm install { package-name }



A screenshot of the Visual Studio Code (VS Code) interface. The title bar shows "package.json — node-express-rest-users". The Explorer sidebar on the left shows a project structure with files like node_modules, .env, .gitattributes, .gitignore, app.js, data.json, package-lock.json, and package.json. The package.json file is selected in the Explorer. The main editor area displays the following JSON code:

```
package.json — node-express-rest-users
package.json X
{
  "name": "node-express-rest-users",
  "version": "1.0.0",
  "author": "Rasmus Læderortz",
  "license": "ISC",
  "dependencies": {
    "cors": "^2.8.5",
    "express": "^4.18.2"
  }
}
```

The "dependencies" section is highlighted with a pink background. Below the editor, the status bar shows the terminal command: "race@RACEs-MacBook-Pro node-express-rest-users % npm install express".


npm consists of

1. Website to discover packages
2. Command line interface (CLI)
3. A registry - database with JS software/
libraries (node modules)

<https://docs.npmjs.com/about-npm/>



Node.js HTTP Module



The screenshot shows a web browser window with the title "Node.js HTTP Module". The address bar contains "w3schools.com/nodejs/nodejs_http.asp". The page content is titled "The Built-in HTTP Module". It explains that Node.js has a built-in module called HTTP, which allows Node.js to transfer data over the Hyper Text Transfer Protocol (HTTP). It shows how to include the HTTP module using the `require()` method:

```
var http = require('http');
```


Below this, there is a section titled "Node.js as a Web Server" which states that the HTTP module can create an HTTP server that listens to server ports and gives a response back to the client. It suggests using the `createServer()` method to create an HTTP server:

```
Use the createServer() method to create an HTTP server:
```

```
// Import the built-in Node.js 'http' module.  
import http from "http";  
  
// Here, we create an HTTP server using 'createServer' function.  
// Takes a callback function that is called when a page is requested.  
const app = http.createServer((request, response) => {  
    // Set status code and headers for the response.  
    response.statusCode = 200;  
    response.setHeader("Content-Type", "text/plain");  
    // Send a message as the response.  
    response.end("Working with HTTP Module and routing");  
});  
  
// Here, we define the port number the server should listen on.  
const port = 3000;  
  
// Finally, we start the server by calling the 'listen' function.  
app.listen(port, () => {  
    // Once the server is started, we display a message in the terminal.  
    console.log(`Server is running at http://localhost:\${port}`);  
});
```

Øvelse

Hello HTTP Module






POSTMAN


Getting Started with Postman


- Postman is a software tool for working with APIs.
- We can use it as client to test our backend API's and to test APIs in general.
- It helps developers send requests and receive responses from APIs.
- Postman tests API functionality and documents how to use APIs.
- It simplifies API development and testing.
- Developers collaborate using Postman to work together effectively.

Web Development



Web Development






```
JS app.js
25
26 // Read (GET) all users from backend using REST API
27 async function readUsers() {
28   const response = await fetch(`${endpoint}/users`);
29   const data = await response.json();
30   return data;
31 }
32
33 // Create HTML and display all users from given list
34 function displayUsers(list) {
35   // reset <section id="users-grid" class="grid-container">...</section>
36   document.querySelector("#users-grid").innerHTML = "";
37   //loop through all users and create an article with content for each
38   for (const user of list) {
39     document.querySelector("#users-grid").insertAdjacentHTML(
40       "beforeend",
41       /*html*/
42       <article>
```




Frontend

REQUEST



```
JS app.js
19 // READ all users - "/users" : GET
20 app.get("/users", async (request, response) => {
21   const data = await fs.readFile("data.json");
22   const users = JSON.parse(data);
23   response.json(users);
24 });
25
26 // CREATE user - "/users" : POST
27 app.post("/users", async (request, response) => {
28   const newUser = request.body;
29   newUser.id = new Date().getTime();
30   console.log(newUser);
31
32   const data = await fs.readFile("data.json");
33   const users = JSON.parse(data);
34
35   users.push(newUser);
36   console.log(newUser);
```

Backend





Node.js File System

Allows us to work with the file system on
the computer or server

The screenshot shows a web browser window with the title "Node.js File System Module". The URL in the address bar is "w3schools.com/nodejs/nodejs_filesystem.asp". The page content is from w3schools.com and discusses the Node.js file system module. It includes a code example for reading and writing JSON files using fs.promises.

Node.js as a File Server

The Node.js file system module allows you to work with the file system on your computer.

To include the File System module, use the `require()` method:

```
var fs = require('fs');
```

Common use for the File System module:

- Read files
- Create files
- Update files
- Delete files
- Rename files


Read Files

```
import fs from "fs/promises";

// Læs fra JSON
const json = await fs.readFile("data/users.json");
console.log(json);
// Parse til JavaScript
const users = JSON.parse(json);
console.log(users);
// Tilføj "user" til "users"
users.push({ name: "Peter Lind", title: "Senior Lecturer" });
// Konverter users til JSON igen
const usersJSON = JSON.stringify(users);
// Skriv til JSON-fil
await fs.writeFile("data/users.json", usersJSON);
```


Øvelse

Node.js File System




Wrap Up

- NPM & JavaScript Libraries
 - Node.js NPM
 - Node.js Upload Files
 - Node.js Send an Email
 - Brug ChatGPT og Google
- Bunden forudsætning: Udvikl REST API med Node.js & Express (Se Fronter)



With your own words



- What's Node.js?
- Important features of Node.js
- What did we build?
- What improvements can be made?
- How can we simplify the implementation of the different concepts?

Introduction to



Express



- A popular, minimalist web application framework for building APIs and web applications using Node.js.
- It simplifies the process of building web applications and APIs by providing a set of tools and utilities.



A minimal and flexible Node.js web application framework that provides a robust set of features for web and mobile applications



Express.js is known for its flexibility and ease of use, making it an ideal choice for developers who want to build web applications quickly and efficiently. With its built-in middleware functions, routing system, and template engines, Express.js simplifies the process of building complex web applications.

My Project

```
✓ NODE-USERS-REST-API
  > node_modules
  .gitignore
  app.js
  data.json
  package-lock.json
  package.json
```



Express 

mysql2


CORS

Remix

Mongoose

And many other
JavaScript libraries

Why Express.js?



HTTP Module



express

Simple GET Request

```
const app = http.createServer(async (request, response) => {
  // READ all users - "/users" : GET
  if (request.url === "/users" && request.method === "GET") {
    const data = await fs.readFile("data.json");
    response.writeHead(200, { "Content-Type": "application/json" });
    response.end(data);
  }
});
```



```
// READ all users - "/users" : GET
app.get("/users", async (request, response) => {
  const data = await fs.readFile("data.json");
  const users = JSON.parse(data);
  response.json(users);
});
```

“Simple” POST Request

```
const app = http.createServer(async (request, response) => {
  // "/users" : POST
  if (request.url === "/users" && request.method === "POST") {
    // get the data sent along
    const newUser = JSON.parse(await getReqData(request));
    // user object with generated dummy id and parsed userData
    const user = {
      id: new Date().getTime(),
      ...newUser
    };
    const data = await fs.readFile("data.json");
    const users = JSON.parse(data);
    users.push(user);
    const usersJSON = JSON.stringify(users);
    await fs.writeFile("data.json", usersJSON);

    // set the status code and content-type
    response.writeHead(200, { "Content-Type": "application/json" });
    // send the user
    response.end(usersJSON);
  }
});
```

```
async function getReqData(req) {
  return new Promise((resolve, reject) => {
    let body = "";
    req.on("data", chunk => (body += chunk));
    req.on("end", () => resolve(body));
    req.on("error", reject);
  });
}
```



```
// CREATE user - "/users" : POST
app.post("/users", async (request, response) => {
  const newUser = request.body;
  newUser.id = new Date().getTime();

  const data = await fs.readFile("data.json");
  const users = JSON.parse(data);

  users.push(newUser);
  fs.writeFile("data.json", JSON.stringify(users));
  response.json(users);
});
```

- **Single-page applications (SPAs)**

Express.js creates SPAs that load all resources on a single page, ensuring a seamless user experience.

- **Mobile applications**

Express.js builds mobile apps using web technologies like HTML, CSS, and JavaScript.

- **RESTful APIs**

Express.js crafts RESTful APIs for data manipulation and access by other applications.

- **Server-side rendering**

Express.js enables server-side rendering, rendering pages on the server before sending to the client.

- **Real-time applications**

Express.js constructs real-time apps, facilitating ongoing client-server communication.

- **Microservices**

Express.js constructs microservices, small independent units combined to create larger applications.



What is it used for?

- **Minimalistic Framework**

Express is a lightweight and minimal web application framework for Node.js.

- **Routing**

It offers a powerful routing system to handle different HTTP methods and URL patterns.

- **Middleware**

Express uses middleware to handle various tasks, such as authentication, logging, and data parsing.

- **HTTP Utility Methods**

Provides easy-to-use methods for interacting with the HTTP protocol.

- **Extensibility**

Allows integration of third-party middleware and extensions for added functionality.

- **Static File Serving**

Simplifies serving static files like CSS, JavaScript, and images.

- **Error Handling**

Offers error handling mechanisms for a better user experience.


- **Flexible for APIs**

Suitable for building RESTful APIs with its routing and middleware capabilities.


- **Easy to Use**

Express.js is easy to use and requires minimal configuration, making it ideal for developers who want to build web applications quickly.

Express Key Features



Streamlines and simplifies the implementation of REST API



But RACE,
how do you
know all that
stuff?





Routing

A close-up photograph of a person's hands interacting with a black Wi-Fi router. One hand is holding a blue Ethernet cable and is in the process of plugging it into one of the four gold-colored ports on the front panel of the router. The router has three external black antennas. The background is blurred.

What's a Router?

What's a Router?


“It is the piece of software in charge to organize the states of the application, switching between different views.”

Routes organize how your application handles different requests, making your code structured and maintainable.



/ create
route

Router
(router.js)




users page

create page

update page

Server



Routes in Express.js

- Routes are a fundamental concept that helps you define **how your web application responds to different types of HTTP requests** at different URLs.
- Think of routes as the paths your application can take based on the URLs that users request.

Routes in Express.js

- The Express routing is built upon Node.js HTTP Module and it **simplifies the process of handling different URL paths and HTTP methods** in your web application.
- Express routing enables you to define routes for different endpoints, **simplifying request handling**.
- This enhances and streamlines code organization, and readability, and lets you focus on building functionality rather than intricate routing logic.

Routes in Express.js

- Routes determine how your application responds to specific URLs and HTTP methods.
- Each route combines an HTTP method (like GET, POST) with a URL path.
- When a client request matches a route, a corresponding route handler function is executed to process the request and send a response.

```
import express from "express";
const app = express();

// Define routes using app.METHOD(PATH, HANDLER)
app.get("/posts", (req, res) => {
    // return all posts
});

app.post("/posts", (req, res) => {
    const post = req.body;
    // Create a new post based on the data in req.body
});

app.put("/posts/:id", (req, res) => {
    const postId = req.params.id;
    const post = req.body;
    // Find and update the post with postId and data from req.body
});

app.delete("/posts/:id", (req, res) => {
    const postId = req.params.id;
    // Find and delete the post with postId
});


// ...and so on

app.listen(3000, () => {
    console.log("Server is running on port 3000");
});
```




Middleware, JSON Request and Response

Web Development



- In Express.js, middleware refers to functions that are **executed during the request-response cycle** of a web application. These functions have access to the request and response objects and can modify them, perform tasks, or control the flow of the application.
- Express.js allows you to add middleware at the application level using `app.use()` or at specific route levels. Middleware functions are executed in the order they are added, so the order matters.
- For instance, using `app.use(express.json())` is a middleware that automatically parses incoming JSON data from requests, making it accessible as JavaScript objects in your route handlers. This simplifies handling JSON data.
- Similarly, `app.use(cors())` is middleware that enables Cross-Origin Resource Sharing (CORS), allowing your server to respond to requests from different domains. This is essential for security when your frontend and backend are on separate domains.
- In both cases, middleware helps simplify and enhance the functionality of your Express application by handling common tasks automatically before your route handlers are executed.



```

JS app.js  x
JS app.js > ...
8  app.use(express.json()); // to parse JSON bodies
9  app.use(cors()); // Enable CORS for all routes
10
11 app.listen(port, () => {
12   console.log(`App running on http://localhost:${port}`);
13 });
14
15 app.get("/", (request, response) => {
16   response.send("Node.js Users REST API 🚀");
17 });
18
19 // READ all users - "/users" : GET
20 app.get("/users", async (request, response) => {
21   const data = await fs.readFile("data.json");
22   const users = JSON.parse(data);
23   response.json(users);
24 });
25
26 // CREATE user - "/users" : POST
27 app.post("/users", async (request, response) => {
28   const newUser = request.body;
29   newUser.id = new Date().getTime();
30   console.log(newUser);
31
32   const data = await fs.readFile("data.json");
33   const users = JSON.parse(data);
34
35   users.push(newUser);
36   console.log(newUser);
37   fs.writeFile("data.json", JSON.stringify(users));
38   response.json(users);
39 });

```

The screenshot shows a code editor window with a dark theme. The title bar says "app.js — node-users-rest-api". The left sidebar has icons for file, search, and other file operations. The main area displays the source code of an `app.js` file. The code sets up middleware for JSON parsing and CORS, listens on a port, and handles GET and POST requests for users. It reads data from a `data.json` file, parses it into an array of users, and writes back updated data after creating a new user. The code uses ES6 syntax like `async` and `await`.

100 SECONDS OF



**CROSS-ORIGIN
RESOURCE SHARING**

Exercises

- Getting Started with Express.js
 - Node.js og MySQL

The screenshot shows a dark-themed instance of Visual Studio Code (VS Code) with the following interface elements:

- Top Bar:** Shows the title "server.js — hello-express-js" and standard window control buttons.
- Left Sidebar (Explorer):** Displays the project structure under "HELLO-EX...". The files listed are: node_modules, .gitignore, data.js, package-lock.json, package.json, and server.js. The "server.js" file is currently selected.
- Code Editor:** The main workspace displays the "server.js" file content. The code uses Express.js to handle various HTTP methods on the root path. It includes imports for express and todos, and defines routes for GET, POST, PUT, and PATCH requests.
- Bottom Navigation:** Includes tabs for PROBLEMS, OUTPUT, TERMINAL, and a terminal interface with a zsh prompt.
- Bottom Status Bar:** Shows file status (put-request*), line count (0), character count (0), and system status (Spaces: 4, UTF-8, LF, {} JavaScript).







POSTMAN

Getting Started with Postman

- Postman is a software tool for working with APIs.
- We can use it as client to test our backend API's and to test APIs in general.
- It helps developers send requests and receive responses from APIs.
- Postman tests API functionality and documents how to use APIs.
- It simplifies API development and testing.
- Developers collaborate using Postman to work together effectively.

Web Development





Code Every Day



Arnold Franciscus > main.js > main.js

```
</script>
</head>
<body>
<main>
<section id="hero--section">
  <div>
    <div>
      
      <div>
        <h1>Hey, ik ben Arnold!</h1>
        <p>Ik ben een front-end developer en student applicatiewetenschappen.</p>
        <a href="#work--section" class="pink--button scroll">Bekijk mijn werk</a>
      </div>
    </div>
    <div>
      <h2>Mijn Skills.</h2>
      <ul>
        <li>HTML</li>
        <li>CSS</li>
        <li>JavaScript</li>
        <li>React</li>
        <li>Node.js</li>
        <li>MongoDB</li>
        <li>Git</li>
        <li>Responsive design</li>
        <li>Version control</li>
      </ul>
    </div>
  </div>
</main>
<script>
  // Your code here
</script>
```