XML message for statement

Implementation Guidelines

Final Version 2.1 (changes in chapter 8.2)



Table of Contents

1.		De	
		eral principles	
		Contents of the message :	
		Periodicity of the message	
		Transactions encoding	
		Globalisation of transactions	
		Reporting of structured communications	
		of these guidelines	
		sage structure	
		9	
2.	Message Str	ructure	15
2	Managara Ita	m. Deceriation	2.5
ა.		m Description	
	1.0 Grou	upHeader	20
		sageIdentification < MsgId>	
		ationDateTime <credttm></credttm>	
		sageRecipient <msgrcpt></msgrcpt>	
		Name < Nm>	
	1.4 Mes	sagePagination <msgpgntn></msgpgntn>	2/
	8.2.0	PageNumber <pgnb></pgnb>	28
		LastPageIndicator <lastpgind></lastpgind>	
		itionalInformation <addtlinf></addtlinf>	
		ement	
		tification	
		tronicSequenceNumber <elctrncseqnb></elctrncseqnb>	
		alSequenceNumber <lglseqnb></lglseqnb>	
		ationDateTime <credttm></credttm>	
	-	nToDate <frtodt></frtodt>	
		FromDateTime <frdttm></frdttm>	
		ToDateTime <todttm></todttm>	
		yDuplicateIndicator <cpydplctind> ount <acct></acct></cpydplctind>	22
		Identification <id></id>	
		IBAN <iban></iban>	
		Other <othr></othr>	
		ldentification <ld> Type <tp></tp></ld>	
		Proprietary <prtry> Currency <ccy></ccy></prtry>	
		Name <nm></nm>	
		Owner <ownr></ownr>	
		Name <nm></nm>	
		Identification <id></id>	
		OrganisationIdentification < OrgId>	
		Other <othr></othr>	
		Identification <id></id>	
		Servicer <svcr></svcr>	
		FinancialInstitutionIdentification <fininstnid></fininstnid>	
		BIC <bic></bic>	
		itedAccount <ritdacct></ritdacct>	
		Identification <id>Identification <id></id></id>	
		IBAN <iban></iban>	
		Other <othr>ldentification <id></id></othr>	
			42
	c.cu Dala	HIVE THREE	. → . ?

2.24	Type <tp></tp>	11
	Codo O Dominio Codo O Dominio	44
2.25	CodeOrProprietary <cdorprtry></cdorprtry>	
2.26	Code <cd></cd>	45
2.27	Proprietary < Prtry>	45
2.28	SubType <subtp></subtp>	
2.29	Code <cd></cd>	
_		
2.34	Amount <amt></amt>	
2.35	CreditDebitIndicator <cdtdbtind></cdtdbtind>	48
2.36	Date <dt></dt>	48
4.1.		
2.43	TransactionsSummary <txssummry></txssummry>	
2.44	TotalEntries <ttlntries></ttlntries>	
2.45	NumberOfEntries < NbOfNtries >	50
2.46	Sum <sum></sum>	50
2.47	TotalNetEntryAmount <ttlnetntryamt></ttlnetntryamt>	
2.48	CreditDebitIndicator <cdtdbtind></cdtdbtind>	
_		
2.49	TotalCreditEntries <ttlcdtntries></ttlcdtntries>	
2.50	NumberOfEntries <nbofntries></nbofntries>	
2.51	Sum <sum></sum>	51
2.52	TotalDebitEntries <ttldbtntries></ttldbtntries>	
2.53	NumberOfEntries <nbofntries></nbofntries>	
2.54	Sum <sum></sum>	
2.76	Entry <ntry></ntry>	53
2.77	EntryReference <ntryref></ntryref>	54
2.78	Amount <amt></amt>	
2.79	CreditDebitIndicator <cdtdbtind></cdtdbtind>	
2.80	ReversalIndicator <rvsiind></rvsiind>	
2.81	Status <sts></sts>	
2.82	BookingDate <bookgdt></bookgdt>	57
4.1.		
	ValueDate <valdt></valdt>	
4.1.		
	•	
2.84	AccountServicerReference <acctsvcrref></acctsvcrref>	
2.91	BankTransactionCode < BkTxCd>	60
2.92	Domain <domn></domn>	61
2.93	Code <cd></cd>	
2.94		
-	Family <fmly></fmly>	
2.95	Code <cd></cd>	
2.96	SubFamilyCode <subfmlycd></subfmlycd>	62
2.97	Proprietary < Prtry>	62
2.98	Code <cd></cd>	
2.99	Issuer <issr></issr>	
2.101	AdditionalInformationIndicator <addtlinfind></addtlinfind>	
2.102	MessageNameIdentification <msgnmid></msgnmid>	64
2.103	MessageIdentification <msgid></msgid>	64
2.104	mountDetails <amtdtls></amtdtls>	
2.1.		
2.1.		
2.1.		
2.1.		67
2.1.		68
2.1.		
2.1.		
2.1.		
2.1.	22 TargetCurrency <trgtccy></trgtccy>	69
2.1.	23 UnitCurrency <unitccy></unitccy>	70
2.1.		
2.1.		
	ου ιτοριισιαιγαιμουμε τι τι γαμιζ	1 U

	. J I	Type <tp></tp>	71
		Amount <amt></amt>	
2.105		rges <chrgs></chrgs>	
2.107		ount <amt></amt>	
2.107		ditDebitIndicator <cdtdbtind></cdtdbtind>	
		e <tp></tp>	
2.109			
2.111		prietary <prtry></prtry>	
7.1		Identification <id></id>	
7.1		Issuer <issr></issr>	
2.112		e <rate></rate>	
2.115		<tax></tax>	
2.116	lde	ntification <id></id>	76
2.117	Rat	e <rate></rate>	76
2.118	Am	ount <amt></amt>	77
2.135		yDetails <ntrydtls></ntrydtls>	
2.136		ch <btch></btch>	
2.137		sageIdentification <msgid></msgid>	
2.137	Day	mentInformationIdentification <pmtinfld></pmtinfld>	70
2.139		nberOfTransactions <nboftxs></nboftxs>	
2.140		alAmount <ttlamt></ttlamt>	
2.141		ditDebitIndicator <cdtdbtind></cdtdbtind>	
2.142		nsactionDetails <txdtls></txdtls>	
2.143		erences <refs></refs>	
2.144	Mes	sageIdentification <msgid></msgid>	83
2.145	Acc	ountServicerReference <acctsvcrref></acctsvcrref>	83
2.146	Pay	mentInformationIdentification < PmtInfld>	83
2.147	Inst	ructionIdentification <instrid></instrid>	84
2.148		ToEndIdentification <endtoendid></endtoendid>	
2.149		nsactionIdentification <txid></txid>	
_			\circ
2 150	Mai	ndateIdentification < MndtId>	25
2.150		ndateIdentification <mndtid></mndtid>	
2.151	Che	queNumber <chqnb></chqnb>	85
2.151 2.153	Che Pro	queNumber <chqnb>prietary <prtry></prtry></chqnb>	85 86
2.151 2.153 2.154	Che Pro Typ	queNumber <chqnb></chqnb>	85 86 86
2.151 2.153 2.154 2.155	Che Pro Typ Ref	queNumber <chqnb> prietary <prtry> e <tp> erence <ref></ref></tp></prtry></chqnb>	85 86 86 86
2.151 2.153 2.154 2.155 2.156	Che Pro Typ Ref Am	queNumber <chqnb> prietary <prtry> e <tp> erence <ref> puntDetails <amtdtls></amtdtls></ref></tp></prtry></chqnb>	85 86 86 86 87
2.151 2.153 2.154 2.155 2.156 2.1	Che Pro Typ Ref Am	queNumber <chqnb> prietary <prtry> e <tp> erence <ref> puntDetails <amtdtls> InstructedAmount <instdamt></instdamt></amtdtls></ref></tp></prtry></chqnb>	85 86 86 86 87 88
2.151 2.153 2.154 2.155 2.156	Che Pro Typ Ref Am	queNumber <chqnb> prietary <prtry> e <tp> erence <ref> puntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt></amt></instdamt></amtdtls></ref></tp></prtry></chqnb>	85 86 86 87 88 88
2.151 2.153 2.154 2.155 2.156 2.1	Che Pro Typ Ref Am .0	queNumber <chqnb> prietary <prtry> e <tp> erence <ref> puntDetails <amtdtls> InstructedAmount <instdamt></instdamt></amtdtls></ref></tp></prtry></chqnb>	85 86 86 87 88 88
2.151 2.153 2.154 2.155 2.156 2.1 2.1	Che Pro Typ Ref Am .0 .1	queNumber <chqnb> prietary <prtry> e <tp> erence <ref> puntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> TransactionAmount <txamt> Amount <amt></amt></txamt></amt></instdamt></amtdtls></ref></tp></prtry></chqnb>	85 86 86 87 88 89 89
2.151 2.153 2.154 2.155 2.156 2.1 2.1 2.1	Che Pro Typ Ref Am. .0 .1	queNumber <chqnb> prietary <prtry> e <tp> erence <ref> puntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> TransactionAmount <txamt> Amount <amt></amt></txamt></amt></instdamt></amtdtls></ref></tp></prtry></chqnb>	85 86 86 87 88 89 89
2.151 2.153 2.154 2.155 2.156 2.1 2.1 2.1 2.1 2.1 2.1	Che Pro Typ Ref Am. .0 .1 .9 .10	queNumber <chqnb> prietary <prtry> e <tp> e <tp> cuntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> TransactionAmount <txamt> Amount <amt> CounterValueAmount <cntrvalamt></cntrvalamt></amt></txamt></amt></instdamt></amtdtls></tp></tp></prtry></chqnb>	85 86 86 87 88 89 90
2.151 2.153 2.154 2.155 2.156 2.1 2.1 2.1 2.1 2.1 2.1 2.1	Che Pro Typ Ref Am. .0 .1 .9 .10 .18 .19	queNumber <chqnb> prietary <prtry> e <tp> erence <ref> puntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> TransactionAmount <txamt> Amount <amt> CounterValueAmount <cntrvalamt> Amount <amt></amt></cntrvalamt></amt></txamt></amt></instdamt></amtdtls></ref></tp></prtry></chqnb>	85 86 86 87 88 89 90 90
2.151 2.153 2.154 2.155 2.156 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1	Che Pro Typ Ref Am. .0 .1 .9 .10 .18 .19 .20	queNumber <chqnb> prietary <prtry> e <tp> erence <ref> cuntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> TransactionAmount <txamt> Amount <amt> CounterValueAmount <cntrvalamt> Amount <amt> CurrencyExchange <ccyxchg></ccyxchg></amt></cntrvalamt></amt></txamt></amt></instdamt></amtdtls></ref></tp></prtry></chqnb>	85 86 86 87 88 89 90 91
2.151 2.153 2.154 2.155 2.156 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1	Che Pro Typ Ref Am. .0 .1 .9 .10 .18 .19 .20	queNumber <chqnb> prietary <prtry> e <tp> erence <ref> puntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> TransactionAmount <txamt> Amount <amt> CounterValueAmount <cntrvalamt> Amount <amt> CourrencyExchange <ccyxchg> SourceCurrency <srcccy></srcccy></ccyxchg></amt></cntrvalamt></amt></txamt></amt></instdamt></amtdtls></ref></tp></prtry></chqnb>	85 86 86 87 88 89 90 91 91
2.151 2.153 2.154 2.155 2.156 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1	Che Pro Typ Ref Am.0 .1 .9 .10 .18 .19 .20 .21	queNumber <chqnb> prietary <prtry> e <tp> erence <ref> cuntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> TransactionAmount <txamt> Amount <amt> CounterValueAmount <cntrvalamt> Amount <amt> CourrencyExchange <ccyxchg> SourceCurrency <srcccy> TargetCurrency <trgtccy></trgtccy></srcccy></ccyxchg></amt></cntrvalamt></amt></txamt></amt></instdamt></amtdtls></ref></tp></prtry></chqnb>	85 86 86 87 88 89 90 91 91
2.151 2.153 2.154 2.155 2.156 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1	Che Pro Typ Ref Am.0 .1 .9 .10 .18 .19 .20 .21 .22 .23	queNumber <chqnb> prietary <prtry> e <tp> erence <ref> cuntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> TransactionAmount <txamt> Amount <amt> CounterValueAmount <cntrvalamt> Amount <amt> CurrencyExchange <ccyxchg> SourceCurrency <srcccy> TargetCurrency <trgtccy> UnitCurrency <unitccy></unitccy></trgtccy></srcccy></ccyxchg></amt></cntrvalamt></amt></txamt></amt></instdamt></amtdtls></ref></tp></prtry></chqnb>	85 86 86 87 88 89 90 91 91 91 92
2.151 2.153 2.154 2.155 2.156 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1	Che Pro Typ Ref Am.0 .1 .9 .10 .18 .19 .20 .21 .22 .23 .24	queNumber <chqnb> prietary <prtry> e <tp> erence <ref> cuntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> TransactionAmount <txamt> Amount <amt> CounterValueAmount <cntrvalamt> Amount <amt> CounterValueAmount <cntrvalamt> Amount <amt> CurrencyExchange <ccyxchg> SourceCurrency <srcccy> TargetCurrency <trgtccy> UnitCurrency <unitccy> ExchangeRate <xchgrate></xchgrate></unitccy></trgtccy></srcccy></ccyxchg></amt></cntrvalamt></amt></cntrvalamt></amt></txamt></amt></instdamt></amtdtls></ref></tp></prtry></chqnb>	85 86 86 87 88 89 90 91 91 92 92
2.151 2.153 2.154 2.155 2.156 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1	Che Pro Typ Ref Am. 0 .1 .9 .10 .21 .22 .23 .24 .36	queNumber <chqnb> prietary <prtry> e <tp> erence <ref> cuntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> TransactionAmount <txamt> Amount <amt> CounterValueAmount <cntrvalamt> Amount <amt> CounterValueAmount <cntrvalamt> Amount <amt> UrrencyExchange <ccyxchg> SourceCurrency <srcccy> TargetCurrency <trgtccy> UnitCurrency <unitccy> ExchangeRate <xchgrate> ProprietaryAmount <prtryamt></prtryamt></xchgrate></unitccy></trgtccy></srcccy></ccyxchg></amt></cntrvalamt></amt></cntrvalamt></amt></txamt></amt></instdamt></amtdtls></ref></tp></prtry></chqnb>	85 86 86 87 88 89 90 91 91 92 92 92
2.151 2.153 2.154 2.155 2.156 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1	Che Pro Typ Ref Am. 0 .1 .9 .10 .21 .22 .23 .24 .36 .37	queNumber <chqnb> prietary <prtry> e <tp> e <tp> erence <ref> puntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> TransactionAmount <txamt> Amount <amt> CounterValueAmount <cntrvalamt> Amount <amt> CourrencyExchange <ccyxchg> SourceCurrency <srcccy> TargetCurrency <trgtccy> UnitCurrency <unitccy> ExchangeRate <xchgrate> ProprietaryAmount <prtryamt> Type <tp> Type <tp></tp></tp></prtryamt></xchgrate></unitccy></trgtccy></srcccy></ccyxchg></amt></cntrvalamt></amt></txamt></amt></instdamt></amtdtls></ref></tp></tp></prtry></chqnb>	85 86 86 87 88 88 89 99 91 91 92 92 93
2.151 2.153 2.154 2.155 2.156 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1	Che Pro Typ Ref Am. 0 .1 .9 .10 .21 .22 .23 .24 .36 .37 .38	queNumber <chqnb> prietary <prtry> e <tp> e <tp> erence <ref> puntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> TransactionAmount <txamt> Amount <amt> CounterValueAmount <cntrvalamt> Amount <amt> CurrencyExchange <ccyxchg> SourceCurrency <srcccy> TargetCurrency <trgtccy> UnitCurrency <unitccy> ExchangeRate <xchgrate> ProprietaryAmount <prtryamt> Type <tp> Amount <amt> Type <tp> Amount <amt></amt></tp></amt></tp></prtryamt></xchgrate></unitccy></trgtccy></srcccy></ccyxchg></amt></cntrvalamt></amt></txamt></amt></instdamt></amtdtls></ref></tp></tp></prtry></chqnb>	8568687888999119299393
2.151 2.153 2.154 2.155 2.156 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1	Che Pro Typ Ref Am .0 .1 .9 .10 .21 .22 .23 .24 .36 .37 .38 Bar	queNumber <chqnb> prietary <prtry> e <tp> e <tp> erence <ref> puntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> TransactionAmount <txamt> Amount <amt> CounterValueAmount <cntrvalamt> Amount <amt> CurrencyExchange <ccyxchg> SourceCurrency <srcccy> TargetCurrency <trgtccy> UnitCurrency <unitccy> ExchangeRate <xchgrate> ProprietaryAmount <prtryamt> Type <tp> Amount <amt> KTransactionCode <bktxcd></bktxcd></amt></tp></prtryamt></xchgrate></unitccy></trgtccy></srcccy></ccyxchg></amt></cntrvalamt></amt></txamt></amt></instdamt></amtdtls></ref></tp></tp></prtry></chqnb>	856868788899091192993394
2.151 2.153 2.154 2.155 2.156 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1	Che Pro Typ Ref Am .0 .1 .9 .10 .21 .22 .23 .24 .36 .37 .38 Bar Dor	equeNumber <chqnb> prietary <prtry> e <tp> erence <ref> puntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> TransactionAmount <txamt> Amount <amt> CounterValueAmount <cntrvalamt> Amount <amt> CurrencyExchange <ccyxchg> SourceCurrency <srcccy> TargetCurrency <trgtccy> UnitCurrency <unitccy> ExchangeRate <xchgrate> ProprietaryAmount <prtryamt> Type <tp> Amount <amt> kTransactionCode <bktxcd> main <domn></domn></bktxcd></amt></tp></prtryamt></xchgrate></unitccy></trgtccy></srcccy></ccyxchg></amt></cntrvalamt></amt></txamt></amt></instdamt></amtdtls></ref></tp></prtry></chqnb>	85 86 86 87 88 88 89 99 91 91 92 92 93 94 95
2.151 2.153 2.154 2.155 2.156 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1	Che Pro Typ Ref Am .0 .1 .9 .10 .21 .22 .23 .24 .36 .37 .38 Bar Dor	queNumber <chqnb> prietary <prtry> e <tp> e <tp> erence <ref> puntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> TransactionAmount <txamt> Amount <amt> CounterValueAmount <cntrvalamt> Amount <amt> CurrencyExchange <ccyxchg> SourceCurrency <srcccy> TargetCurrency <trgtccy> UnitCurrency <unitccy> ExchangeRate <xchgrate> ProprietaryAmount <prtryamt> Type <tp> Amount <amt> KTransactionCode <bktxcd></bktxcd></amt></tp></prtryamt></xchgrate></unitccy></trgtccy></srcccy></ccyxchg></amt></cntrvalamt></amt></txamt></amt></instdamt></amtdtls></ref></tp></tp></prtry></chqnb>	85 86 86 87 88 88 89 99 91 91 92 92 93 94 95
2.151 2.153 2.154 2.155 2.156 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1	Che Pro Typ Ref Am. 0 .1 .9 .10 .21 .22 .23 .24 .36 .37 .38 Bar Dor Cool	queNumber <chqnb> prietary <prtry> e <tp> e <tp> erence <ref> puntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> TransactionAmount <txamt> Amount <amt> CounterValueAmount <cntrvalamt> Amount <amt> CurrencyExchange <ccyxchg> SourceCurrency <srcccy> TargetCurrency <trgtccy> UnitCurrency <unitccy> ExchangeRate <xchgrate> ProprietaryAmount <prtryamt> Type <tp> Amount <amt> kTransactionCode <bktxcd> main <domn> le <cd> le <cd> le <cd> le <cd> le <cd> le <cd> le <cd <="" li=""></cd></cd></cd></cd></cd></cd></cd></domn></bktxcd></amt></tp></prtryamt></xchgrate></unitccy></trgtccy></srcccy></ccyxchg></amt></cntrvalamt></amt></txamt></amt></instdamt></amtdtls></ref></tp></tp></prtry></chqnb>	85666878889991192293994955
2.151 2.153 2.154 2.155 2.156 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1	Che Pro Typ Ref Am. 0 .1 .9 .10 .20 .21 .22 .23 .36 .37 .38 Bar Coo Fan	queNumber <chqnb> prietary <prtry> e <tp> erence <ref> puntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> CounterValueAmount <cntrvalamt> Amount <amt> CurrencyExchange <ccyxchg> SourceCurrency <srcccy> TargetCurrency <trgtccy> UnitCurrency <unitccy> ExchangeRate <xchgrate> ProprietaryAmount <prtryamt> Type <tp> Amount <amt> Crype <tp> CounterValueAmount <cntrvalamt> Amount <amt> CurrencyExchange <ccyxchg> SourceCurrency <fredccy> UnitCurrency <ingtccy> ExchangeRate <xchgrate> ProprietaryAmount <prtryamt> Type <tp> Amount <amt> kTransactionCode <bktxcd> main <domn> le <cd> le <cd> lily <fmly> Interval Amt <interval <inte<="" <interval="" amt="" td=""><td>856666788899911192293345595</td></interval></fmly></cd></cd></domn></bktxcd></amt></tp></prtryamt></xchgrate></ingtccy></fredccy></ccyxchg></amt></cntrvalamt></tp></amt></tp></prtryamt></xchgrate></unitccy></trgtccy></srcccy></ccyxchg></amt></cntrvalamt></amt></instdamt></amtdtls></ref></tp></prtry></chqnb>	856666788899911192293345595
2.151 2.153 2.154 2.155 2.156 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1	Che Pro Typ Ref Am0 .1 .9 .10 .21 .22 .23 .24 .36 .37 .38 Bar Coo Fan Coo Fan Coo	queNumber <chqnb> prietary <prtry> e <tp> e <tp> erence <ref> buntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> TransactionAmount <txamt> Amount <amt> CounterValueAmount <cntrvalamt> Amount <amt> CurrencyExchange <ccyxchg> SourceCurrency <srcccy> TargetCurrency <trgtccy> UnitCurrency <unitccy> ExchangeRate <xchgrate> ProprietaryAmount <prtryamt> Type <tp> Amount <amt> kTransactionCode <bktxcd> main <domn> e <cd> illy <fmly> e <cd> illy <fmly> e <cd> illy <fmly> e <cd> illy <fmly> e <cd> inity <fmly> e <cd> inity <fmly> e <cd> inity <fmly> inity</fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></cd></fmly></cd></fmly></cd></fmly></cd></fmly></cd></fmly></cd></fmly></cd></domn></bktxcd></amt></tp></prtryamt></xchgrate></unitccy></trgtccy></srcccy></ccyxchg></amt></cntrvalamt></amt></txamt></amt></instdamt></amtdtls></ref></tp></tp></prtry></chqnb>	8 5 6 6 6 6 7 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
2.151 2.153 2.154 2.155 2.156 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1	Che Pro Type Am0 .1 .9 .10 .18 .20 .21 .22 .23 .24 .36 .37 .38 Bar Coo Fan Coo Sub	queNumber <chqnb> prietary <prtry> e <tp> e <tp> erence <ref> buntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> TransactionAmount <txamt> Amount <amt> CounterValueAmount <cntrvalamt> Amount <amt> CurrencyExchange <ccyxchg> SourceCurrency <srcccy> TargetCurrency <trgtccy> UnitCurrency <unitccy> ExchangeRate <xchgrate> ProprietaryAmount <prtryamt> Type <tp> Amount <amt> kTransactionCode <bktxcd> main <domn> e <cd> mily <fmly> le <cd> FamilyCode <subfmlycd></subfmlycd></cd></fmly></cd></domn></bktxcd></amt></tp></prtryamt></xchgrate></unitccy></trgtccy></srcccy></ccyxchg></amt></cntrvalamt></amt></txamt></amt></instdamt></amtdtls></ref></tp></tp></prtry></chqnb>	856666788899991112222334555666666666666666666666666666666
2.151 2.153 2.154 2.155 2.156 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1	Che Pro Typ Ref Am0 .1 .9 .10 .21 .22 .23 .24 .36 .37 .38 Bar Coo Fan Coo F	queNumber <chqnb> prietary <prtry> e <tp> e <tp> erence <ref> buntDetails <amtdtls> InstructedAmount <instdamt> Amount <amt> TransactionAmount <txamt> Amount <amt> CounterValueAmount <cntrvalamt> Amount <amt> CurrencyExchange <ccyxchg> SourceCurrency <srcccy> TargetCurrency <trgtccy> UnitCurrency <unitccy> ExchangeRate <xchgrate> ProprietaryAmount <prtryamt> Type <tp> Amount <amt> kTransactionCode <bktxcd> main <domn> e <cd> illy <fmly> e <cd> illy <fmly> e <cd> illy <fmly> e <cd> illy <fmly> e <cd> inity <fmly> e <cd> inity <fmly> e <cd> inity <fmly> inity</fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></fmly></cd></fmly></cd></fmly></cd></fmly></cd></fmly></cd></fmly></cd></fmly></cd></domn></bktxcd></amt></tp></prtryamt></xchgrate></unitccy></trgtccy></srcccy></ccyxchg></amt></cntrvalamt></amt></txamt></amt></instdamt></amtdtls></ref></tp></tp></prtry></chqnb>	856666788899991112222334555666666666666666666666666666666

		ges <chrgs>9</chrgs>	
		unt <amt>9</amt>	
2.175	Cred	itDebitIndicator <cdtdbtind>9</cdtdbtind>	9
2.176	Tvpe	<tp>10</tp>	0
		rietary <prtry>10</prtry>	
7.1.		dentification <id></id>	
7.1.		ssuer < ssr>	
2.179		<pre><rate></rate></pre>	
		<tax></tax>	
		tification <id>10</id>	
		<rate>10</rate>	
		unt <amt>10</amt>	
		est <intrst></intrst>	
2.187	Amou	unt <amt></amt>	15
2.188	Cred	itDebitIndicator <cdtdbtind>10</cdtdbtind>)5
2.189	Type	<tp>10</tp>	6
		rietary <prtry>10</prtry>	
		<rate>10</rate>	
2.193		<tp></tp>	
		entage <pctg></pctg>	
		r <0thr>	
		ToDate <frtodt></frtodt>	
5.1.		FromDateTime <frdttm>10</frdttm>	
5.1.		oDateTime <todttm>10</todttm>	
2.199	Relat	tedParties <ritdpties>10</ritdpties>	19
2.200	Initia	tingParty <initgpty>11</initgpty>	0
9.1.	0 N	Name <nm>11</nm>	0
9.1.		PostalAddress <pstladr>11</pstladr>	
9.1.		StreetName <strtnm></strtnm>	
9.1.		BuildingNumber <bldgnb>11</bldgnb>	
9.1.		PostCode <pstcd></pstcd>	
9.1.		TownName <twnnm>11</twnnm>	
9.1.		country <ctry>11</ctry>	
9.1.		AddressLine <adrline></adrline>	
		or <dbtr>11</dbtr>	
9.1.		Name <nm>11</nm>	
9.1.	1 F	PostalAddress <pstladr>11</pstladr>	4
9.1.		StreetName <strtnm> 11</strtnm>	
9.1.	6 E	BuildingNumber <bldgnb>11</bldgnb>	5
9.1.		PostCode <pstcd>11</pstcd>	
9.1.		ownName <twnnm>11</twnnm>	
9.1.		Country < Ctry> 11	
9.1.		AddressLine <adrline></adrline>	
9.1.		dentification <id></id>	
9.1.			
_		OrganisationIdentification <orgid>11</orgid>	
.1.1		0.1.14 BICOrBEI <bicorbei></bicorbei>	
		orAccount <dbtracct>11</dbtracct>	
1.1.		dentification <id>11</id>	
1.1.		BAN <iban>11</iban>	
1.1.		Other < Othr>11	
1.1.	3 I	dentification <id>12</id>	0
1.1.		ssuer <lssr>12</lssr>	
		rateDebtor <ultmtdbtr></ultmtdbtr>	
9.1.		Name <nm></nm>	
9.1.		PostalAddress <pstiadr></pstiadr>	
9.1.		StreetName <strtnm></strtnm>	
9.1.		BuildingNumber <bldgnb>12</bldgnb>	
9.1.	/ F	PostCode <pstcd></pstcd>	.3

9.1.	8 TownName <twnnm>´</twnnm>	123
9.1.		
9.1.	11 AddressLine <adrline></adrline>	124
9.1.	12 Identification <id></id>	124
9.1.	13 OrganisationIdentification < OrgId>	124
9.1.		125
9.1.		
9.1.		_
	Creditor <cdtr></cdtr>	
9.1.		
9.1.		
9.1.		
9.1.		121 120
9.1.		120 120
9.1.		120 120
9.1.		
9.1.		
9.1.	12 Identification <id></id>	130
9.1.		130
9.1.		
9.1.	15 Other <othr></othr>	131
9.1.		
2.205	CreditorAccount <cdtracct></cdtracct>	132
1.1.	O Identification <id></id>	132
1.1.	1 IBAN <iban></iban>	133
1.1.		
1.1.		
1.1.		
	UltimateCreditor <ultmtcdtr></ultmtcdtr>	
9.1.		
9.1.		
_		
9.1.		
9.1.		
9.1.		
9.1.		
9.1.		136
9.1.		
9.1.	12 140111110411011 14 111111111111111111	
9.1.		137
9.1.	14 BIČOrBEI <bicorbei></bicorbei>	138
9.1.		
9.1.	16 Identification <id>´</id>	138
2.211	RelatedAgents <ritdagts></ritdagts>	139
2.212	DebtorAgent <dbtragt></dbtragt>	139
6.1.		
6.1.		
	CreditorAgent <cdtragt></cdtragt>	
6.1.	<u> </u>	
6.1.		
2.224	Purpose <purp></purp>	
	Code <cd></cd>	140
	RemittanceInformation <rmtinf></rmtinf>	
	Unstructured <ustrd></ustrd>	
	Structured <strd></strd>	
	CreditorReferenceInformation <cdtrrefinf></cdtrrefinf>	
	Type <tp></tp>	
	CodeOrProprietary <cdorprtry></cdorprtry>	
2 259	<cd></cd>	146

	suer <lssr>ference <ref></ref></lssr>	
	latedDates <ritddts></ritddts>	
	ceptanceDateTime <accptncdttm></accptncdttm>	
	ansactionDateTime <accettledttm></accettledttm>	
2.292 Ta	x <tax>5 TotalTaxAmount <ttltaxamt></ttltaxamt></tax>	140
	Record <rcrd></rcrd>	
13.1.18	9 Type <tp></tp>	150
	1 TaxAmount <taxamt></taxamt>	
13.1.32	2 Rate <rate></rate>	151
	3 TaxableBaseAmount <taxblbaseamt></taxblbaseamt>	
	4 TotalAmount <ttlamt></ttlamt>	
	turnInformation <rtrinf></rtrinf>	
2.294 Or	iginalBankTransactionCode <orgnlbktxcd></orgnlbktxcd>	155
	main <domn></domn>	
	de <cd></cd>	
	mily <fmly></fmly>	
	de <cd></cd>	
	bFamilyCode <subfmlycd></subfmlycd>	
	oprietary <prtry></prtry>	
	de <cd></cd>	
	suer <lssr></lssr>	
	iginator <orgtr></orgtr>	
9.1.0	Name < Nm>	
	ason <rsn></rsn>	
	de <cd></cd>	
	ditionalInformation <addtlinf></addtlinf>	
	ditionalTransactionInformation <addtltxinf></addtltxinf>	
	ditionalEntryInformation <addtlntryinf></addtlntryinf>	
2.315 Ad	ditionalStatementInformation <addtlstmtinf></addtlstmtinf>	161
4. Principles	governing the structure of reporting	162
4.1 Ge	neral principles	162
4.1.1.		
4.1.2.	Information registered under the 'Entry details' item – 2.135 :	
4.1.3.	Partial / gross amounts versus net amount :	163
4.2. Re	porting of Structured Creditor References to RemittanceInformation	
	2.234 Item :	
	porting of Structured Bank References :	164
4.4 Re	porting of costs, fees and taxes :	165
4.5. Rep	porting of Customer References from Pain-messages:	167
4.6. Re	porting of the different kinds of amounts:	169
4.7. Re	porting of the TransactionsSummary – 2.43 item:	170
	scellaneous	
4.8.1.	Separate files-messages	170
4.8.2.	Splitting up of messages	
4.8.3.	Specific encoding for Belgium :	
	saction Codes	
	TxCd structure under Camt053.001.02	
	uble encoding	
	ISO Bank Transaction codes	
5.2.2.	BBA Bank Transaction Code	173

6.	Appendix.		174
	6.1. Fa	mily and Transaction Codes	174
	6.2. Ca	tegory Codes	199
7.	Examples		202
	7.1. XN	1LHeader	202
	7.2. Gr	oupHeader	202
	7.3. Sta	atement	203
	7.4. En	tries	205
	7.4.1.	SCT Transfer - single	205
	7.4.2.	International transfers - collective	206
	7.4.3.	Charges, Fees and Taxes	212
	7.4.4.	Interests	214
	7.4.5.	Direct Debit (DOM'80) - credit	
	7.4.6.	Unpaid direct debits (DOM'80)	
	7.4.7.	Received payments with a Structured Creditor Reference	
	7.4.8.	Direct Debits (SDD)	
	7.4.9.	Unpaid Direct Debits (SDD)	
	7.4.10	. Taxes on charges	
8.	Document	version changes	232
		rsion 2.0 – 03/03/2015	

Introduction 1

This document contains the Belgian guidelines for the application of the Belgian subset of the MX.CAMT.053 B2C Statement.

These application guidelines should make it easier to use the message for the purpose of automatic processing of these data records.

These guidelines have been laid down by the Belgian Financial Sector Federation (Febelfin).

This publication has been prepared with the utmost care in order to offer a maximum guarantee as for the exactness of the information it contains. However, Febelfin cannot be held liable, in whatever way, for any loss or damage which occurs due to incorrect or incomplete information in this document.

This publication is only available in English.

Please contact your bank for more information about the contents of this document.

A.1. Scope

This message is sent by the bank to an account holder or a third person mandated by him. It is used for informing the account holder or the third person mandated of the account balances and account transactions.

A.2. General principles

A.2.1. Contents of the message:

- The message can hold the reporting on one or more accounts.
- The contents of the message will be limited to information about the transactions that have been entered into bookkeeping
- Reporting will be done in the account currency. Any transaction in another currency first will be converted into the account currency.
- Reporting as for the transactions that have been entered into bookkeeping. carried will he out through ΜX camt053.001.02 BankToCustomerStatementV02
- The message can be split up into several messages depending on the volume of data to be transferred.

A.2.2. Periodicity of the message

- As a matter of principle, a message will be created each bank working day when transactions are taking place. Exceptionally, this may also be the case on a day without any transactions (empty message).
- It will be possible for some banks to send a message, at their customers' request, which contains the reporting as for different dates (on a weekly, monthly, ... basis).

A.2.3. Transactions encoding

The principle has been adopted for double encoding, i.e. encoding proper to ISO Bank Transaction Code list (§ 5.2 - Double encoding) together with 'proprietary' Febelfin encoding.

A.2.4. Globalisation of transactions

• This principle has been adopted for 'customer' globalisations (e.g. a data record for invoicing or a data record for the payment of salaries or for paying suppliers for which a single amount is credited or debited to the customer) as well as for 'bank' globalisations, e.g. the total amount of a series of money transfers with structured communication.

A.2.5. Reporting of structured communications

 Reporting of creditor structured reference communications generated by the beneficiary of the payments will be done through Message Items specifically used for that purpose (see 4.2).

A.3. Use of these guidelines

Each item of the BankToCustomer Cash Management Standards message is referring to the corresponding index of the item in the (ISO 20022) Message Definition Report for Bank-to-Customer Cash Management. This Report can be found on www.iso20022.org, under "Catalogue of UNIFI messages", with "camt.053.001.02" as reference for the EoD reporting.

Any gaps in the index numbering are due to the fact that some message elements of the MX.CAMT.053.001.02 message are not supported in the Belgian subset.

Message elements not described in these guidelines must not be supported.

The description of each message item contains:

Index	Number referring to the corresponding description in the MX.CAMT053.001.02 Message Definition Report for Bank-to-Customer Cash Management Statements.					
Definition	This contains the definition of the message set or element.					
Usage / BBA usage	Additional info on how this element must be used.					
XML Tag	Short name identifying an element within an XML message, which is put between brackets, e.g. <ntry>.</ntry>					
Presence	This shows if an element is optional or obligatory as well as the number of times it can be repeated. The occurrence is mentioned between square brackets. For example:					
	[01] indicates that the element can occur 0 times or 1 time. The element is optional.					
	[11] indicates that the element must not occur more than once. The element is obligatory.					
	[1n] indicates that the element is obligatory and can occur between 1 and n times					
	An element which is part of a set of elements is obligatory, in so far as the set it is part of, is mentioned in the message. If only one element among others may be present, this will be indicated by {OROR} in front of the elements concerned					
Format	Specification of the values and format allowed					
Rules	Any specific rules which could have an impact on the presence or the values of an element.					

A.4. Message structure

XML Schemes:

The description of the UNIFI document models can be found in a number of schemes. A specific description language (XSD) is used in those schemes. The schemes make it possible to give a description of the tags in the document, the structure and sequence of those beacons (hierarchy of tags) as well as the codes which are allowed for some specific data, the number of possible cases, the obligatory or optional character of some of the data, etc.

The general XSD for camt.053.001.02 and for camt.052.001.02 can be found on www.iso20022.org > Catalogue of UNIFI Messages > Payments > cash Management >

A data record which contains an XML camt.053.001.02 message has the following structure:

```
<?xml version = "1.0" encoding = "UTF-8"?>
```

<Document xmlns = "urn:iso:std:iso:20022:tech:xsd:camt.053.001.02"</pre> xmlns:xsi = "http://www.w3.org/2001/XMLSchema-instance">

<camt.053.001.02>

message contained...

</camt.053.001.02>

</Document>

MX.CAMT.053 sets

The message described in this document (Camt.053.001.02) consists of the following sets:

- A. Group Header: this is an obligatory block which occurs only once. It contains information proper to the message (identification, creation date, addressee)
- B. Statement: this block is obligatory and occurs more than once. It will be repeated as many times as there are different accounts and/or dates in that particular message. This set contains information pertaining to the balances and the transactions.

At the request of their customers, some banks will have the possibility of generating messages with the following characteristics:

• a message for one account for one bank working date. This message will contain a GroupHeader-block and one Statement-block :

> GroupHeader Statment Account 1 Date 1

a message for several accounts for one bank working date. This message will contain a GroupHeader-block and for each account one Statementblock:

GroupHeader
Statment Account 1 Date 1
Statment Account 2 Date 1
Statment Account 3 Date 1

 a message for one account for several bank working dates. This message will contain a GroupHeader-block and for each bank working date one Statement-block:

> GroupHeader Statment Account 1 Date 1 Statment Account 1 Date 2 Statement Account 1 Date 3

a message for several accounts for several bank working dates. This
message will contain a GroupHeader-block and for each account for each
bank working date one Statement-block :

GroupHeader
Statment Account 1 Date 1
Statment Account 1 Date 2
Statment Account 2 Date 1 Statment Account 2 Date 2

2. Message Structure

Note :the index numbering in the table below is a copy of the numbering in the (ISO 20022) Message Definition Report – MX camt.053.001.02 BankToCustomerStatementV01" document.

Index	Long Name	L.	Or	Pres.	Rule	Tag Name
1.0	+ GroupHeader	1		[11]	TAG	GrpHdr
1.1	++ MessageIdentification	2		[11]	string minLength: 1 maxLength: 35	Msgld
1.2	++ CreationDateTime	2		[11]	dateTime	CreDtTm
1.3	++ MessageRecipient	2		[01]	TAG	MsgRcpt
9.1.0	+++ Name	3		[01]	string minLength: 1 maxLength: 70	Nm
1.4	++ MessagePagination	2		[01]	TAG	MsgPgntn
8.2.0	+++ PageNumber	3		[11]	string pattern: [0-9]{1,5}	PgNb
8.2.1	+++ LastPageIndicator	3		[11]	boolean	LastPgInd
1.5	++ AdditionalInformation	2		[01]	string minLength: 1 maxLength: 500	AddtlInf
2.0	+ Statement	1		[1n]	TAG	Stmt
2.1	++ Identification	2		[11]	string minLength: 1 maxLength: 35	Id
2.2	++ ElectronicSequenceNumber	2		[01]	decimal fractionDigits: 0 totalDigits: 18	ElctrncSeqNb
2.3	++ LegalSequenceNumber	2		[01]	decimal fractionDigits: 0 totalDigits: 18	LgISeqNb
2.4	++ CreationDateTime	2		[11]	dateTime	CreDtTm
2.5	++ FromToDate	2		[01]	TAG	FrToDt
5.1.0	+++ FromDateTime	3		[11]	dateTime	FrDtTm
5.1.1	+++ ToDateTime	3		[11]	dateTime	ToDtTm
2.6	++ CopyDuplicateIndicator	2		[01]	string enumeration: CODU COPY DUPL	CpyDplctInd
2.10	++ Account	2		[11]	TAG	Acct
1.2.0	+++ Identification	3		[11]	TAG	Id
1.2.1	++++ IBAN	4	{Or	[11]	string pattern: [a-zA- Z]{2,2}[0-9]{2,2}[a-zA-Z0- 9]{1,30}	IBAN
1.2.2	++++ Other	4	Or}	[11]	TAG	Othr
1.2.3	+++++ Identification	5		[11]	Max34Text	Id
1.2.8	+++ Type	3		[01]	string enumeration:	Тр
1.2.10	++++ Proprietary	4		[11]	string minLength: 1 maxLength: 35	Prtry
1.2.11	+++ Currency	3		[01]	string pattern: [A-Z]{3,3}	Ссу
1.2.12	+++ Name	3		[01]	string minLength: 1 maxLength: 70	Nm
1.2.13	+++ Owner	3		[01]	TAG	Ownr
1.2.14	++++ Name	4		[01]	string minLength: 1 maxLength: 70	Nm
1.2.26	++++ Identification	4		[01]	TAG	Id
1.2.27	+++++ OrganisationIdentification	5		[11]	TAG	Orgld
1.2.29	+++++ Other	6		[0n]	TAG	Othr

1.2.30	++++++ Identification	7		[11]	string minLength: 1	Id
1.2.56	+++ Servicer	3		[01]	maxLength: 35	Svcr
	++++			[01]		
1.2.57	FinancialInstitutionIdentification	4		[11]	TAG	FinInstnId
1.2.58	+++++ BIC	5		[11]	string pattern: [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}	BIC
2.11	++ RelatedAccount	2		[01]	TAG	RItdAcct
1.1.0	+++ Identification	3		[11]	TAG	Id
1.1.1	++++ IBAN	4	{Or	[11]	string pattern: [a-zA- Z]{2,2}[0-9]{2,2}[a-zA-Z0- 9]{1,30}	IBAN
1.1.2	++++ Other	4	Or}	[11]	TAG	Othr
1.1.3	+++++ Identification	5		[11]	Max34Text	Id
2.23	++ Balance	2		[1n]	TAG	Bal
2.24	+++ Type	3		[11]	TAG	Тр
2.25	++++ CodeOrProprietary	4		[11]	TAG	CdOrPrtry
2.26	+++++ Code	5	{Or	[11]	string enumeration cfr Message Item Description	Cd
2.27	+++++ Proprietary	5	Or}	[11]	string minLength: 1 maxLength: 35	Prtry
2.28	++++ subType	4		[01]	TAG	SubTp
2.29	+++++ Code	5	{Or	[11]	string enumeration cfr Message Item Description	Cd
2.34	+++ Amount	3		[11]	decimal minInclusive: 0 fractionDigits: 5 totalDigits: 18 Attribute Ccy: required	Amt
2.35	+++ CreditDebitIndicator	3		[11]	string enumeration: cfr Message Item Description	CdtDbtInd
2.36	+++ Date	3		[11]	TAG	Dt
4.1.0	++++ Date	4		[11]	date	Dt
2.43	++ TransactionsSummary	2		[01]	TAG	TxsSummry
2.44	+++ TotalEntries	3		[01]	TAG	TtlNtries
2.45	++++ NumberOfEntries	4		[01]	string pattern: [0-9]{1,15}	NbOfNtries
2.46	++++ Sum	4		[01]	decimal fractionDigits: 17 totalDigits: 18	Sum
2.47	++++ TotalNetEntryAmount	4		[01]	decimal fractionDigits: 17 totalDigits: 18	TtlNetNtryAm t
2.48	++++ CreditDebitIndicator	4		[01]	string enumeration: cfr Message Item Description	CdtDbtInd
2.49	+++ TotalCreditEntries	3		[01]	TAG	TtlCdtNtries
2.50	++++ NumberOfEntries	4		[01]	string pattern: [0-9]{1,15}	NbOfNtries
2.51	++++ Sum	4		[01]	decimal fractionDigits: 17 totalDigits: 18	Sum
2.52	+++ TotalDebitEntries	3		[01]	TAG	TtlDbtNtries
2.53	++++ NumberOfEntries	4		[01]	string pattern: [0-9]{1,15}	NbOfNtries
2.54	++++ Sum	4		[01]	decimal fractionDigits: 17 totalDigits: 18	Sum
2.76	++ Entry	2		[0n]	TAG	Ntry

		1 1	1	I	1
2.77	+++ EntryReference	3	[01]	string minLength: 1 maxLength: 35	NtryRef
2.78	+++ Amount	3	[11]	decimal minInclusive: 0 fractionDigits: 5 totalDigits: 18 Attribute Ccy: required	Amt
2.79	+++ CreditDebitIndicator	3	[11]	string enumeration: cfr Message Item Description	CdtDbtInd
2.80	+++ ReversalIndicator	3	[01]	boolean	RvslInd
2.81	+++ Status	3	[11]	string enumeration: BOOK	Sts
2.82	+++ BookingDate	3	[01]	TAG	BookgDt
4.1.0	++++ Date	4	[11]	date	Dt
2.83	+++ ValueDate	3	[01]	TAG	ValDt
4.1.0	++++ Date	4	[11]	date	Dt
2.84	+++ AccountServicerReference	3	[01]	string minLength: 1 maxLength: 35	AcctSvcrRef
2.91	+++ BankTransactionCode	3	[11]	TAG	BkTxCd
2.92	++++ Domain	4	[01]	TAG	Domn
2.93	+++++ Code	5	[11]	string minLength: 1 maxLength: 4	Cd
2.94	+++++ Family	5	[11]	TAG	Fmly
2.95	+++++ Code	6	[11]	string minLength: 1 maxLength: 4	Cd
2.96	+++++ SubFamilyCode	6	[11]	string minLength: 1 maxLength: 4	SubFmIyCd
2.97	++++ Proprietary	4	[01]	TAG	Prtry
2.98	+++++ Code	5	[11]	string minLength: 1 maxLength: 35	Cd
2.99	+++++ Issuer	5	[01]	string minLength: 1 maxLength: 35	Issr
2.101	+++ AdditionalInformationIndicator	3	[01]	string minLength: 1 maxLength: 35	AddtlInflnd
2.102	++++ MessageNameIdentification	4	[01]	string minLength: 1 maxLength: 35	MsgNmld
2.103	++++ MessageIdentification	4	[01]	string minLength: 1 maxLength: 35	Msgld
2.104	+++ AmountDetails	3	[01]	TAG	AmtDtIs
2.1.0	++++ InstructedAmount	4	[01]	TAG	InstdAmt
2.1.1	+++++ Amount	5	[11]	decimal minInclusive: 0 fractionDigits: 5 totalDigits: 18 Attribute Ccy: required	Amt
2.1.9	++++ TransactionAmount	4	[01]	TAG	TxAmt
2.1.10	+++++ Amount	5	[11]	decimal minInclusive: 0 fractionDigits: 5 totalDigits: 18 Attribute Ccy: required	Amt
2.1.18	++++ CounterValueAmount	4	[01]	TAG	CntrValAmt
2.1.19	+++++ Amount	5	[11]	decimal minInclusive: 0 fractionDigits: 5 totalDigits: 18 Attribute Ccy: required	Amt
2.1.20	+++++ CurrencyExchange	5	[01]	TAG	CcyXchg
2.1.21	+++++ SourceCurrency	6	[11]	string pattern: [A-Z]{3,3}	SrcCcy
2.1.22	+++++ TargetCurrency	6	[01]	string pattern: [A-Z]{3,3}	TrgtCcy
2.1.23	+++++ UnitCurrency	6	[01]	string pattern: [A-Z]{3,3}	UnitCcy
2.1.24	+++++ ExchangeRate	6	[11]	decimal fractionDigits: 10 totalDigits: 11	XchgRate

2.1.36	++++ ProprietaryAmount	4	[01]	TAG	PrtryAmt
2.1.37	+++++ Type	5	[11]	string minLength: 1 maxLength: 35	Тр
2.1.38	+++++ Amount	5	[11]	decimal minInclusive: 0 fractionDigits: 5 totalDigits: 18 Attribute Ccy: required	Amt
2.105	+++ Charges	3	[0n]	TAG	Chrgs
2.107	++++ Amount	4	[11]	decimal minInclusive: 0 fractionDigits: 5 totalDigits: 18 Attribute Ccy: required	Amt
2.108	++++ CreditDebitIndicator	4	[01]	string enumeration: cfr Message Item Description	CdtDbtInd
2.109	++++ Type	4	[01]	TAG	Тр
2.111	+++++ Proprietary	5	[11]	string pattern: [a-zA-Z0- 9]{1,4}	Prtry
7.1.0	+++++ Identification	6	[11]	string minLength: 1 maxLength: 35	Id
7.1.1	+++++ Issuer	6	[01]	string minLength: 1 maxLength: 35	Issr
2.112	++++ Rate	4	[01]	decimal fractionDigits: 10 totalDigits: 11	Rate
2.115	++++ Tax	4	[01]	TAG	Tax
2.116	+++++ Identification	5	[01]	string minLength: 1 maxLength: 35	Id
2.117	+++++ Rate	5	[01]	decimal fractionDigits: 10 totalDigits: 11	Rate
2.118	+++++ Amount	5	[01]	decimal minInclusive: 0 fractionDigits: 5 totalDigits: 18 Attribute Ccy: required	Amt
2.135	+++ EntryDetails	3	[0n]	TAG	NtryDtls
2.136	++++ Batch	4	[01]	TAG	Btch
2.137	+++++ Messageldentification	5	[01]	string minLength: 1 maxLength: 35	Msgld
2.138	+++++ PaymentInformationIdentification	5	[01]	string minLength: 1 maxLength: 35	PmtInfld
2.139	+++++ NumberOfTransactions	5	[01]	string pattern: [0-9]{1,15}	NbOfTxs
2.140	+++++ TotalAmount	5	[01]	decimal minInclusive: 0 fractionDigits: 5 totalDigits: 18 Attribute Ccy: required	TtlAmt
2.141	+++++ CreditDebitIndicator	5	[01]	string enumeration: cfr Message Item Description	CdtDbtInd
2.142	++++ TransactionDetails	4	[0n]	TAG	TxDtls
2.143	+++++ References	5	[01]	TAG	Refs
2.144	+++++ MessageIdentification	6	[01]	string minLength: 1 maxLength: 35	Msgld
2.145	+++++ AccountServicerReference	6	[01]	string minLength: 1 maxLength: 35	AcctSvcrRef
2.146	+++++ PaymentInformationIdentification	6	[01]	string minLength: 1 maxLength: 35	PmtInfld
2.147	+++++ InstructionIdentification	6	[01]	string minLength: 1 maxLength: 35	InstrId
2.148	+++++ EndToEndIdentification	6	[01]	string minLength: 1 maxLength: 35	EndToEndId
2.149	+++++ TransactionIdentification	6	[01]	string minLength: 1 maxLength: 35	TxId
2.150	+++++ Mandateldentification	6	[01]	string minLength: 1 maxLength: 35	Mndtld

			1	Г	
2.151	+++++ ChequeNumber	6	[01]	string minLength: 1 maxLength: 35	ChqNb
2.153	+++++ Proprietary	6	[01]	TAG	Prtry
2.154	++++++ Type	7	[11]	string minLength: 1 maxLength: 35	Тр
2.155	++++++ Reference	7	[11]	string minLength: 1 maxLength: 35	Ref
2.156	+++++ AmountDetails	5	[01]	TAG	AmtDtIs
2.1.0	+++++ InstructedAmount	6	[01]	TAG	InstdAmt
2.1.1	++++++ Amount	7	[11]	decimal minInclusive: 0 fractionDigits: 5 totalDigits: 18 Attribute Ccy: required	Amt
2.1.9	+++++ TransactionAmount	6	[01]	TAG	TxAmt
2.1.10	++++++ Amount	7	[11]	decimal minInclusive: 0 fractionDigits: 5 totalDigits: 18 Attribute Ccy: required	Amt
2.1.18	+++++ CounterValueAmount	6	[01]	TAG	CntrValAmt
2.1.19	++++++ Amount	7	[11]	decimal minInclusive: 0 fractionDigits: 5 totalDigits: 18 Attribute Ccy: required	Amt
2.1.20	++++++ CurrencyExchange	7	[01]	TAG	CcyXchg
2.1.21	++++++ SourceCurrency	8	[11]	string pattern: [A-Z]{3,3}	SrcCcy
2.1.22	++++++ TargetCurrency	8	[01]	string pattern: [A-Z]{3,3}	TrgtCcy
2.1.23	++++++ UnitCurrency	8	[01]	string pattern: [A-Z]{3,3}	UnitCcy
2.1.24	++++++ ExchangeRate	8	[11]	decimal fractionDigits: 10 totalDigits: 11	XchgRate
2.1.36	+++++ ProprietaryAmount	6	[01]	TAG	PrtryAmt
2.1.37	++++++ Type	7	[11]	string minLength: 1 maxLength: 35	Тр
2.1.38	++++++ Amount	7	[11]	decimal minInclusive: 0 fractionDigits: 5 totalDigits: 18 Attribute Ccy: required	Amt
2.163	+++++ BankTransactionCode	5	[01]	TAG	BkTxCd
2.164	+++++ Domain	6	[01]	TAG	Domn
2.165	++++++ Code	7	[11]	string minLength: 1 maxLength: 4	Cd
2.166	+++++ Family	7	[11]	TAG	Fmly
2.167	++++++ Code	8	[11]	string minLength: 1 maxLength: 4	Cd
2.168	++++++ SubFamilyCode	8	[11]	string minLength: 1 maxLength: 4	SubFmlyCd
2.169	+++++ Proprietary	6	[01]	TAG	Prtry
2.170	++++++ Code	7	[11]	string minLength: 1 maxLength: 35	Cd
2.171	++++++ Issuer	7	[01]	string minLength: 1 maxLength: 35	Issr
2.172	+++++ Charges	5	[0n]	TAG	Chrgs
2.174	+++++ Amount	6	[11]	decimal minInclusive: 0 fractionDigits: 5 totalDigits: 18 Attribute Ccy: required	Amt
2.175	+++++ CreditDebitIndicator	6	[01]	string enumeration: cfr Message Item Description	CdtDbtInd
2.176	+++++ Type	6	[01]	TAG	Тр
2.178	++++++ Proprietary	7	[11]	TAG	Prtry

			1	1	1	T
7.1.0	++++++ Identification	8		[11]	string minLength: 1 maxLength: 35	Id
7.1.1	++++++ Issuer	8		[01]	string minLength: 1 maxLength: 35	Issr
2.179	+++++ Rate	6		[01]	decimal fractionDigits: 10 totalDigits: 11	Rate
2.182	+++++ Tax	6		[01]	TAG	Tax
2.183	++++++ Identification	7		[01]	string minLength: 1 maxLength: 35	Id
2.184	++++++ Rate	7		[01]	decimal fractionDigits: 10 totalDigits: 11	Rate
2.185	+++++ Amount	7		[01]	decimal minInclusive: 0 fractionDigits: 5 totalDigits: 18 Attribute Ccy: required	Amt
2.186	+++++ Interest	5		[0n]	TAG	Intrst
2.187	+++++ Amount	6		[11]	decimal minInclusive: 0 fractionDigits: 5 totalDigits: 18 Attribute Ccy: required	Amt
2.188	+++++ CreditDebitIndicator	6		[11]	string enumeration: CRDT DBIT	CdtDbtInd
2.189	+++++ Type	6		[01]	TAG	Тр
2.191	++++++ Proprietary	7		[11]	string minLength: 1 maxLength: 35 totalDigits: 11	Prtry
2.192	+++++ Rate	6		[0n]	TAG	Rate
2.193	+++++ Type	7		[11]	TAG	Тр
2.194	++++++ Percentage	8	{Or	[11]	PercentageRate fractionDigits: 10	Pctg
2.195	++++++ Other	8	Or}	[11]	string minLength: 1 maxLength: 35	Othr
2.197	+++++ FromToDate	6		[01]	TAG	FrToDt
5.1.0	++++++ FromDateTime	7		[11]	dateTime	FrDtTm
5.1.1	++++++ ToDateTime	7		[11]	dateTime	ToDtTm
2.199	+++++ RelatedParties	5		[01]	TAG	RItdPties
2.200	+++++ InitiatingParty	6		[01]	TAG	InitgPty
9.1.0	+++++ Name	7		[01]	string minLength: 1 maxLength: 70	Nm
9.1.1	++++++ PostalAddress	7		[01]	TAG	PstIAdr
9.1.5	++++++ StreetName	8		[01]	string minLength: 1 maxLength: 70	StrtNm
9.1.6	++++++ BuildingNumber	8		[01]	string minLength: 1 maxLength: 16	BldgNb
9.1.7	++++++ PostalCode	8		[01]	string minLength: 1 maxLength: 16	PstCd
9.1.8	++++++ Townname	8		[01]	string minLength: 1 maxLength: 35	TwnNm
9.1.10	++++++ Country	8		[01]	string pattern: [A-Z]{2,2}	Ctry
9.1.11	++++++ AddressLine	8		[07]	string minLength: 1 maxLength: 70	AdrLine
2.201	+++++ Debtor	6		[01]	TAG	Dbtr
9.1.0	+++++ Name	7		[01]	string minLength: 1 maxLength: 70	Nm
9.1.1	++++++ PostalAddress	7		[01]	TAG	PstIAdr
9.1.5	++++++ StreetName	8		[01]	string minLength: 1 maxLength: 70	StrtNm


				T	1	T
9.1.6	+++++ BuildingNumber	8		[01]	string minLength: 1 maxLength: 16	BldgNb
9.1.7	++++++ PostalCode	8		[01]	string minLength: 1 maxLength: 16	PstCd
9.1.8	+++++ Townname	8		[01]	string minLength: 1 maxLength: 35	TwnNm
9.1.10	++++++ Country	8		[01]	string pattern: [A-Z]{2,2}	Ctry
9.1.11	++++++ AddressLine	8		[07]	string minLength: 1 maxLength: 70	AdrLine
9.1.12	+++++ Identification	7		[01]	TAG	Id
9.1.13	++++++ OrganisationIdentification	8		[11]	TAG	Orgld
9.1.14	++++++ BICOrBEI	9		[01]	string pattern: [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}	BICOrBEI
2.202	+++++ DebtorAccount	6		[01]	TAG	DbtrAcct
1.1.0	+++++ Identification	7		[11]	TAG	Id
1.1.1	++++++ IBAN	8	{Or	[11]	string pattern: [a-zA- Z]{2,2}[0-9]{2,2}[a-zA-Z0- 9]{1,30}	IBAN
1.1.2	++++++ Other	8	Or}	[11]	TAG	Othr
1.1.3	+++++++ Identification	9		[11]	Max34Text	Id
1.1.7	++++++ Issuer	8		[01]	Max35Text	Issr
2.203	+++++ UltimateDebtor	6		[01]	TAG	UltmtDbtr
9.1.0	+++++ Name	7		[01]	string minLength: 1 maxLength: 70	Nm
9.1.1	++++++ PostalAddress	7		[01]	TAG	PstIAdr
9.1.5	+++++ StreetName	8		[01]	string minLength: 1 maxLength: 70	StrtNm
9.1.6	+++++ BuildingNumber	8		[01]	string minLength: 1 maxLength: 16	BldgNb
9.1.7	++++++ PostalCode	8		[01]	string minLength: 1 maxLength: 16	PstCd
9.1.8	+++++ Townname	8		[01]	string minLength: 1 maxLength: 35	TwnNm
9.1.10	++++++ Country	8		[01]	string pattern: [A-Z]{2,2}	Ctry
9.1.11	++++++ AddressLine	8		[07]	string minLength: 1 maxLength: 70	AdrLine
9.1.12	+++++ Identification	7		[01]	TAG	Id
9.1.13	++++++ OrganisationIdentification	8		[11]	TAG	Orgld
9.1.14	++++++ BICOrBEI	9		[01]	string pattern: [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}	BICOrBEI
9.1.15	++++++ Other	9		[0n]	TAG	Othr
9.1.16	+++++++ Identification	10		[11]	string minLength: 1 maxLength: 35	Id
2.204	+++++ Creditor	6		[01]	TAG	Cdtr
9.1.0	+++++ Name	7		[01]	string minLength: 1 maxLength: 70	Nm
9.1.1	++++++ PostalAddress	7		[01]	TAG	PstIAdr
9.1.5	++++++ StreetName	8		[01]	string minLength: 1 maxLength: 70	StrtNm

		1	1	1	T	1
9.1.6	++++++ BuildingNumber	8		[01]	string minLength: 1 maxLength: 16	BldgNb
9.1.7	++++++ PostalCode	8		[01]	string minLength: 1 maxLength: 16	PstCd
9.1.8	+++++ Townname	8		[01]	string minLength: 1 maxLength: 35	TwnNm
9.1.10	+++++ Country	8		[01]	string pattern: [A-Z]{2,2}	Ctry
9.1.11	++++++ AddressLine	8		[07]	string minLength: 1 maxLength: 70	AdrLine
9.1.12	+++++ Identification	7		[01]	TAG	Id
9.1.13	++++++ OrganisationIdentification	8		[11]	TAG	Orgld
9.1.14	++++++ BICOrBEI	9		[01]	string pattern: [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}	BICOrBEI
9.1.15	++++++ Other	9		[0n]	TAG	Othr
9.1.16	+++++++ Identification	10		[11]	string minLength: 1 maxLength: 35	Id
2.205	+++++ CreditorAccount	6		[01]	TAG	CdtrAcct
1.1.0	+++++ Identification	7		[11]	TAG	Id
1.1.1	++++++ IBAN	8	{Or	[11]	string pattern: [a-zA- Z]{2,2}[0-9]{2,2}[a-zA-Z0- 9]{1,30}	IBAN
1.1.2	++++++ Other	8	Or}	[11]	TAG	Othr
1.1.3	+++++++ Identification	9		[11]	Max34Text	Id
1.1.7	+++++ Issuer	8		[01]	Max35Text	Issr
2.206	+++++ UltimateCreditor	6		[01]	TAG	UltmtCdtr
9.1.0	+++++ Name	7		[01]	string minLength: 1 maxLength: 70	Nm
9.1.1	++++++ PostalAddress	7		[01]	TAG	PstIAdr
9.1.5	++++++ StreetName	8		[01]	string minLength: 1 maxLength: 70	StrtNm
9.1.6	++++++ BuildingNumber	8		[01]	string minLength: 1 maxLength: 16	BldgNb
9.1.7	++++++ PostalCode	8		[01]	string minLength: 1 maxLength: 16	PstCd
9.1.8	+++++ Townname	8		[01]	string minLength: 1 maxLength: 35	TwnNm
9.1.10	+++++ Country	8		[01]	string pattern: [A-Z]{2,2}	Ctry
9.1.11	++++++ AddressLine	8		[07]	string minLength: 1 maxLength: 70	AdrLine
9.1.12	+++++ Identification	7		[01]	TAG	Id
9.1.13	++++++ OrganisationIdentification	8		[11]	TAG	Orgld
9.1.14	++++++ BICOrBEI	9		[01]	string pattern: [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}	BICOrBEI
9.1.15	++++++ Other	9		[0n]	TAG	Othr
9.1.16	+++++++ Identification	10		[11]	string minLength: 1 maxLength: 35	Id
2.211	+++++ RelatedAgents	5		[01]	TAG	RItdAgts
2.212	+++++ DebtorAgent	6		[01]	TAG	DbtrAgt
6.1.0	++++++ FinancialInstitutionIdentification	7		[11]	TAG	FinInstnId


		1 1	,		1
6.1.1	++++++ BIC	8	[01]	string pattern: [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}	BIC
2.213	+++++ CreditorAgent	6	[01]	TAG	<cdtragt></cdtragt>
6.1.0	++++++ FinancialInstitutionIdentification	7	[11]	TAG	FinInstnId
6.1.1	++++++ BIC	8	[01]	string pattern: [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}	BIC
2.224	+++++ Purpose	5	[01]	TAG	Purp
2.225	+++++ Code	6	[11]	string minLength: 1 maxLength: 4	Cd
2.234	+++++ RemittanceInformation	5	[01]	TAG	RmtInf
2.235	+++++ Unstructured	6	[0n]	string minLength: 1 maxLength: 140	Ustrd
2.236	+++++ Structured	6	[0n]	TAG	Strd
2.256	++++++ CreditorReferenceInformation	7	[01]	TAG	CdtrRefInf
2.257	++++++ Type	8	[01]	TAG	Тр
2.258	+++++++ CodeOrProprietary	9	[11]	TAG	CdOrPrtry
2.259	++++++ Code	10	[11]	string enumeration cfr Message Item Description	Cd
2.261	++++++ Issuer	9	[01]	string minLength: 1 maxLength: 35	Issr
2.262	++++++ Reference	8	[01]	string minLength: 1 maxLength: 35	Ref
2.266	+++++ RelatedDates	5	[01]	TAG	RItdDts
2.267	+++++ AcceptanceDateTime	6	[01]	dateTime	AccptncDtTm
2.273	+++++ TransactionDateTime	6	[01]	dateTime	TxDtTm
2.292	+++++ Tax	5	[01]	TAG	Tax
13.1.1 5	+++++ TotalTaxAmount	6	[01]	decimal minInclusive: 0 fractionDigits: 5 totalDigits: 18 Attribute Ccy: required	TtlTaxAmt
13.1.1	+++++ Record	6	[0n]	TAG	Rord
13.1.1 9	++++++ Type	7	[01]	string minLength: 1 maxLength: 35	Тр
13.1.3	++++++ TaxAmount	7	[01]		TaxAmt
13.1.3	++++++ Rate	8	[01]	decimal fractionDigits: 10 totalDigits: 11	Rate
13.1.3	++++++ TaxableBaseAmount	8	[01]	decimal minInclusive: 0 fractionDigits: 5 totalDigits: 18 Attribute Ccy: required	TaxbIBaseAm t
13.1.3	++++++ TotalAmount	8	[01]	decimal minInclusive: 0 fractionDigits: 5 totalDigits: 18 Attribute Ccy: required	TtlAmt
2.293	+++++ ReturnInformation	5	[01]	TAG	RtrInf
2.294	+++++ OriginalBankTransactionCode	6	[01]	TAG	OrgnIBkTxCd
2.295	++++++ Domain	7	[01]	TAG	Domn
2.296	++++++ Code	8	[11]	string minLength: 1 maxLength: 4	Cd
2.297	++++++ Family	8	[11]	TAG	Fmly
2.298	++++++ Code	9	[11]	string minLength: 1 maxLength: 4	Cd

2.299	+++++++ SubFamilyCode	9		[11]	string minLength: 1 maxLength: 4	SubFmlyCd
2.300	+++++ Proprietary	7		[01]	TAG	Prtry
2.301	+++++ Code	8		[11]	string minLength: 1 maxLength: 35	Cd
2.302	+++++ Issuer	8		[01]	string minLength: 1 maxLength: 35	Issr
2.303	+++++ Originator	6		[01]	TAG	Orgtr
9.1.0	+++++ Name	7		[01]	string minLength: 1 maxLength: 70	Nm
2.304	+++++ Reason	6		[01]	TAG	Rsn
2.305	+++++ Code	7	{Or	[11]	string enumeration cfr Message Item Description	Cd
2.306	+++++ Proprietary	7	Or}	[11]	string minLength: 1 maxLength: 35	Prtry
2.307	+++++ AdditionalInformation	6		[0n]	string minLength: 1 maxLength: 105	AddtlInf
2.313	+++++ AdditionalTransactionInformation	5		[01]	string minLength: 1 maxLength: 500	AddtlTxInf
2.314	+++ AdditionalEntryInformation	3		[01]	string minLength: 1 maxLength: 500	AddtlNtryInf
2.315	++ AdditionalStatementInformation	2		[01]	string minLength: 1 maxLength: 500	AddtlStmtInf

3. Message Item Description



1.0 GroupHeader



Presence: [1..1]

Definition: Common information for the message.

Type: The GroupHeader block is composed of the following

GroupHeader42 element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
1.1		MessageIdentification	<msgid></msgid>	[11]	Text
1.2		CreationDateTime	<credttm></credttm>	[11]	DateTime
1.3		MessageRecipient	<msgrcpt></msgrcpt>	[01]	<u>+</u>
1.4		MessagePagination	<msgpgntn></msgpgntn>	[01]	<u>+</u>
1.5	·	AdditionalInformation	<addtlinf></addtlinf>	[01]	Text

1.1 MessageIdentification < MsgId>



Presence: [1..1]

Definition: Point to point reference assigned by the account servicing

institution and sent to the account owner to unambiguously

identify the message.

Usage: The account servicing institution has to make sure that

'MessageIdentification' is unique per instructed party for a pre-

agreed period.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

1.2 CreationDateTime < CreDtTm>



Presence: [1..1]


Definition: Date and time at which the message was created.

Data Type: ISODateTime

BBA USAGE: If it concerns a duplicate message of an earlier message, the

date will be that at which the duplicate was created. Consequently, this date may be different from the original date.

1.3 MessageRecipient < MsgRcpt>



Presence: [0..1]

Definition: Party authorised by the account owner to receive information

about movements on the account.

Usage: MessageRecipient should only be identified when different from

the account owner.

Type: This message item is composed of the following

Partyldentification32 element(s):

9.1.0 Name < Nm >



Presence: [0..1]

Definition: Name by which a party is known and which is usually


used to identify that party.

Data Type: Max140Text

Format: maxLength: 140

minLength: 1

1.4 MessagePagination < MsgPgntn>



Presence: [0..1]

Definition: Pagination of the message.

Usage: the pagination of the message is only allowed when agreed

between the parties.

Type: This message item is composed of the following Pagination

element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
8.2.0		PageNumber	<pgnb></pgnb>	[11]	Text
8.2.1		LastPageIndicator	<lastpgind></lastpgind>	[11]	Indicator

BBA USAGE: depending on the volume of information to be forwarded, it will be possible to split up the message.

- if there is no splitting (one single file), item 8.2.0 always must be completed by «1» and item 8.2.1 by «true».
- some banks may choose not to report the MessagePaginationblock in case of no splitting.
- if there is splitting, item 8.2.0 must always be completed by a page number and item 8.2.1 by «false», except for the last page, where item 8.2.1 is «true». In this case, the intermediary balances will be indicated by a keyword «INTM» under item 2.28 <SubTp>.

8.2.0 PageNumber < PgNb>



Presence: [1..1]

Definition: Page number.

Data Type: Max5NumericText

Format: [0-9]{1,5}

8.2.1 LastPageIndicator <LastPgInd>



Presence: [1..1]

Definition: Indicates the last page.

Data Type: One of the following YesNoIndicator values must be

used:

MeaningWhenTrue: Yes MeaningWhenFalse: No

1.5 AdditionalInformation < AddtlInf>



Presence: [0..1]

Definition: Further details on the message.

Data Type: Max500Text


Format: maxLength: 500

minLength: 1

BBA USAGE: This item will be completed only for separate messages.

Each bank will use its own codes.

2.0 **Statement**



Presence: [1..n]

Definition: Reports on booked entries and balances for a cash account.

Type: The Statement block is composed of the following

AccountStatement1 element(s):

2.1 Identification



Presence: [1..1]

Unique identification, as assigned by the account servicer, to Definition:

unambiguously identify the account statement.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

2.2 ElectronicSequenceNumber < ElctrncSeqNb>

ElctrncSeqNb

Presence: [0..1]

Definition: Sequential number of the statement, as assigned by the account

servicer.

Usage: The sequential number is increased incrementally for each

statement sent electronically.

Data Type: Number

Format: fractionDigits: 0

totalDigits: 18

2.3 LegalSequenceNumber < LglSeqNb>



Presence: [0..1]

Definition: Legal sequential number of the statement, as assigned by the

account servicer. It is increased incrementally for each statement

sent.

Usage: Where a paper statement is a legal requirement, it may have a

number different from the electronic sequential number. Paper statements could for instance only be sent if movement on the account has taken place, whereas electronic statements could be sent at the end of each reporting period, regardless of whether

movements have taken place or not.

Data Type: Number

Format: fractionDigits: 0

totalDigits: 18

2.4 CreationDateTime < CreDtTm>



Presence: [1..1]

Definition: Date and time at which the message was created.


Data Type: ISODateTime

BBA USAGE: If it concerns a duplicate statement of an earlier statement, the

date will be the same as the date at which the original statement

was created.

2.5 FromToDate <FrToDt>



Presence: [0..1]

Definition: Range of time between the start date and the end date for which

the account statement is issued.

Type: This message item is composed of the following

DateTimePeriodDetails element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
5.1.0		FromDateTime	<frdttm></frdttm>	[11]	DateTime
5.1.1		ToDateTime	<todttm></todttm>	[11]	DateTime

5.1.0 FromDateTime <FrDtTm>



Presence: [1..1]

Definition: Date and time at which the range starts.

Data Type: ISODateTime

5.1.1 ToDateTime <ToDtTm>



Presence: [1..1]

Definition: Date and time at which the range ends.

Data Type: ISODateTime

2.6 CopyDuplicateIndicator < CpyDplctInd>

ECpyDplctInd

Presence: [0..1]

Definition: Specifies if this document is a copy, a duplicate, or a duplicate of

а сору.


Data Type: Code

When this message item is present, only the following CopyDuplicate1Code value must be used:

BBA USAGE: Only code DUPL will be supported

Code	Name	Definition
DUPL	1	Message is for information/confirmation purposes. It is a duplicate of a message previously sent.

2.10 Account <Acct>



Presence: [1..1]

Definition: Unambiguous identification of the account to which credit and


debit entries are made.

Type: This message item is composed of the following CashAccount20

element(s):

Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
	Identification	<id></id>	[11]	
	Туре	<tp></tp>	[01]	
	Currency	<ccy></ccy>	[01]	Code
	Name	<nm></nm>	[01]	Text
	Owner	<ownr></ownr>	[01]	
	Servicer	<sver></sver>	[01]	

1.2.0 Identification <Id>



Presence: [1..1]

Definition: Unique and unambiguous identification of the account

between the account owner and the account servicer.

Type: This message item is composed of one of the following

AccountIdentification3Choice element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
1.2.1	{Or	IBAN	<iban></iban>	[11]	Identifier
1.2.2	Or}	Other	<othr></othr>	[11]	

1.2.1 IBAN < IBAN >



Presence: [1..1]

This message item is part of choice 1.1 AccountIdentification3Choice.

Definition: International Bank Account Number (IBAN) - identifier used

internationally by financial institutions to uniquely identify the account of a customer. Further specifications of the format and content of the IBAN can be found in the standard ISO 13616 "Banking and related financial services - International Bank Account Number (IBAN)" version 1997-10-01, or later

revisions.

Data Type: IBANIdentifier


Format: [a-zA-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}

Rule(s): IBAN

A valid IBAN consists of all three of the following components: Country

Code, check digits and BBAN.

1.2.2 Other <Othr>



Presence: [1..1]

This message item is part of choice 1.2.0 Identification.

Definition: Unique identification of an account, as assigned by the

account servicer, using an identification scheme.

Type: This message item is composed of the following

GenericAccountIdentification1 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
1.2.3		Identification	<1d>	[11]	Text

1.2.3 Identification <Id>



Presence: [1..1]

Definition: Identification assigned by an institution.


Data Type: Max34Text

Format: maxLength: 34

minLength: 1

BBA USAGE: account in BBAN format

1.2.8 Type <Tp>



Presence: [0..1]

Definition: Nature, or use, of the account.

Type: This message item is composed of one of the following

CashAccountType2 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
1.2.10		Proprietary	<prtry></prtry>	[11]	Text

1.2.10 Proprietary < Prtry>



Presence: [1..1]

This message item is part of choice 2.9 Type.

Definition: Proprietary nature or use of the account.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

1.2.11 Currency <Ccy>



Presence: [0..1]

Definition: Identification of the currency in which the account is held.

Data Type: ActiveOrHistoricCurrencyCode

Format: [A-Z]{3,3}

Rule(s): ActiveOrHistoricCurrency

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

(Fatal) Error Code: Sw.Stds.D00006

1.2.12 Name < Nm>



Presence: [0..1]

Definition: Name of the account, as assigned by the account

servicing institution, in agreement with the account owner in order to provide an additional means of identification of

the account.

Usage: The account name is different from the account owner

name. The account name is used in certain user communities to provide a means of identifying the account, in addition to the account owner's identity and


the account number.

Data Type: Max70Text

Format: maxLength: 70

minLength: 1

1.2.13 Owner < Ownr>



Presence: [0..1]

Definition: Party that legally owns the account.

Type: This message item is composed of the following

Partyldentification8 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
1.2.14		Name	<nm></nm>	[01]	Text
1.2.26		Identification	<1d>	[01]	

1.2.14 Name < Nm>



Presence: [0..1]

Definition: Name by which a party is known and which is usually


used to identify that party.

Data Type: Max70Text

Format: maxLength: 70

minLength: 1

1.2.26 Identification <Id>



Presence: [0..1]

Definition: Unique and unambiguous way of identifying an

organisation or an individual person.

Type: This message item is composed of one of the following

Party6Choice element(s):

1.2.27 OrganisationIdentification < OrgId>



Presence: [1..1]

This message item is part of choice 1.2.26 Identification.

Definition: Unique and unambiguous way to identify an organisation. **Type**: This message item is composed of the following

OrganisationIdentification4 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
1.2.29		Other	<othr></othr>	[0n]	

1.2.29 Other <Othr>



Presence: [0..n]

Definition: Unique identification of an organisation, as assigned by

an institution, using an identification scheme.

Type: This message item is composed of the following

GenericOrganisationIdentification1 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
1.2.30		Identification	<1d>>	[11]	Text

1.2.30 Identification <Id>



Presence: [1..1]

Definition: Identification assigned by an institution.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

BBA USAGE: Company number

1.2.56 Servicer <Svcr>



Presence: [0..1]

Definition: Party that manages the account on behalf of the account

owner, that is manages the registration and booking of entries on the account, calculates balances on the account and provides information about the account.


Type: This message item is composed of the following

Branch And Financial Institution I dentification 4

element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
1.2.57		FinancialInstitutionIdentification	<fininstnid></fininstnid>	[11]	

1.2.57 FinancialInstitutionIdentification <FinInstnld>



Presence: [1..1]

Definition: Unique and unambiguous identification of a financial

institution, as assigned under an internationally

recognised or proprietary identification scheme.

Type: This message item is composed of the following

FinancialInstitutionIdentification7 element(s)

1.2.58 BIC <BIC>



Presence: [0..1]

Definition: Bank Identifier Code. Code allocated to financial

institutions by the Registration Authority, under an international identification scheme, as described in the latest version of the standard ISO 9362 Banking (Banking telecommunication messages, Bank Identifier Codes).

Data Type: BICIdentifier


Format: [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}

Rule(s): BIC

Valid BICs are registered with the ISO 9362 Registration Authority, and consist of eight (8) or eleven (11) contiguous characters comprising the first three or all four of the following components: BANK CODE, COUNTRY CODE, LOCATION CODE, BRANCH CODE. The bank code, country code and location code are mandatory, while the branch code is optional.

(Fatal) Error Code: Sw.Stds.D00001

2.11 RelatedAccount <RItdAcct>



Presence: [0..1]

Definition: Identifies the parent account of the account for which the

statement has been issued.

Type: This message item is composed of the following

CashAccount16 element(s):

1.1.0 Identification <Id>



Presence: [1..1]

Definition: Unique and unambiguous identification for the account

between the account owner and the account servicer.

Type: This message item is composed of one of the following

AccountIdentification4Choice element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
1.1.1	{Or	IBAN	<iban></iban>	[11]	Identifier
1.1.2	Or}	Other	<othr></othr>	[11]	

1.1.1 IBAN < IBAN >



Presence: [1..1]

This message item is part of choice 1.1.0 Identification.

Definition: International Bank Account Number (IBAN) - identifier

used internationally by financial institutions to uniquely identify the account of a customer. Further specifications of the format and content of the IBAN can be found in the standard ISO 13616 "Banking and related financial services - International Bank Account Number (IBAN)"

version 1997-10-01, or later revisions.

Data Type: IBAN2007Identifier

Format: [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}

Rule(s): IBAN

A valid IBAN consists of all three of the following components: Country

Code, check digits and BBAN.

(Fatal) Error Code: Sw.Stds.D00003

1.1.2 Other <Othr>



Presence: [1..1]

This message item is part of choice 1.1.0 Identification.

Definition: Unique identification of an account, as assigned by the

account servicer, using an identification scheme.

Type: This message item is composed of the following

GenericAccountIdentification1 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
1.1.3		Identification	<1d>	[11]	Text

1.1.3 Identification <Id>



Presence: [1..1]

Definition: Identification assigned by an institution.


Data Type: Max34Text

Format: maxLength: 34

minLength: 1

BBA USAGE: account in BBAN format

Balance <Bal> 2.23



Presence: [1..n]

Definition: Set of elements defining the balance(s).


Type: This message item is composed of the following CashBalance3

element(s):

Rule(s): AvailabilityAndTypeRule

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.24		Туре	<tp></tp>	[11]	
2.34		Amount	<amt></amt>	[11]	Amount
2.35		CreditDebitIndicator	<cdtdbtind></cdtdbtind>	[11]	Code
2.36		Date	<dt></dt>	[11]	<u>+</u>

2.24 Type <Tp>



Presence: [1..1]

Definition: Specifies the nature of a balance, eg, opening booked balance.

Type: This message item is composed of one of the following

BalanceType12Choice element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.25		CodeOrProprietary	<cdorprtry></cdorprtry>	[11]	
2.28		SubType	<subtp></subtp>	[01]	

2.25 CodeOrProprietary <CdOrPrtry>



Presence: [1..1]

Definition: Coded or proprietary format balance type.

Type: This message item is composed of one of the following

BalanceType5Choice element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.26	{Or	Code	<cd></cd>	[11]	Code
2.27	Or}	Proprietary	<prtry></prtry>	[11]	Text

2.26 Code <Cd>



Presence: [1..1]

This message item is part of choice 2.25 CodeOrProprietary.

Definition: Balance type, in a coded form.

Data Type: Code

One of the following BalanceType12Code values must be used

Code	Name	Definition	
CLAV	ClosingAvailable	Closing balance of amount of money that is at the disposal of the account owner on the date specified.	
CLBD	ClosingBooked	Balance of the account at the end of the pre-agreed account reporting period. It is the sum of the opening booked balance at the beginning of the period and all entries booked to the account during the pre-agreed account reporting period.	
FWAV	ForwardAvailable	Forward available balance of money that is at the disposal of the account owner on the date specified.	
INFO	Information	Balance for informational purposes.	
OPBD	OpeningBooked	Book balance of the account at the beginning of the account reporting period. It always equals the closing book balance from the previous report.	

2.27 Proprietary < Prtry>



Presence: [1..1]

This message item is part of choice 2.25 CodeOrProprietary.

Definition: Balance type, in a proprietary form.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

2.28 SubType <SubTp>



Presence: [0..1]

Definition: Specifies the balance sub-type.

Type: This message item is composed of one of the following

BalanceSubType1Choice element(s):

BBA USAGE: Only when a message is split.

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.29	{Or	Code	<cd></cd>	[11]	Code
2.30	Or}	Proprietary	<prtry></prtry>	[11]	Text

2.29 Code <Cd>



Presence: [1..1]

This message item is part of choice 2.28 SubType.

Definition: Specifies the code for the type of a balance, eg, opening booked balance.

Data Type: ExternalBalanceSubType1Code


Format: maxLength: 4

minLength: 1

Only the following code will be used:

Code	Name	Definition
INTM	Intermediate Balance	For split/paginated messages, this type code is used together with the OPBD and CLBD balance type codes to indicate the intermediary balances of the split/paginated message.

2.34 Amount < Amt>



Presence: [1..1]

Definition: Amount of money of the cash balance. **Data Type**: ActiveOrHistoricCurrencyAndAmount

This data type must be used with the following XML Attribute: Currency (Ccy) which is typed by ActiveOrHistoricCurrencyCode.

Format: ActiveOrHistoricCurrencyAndAmount

fractionDigits: 5 minInclusive: 0 totalDigits: 18

ActiveOrHistoricCurrencyCode

 $[A-Z]{3,3}$

Rule(s): ActiveOrHistoricCurrencyAndAmount

CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot. (Fatal) Error Code: Sw.Stds.D00007

ActiveOrHistoricCurrencyCode

ActiveOrHistoricCurrency

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

(Fatal) Error Code: Sw.Stds.D00006

2.35 CreditDebitIndicator <CdtDbtInd>



Presence: [1..1]

Definition: Indicates whether the balance is a credit or a debit balance. A zero balance is


considered to be a credit balance

Data Type: Code

One of the following CreditDebitCode values must be used:

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.

2.36 Date <Dt>



Presence: [1..1]

Definition: Specifies the date (and time) of the balance.

Type: This message item is composed of one of the following

DateAndDateTimeChoice element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
4.1.0		Date	<dt></dt>	[11]	DateTime

4.1.0 Date <Dt>




Presence: [1..1]

This message item is part of choice **4.1 DateAndDateTimeChoice**.

Definition: Specified date.

Data Type: ISODate

2.43 TransactionsSummary <TxsSummry>



Presence: [0..1]

Definition: Set of element providing summary information on entries.

Type: This message item is composed of the following **TotalTransactions1**


element(s):

BBA USAGE: In case of split messages, this is only included in the first partial message, but

all transactions of all partial messages are taken into account.

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.44		TotalEntries	<ttlntries></ttlntries>	[01]	
2.49		TotalCreditEntries	<tt1cdtntries></tt1cdtntries>	[01]	
2.52		TotalDebitEntries	<ttldbtntries></ttldbtntries>	[01]	

2.44 TotalEntries <TtlNtries>



Presence: [0..1]

Definition: Specifies the total number and sum of debit and credit entries.

Type: This message item is composed of the following

NumberAndSumOfTransactions2 element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.45		NumberOfEntries	<nbofntries></nbofntries>	[01]	Text
2.46		Sum	<sum></sum>	[01]	Quantity

2.45 NumberOfEntries < NbOfNtries >



Presence: [0..1]

Definition: Number of individual entries included in the report.

Data Type: Max15NumericText

Format: [0-9]{1,15}

2.46 Sum <Sum>



Presence: [0..1]

Definition: Total of all individual entries included in the report.

Data Type: DecimalNumber **Format**: fractionDigits: 17
totalDigits: 18

2.47 TotalNetEntryAmount <TtlNetNtryAmt>



Presence: [0..1]

Definition: Resulting amount of the netted amounts for all debit and credit entries.

Data Type: DecimalNumber **Format**: fractionDigits: 17
totalDigits: 18

2.48 CreditDebitIndicator <CdtDbtInd>



Presence: [0..1]


Definition: Indicates whether the total net entry amount is a credit or a debit amount.

Data Type: Code

When this message item is present, one of the following CreditDebitCode values must be used:

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.

2.49 TotalCreditEntries < TtlCdtNtries>



Presence: [0..1]

Definition: Indicates the total number and sum of credit entries.

Type: This message item is composed of the following

NumberAndSumOfTransactions1 element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.51		NumberOfEntries	<nbofntries></nbofntries>	[01]	Text
2.52		Sum	<sum></sum>	[01]	Quantity

NumberOfEntries < NbOfNtries > 2.50



Presence: [0..1]

Definition: Number of individual entries included in the report.

Data Type: Max15NumericText

Format: [0-9]{1,15}

Sum <Sum> 2.51




Presence: [0..1]

Definition: Total of all individual entries included in the report.

Data Type: DecimalNumber Format: fractionDigits: 17

totalDigits: 18

2.52 TotalDebitEntries <TtlDbtNtries>



Presence: [0..1]

Definition: Indicates the total number and sum of debit entries.

Type: This message item is composed of the following

NumberAndSumOfTransactions1 element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.54		NumberOfEntries	<nbofntries></nbofntries>	[01]	Text
2.55		Sum	<sum></sum>	[01]	Quantity

2.53 NumberOfEntries < NbOfNtries >



Presence: [0..1]

Definition: Number of individual entries included in the report.

Data Type: Max15NumericText

Format: [0-9]{1,15}

2.54 Sum <Sum>




Presence: [0..1]

Definition: Total of all individual entries included in the report.

Data Type:DecimalNumberFormat:fractionDigits: 17

totalDigits: 18

2.76 Entry < Ntry>



Presence: [0..n]

Definition: Specifies the elements of an entry in the statement.

Usage: At least one reference must be provided to identify the entry and its underlying

transaction(s).

Type: This message item is composed of the following StatementEntry1

element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.77		EntryReference	<ntryref></ntryref>	[01]	Text
2.78		Amount	<amt></amt>	[11]	Amount
2.79		CreditDebitIndicator	<cdtdbtind></cdtdbtind>	[11]	Code
2.80		ReversalIndicator	<rvslind></rvslind>	[01]	Indicator
2.81		Status	<sts></sts>	[11]	Code
2.82		BookingDate	<bookgdt></bookgdt>	[01]	<u>+</u>
2.83		ValueDate	<valdt></valdt>	[01]	<u>+</u>
2.84		AccountServicerReference	<acctsvcrref></acctsvcrref>	[01]	Text
2.91		BankTransactionCode	<bktxcd></bktxcd>	[11]	
2.101		AdditionalInformationIndicator	<addtlinfind></addtlinfind>	[01]	
2.104		AmountDetails	<amtdtls></amtdtls>	[01]	<u>+</u>
2.105		Charges	<chrgs></chrgs>	[0n]	
2.135		EntryDetails	<ntrydtls></ntrydtls>	[0n]	
2.283		AdditionalEntryInformation	<addtlntryinf></addtlntryinf>	[01]	Text

2.77 **EntryReference <NtryRef>**

Presence: [0..1]

Unique reference for the entry. **Definition**:

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

2.78 Amount < Amt>



Presence: [1..1]

Definition: Amount of money in the cash entry. **Data Type**: ActiveOrHistoricCurrencyAndAmount

This data type must be used with the following XML Attribute: Currency (Ccy) which is typed by ActiveOrHistoricCurrencyCode.

Format: ActiveOrHistoricCurrencyAndAmount

fractionDigits: 5 minInclusive: 0 totalDigits: 18

${\bf Active Or Historic Currency Code}$

 $[A-Z]{3,3}$

Rule(s): ActiveOrHistoricCurrencyAndAmount

CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot. (Fatal) Error Code: Sw.Stds.D00007

${\bf Active Or Historic Currency Code}$

ActiveOrHistoricCurrency

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

(Fatal) Error Code: Sw.Stds.D00006

2.79 CreditDebitIndicator <CdtDbtInd>



Presence: [1..1]

Definition: Specifies if an entry is a credit or a debit.

Data Type: Code

One of the following CreditDebitCode values must be used:

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.

2.80 ReversalIndicator < RvslInd>

Presence: [0..1]

Definition: Indicates whether the entry is the result of a reversal operation.

Usage: this element should only be present if the entry is the result of a reversal

operation.

If the CreditDebitIndicator is CRDT and ReversalIndicator is Yes, the original

operation was a debit entry.

If the CreditDebitIndicator is DBIT and ReversalIndicator is Yes, the original

operation was a credit entry.

Data Type: One of the following **TrueFalseIndicator** values must be used:

MeaningWhenTrue: True

MeaningWhenFalse: False

2.81 Status <Sts>



Presence: [1..1]


Definition: Status of an entry on the books of the account servicer.

Data Type: Code

Only the following **EntryStatus3Code** values must be used:

Code	Name	Definition
ВООК	Booked	Booked means that the transfer of money has been completed between account servicer and account owner Usage: Status Booked does not necessarily imply finality of money as this depends on other factors such as the payment system used, the completion of the end-to-end transaction and the terms agreed between account servicer and owner. Status Booked is the only status that can be reversed.

2.82 BookingDate <BookgDt>



Presence: [0..1]

Definition: Date and time when an entry is posted to an account on the account servicer's

books.

Type: This message item is composed of the following **DateAndDateTimeChoice**

element:

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
4.1.0		Date	<dt></dt>	[11]	DateTime

4.1.0 Date < Dt >




Presence: [1..1]

This message item is part of choice 4.1 DateAndDateTimeChoice.

Definition: Specified date.

Data Type: **ISODate**

2.83 ValueDate < ValDt>



Presence: [0..1]

Definition: Date and time assets become available to the account owner (in a credit

entry), or cease to be available to the account owner (in a debit entry).

For entries which are subject to availability/float (and for which availability Usage:

information is present), value date must not be used, as the availability

component identifies the number of availability days.

Type: This message item is composed of the following DateAndDateTimeChoice

element:

Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
	Date	<dt></dt>	[11]	DateTime

Date <Dt> 4.1.0



Presence: [1..1]

This message item is part of choice 4.1 DateAndDateTimeChoice.

Definition: Specified date.

Data Type: **ISODate**

2.84 AccountServicerReference <AcctSvcrRef>



Presence: [0..1]

Definition: Unique reference as assigned by the account servicing institution to unambiguously


identify the entry.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

2.91 BankTransactionCode <BkTxCd>



Presence: [1..1]

Definition: Set of elements to fully identify the type of underlying transaction resulting in

an entry.

Type: This message item is composed of the following

BankTransactionCodeStructure1 element(s):

Rule(s): DomainOrProprietaryRule

Either Proprietary or Domain or both must be present.

(Fatal) Error Code: Sw.Stds.X00104

FamilyAndSubFamilyRule

If a specific (non-generic) Family code is not present, then a specific (non-generic) SubFamily code is not allowed.

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.92		Domain	<domn></domn>	[01]	
2.97		Proprietary	<prtry></prtry>	[01]	

2.92 Domain < Domn>



Presence: [0..1], R2

Definition: Set of elements used to provide the domain, the family and the sub-family of

the bank transaction code, in a structured and hierarchical format.

Usage: If a specific family or sub-family code cannot be provided, the generic family

code defined for the domain or the generic sub-family code defined for the

family should be provided.

Type: This message item is composed of the following

BankTransactionCodeStructure5 element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.93		Code	<cd></cd>	[11]	Code
2.94		Family	<fmly></fmly>	[11]	

2.93 Code <Cd>



Presence: [1..1]

Definition: Specifies the business area of the underlying transaction.

Data Type: ExternalBankTransactionDomainCode

Format: maxLength: 4

minLength: 1

2.94 Family <Fmly>



Presence: [1..1]

Definition: Specifies the family and the sub-family of the bank transaction code, within a

specific domain, in a structured and hierarchical format.

Type: This message item is composed of the following

BankTransactionCodeStructure3 element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.95		Code	<cd></cd>	[11]	Code
2.96		SubFamilyCode	<subfmlycd></subfmlycd>	[11]	Code

2.95 Code <Cd>



Presence: [1..1]

Definition: Specifies the family within a domain. **Data Type**: ExternalBankTransactionFamilyCode

Format: maxLength: 4

minLength: 1

2.96 SubFamilyCode <SubFmlyCd>



Presence: [1..1]

Definition: Specifies the sub-product family within a specific family.

Data Type: ExternalBankTransactionSubFamilyCode

Format: maxLength: 4

minLength: 1

2.97 Proprietary < Prtry>



Presence: [0..1]

Definition: Proprietary identification of the bank transaction code, as defined by the

issuer.

Type: This message item is composed of the following

ProprietaryBankTransactionCodeStructure1 element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.98		Code	<c₫></c₫>	[11]	Text
2.99		Issuer	<issr></issr>	[01]	Text

2.98 Code <Cd>



Presence: [1..1]

Definition: Proprietary bank transaction code to identify the underlying transaction.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

BBA USAGE: For each transaction a BBA Bank Transaction Code will be mentioned (see 5.2)

2.99 Issuer < Issr>



Presence: [0..1]

Definition: Identification of the issuer of the proprietary bank transaction code.


Data Type: Max35Text

Format: maxLength: 35

minLength: 1

BBA USAGE: always the keyword 'BBA'

2.101 AdditionalInformationIndicator < AddtlInfInd>



Presence: [0..1]

Definition: Indicates whether the underlying transaction details are provided through a

separate message, as in the case of aggregate bookings.

Type: This message item is composed of the following MessageIdentification2

element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.102		MessageNameIdentification	<msgnmid></msgnmid>	[01]	Text
2.103		MessageIdentification	<msgid></msgid>	[01]	Text

MessageNameIdentification < MsgNmId> 2.102



[0..1]Presence:

Definition: Specifies the message name identifier of the message that will be used to

provide additional details.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

MessageIdentification < MsgId> 2.103



Presence: [0..1]

Definition: Specifies the identification of the message that will be used to provide additional


details.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

2.104 mountDetails < AmtDtls>



Presence: [0..1]

Definition: Set of elements providing information on the original amount.

Usage: This component (on entry level) should be used when a total original batch or

aggregate amount has to be provided. (If required, the original amounts for each individual transaction can be included in the same component on

transaction details level.)


Type: This message item is composed of the following

AmountAndCurrencyExchange3 element(s):

BBA USAGE: see 4.6 - Reporting of different kinds of amounts

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.1.0		InstructedAmount	<instdamt></instdamt>	[01]	
2.1.9 2.1.18		TransactionAmount	<txamt></txamt>	[01]	
2.1.18		CounterValueAmount	<cntrvalamt></cntrvalamt>	[01]	
2.1.36		ProprietaryAmount	<prtryamt></prtryamt>	[0n]	

2.1.0 InstructedAmount <InstdAmt>



Presence: [0..1]

Definition: Identifies the amount of money to be moved between the debtor and

creditor, before deduction of charges, expressed in the currency as ordered by the initiating party and provides currency exchange info in case the instructed amount and/or currency is/are different from the

entry amount and/or currency.

Type: This message item is composed of the following

AmountAndCurrencyExchangeDetails3 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.1.0		InstructedAmount	<instdamt></instdamt>	[01]	
2.1.1		Amount	<amt></amt>	[11]	Amount

2.1.1 Amount < Amt>



Presence: [1..1]

Definition: Amount of money to be moved between the debtor and creditor,

before deduction of charges, expressed in the currency as ordered by

the initiating party.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute:

Currency (Ccy) which is typed by CurrencyCode.

Format: CurrencyAndAmount


fractionDigits: 5 minInclusive: 0 totalDigits: 18 **CurrencyCode**

 $[A-Z]{3,3}$

Rule(s): CurrencyCode

ValidationByTable

2.1.9 TransactionAmount <TxAmt>



Presence: [0..1]

Definition: Amount of the underlying transaction.

Type: This message item is composed of the following

AmountAndCurrencyExchangeDetails3 element(s):

2.1.10 Amount < Amt >



Presence: [1..1]

Definition: Amount of money to be moved between the debtor and creditor,

before deduction of charges, expressed in the currency as ordered by

the initiating party.

Data Type: ActiveOrHistoricCurrencyAndAmount

This data type must be used with the following XML Attribute: Currency (Ccy) which is typed by

ActiveOrHistoricCurrencyCode.

Format: ActiveOrHistoricCurrencyAndAmount

fractionDigits: 5 minInclusive: 0 totalDigits: 18


ActiveOrHistoricCurrencyCode

 $[A-Z]{3,3}$

Rule(s): ActiveOrHistoricCurrencyAndAmount

CurrencyAmount

2.1.18 CounterValueAmount <CntrValAmt>



Presence: [0..1]

Definition: Set of elements used to provide the countervalue amount and

currency exchange information.

Usage: This can be either the counter amount quoted in an FX deal, or the

result of the currency information applied to an instructed amount,

before deduction of charges.

Type: This message item is composed of the following

AmountAndCurrencyExchangeDetails3 element(s):

2.1.19 Amount < Amt>



Presence: [1..1]

Definition: Amount of money to be moved between the debtor and creditor,

before deduction of charges, expressed in the currency as ordered by

the initiating party.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute:

Currency (Ccy) which is typed by CurrencyCode.

Format: CurrencyAndAmount

fractionDigits: 5 minInclusive 0 totalDigits: 18 CurrencyCode

 $[A-Z]{3,3}$

Rule(s): **CurrencyCode**

ValidationByTable

2.1.20 CurrencyExchange < CcyXchg>



Presence: [0..1]

Definition: Reports on currency exchange information.

Type: This message item is composed of the following CurrencyExchange3

element(s):

2.1.21	SourceCurrency	<srcccy></srcccy>	[11]	Code
2.1.22	TargetCurrency	<trgtccy></trgtccy>	[01]	Code
2.1.23	UnitCurrency	<unitccy></unitccy>	[01]	Code
2.1.24	ExchangeRate	<xchgrate></xchgrate>	[11]	Rate

2.1.21 SourceCurrency < SrcCcy>



Presence: [1..1]

UNIFI (ISO 20022) - Bank-to-Customer Cash Management Standards April 2007

Message Item Types

Page 343

Definition: Currency of the amount to be converted in a currency conversion.

Data Type: CurrencyCode **Format**: [A-Z]{3,3}

Rule(s): ValidationByTable

2.1.22 TargetCurrency <TrgtCcy>



Presence: [0..1]

Definition: Currency into which an amount is to be converted in a currency

conversion.

Data Type: CurrencyCode **Format**: [A-Z]{3,3}

Rule(s): ValidationByTable

2.1.23 UnitCurrency < UnitCcy>



Presence: [0..1]

Definition: Currency in which the rate of exchange is expressed in a currency

exchange. In the example 1GBP = xxxCUR, the unit currency is GBP.

Data Type: CurrencyCode **Format**: [A-Z]{3,3}

Rule(s): ValidationByTable

2.1.24 ExchangeRate < XchgRate >



Synonym(s): :92A::EXCH (ISO 15022)

Presence: [1..1]

Definition: Factor used for the conversion of an amount from one currency into

another. This reflects the price at which one currency was bought with

another currency.


Usage: ExchangeRate expresses the ratio between UnitCurrency and

QuotedCurrency (ExchangeRate = UnitCurrency/QuotedCurrency).

Data Type: BaseOneRate **Format**: fractionDigits: 10

totalDigits: 11

2.1.36 ProprietaryAmount < PrtryAmt>



Presence: [0..n]

Definition: Set of elements used to provide information on the original amount

and currency exchange.

Type: This message item is composed of the following

AmountAndCurrencyExchangeDetails4 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.1.37		Туре	<tp></tp>	[11]	Text
2.1.38		Amount	<amt></amt>	[11]	Amount

2.1.37 Type <Tp>



Presence: [1..1]

Definition: Specifies the type of amount.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

2.1.38 Amount < Amt >



Presence: [1..1]

Definition: Amount of money to be exchanged against another amount of money

in the counter currency.

Data Type: ActiveOrHistoricCurrencyAndAmount

This data type must be used with the following XML Attribute: Currency (Ccy) which is typed by ActiveOrHistoricCurrencyCode.

Format: ActiveOrHistoricCurrencyAndAmount

fractionDigits: 5 minInclusive: 0 totalDigits: 18

ActiveOrHistoricCurrencyCode

 $[A-Z]{3,3}$

Rule(s): ActiveOrHistoricCurrencyAndAmount

CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot. (Fatal) Error Code: Sw.Stds.D00007


ActiveOrHistoricCurrencyCode

ActiveOrHistoricCurrency

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

(Fatal) Error Code: Sw.Stds.D00006

2.105 Charges < Chrgs >



Presence: [0..n]

Definition: Provides information on the charges included in the entry amount.

Usage: This component is used on entry level in case of batch or aggregate bookings.

Type: This message item is composed of the following ChargesInformation6

element(s):

BBA USAGE: see 4.1.1 - Information registered under the 'Entry' item

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.107		Amount	<amt></amt>	[11]	Amount
2.108		CreditDebitIndicator	<cdtdbtind></cdtdbtind>	[01]	Code
2.109		Туре	<tp></tp>	[01]	
2.112		Rate	<rate></rate>	[01]	Rate
2.115		Tax	<tax></tax>	[01]	

2.107 Amount < Amt>



Presence: [1..1]

Definition: Transaction charges to be paid by the charge bearer.

Data Type: ActiveOrHistoricCurrencyAndAmount

This data type must be used with the following XML Attribute: Currency (Ccy) which is typed by

ActiveOrHistoricCurrencyCode.

Format: ActiveOrHistoricCurrencyAndAmount

fractionDigits: 5 minInclusive: 0 totalDigits: 18

ActiveOrHistoricCurrencyCode

 $[A-Z]{3,3}$

Rule(s): ActiveOrHistoricCurrencyAndAmount

CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot. (Fatal) Error Code: Sw.Stds.D00007

${\bf Active Or Historic Currency Code}$

ActiveOrHistoricCurrency

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

(Fatal) Error Code: Sw.Stds.D00006

CreditDebitIndicator < CdtDbtInd> 2.108



Presence: [0..1]

Definition: Indicates whether the charges amount is a credit or a debit amount.


Usage: A zero amount is considered to be a credit.

Data Type: Code

When this message item is present, one of the following CreditDebitCode values must be used:

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.

2.109 Type <Tp>



Presence: [0..1]

Definition: Specifies the type of charge.

This message item is composed of the following ChargeType2Choice Type:

element:

١	ndex	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2	.111		Proprietary	<prtry></prtry>	[11]	<u>+</u>

2.111 **Proprietary < Prtry>**

Presence: [1..1]

This message item is part of choice 2.176 Type.

Definition: Type of charge in a proprietary form, as defined by the issuer.

This message item is composed of the following GenericIdentification3 Type:

element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
7.1.0		Identification	<1d>	[11]	Text
7.1.1		Issuer	<issr></issr>	[01]	Text

7.1.0 Identification <Id>



Presence: [1..1]

Definition: Name or number assigned by an entity to enable recognition of that

entity, eg, account identifier.

Data Type: Max35Text

maxLength: 35 Format:

minLength: 1

BBA USAGE: Use the codes that are mentioned for the different categories - cf.

annex 6.2 - Category.

7.1.1 Issuer < Issr>



Presence: [0..1]

Entity that assigns the identification. **Definition:**

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

Rate < Rate > 2.112




Presence: [0..1]

Definition: Rate used to calculate the amount of the charge or fee.

Data Type: PercentageRate Format: fractionDigits: 10

totalDigits: 11

2.115 Tax <Tax>



Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.116		Identification	<1d>	[01]	Text
2.117		Rate	<rate></rate>	[01]	Rate
2.118		Amount	<amt></amt>	[01]	Amount

Presence: [0..1]

Definition: Set of elements used to provide details on the tax applied to charges.

Type: This message item is composed of the following **TaxCharges2** element(s):

2.116 Identification <Id>



Presence: [0..1]

Definition: Unique reference to unambiguously identify the nature of the tax levied, such

as Value Added Tax (VAT)

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

2.117 Rate < Rate >



Presence: [0..1]

Definition: Rate used to calculate the tax.

Data Type: PercentageRate **Format**: fractionDigits: 10

totalDigits: 11

2.118 Amount < Amt>



Presence: [0..1]

Definition: Amount of money resulting from the calculation of the tax.

Data Type: ActiveOrHistoricCurrencyAndAmount

This data type must be used with the following XML Attribute: Currency (Ccy) which is typed by ActiveOrHistoricCurrencyCode.

Format: ActiveOrHistoricCurrencyAndAmount

fractionDigits: 5 minInclusive: 0 totalDigits: 18

ActiveOrHistoricCurrencyCode

 $[A-Z]{3,3}$

Rule(s): ActiveOrHistoricCurrencyAndAmount

CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot. (Fatal) Error Code: Sw.Stds.D00007


ActiveOrHistoricCurrencyCode

ActiveOrHistoricCurrency

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

(Fatal) Error Code: Sw.Stds.D00006

2.135 EntryDetails < NtryDtls>




Presence: [0..n]

Definition: Set of elements used to provide details on the entry.

Type: This message item is composed of the following **EntryDetails1** element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.136		Batch	<btch></btch>	[01]	
2.142		TransactionDetails	<txdtls></txdtls>	[0n]	

2.136 Batch <Btch>



Presence: [0..1]

Definition: Set of elements used to provide details on batched transactions.

Type: This message item is composed of the following **BatchInformation2**

element(s):

BBA USAGE: This item will be used only in case of reporting related to globalised

transactions booked on the account either by the client or by the bank.

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.137		MessageIdentification	<msgid></msgid>	[01]	Text
2.138		PaymentInformationIdentification	<pmtinfid></pmtinfid>	[01]	Text
2.139		NumberOfTransactions	<nboftxs></nboftxs>	[01]	Text
2.140		TotalAmount	<ttlamt></ttlamt>	[01]	Amount
2.141		CreditDebitIndicator	<cdtdbtind></cdtdbtind>	[01]	Code

2.137 MessageIdentification < MsgId>



Presence: [0..1]

Definition: Point to point reference, as assigned by the sending party, to unambiguously

identify the batch of transactions.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

2.138 PaymentInformationIdentification < PmtInfld>



Presence: [0..1]

Definition: Unique identification, as assigned by a sending party, to unambiguously

identify the payment information group within the message.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

2.139 NumberOfTransactions < NbOfTxs>



Presence: [0..1]

Definition: Number of individual transactions included in the batch.

Data Type: Max15NumericText

Format: [0-9]{1,15}

2.140 TotalAmount <TtlAmt>



Presence: [0..1]

Definition: Total amount of money reported in the batch entry.

Data Type: ActiveOrHistoricCurrencyAndAmount

This data type must be used with the following XML Attribute: Currency (Ccy) which is typed by

ActiveOrHistoricCurrencyCode.

Format: ActiveOrHistoricCurrencyAndAmount

fractionDigits: 5 minInclusive: 0 totalDigits: 18

${\bf Active Or Historic Currency Code}$

 $[A-Z]{3,3}$

Rule(s): ActiveOrHistoricCurrencyAndAmount

CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot. (Fatal) Error Code: Sw.Stds.D00007

${\bf Active Or Historic Currency Code}$

ActiveOrHistoricCurrency

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

(Fatal) Error Code: Sw.Stds.D00006

2.141 CreditDebitIndicator <CdtDbtInd>



Presence: [0..1]


Definition: Indicates whether the batch entry is a credit or a debit entry.

Data Type: Code

When this message item is present, one of the following CreditDebitCode values must be used:

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.

TransactionDetails <TxDtls> 2.142




Presence: [0..n]

Definition: Set of elements providing information on the underlying transaction (s).

This message item is composed of the following EntryTransaction2 Type: element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.143		References	<refs></refs>	[01]	
2.156		AmountDetails	<amtdtls></amtdtls>	[01]	<u>+</u>
2.163		BankTransactionCode	<bktxcd></bktxcd>	[01]	
2.172		Charges	<chrgs></chrgs>	[0n]	
2.186		Interest	<intrst></intrst>	[0n]	
2.199		RelatedParties	<r1tdpties></r1tdpties>	[01]	
2.211		RelatedAgents	<rltdagts></rltdagts>	[01]	
2.224		Purpose	<purp></purp>	[01]	
2.234		RemittanceInformation	<rmtinf></rmtinf>	[01]	<u>+</u>
2.235		RelatedDates	<r1tddts></r1tddts>	[01]	
2.261		Tax	<tax></tax>	[01]	<u>+</u>
2.262		ReturnInformation	<rtrinf></rtrinf>	[01]	
2.282		AdditionalTransactionInformation	<addtltxinf></addtltxinf>	[01]	Text

2.143 References < Refs>



Presence: [0..1]

Definition: Set of elements used to provide the identification of the underlying

transaction.

This message item is composed of the following TransactionReferences2 Type:

element(s):

BBA USAGE: see 4.5 - Reporting of the SEPA customer references

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.144		MessageIdentification	<msgid></msgid>	[01]	Text
2.145		AccountServicerReference	<acctsvcrref></acctsvcrref>	[01]	Text
2.146		PaymentInformationIdentification	<pmtinfid></pmtinfid>	[01]	Text
2.147		InstructionIdentification	<instrid></instrid>	[01]	Text
2.148		EndToEndIdentification	<endtoendid></endtoendid>	[01]	Text
2.149		TransactionIdentification	<txid></txid>	[01]	Text
2.150		MandateIdentification	<mndtid></mndtid>	[01]	Text
2.151		ChequeNumber	<chqnb></chqnb>	[01]	Text
2.153		Proprietary	<prtry></prtry>	[01]	

2.144 MessageIdentification < MsgId>



Presence: [0..1]

Definition: Point to point reference assigned by the instructing party of the underlying

message.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

2.145 AccountServicerReference < AcctSvcrRef>



Presence: [0..1]

Definition: The account servicing institution's reference for the transaction.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

2.146 PaymentInformationIdentification < PmtInfld>



Presence: [0..1]

Definition: Unique identification, as assigned by a sending party, to unambiguously

identify the payment information group within the message.

Data Type: Max35Text

Format: maxLength: 35

InstructionIdentification < InstrId> 2.147



Presence: [0..1]

Definition: Unique identification as assigned by an instructing party for an instructed party

to unambiguously identify the instruction.

Usage: the instruction identification is a point to point reference that can be used

> between the instructing party and the instructed party to refer to the individual instruction. It can be included in several messages related to the instruction.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

EndToEndIdentification < EndToEndId> 2.148



Presence: [0..1]

Definition: Unique identification, as assigned by the initiating party, to unambiguously

identify the transaction. This identification is passed on, unchanged,

throughout the entire end-to-end chain.

The end-to-end identification can be used for reconciliation or to link tasks Usage:

relating to the transaction.

It can be included in several messages related to the transaction.

Usage: In case there are technical limitations to pass on multiple references, the end-

to-end identification must be passed on throughout the entire end-to-end

chain.

Data Type: Max35Text

Format: maxLength: 35

2.149 TransactionIdentification <TxId>



Presence: [0..1]

Definition: Unique identification, as assigned by the first instructing agent, to

unambiguously identify the transaction that is passed on, unchanged,

throughout the entire interbank chain.

Usage: The transaction identification can be used for reconciliation, tracking or to link

tasks relating to the transaction on the interbank level.

Usage: The instructing agent has to make sure that the transaction identification is

unique for a pre-agreed period.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

2.150 MandateIdentification < Mndtld>



Presence: [0..1]

Definition: Reference of the direct debit mandate that has been signed between by the

debtor and the creditor.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

2.151 ChequeNumber < ChqNb>




Presence: [0..1]

Definition: Unique and unambiguous identifier for a cheque as assigned by the agent.

Data Type: Max35Text

Format: maxLength: 35

2.153 Proprietary < Prtry>



Presence: [0..1]

Definition: Proprietary reference related to the underlying transaction.

Type: This message item is composed of the following ProprietaryReference1

element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.154		Туре	<tp></tp>	[11]	Text
2.155		Reference	<ref></ref>	[11]	Text

2.154 Type <Tp>



Presence: [1..1]

Definition: Identifies the type of reference reported.

Data Type: Max35Text Format: maxLength: 35

minLength: 1

2.155 Reference <Ref>




Presence: [1..1]

Definition: Proprietary reference specification related to the underlying transaction.

Data Type: Max35Text Format: maxLength: 35

2.156 AmountDetails < AmtDtls>



[0..1]Presence:

Definition: Set of elements providing details information on the original amount.

Usage: This component (on transaction level) should be used in case booking is for a single

transaction and the original amount is different from the entry amount. It can also be used in case individual original amounts are provided in case of a batch or aggregate


This message item is composed of the following AmountAndCurrencyExchange3 Type:

element(s):

BBA Usage: see 4.6 - Reporting of different kinds of amounts

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.1.0		InstructedAmount	<instdamt></instdamt>	[01]	
2.1.1		Amount	<amt></amt>	[11]	Amount
2.1.9		TransactionAmount	<txamt></txamt>	[01]	
2.1.10		Amount	<amt></amt>	[11]	Amount
2.1.18		CounterValueAmount	<cntrvalamt></cntrvalamt>	[01]	
2.1.19		Amount	<amt></amt>	[11]	Amount
2.1.20		CurrencyExchange	<ccyxchg></ccyxchg>	[01]	
2.1.21		SourceCurrency	<srcccy></srcccy>	[11]	Code
2.1.22		TargetCurrency	<trgtccy></trgtccy>	[01]	Code
2.1.23		UnitCurrency	<unitccy></unitccy>	[01]	Code
2.1.24		ExchangeRate	<xchgrate></xchgrate>	[11]	Rate
2.1.36		ProprietaryAmount	<prtryamt></prtryamt>	[0n]	
2.1.37		Туре	<tp></tp>	[11]	Text
2.1.38		Amount	<amt></amt>	[11]	Amount

2.1.0 InstructedAmount <InstdAmt>



Presence: [0..1]

Definition: Identifies the amount of money to be moved between the debtor and

creditor, before deduction of charges, expressed in the currency as ordered by the initiating party and provides currency exchange info in case the instructed amount and/or currency is/are different from the

entry amount and/or currency.

Type: This message item is composed of the following

AmountAndCurrencyExchangeDetails3 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.1.0		InstructedAmount	<instdamt></instdamt>	[01]	
2.1.1		Amount	<amt></amt>	[11]	Amount

2.1.1 Amount < Amt>



Presence: [1..1]

Definition: Amount of money to be moved between the debtor and creditor,

before deduction of charges, expressed in the currency as ordered by

the initiating party.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: Currency (Ccy) which is

typed by CurrencyCode.

Format: CurrencyAndAmount


fractionDigits: 5 minInclusive: 0 totalDigits: 18 **CurrencyCode**

 $[A-Z]{3,3}$

Rule(s): CurrencyCode

ValidationByTable

2.1.9 TransactionAmount <TxAmt>



Presence: [0..1]

Definition: Amount of the underlying transaction.

Type: This message item is composed of the following

AmountAndCurrencyExchangeDetails3 element(s):

2.1.10 Amount < Amt >



Presence: [1..1]

Definition: Amount of money to be moved between the debtor and creditor,

before deduction of charges, expressed in the currency as ordered by

the initiating party.

Data Type: ActiveOrHistoricCurrencyAndAmount

This data type must be used with the following XML Attribute: Currency (Ccy) which is typed by

ActiveOrHistoricCurrencyCode.

Format: ActiveOrHistoricCurrencyAndAmount

fractionDigits: 5 minInclusive: 0 totalDigits: 18


ActiveOrHistoricCurrencyCode

 $[A-Z]{3,3}$

Rule(s): ActiveOrHistoricCurrencyAndAmount

CurrencyAmount

2.1.18 CounterValueAmount <CntrValAmt>



Presence: [0..1]

Definition: Set of elements used to provide the countervalue amount and

currency exchange information.

Usage: This can be either the counter amount quoted in an FX deal, or the

result of the currency information applied to an instructed amount,

before deduction of charges.

Type: This message item is composed of the following

AmountAndCurrencyExchangeDetails3 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.1.19		Amount	<amt></amt>	[11]	Amount
2.1.20		CurrencyExchange	<ccyxchg></ccyxchg>	[01]	

2.1.19 Amount < Amt >



Presence: [1..1]

Definition: Amount of money to be moved between the debtor and creditor,

before deduction of charges, expressed in the currency as ordered by

the initiating party.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: Currency (Ccy) which is

typed by CurrencyCode.

Format: CurrencyAndAmount

fractionDigits: 5 minInclusive: 0 totalDigits: 18 CurrencyCode

 $[A-Z]{3,3}$

Rule(s): **CurrencyCode**

ValidationByTable

2.1.20 CurrencyExchange < CcyXchg>



Presence: [0..1]

Definition: Reports on currency exchange information.

Type: This message item is composed of the following

CurrencyExchange5 element(s):

2.1.21	SourceCurrency	<srcccy></srcccy>	[11]	Code
2.1.22	TargetCurrency	<trgtccy></trgtccy>	[01]	Code
2.1.23	UnitCurrency	<unitccy></unitccy>	[01]	Code
2.1.24	ExchangeRate	<xchgrate></xchgrate>	[11]	Rate

2.1.21 SourceCurrency <SrcCcy>



Presence: [1..1]

UNIFI (ISO 20022) - Bank-to-Customer Cash Management Standards April 2007

Message Item Types

Page 343

Definition: Currency of the amount to be converted in a currency conversion.

Data Type: CurrencyCode

Format: [A-Z]{3,3}

Rule(s): ValidationByTable

2.1.22 TargetCurrency < TrgtCcy>



Presence: [0..1]

Definition: Currency into which an amount is to be converted in a currency

conversion.

Data Type: CurrencyCode

Format: [A-Z]{3,3}

Rule(s): ValidationByTable

2.1.23 UnitCurrency < UnitCcy>



Presence: [0..1]

Definition: Currency in which the rate of exchange is expressed in a currency

exchange. In the example 1GBP = xxxCUR, the unit currency is GBP.

Data Type: CurrencyCode **Format**: [A-Z]{3,3}

Rule(s): ValidationByTable

2.1.24 ExchangeRate <XchgRate>

Synonym(s): :92A::EXCH (ISO 15022)

Presence: [1..1]

Definition: Factor used for the conversion of an amount from one currency into

another. This reflects the price at which one currency was bought with

another currency.


Usage: ExchangeRate expresses the ratio between UnitCurrency and

QuotedCurrency (ExchangeRate = UnitCurrency/QuotedCurrency).

Data Type: BaseOneRate **Format**: fractionDigits: 10

totalDigits: 11

2.1.36 ProprietaryAmount < PrtryAmt>



Presence: [0..n]

Definition: Set of elements used to provide information on the original amount

and currency exchange.

Type: This message item is composed of the following

AmountAndCurrencyExchangeDetails4 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.1.37		Туре	<tp></tp>	[11]	Text
2.1.38		Amount	<amt></amt>	[11]	Amount

2.1.37 Type <Tp>



Presence: [1..1]

Definition: Specifies the type of amount.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

2.1.38 Amount < Amt >



Presence: [1..1]

Definition: Amount of money to be exchanged against another amount of money

in the counter currency.

Data Type: ActiveOrHistoricCurrencyAndAmount

This data type must be used with the following XML Attribute: Currency (Ccy) which is

typed by ActiveOrHistoricCurrencyCode.

Format: ActiveOrHistoricCurrencyAndAmount

fractionDigits: 5 minInclusive: 0 totalDigits: 18

ActiveOrHistoricCurrencyCode

 $[A-Z]{3,3}$

Rule(s): ActiveOrHistoricCurrencyAndAmount

CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot. (Fatal) Error Code: Sw.Stds.D00007


ActiveOrHistoricCurrencyCode

ActiveOrHistoricCurrency

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

(Fatal) Error Code: Sw.Stds.D00006

2.163 BankTransactionCode < BkTxCd>



Presence: [0..1]

Definition: Set of elements used to fully identify the type of underlying transaction

resulting in an entry.

This message item is composed of the following Type:

BankTransactionCodeStructure4 element(s):

see chapter 5 **BBA USAGE**:

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.164		Domain	<domn></domn>	[01]	
2.169		Proprietary	<prtry></prtry>	[01]	

2.164 Domain < Domn>



Presence: [0..1], R2

Definition: Set of elements used to provide the domain, the family and the sub-family of

the bank transaction code, in a structured and hierarchical format.

If a specific family or sub-family code cannot be provided, the generic family Usage:

code defined for the domain or the generic sub-family code defined for the

family should be provided.

This message item is composed of the following Type:

BankTransactionCodeStructure5 element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.165		Code	<cd></cd>	[11]	Code
2.166		Family	<fmly></fmly>	[11]	

2.165 Code <Cd>



Presence: [1..1]

Definition: Specifies the business area of the underlying transaction.

Data Type: ExternalBankTransactionDomainCode

Format: maxLength: 4

minLength: 1

Family <Fmly> 2.166



Presence: [1..1]

Definition: Specifies the family and the sub-family of the bank transaction code, within a

specific domain, in a structured and hierarchical format.

Type: This message item is composed of the following

BankTransactionCodeStructure6 element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.167		Code	<cd></cd>	[11]	Code
2.168		SubFamilyCode	<subfmlycd></subfmlycd>	[11]	Code

2.167 Code <Cd>



Presence: [1..1]

Definition: Specifies the family within a domain. **Data Type**: ExternalBankTransactionFamilyCode

Format: maxLength: 4

minLength: 1

2.168 SubFamilyCode <SubFmlyCd>



Presence: [1..1]


Definition: Specifies the sub-product family within a specific family.

Data Type: ExternalBankTransactionSubFamily1Code

Format: maxLength: 4

minLength: 1

2.169 Proprietary < Prtry>



Presence: [0..1], R2

Definition: Bank transaction code in a proprietary form, as defined by the issuer.

Type: This message item is composed of the following

ProprietaryBankTransactionCodeStructure1 element(s):

BBA USAGE: The BBA Bank Transaction Code will be specified for each transaction (see 5.2)

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.170		Code	<cd></cd>	[11]	Text
2.171		Issuer	<issr></issr>	[01]	Text

2.170 Code <Cd>



Presence: [1..1]

Definition: Proprietary bank transaction code to identify the underlying transaction.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

2.171 Issuer < Issr>




[0..1]Presence:

Definition: Identification of the issuer of the proprietary bank transaction code.

Data Type: Max35Text

Format: maxLength: 35

2.172 **Charges < Chrgs >**



Presence: [0..n]

Definition: Provides information on the charges included in the entry amount.

Usage: This component is used on entry level in case of batch or aggregate bookings.

This message item is composed of the following ChargesInformation6 Type:

element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.174		Amount	<amt></amt>	[11]	Amount
2.175		CreditDebitIndicator	<cdtdbtind></cdtdbtind>	[01]	Code
2.176		Туре	<tp></tp>	[01]	
2.179		Rate	<rate></rate>	[01]	Rate
2.182		Tax	<tax></tax>	[01]	

2.174 Amount < Amt>



Presence: [1..1]

Definition: Transaction charges to be paid by the charge bearer.

Data Type: ActiveOrHistoricCurrencyAndAmount

This data type must be used with the following XML Attribute: Currency (Ccy) which is typed by ActiveOrHistoricCurrencyCode.

Format: ActiveOrHistoricCurrencyAndAmount

fractionDigits: 5 minInclusive: 0 totalDigits: 18

ActiveOrHistoricCurrencyCode

 $[A-Z]{3,3}$

Rule(s): ActiveOrHistoricCurrencyAndAmount

CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot. (Fatal) Error Code: Sw.Stds.D00007

${\bf Active Or Historic Currency Code}$

ActiveOrHistoricCurrency

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

(Fatal) Error Code: Sw.Stds.D00006

2.175 CreditDebitIndicator < CdtDbtInd>



Presence: [0..1]

Definition: Indicates whether the charges amount is a credit or a debit amount.


Usage: A zero amount is considered to be a credit.

Data Type: Code

When this message item is present, one of the following CreditDebitCode values must be used:

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.

2.176 Type <Tp>



Presence: [0..1]

Definition: Specifies the type of charge.

Type: This message item is composed of the following ChargeType2Choice

element:

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.178		Proprietary	<prtry></prtry>	[11]	<u>+</u>

2.178 Proprietary < Prtry>

Presence: [1..1]

This message item is part of choice 2.176 Type.

Definition: Type of charge in a proprietary form, as defined by the issuer.

Type: This message item is composed of the following **GenericIdentification3**

element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
7.1.0		Identification	<id></id>	[11]	Text
7.1.1		Issuer	<issr></issr>	[01]	Text

7.1.0 Identification <Id>



Presence: [1..1]

Definition: Name or number assigned by an entity to enable recognition of that

entity, eg, account identifier.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

BBA USAGE: Use the codes that are mentioned for the different categories – cf.

annex 6.2 - Category.

7.1.1 Issuer < Issr>



Presence: [0..1]

Definition: Entity that assigns the identification.

Data Type: Max35Text **Format**: maxLength: 35

minLength: 1

2.179 Rate < Rate >




Presence: [0..1]

Definition: Rate used to calculate the amount of the charge or fee.

Data Type:PercentageRateFormat:fractionDigits: 10

totalDigits: 11

2.182 Tax <Tax>



Presence: [0..1]

Definition: Set of elements used to provide details on the tax applied to charges.

Type: This message item is composed of the following **TaxCharges2** element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.183		Identification	<1d>	[01]	Text
2.184		Rate	<rate></rate>	[01]	Rate
2.185		Amount	<amt></amt>	[01]	Amount

2.183 Identification <Id>



Presence: [0..1]

Definition: Unique reference to unambiguously identify the nature of the tax levied, such

as Value Added Tax (VAT)

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

BBA USAGE: Use the category code (cf. annex 6.2 - Category).

2.184 Rate < Rate >



Definition: Rate used to calculate the tax.

Data Type:PercentageRateFormat:fractionDigits: 10

totalDigits: 11

2.185 Amount < Amt>



Presence: [0..1]

Definition: Amount of money resulting from the calculation of the tax.

Data Type: ActiveOrHistoricCurrencyAndAmount

This data type must be used with the following XML Attribute: Currency (Ccy) which is typed by ActiveOrHistoricCurrencyCode.

Format: ActiveOrHistoricCurrencyAndAmount

fractionDigits: 5 minInclusive: 0 totalDigits: 18

ActiveOrHistoricCurrencyCode

 $[A-Z]{3,3}$

Rule(s): ActiveOrHistoricCurrencyAndAmount

CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot. (Fatal) Error Code: Sw.Stds.D00007


ActiveOrHistoricCurrencyCode

ActiveOrHistoricCurrency

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

(Fatal) Error Code: Sw.Stds.D00006

2.186 Interest <Intrst>



Presence: [0..n]

Definition: Set of elements used to provide details of the interest amount included in the

entry amount.

Usage: This component (on transaction level) can be used if the booking is for a single

transaction, and interest amount is included in the entry amount. It can also be used if individual interest amounts are applied to individual transactions in

the case of a batch or aggregate amount booking.

Type: This message item is composed of the following **TransactionInterest2**

element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.187		Amount	<amt></amt>	[11]	Amount
2.188		CreditDebitIndicator	<cdtdbtind></cdtdbtind>	[11]	Code
2.189		Туре	<tp></tp>	[01]	
2.192		Rate	<rate></rate>	[0n]	
2.197		FromToDate	<frtodt></frtodt>	[01]	<u>+</u>

2.187 Amount < Amt>



Presence: [1..1]

Definition: Amount of interest included in the entry amount.

Data Type: ActiveOrHistoricCurrencyAndAmount

This data type must be used with the following XML Attribute: Currency (Ccy) which is typed by ActiveOrHistoricCurrencyCode.

Format: ActiveOrHistoricCurrencyAndAmount

fractionDigits: 5 minInclusive: 0 totalDigits: 18

ActiveOrHistoricCurrencyCode

 $[A-Z]{3,3}$

Rule(s): ActiveOrHistoricCurrencyAndAmount

CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot. (Fatal) Error Code: Sw.Stds.D00007

ActiveOrHistoricCurrencyCode

ActiveOrHistoricCurrency

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

(Fatal) Error Code: Sw.Stds.D00006

2.188 CreditDebitIndicator < CdtDbtInd>



Presence: [1..1]

Definition: Indicates whether the interest amount included in the entry is credit or debit

amount.

Data Type: Code

One of the following CreditDebitCode values must be used:

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.

2.189 Type <Tp>



Presence: [0..1]

Definition: Specifies the type of interest.

This message item is composed of the following InterestType1Choice element: Type:

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.191		Proprietary	<prtry></prtry>	[11]	Text

Proprietary < Prtry> 2.191



Presence: [1..1]

This message item is part of choice 2.189 Type.

Definition: Specifies the type of interest in uncoded form.

Max35Text Data Type: Format: maxLength: 35

minLength: 1

Use the category code (cf. annex 6.2 - Category) . **BBA USAGE**:

Rate < Rate > 2.192



Presence: [0..n]

Definition: Set of elements used to qualify the interest rate.

Type: This message item is composed of the following Rate3 element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.193		Туре	<tp></tp>	[11]	

2.193 Type <Tp>



Presence: [1..1]

Definition: Specifies the type of interest rate.

Type: This message item is composed of one of the following RateType4Choice

element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.194	{Or	Percentage	_	[11]	Rate
2.195	Or}	Other	<othr></othr>	[11]	Text

2.194 Percentage <Pctg>



Presence: [1..1]

This message item is part of choice 2.193 Type.

Definition: Ratio of the amount of interest paid during a certain period of time compared

to the principal amount of the interest bearing financial instrument.

Data Type: PercentageRate

Format: fractionDigits: 10

totalDigits: 11

2.195 Other <Othr>



Presence: [1..1]


This message item is part of choice 2.193 Type.

Definition: Rate type expressed, in an other form.

Data Type: Max35Text

Format: maxLength: 35

2.197 FromToDate <FrToDt>



Presence: [0..1]

Definition: Range of time between a start date and an end date for the calculation of the

interest.

Type: This message item is composed of the following **DateTimePeriodDetails**

element(s):

For additional Type information, please refer to **DateTimePeriodDetails** p.611 in 'Message Item Types' section.

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
5.1.0		FromDateTime	<frdttm></frdttm>	[11]	DateTime
5.1.1		ToDateTime	<todttm></todttm>	[11]	DateTime

5.1.0 FromDateTime <FrDtTm>



Presence: [1..1]

Definition: Date and time at which the range starts.

Data Type: ISODateTime

5.1.1 ToDateTime <ToDtTm>




Presence: [1..1]

Definition: Date and time at which the range ends.

Data Type: ISODateTime

2.199 RelatedParties <RItdPties>



Presence: [0..1]

Definition: Set of elements used to identify the parties related to the underlying


transaction.

Type: This message item is composed of the following TransactionParty2

element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.200		InitiatingParty	<initgpty></initgpty>	[01]	<u>+</u>
2.201		Debtor	<dbtr></dbtr>	[01]	<u>+</u>
2.202		DebtorAccount	<dbtracct></dbtracct>	[01]	<u>+</u>
2.203		UltimateDebtor	<ultmtdbtr></ultmtdbtr>	[01]	<u>+</u>
2.204		Creditor	<cdtr></cdtr>	[01]	<u>+</u>
2.205	·	CreditorAccount	<cdtracct></cdtracct>	[01]	<u>+</u>
2.206		UltimateCreditor	<ultmtcdtr></ultmtcdtr>	[01]	<u>+</u>

2.200 InitiatingParty <InitgPty>



Presence: [0..1]

Definition: Party that initiated the payment that is reported in the entry.

Type: This message item is composed of the following **PartyIdentification32**

element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
9.1.0		Name	<nm></nm>	[01]	Text
9.1.1		PostalAddress	<pstladr></pstladr>	[01]	

9.1.0 Name < Nm>



Presence: [0..1]


Definition: Name by which a party is known and which is usually used to identify

that party.

Data Type: Max140Text

Format: maxLength: 140

9.1.1 PostalAddress <PstlAdr>



Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by

postal services.

Type: This message item is composed of the following PostalAddress6

element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
9.1.5		StreetName	<strtnm></strtnm>	[01]	Text
9.1.6		BuildingNumber	<bldgnb></bldgnb>	[01]	Text
9.1.7		PostCode	<pstcd></pstcd>	[01]	Text
9.1.8		TownName	<twnnm></twnnm>	[01]	Text
9.1.10		Country	<ctry></ctry>	[01]	Code
9.1.11		AddressLine	<adrline></adrline>	[07]	Text

9.1.5 StreetName <StrtNm>



Presence: [0..1]

Definition: Name of a street or thoroughfare.

Data Type: Max70Text

Format: maxLength: 70

9.1.6 BuildingNumber < BldgNb>



Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Data Type: Max16Text

Format: maxLength: 16

minLength: 1

9.1.7 PostCode <PstCd>



Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added

to a postal address to assist the sorting of mail.

Data Type: Max16Text

Format: maxLength: 16 minLength: 1

9.1.8 TownName < TwnNm>



Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local

government.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

9.1.10 zountry <Ctry>



Presence: [0..1]

Definition: Nation with its own government.

Data Type:CountryCodeFormat:[A-Z]{2,2}Rule(s):Country

The code is checked against the list of country names obtained from the

United Nations (ISO 3166, Alpha-2 code).

9.1.11 AddressLine < AdrLine>



Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by


postal services, presented in free format text.

Data Type: Max70Text

Format: maxLength: 70

minLength: 1

2.201 Debtor < Dbtr>



Presence: [0..1]

Definition: Party that owes an amount of money to the (ultimate) creditor.

Type: This message item is composed of the following PartyIdentification32

element(s):

For additional Type information, please refer to **PartyIdentification32** p.882 in 'Message Item Types' section.

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
9.1.0		Name	<nm></nm>	[01]	Text
9.1.1		PostalAddress	<pstladr></pstladr>	[01]	
9.1.12		Identification	<id></id>	[01]	

9.1.0 Name < Nm >



Presence: [0..1]


Definition: Name by which a party is known and which is usually used to identify

that party.

Data Type: Max140Text

Format: maxLength: 140

9.1.1 PostalAddress <PstlAdr>



Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by

postal services.

Type: This message item is composed of the following PostalAddress6

element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
9.1.5		StreetName	<strtnm></strtnm>	[01]	Text
9.1.6		BuildingNumber	<bldgnb></bldgnb>	[01]	Text
9.1.6 9.1.7		PostCode	<pstcd></pstcd>	[01]	Text
9.1.8		TownName	<twnnm></twnnm>	[01]	Text
9.1.10		Country	<ctry></ctry>	[01]	Code
9.1.11		AddressLine	<adrline></adrline>	[07]	Text

9.1.5 StreetName <StrtNm>



Presence: [0..1]

Definition: Name of a street or thoroughfare.

Data Type: Max70Text **Format**: maxLength: 70

9.1.6 BuildingNumber < BldgNb>



Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Data Type: Max16Text

Format: maxLength: 16

minLength: 1

9.1.7 PostCode <PstCd>



Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added

to a postal address to assist the sorting of mail.

Data Type: Max16Text

Format: maxLength: 16

minLength: 1

9.1.8 TownName < TwnNm>



Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local

government.

Data Type: Max35Text

Format: maxLength: 35

9.1.10 Country < Ctry>



Presence: [0..1]

Definition: Nation with its own government.

Data Type:CountryCodeFormat:[A-Z]{2,2}Rule(s):Country

The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

9.1.11 AddressLine < AdrLine>



Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by

postal services, presented in free format text.

Data Type: Max70Text

Format: maxLength: 70

minLength: 1


9.1.12 Identification <Id>

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

Type: This message item is composed of one of the following **Party6Choice**

element(s):



9.1.13 OrganisationIdentification < OrgId>



Presence: [1..1]

This message item is part of choice 9.1.12 Identification.

Definition: Unique and unambiguous way to identify an organisation.

Type: This message item is composed of the following

OrganisationIdentification4 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
9.1.14		BICOrBEI	<bicorbei></bicorbei>	[01]	Identifier

.1.1 9.1.14 BICOrBEI <BICOrBEI>



Presence: [0..1]

Definition: Code allocated to organisations by the ISO 9362 Registration

Authority, under an international identification scheme, as described in the latest version of the standard ISO 9362 Banking (Banking

telecommunication messages, Bank Identifier Codes).

The Ba

Data Type: AnyBICIdentifier


Format: [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}

Rule(s): AnyBIC

Only a valid BIC or BEI is allowed. Valid BEI and BIC are registered with the ISO 9362 Registration Authority, and consists of eight (8) or eleven (11) contiguous characters comprising the first three or all four of the following components: BANK CODE, COUNTRY CODE, LOCATION CODE, BRANCH CODE. The bank code, country code and location code are mandatory, while the branch code is optional.

(Fatal) Error Code: Sw.Stds.D00008

2.202 DebtorAccount < DbtrAcct>



Presence: [0..1]

Definition: Identifies the parent account of the account for which the statement has been

issued.

Type: This message item is composed of the following CashAccount16 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
1.1.0		Identification	<1d>	[11]	
1.1.1	{Or	IBAN	<iban></iban>	[11]	Identifier
1.1.2	Or}	Other	<othr></othr>	[11]	
1.1.3		Identification	<id></id>	[11]	Text
1.1.7		Issuer	<1ssr>	[01]	Text

1.1.0 Identification <Id>



Presence: [1..1]

Definition: Unique and unambiguous identification for the account between the

account owner and the account servicer.

Type: This message item is composed of one of the following

AccountIdentification4Choice element(s):

1.1.1 IBAN < IBAN >



Presence: [1..1]

This message item is part of choice 1.1.0 Identification.

Definition: International Bank Account Number (IBAN) - identifier used

internationally by financial institutions to uniquely identify the account of a customer. Further specifications of the format and content of the IBAN can be found in the standard ISO 13616 "Banking and related

financial services - International Bank Account

Number (IBAN)" version 1997-10-01, or later revisions.

Data Type: IBAN2007Identifier

Format: [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}

Rule(s): IBAN

A valid IBAN consists of all three of the following components: Country Code, check digits

and BBAN.

(Fatal) Error Code: Sw.Stds.D00003

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
1.1.1		IBAN	<iban></iban>	[11]	Identifier

1.1.2 Other <Othr>



Presence: [1..1]

This message item is part of choice 1.1.0 Identification.

Definition: Unique identification of an account, as assigned by the account

servicer, using an identification scheme.

Type: This message item is composed of the following

GenericAccountIdentification1 element(s):

1.1.3 Identification <Id>



Presence: [1..1]

Definition: Identification assigned by an institution.

Data Type: Max34Text

Format: maxLength: 34

minLength: 1

1.1.7 Issuer < Issr>



Presence: [0..1]

Definition: Entity that assigns the identification.

Data Type: Max35Text

Format: maxLength: 35


2.203 UltimateDebtor <UltmtDbtr>

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor.

Type: This message item is composed of the following PartyIdentification32

element(s):



9.1.0 Name < Nm>



Presence: [0..1]


Definition: Name by which a party is known and which is usually used to identify

that party.

Data Type: Max140Text

Format: maxLength: 140

9.1.1 PostalAddress <PstlAdr>



Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by

postal services.

Type: This message item is composed of the following PostalAddress6

element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
9.1.5		StreetName	<strtnm></strtnm>	[01]	Text
9.1.6		BuildingNumber	<bldgnb></bldgnb>	[01]	Text
9.1.6 9.1.7		PostCode	<pstcd></pstcd>	[01]	Text
9.1.8		TownName	<twnnm></twnnm>	[01]	Text
9.1.10		Country	<ctry></ctry>	[01]	Code
9.1.11		AddressLine	<adrline></adrline>	[07]	Text

9.1.5 StreetName <StrtNm>



Presence: [0..1]

Definition: Name of a street or thoroughfare.

Data Type: Max70Text

Format: maxLength: 70

9.1.6 BuildingNumber < BldgNb>



Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Data Type: Max16Text

Format: maxLength: 16

minLength: 1

9.1.7 PostCode <PstCd>



Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added

to a postal address to assist the sorting of mail.

Data Type: Max16Text

Format: maxLength: 16

minLength: 1

9.1.8 TownName < TwnNm>



Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local

government.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

9.1.10 Country < Ctry>



Presence: [0..1]

Definition: Nation with its own government.

Data Type:CountryCodeFormat:[A-Z]{2,2}Rule(s):Country

The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

9.1.11 AddressLine < AdrLine>



Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by

postal services, presented in free format text.

Data Type: Max70Text

Format: maxLength: 70

minLength: 1

9.1.12 Identification <Id>



Presence: [0..1]

Definition: Unique and unambiguous identification of a party

Type: This message item is composed of one of the following **Party6Choice**

element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
9.1.13		OrganisationIdentification	<orgid></orgid>	[11]	

9.1.13 OrganisationIdentification < OrgId>



Presence: [1..1]

This message item is part of choice 9.1.12 Identification.

Definition: Unique and unambiguous way to identify an organisation

Type: This message item is composed of the following

OrganisationIdentification4 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
9.1.14		BICOrBEI	<bicorbei></bicorbei>	[01]	Identifier
9.1.15		Other	<othr></othr>	[0n]	

9.1.14 BICOrBEI <BICOrBEI>



Presence: [0..1]

Definition: Code allocated to organisations by the ISO 9362 Registration

Authority, under an international identification scheme, as described in the latest version of the standard ISO 9362 Banking (Banking

telecommunication messages, Bank Identifier Codes).

Data Type: AnyBICIdentifier

Format: [A-Z] {6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0-1}

Rule(s): AnyBIC

Only a valid BIC or BEI is allowed. Valid BEI and BIC are registered with the ISO 9362 Registration Authority, and consists of eight (8) or eleven (11) contiguous characters comprising the first three or all four

of the following components: BANK CODE, COUNTRY CODE,

LOCATION CODE, BRANCH CODE. The bank code, country code and location code are mandatory, while the branch code is optional.

9.1.15 Other <Othr>



Presence: [0..n]

Definition: Unique identification of an organisation, as assigned by an institution,

using an identification scheme.

Type: This message item is composed of the following

GenericOrganisationIdentification1 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
9.1.16		Identification	<id></id>	[11]	Text

9.1.16 Identification <Id>




Presence: [1..1]

Definition: Identification assigned by an institution.

Data Type: Max35Text

Format: maxLength: 35

2.204 Creditor < Cdtr>



Presence: [0..1]

Definition: Party to which an amount of money is due.

Type: This message item is composed of the following PartyIdentification32

element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
9.1.0		Name	<nm></nm>	[01]	Text
9.1.1		PostalAddress	<pstladr></pstladr>	[01]	
9.1.12		Identification	<id></id>	[01]	

9.1.0 Name < Nm>



Presence: [0..1]


Definition: Name by which a party is known and which is usually used to identify

that party.

Data Type: Max140Text

Format: maxLength: 140

9.1.1 PostalAddress <PstlAdr>



Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by

postal services.

Type: This message item is composed of the following PostalAddress6

element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
9.1.5		StreetName	<strtnm></strtnm>	[01]	Text
9.1.6		BuildingNumber	<bldgnb></bldgnb>	[01]	Text
9.1.7		PostCode	<pstcd></pstcd>	[01]	Text
9.1.8		TownName	<twnnm></twnnm>	[01]	Text
9.1.10		Country	<ctry></ctry>	[01]	Code
9.1.11		AddressLine	<adrline></adrline>	[07]	Text

9.1.5 StreetName <StrtNm>



Presence: [0..1]

Definition: Name of a street or thoroughfare.

Data Type: Max70Text

Format: maxLength: 70

9.1.6 BuildingNumber <BldgNb>



Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Data Type: Max16Text

Format: maxLength: 16

minLength: 1

9.1.7 PostCode <PstCd>



Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added

to a postal address to assist the sorting of mail.

Data Type: Max16Text

Format: maxLength: 16

minLength: 1

9.1.8 TownName < TwnNm>



Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local

government.

Data Type: Max35Text

Format: maxLength: 35

9.1.10 Country < Ctry>



Presence: [0..1]

Definition: Nation with its own government.

Data Type:CountryCodeFormat:[A-Z]{2,2}Rule(s):Country

The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

9.1.11 AddressLine <AdrLine>




Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by

postal services, presented in free format text.

Data Type: Max70Text **Format**: maxLength: 70

9.1.12 Identification <Id>



Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

Type: This message item is composed of one of the following **Party6Choice**

element(s):

9.1.13	OrganisationIdentification	<orgid></orgid>	[11]	
9.1.14	BICOrBEI	<bicorbei></bicorbei>	[01]	Identifier
9.1.15	Other	<othr></othr>	[0n]	
9.1.16	Identification	<1d>	[11]	Text

9.1.13 OrganisationIdentification < OrgId>



Presence: [1..1]

This message item is part of choice 9.1.12 Identification.

Definition: Unique and unambiguous way to identify an organisation.

Type: This message item is composed of the following

OrganisationIdentification4 element(s):

9.1.14 BICOrBEI <BICOrBEI>



Presence: [0..1]

Definition: Code allocated to organisations by the ISO 9362 Registration

Authority, under an international identification scheme, as described in the latest version of the standard ISO 9362 Banking (Banking

telecommunication messages, Bank Identifier Codes).

The Ba

Data Type: AnyBICIdentifier

Format: [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}

Rule(s): AnyBIC

Only a valid BIC or BEI is allowed. Valid BEI and BIC are registered with the ISO 9362 Registration Authority, and consists of eight (8) or eleven (11) contiguous characters comprising the first three or all four of the following components: BANK CODE, COUNTRY CODE, LOCATION CODE, BRANCH CODE. The bank code, country code and location code are mandatory, while the branch code is optional.

(Fatal) Error Code: Sw.Stds.D00008

9.1.15 Other < Othr>



Presence: [0..n]

Definition: Unique identification of an organisation, as assigned by an institution,

using an identification scheme.

9.1.16 Identification <Id>




Presence: [1..1]

Definition: Identification assigned by an institution.

Data Type: Max35Text **Format**: maxLength: 35

2.205 CreditorAccount < CdtrAcct>



Presence: [0..1]

Definition: Identifies the parent account of the account for which the statement has been

issued.

Type: This message item is composed of the following CashAccount16 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
1.1.0		Identification	<1d>	[11]	
1.1.1	{Or	IBAN	<iban></iban>	[11]	Identifier
1.1.2	Or}	Other	<othr></othr>	[11]	
1.1.3		Identification	<id>></id>	[11]	Text
1.1.7		Issuer	<issr></issr>	[01]	Text

1.1.0 Identification <Id>



Presence: [1..1]

Definition: Unique and unambiguous identification for the account between the

account owner and the account servicer.

Type: This message item is composed of the following

AccountIdentification4Choice element:

ı	Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
1.1	1.1		IBAN	<iban></iban>	[11]	Identifier

1.1.1 IBAN < IBAN >



Presence: [1..1]

This message item is part of choice 1.1.0 Identification.

Definition: International Bank Account Number (IBAN) - identifier used

internationally by financial institutions to uniquely identify the account of a customer. Further specifications of the format and content of the IBAN can be found in the standard ISO 13616 "Banking and related financial services - International Bank Account Number (IBAN)" version

1997-10-01, or later revisions.

Data Type: IBAN2007Identifier

Format: [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}

Rule(s): IBAN

A valid IBAN consists of all three of the following components: Country Code, check digits

and BBAN.

(Fatal) Error Code: Sw.Stds.D00003

1.1.2 Other <Othr>



Presence: [1..1]

This message item is part of choice 1.1.0 Identification.

Definition: Unique identification of an account, as assigned by the account

servicer, using an identification scheme.

Type: This message item is composed of the following

GenericAccountIdentification1 element(s):

1.1.3 Identification <Id>



Presence: [1..1]

Definition: Identification assigned by an institution.

Data Type: Max34Text

Format: maxLength: 34

1.1.7 Issuer < Issr>



Presence: [0..1]


Definition: Entity that assigns the identification.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

2.206 UltimateCreditor <UltmtCdtr>



Presence: [0..1]

Definition: Ultimate party to which an amount of money is due.

Type: This message item is composed of the following **PartyIdentification32**

element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
9.1.0		Name	<nm></nm>	[01]	Text
9.1.1		PostalAddress	<pstladr></pstladr>	[01]	
9.1.12		Identification	<1d>	[01]	

9.1.0 Name < Nm>



Presence: [0..1]


Definition: Name by which a party is known and which is usually used to identify

that party.

Data Type: Max140Text

Format: maxLength: 140

9.1.1 PostalAddress <PstlAdr>



Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by

postal services.

Type: This message item is composed of the following PostalAddress6

element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
9.1.5		StreetName	<strtnm></strtnm>	[01]	Text
9.1.6		BuildingNumber	<bldgnb></bldgnb>	[01]	Text
9.1.7		PostCode	<pstcd></pstcd>	[01]	Text
9.1.6 9.1.7 9.1.8		TownName	<twnnm></twnnm>	[01]	Text
9.1.10		Country	<ctry></ctry>	[01]	Code
9.1.11		AddressLine	<adrline></adrline>	[07]	Text

9.1.5 StreetName <StrtNm>



Presence: [0..1]

Definition: Name of a street or thoroughfare.

Data Type: Max70Text

Format: maxLength: 70

9.1.6 BuildingNumber < BldgNb>



Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Data Type: Max16Text

Format: maxLength: 16

minLength: 1

9.1.7 PostCode <PstCd>



Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added

to a postal address to assist the sorting of mail.

Data Type: Max16Text

Format: maxLength: 16

minLength: 1

9.1.8 TownName < TwnNm>



Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local

government.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

9.1.10 Country < Ctry>



Presence: [0..1]

Definition: Nation with its own government.

Data Type:CountryCodeFormat:[A-Z]{2,2}Rule(s):Country

The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

9.1.11 AddressLine < AdrLine>



Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by

postal services, presented in free format text.

Data Type: Max70Text

Format: maxLength: 70

minLength: 1

9.1.12 Identification <Id>



Presence: [0..1]

Definition: Unique and unambiguous identification of a party

Type: This message item is composed of one of the following **Party6Choice**

element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
9.1.13		OrganisationIdentification	<orgid></orgid>	[11]	

9.1.13 OrganisationIdentification < OrgId>



Presence: [1..1]

This message item is part of choice **9.1.12 Identification**.

Definition: Unique and unambiguous way to identify an organisation

Type: This message item is composed of the following

OrganisationIdentification4 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
9.1.14		BICOrBEI	<bicorbei></bicorbei>	[01]	Identifier
9.1.15		Other	<othr></othr>	[0n]	

9.1.14 BICOrBEI <BICOrBEI>



Presence: [0..1]

Definition: Code allocated to organisations by the ISO 9362 Registration

Authority, under an international identification scheme, as described in the latest version of the standard ISO 9362 Banking (Banking

telecommunication messages, Bank Identifier Codes).

Data Type: AnyBICIdentifier

Format: [A-Z] {6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0-1}

Rule(s): AnyBIC

Only a valid BIC or BEI is allowed. Valid BEI and BIC are registered with the ISO 9362 Registration Authority, and consists of eight (8) or eleven (11) contiguous characters comprising the first three or all four

of the following components: BANK CODE, COUNTRY CODE,

LOCATION CODE, BRANCH CODE. The bank code, country code and location code are mandatory, while the branch code is optional.

9.1.15 Other <Othr>



Presence: [0..n]

Definition: Unique identification of an organisation, as assigned by an institution,

using an identification scheme.

Type: This message item is composed of the following

GenericOrganisationIdentification1 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
9.1.16		Identification	<id></id>	[11]	Text

9.1.16 Identification <Id>




Presence: [1..1]

Definition: Identification assigned by an institution.

Data Type: Max35Text

Format: maxLength: 35

2.211 RelatedAgents <RItdAgts>



Presence: [0..1]

Definition: Set of elements used to identify the agents related to the underlying


transaction.

Type: This message item is composed of the following **TransactionAgents2**

element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.212		DebtorAgent	<dbtragt></dbtragt>	[01]	<u>+</u>
2.213		CreditorAgent	<cdtragt></cdtragt>	[01]	<u>+</u>

2.212 DebtorAgent < DbtrAgt>



Presence: [0..1]

Definition: Financial institution servicing an account for the debtor.

Type: This message item is composed of the following

BranchAndFinancialInstitutionIdentification4 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
6.1.0		FinancialInstitutionIdentification	<fininstnid></fininstnid>	[11]	
6.1.1		BIC	<bic></bic>	[01]	Identifier

For additional Type information, please refer to

BranchAndFinancialInstitutionIdentification4 in 'Message Item Types' section.

6.1.0 FinancialInstitutionIdentification <FinInstnld>



Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as

assigned under an internationally recognised or proprietary

identification scheme.

Type: This message item is composed of the following

FinancialInstitutionIdentification element

6.1.1 BIC <BIC>



Presence: [0..1]

Definition: Bank Identifier Code. Code allocated to financial institutions by the

Registration Authority, under an international identification scheme, as described in the latest version of the standard ISO 9362 Banking

(Banking telecommunication messages, Bank Identifier Codes).

Data Type: BICIdentifier

Format: [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}


Rule(s): BIC

Valid BICs are registered with the ISO 9362 Registration Authority, and consist of eight (8) or eleven (11) contiguous characters comprising the first three or all four of the following components: BANK CODE COUNTRY CODE, LOCATION CODE, BRANCH CODE. The bank code, country code and location code are mandatory, while the branch code

is optional.

(Fatal) Error Code: Sw.Stds.D00001

2.213 CreditorAgent <CdtrAgt>



Presence: [0..1]

Definition: Financial institution servicing an account for the creditor.

Type: This message item is composed of the following

BranchAndFinancialInstitutionIdentification4 element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
6.1.0		FinancialInstitutionIdentification	<fininstnid></fininstnid>	[11]	
6.1.1		BIC	<bic></bic>	[01]	Identifier

For additional Type information, please refer to **BranchAndFinancialInstitutionIdentification4** in 'Message Item Types' section.

6.1.0 FinancialInstitutionIdentification <FinInstnId>



Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as

assigned under an internationally recognised or proprietary

identification scheme.

Type: This message item is composed of the following

FinancialInstitutionIdentification element

6.1.1 BIC <BIC>



Presence: [0..1]

Definition: Bank Identifier Code. Code allocated to financial institutions by the

Registration Authority, under an international identification scheme, as described in the latest version of the standard ISO 9362 Banking

(Banking telecommunication messages, Bank Identifier Codes).

Data Type: BICIdentifier


Format: [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}

Rule(s): BIC

Valid BICs are registered with the ISO 9362 Registration Authority, and consist of eight (8) or eleven (11) contiguous characters comprising the first three or all four of the following components: BANK CODE COUNTRY CODE, LOCATION CODE, BRANCH CODE. The bank code, country code and location code are mandatory, while the branch code is optional.

(Fatal) Error Code: Sw.Stds.D00001

2.224 Purpose < Purp >



Presence: [0..1]

Definition: Underlying reason for the payment transaction.

Usage: Purpose is used by the end-customers, that is initiating party, (ultimate)

debtor, (ultimate) creditor to provide information concerning the nature of the payment. Purpose is a content element, which is not used for processing by

any of the agents involved in the payment chain.

Type: This message item is composed of the following **Purpose2Choice** element:

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.225	-	Code	<cd></cd>	[11]	Code

2.225 Code <Cd>



Presence: [1..1]

This message item is part of choice 2.224 Purpose.

Definition: Underlying reason for the payment transaction, as published in an external

purpose code list.


Data Type: ExternalPurpose1Code

Format: maxLength: 4

minLength: 1

Purpose code list (To select thumbnail 9)

2.234 RemittanceInformation < RmtInf>



Presence: [0..1]

Definition: Structured information that enables the matching, ie, reconciliation, of a

payment with the items that the payment is intended to settle, such as

commercial invoices in an account receivable system.

Type: This message item is composed of the following RemittanceInformation5

element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.235		Unstructured	<ustrd></ustrd>	[0n]	Text
2.236		Structured	<strd></strd>	[0n]	

2.235 Unstructured <Ustrd>



Presence: [0..n]

Definition: Information supplied to enable the matching/reconciliation of an entry with the

items that the payment is intended to settle, such as commercial invoices in an


accounts' receivable system, in an unstructured form.

Data Type: Max140Text

Format: maxLength: 140

minLength: 1

2.236 Structured <Strd>



Presence: [0..n]

Definition: Information supplied to enable the matching/reconciliation of an entry with the

items that the payment is intended to settle, such as commercial invoices in an

accounts' receivable system, in a structured form.

Type: This message item is composed of the following


StructuredRemittanceInformation7 element(s):

BBA USAGE: see 4.2 - Reporting of Structured Creditor references to

RemittanceInformation – 2.234 item

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.256		CreditorReferenceInformation	<cdtrrefinf></cdtrrefinf>	[01]	

2.256 CreditorReferenceInformation < CdtrRefInf>



Presence: [0..1]

Definition: Reference information provided by the creditor to allow the identification of


the underlying documents.

Type: This message item is composed of the following

CreditorReferenceInformation2 element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.257		Туре	<tp></tp>	[01]	
2.262		Reference	<ref></ref>	[01]	Text

2.257 Type <Tp>



Presence: [0..1]


Definition: Specifies the type of creditor reference.

Type: This message item is composed of the following CreditorReferenceType2

element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.258		CodeOrProprietary	<cdorprtry></cdorprtry>	[11]	
2.261		Issuer	<issr></issr>	[01]	Text

2.258 CodeOrProprietary <CdOrPrtry>



Presence: [1..1]

Definition: Coded or proprietary format creditor reference type.

Type: This message item is composed of the following

CreditorReferenceType1Choice element:

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.259	:	Code	<cd></cd>	[11]	Code

2.259 <Cd>



Presence: [1..1]

This message item is part of choice 8.3.23 CodeOrProprietary.

Definition: Type of creditor reference, in a coded form.

Data Type: Code

One of the following **DocumentType3Code** values must be used:

Code	Name	Definition
SCOR	StructuredCommunicationR	Document is a structured communication reference
	eference	provided by the creditor to identify the referred transaction.

2.261 Issuer < Issr>



Presence: [0..1]

Definition: Entity that assigns the credit reference type.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

2.262 Reference < Ref>



Presence: [0..1]

Definition: Unique reference, as assigned by the creditor, to unambiguously refer to the

payment transaction.

Usage: If available, the initiating party should provide this reference in the structured

remittance information, to enable reconciliation by the creditor upon receipt of

the amount of money.

If the business context requires the use of a creditor reference or a payment remit identification, and only one identifier can be passed through the end-toend chain, the creditor's reference or payment remittance identification should


be quoted in the end-to-end transaction identification.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

2.266 RelatedDates <RItdDts>



Presence: [0..1]

Definition: Set of elements identifying the dates related to the underlying transactions.

Type: This message item is composed of the following **TransactionDates2**

element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.267		AcceptanceDateTime	<aceptnedttm></aceptnedttm>	[01]	DateTime
2.273		TransactionDateTime	<txdttm></txdttm>	[01]	DateTime

2.267 AcceptanceDateTime <AccptncDtTm>



Presence: [0..1]

Definition: Point in time when the payment order from the initiating party meets the

processing conditions of the account servicing agent. This means that the account servicing agent has received the payment order and has applied

checks such as authorisation, availability of funds.

Data Type: ISODateTime

2.273 TransactionDateTime <TxDtTm>




Presence: [0..1]

Definition: Date and time of the underlying transaction.

Data Type: ISODateTime

2.292 Tax <Tax>



Presence: [0..1]


Definition: Set of elements used to provide details on the tax.

Type: This message item is composed of the following **TaxInformation3**

element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
13.1.15		TotalTaxAmount	<ttltaxamt></ttltaxamt>	[01]	Amount
13.1.18		Record	<rcrd></rcrd>	[0n]	

13.1.15 TotalTaxAmount <TtlTaxAmt>



Presence: [0..1]

Definition: Total amount of money as result of the calculation of the tax.

Data Type: ActiveOrHistoricCurrencyAndAmount

This data type must be used with the following XML Attribute: Currency (Ccy) which is

typed by

ActiveOrHistoricCurrencyCode.

Format: ActiveOrHistoricCurrencyAndAmount

fractionDigits: 5 minInclusive: 0 totalDigits: 18

ActiveOrHistoricCurrencyCode

 $[A-Z]{3,3}$

Rule(s): ActiveOrHistoricCurrencyAndAmount

CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot. (Fatal) Error Code: Sw.Stds.D00007

 ${\bf Active Or Historic Currency Code}$


ActiveOrHistoricCurrency

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

(Fatal) Error Code: Sw.Stds.D00006

BBA USAGE: see 4.4 - Reporting of costs, fees and taxes

13.1.18 Record < Rcrd>



Presence: [0..n]

Definition: Record of tax details.

Type: This message item is composed of the following TaxRecord1

element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
13.1.19		Type	<tp></tp>	[01]	Text
13.1.31		TaxAmount	<taxamt></taxamt>	[01]	

13.1.19 Type <Tp>



Presence: [0..1]

Definition: High level code to identify the type of tax details.


Data Type: Max35Text

Format: maxLength: 35

minLength: 1

BBA USAGE: Use the category code (see 6.2 – Category)

13.1.31 TaxAmount <TaxAmt>



Presence: [0..1]

Definition: Set of elements used to provide information on the amount of the tax

record.

Type: This message item is composed of the following TaxAmount1

element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
13.1.32		Rate	<rate></rate>	[01]	Rate
13.1.33		TaxableBaseAmount	<taxblbaseamt></taxblbaseamt>	[01]	Amount
13.1.34		TotalAmount	<ttlamt></ttlamt>	[01]	Amount

13.1.32 Rate < Rate >




Presence: [0..1]

Definition: Rate used to calculate the tax.

Data Type:PercentageRateFormat:fractionDigits: 10

totalDigits: 11

13.1.33 TaxableBaseAmount <TaxblBaseAmt>



Presence: [0..1]

Definition: Amount of money on which the tax is based.

Data Type: ActiveOrHistoricCurrencyAndAmount

This data type must be used with the following XML Attribute: Currency (Ccy) which is typed by ActiveOrHistoricCurrencyCode.

Format: ActiveOrHistoricCurrencyAndAmount

fractionDigits: 5 minInclusive: 0 totalDigits: 18

ActiveOrHistoricCurrencyCode

 $[A-Z]{3,3}$

Rule(s): ActiveOrHistoricCurrencyAndAmount

CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot. (Fatal) Error Code: Sw.Stds.D00007

ActiveOrHistoricCurrencyCode

ActiveOrHistoricCurrency

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

(Fatal) Error Code: Sw.Stds.D00006

13.1.34 TotalAmount <TtlAmt>



Presence: [0..1]

Definition: Total amount that is the result of the calculation of the tax for the

record.

Data Type: ActiveOrHistoricCurrencyAndAmount

This data type must be used with the following XML Attribute: Currency (Ccy) which is

typed by ActiveOrHistoricCurrencyCode.

Format: ActiveOrHistoricCurrencyAndAmount

fractionDigits: 5 minInclusive: 0 totalDigits: 18

ActiveOrHistoricCurrencyCode

 $[A-Z]{3,3}$

Rule(s): ActiveOrHistoricCurrencyAndAmount

CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot. (Fatal) Error Code: Sw.Stds.D00007


ActiveOrHistoricCurrencyCode

ActiveOrHistoricCurrency

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

(Fatal) Error Code: Sw.Stds.D00006

2.293 ReturnInformation < RtrInf>



Presence: [0..1]

Definition: Set of elements used to provide the return information.

Type: This message item is composed of the following

ReturnReasonInformation10 element(s):


Rule(s): ReturnReasonRule

If Reason/Code is equal to NARR, then AdditionalInformation must be present.

(Fatal) Error Code: Sw.Stds.X00077

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.294		OriginalBankTransactionCode	<orgnlbktxcd></orgnlbktxcd>	[01]	
2.303		Originator	<orgtr></orgtr>	[01]	<u>+</u>
2.304		Reason	<rsn></rsn>	[01]	
2.307		AdditionalInformation	<addtlinf></addtlinf>	[0n]	Text

2.294 OriginalBankTransactionCode < OrgnlBkTxCd>



Presence: [0..1]

Definition: Set of elements to fully identify the type of underlying transaction resulting in

an entry.

Type: This message item is composed of the following

BankTransactionCodeStructure1 element(s):

UNIFI (ISO 20022) - Bank-to-Customer Cash Management Standards April 2007

MX camt.053.001.01 BankToCustomerStatementV01 Page 176

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.295		Domain	<domn></domn>	[01]	
2.300		Proprietary	<prtry></prtry>	[01]	

2.295 Domain < Domn>



Presence: [0..1], R2

Definition: Set of elements used to provide the domain, the family and the sub-family of

the bank transaction code, in a structured and hierarchical format.

Usage: If a specific family or sub-family code cannot be provided, the generic family

code defined for the domain or the generic sub-family code defined for the

family should be provided.

Type: This message item is composed of the following

BankTransactionCodeStructure5 element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.296		Code	<cd></cd>	[11]	Code
2.297		Family	<fmly></fmly>	[11]	

2.296 Code <Cd>



Presence: [1..1]

Definition: Specifies the business area of the underlying transaction.

Data Type: ExternalBankTransactionDomainCode

Format: maxLength: 4

minLength: 1

2.297 Family <Fmly>



Presence: [1..1]

Definition: Specifies the family and the sub-family of the bank transaction code, within a

specific domain, in a structured and hierarchical format.

Type: This message item is composed of the following

BankTransactionCodeStructure6 element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.298		Code	<cd></cd>	[11]	Code
2.299		SubFamilyCode	<subfmlycd></subfmlycd>	[11]	Code

2.298 Code <Cd>



Presence: [1..1]

Definition: Specifies the family within a domain. **Data Type**: ExternalBankTransactionFamilyCode

Format: maxLength: 4

minLength: 1

2.299 SubFamilyCode <SubFmlyCd>



Presence: [1..1]


Definition: Specifies the sub-product family within a specific family.

Data Type: ExternalBankTransactionSubFamily1Code

Format: maxLength: 4

minLength: 1

2.300 Proprietary < Prtry>



Presence: [0..1], R2

Definition: Bank transaction code in a proprietary form, as defined by the issuer.

Type: This message item is composed of the following

ProprietaryBankTransactionCodeStructure1 element(s):

BBA USAGE: The BBA Bank Transaction Code will be specified for each transaction (see 5.2)

•

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.301		Code	<cd></cd>	[11]	Text
2.302		Issuer	<issr></issr>	[01]	Text

2.301 Code <Cd>



Presence: [1..1]

Definition: Proprietary bank transaction code to identify the underlying transaction.

Data Type: Max35Text **Format**: maxLength: 35 minLength: 1

2.302 Issuer < Issr>




Presence: [0..1]

Definition: Identification of the issuer of the proprietary bank transaction code.

Data Type: Max35Text **Format**: maxLength: 35 minLength: 1

2.303 Originator < Orgtr>



Presence: [0..1]

Definition: Party that issues the return.

Type: This message item is composed of the following PartyIdentification32

element(s):

Ref	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
9.1.0		Name	<nm></nm>	[01]	Text

9.1.0 Name < Nm>



Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify


that party.

Data Type: Max140Text

Format: maxLength: 140

minLength: 1

2.304 Reason <Rsn>



Presence: [0..1]

Definition: Specifies the reason for the return.

Type: This message item is composed of one of the following

ReturnReason5Choice element(s):

Index	Or	Message Item	<xml tag=""></xml>	Mult.	Represent./ Type
2.305		Code	<cd></cd>	[11]	Code

2.305 Code <Cd>



Presence: [1..1]

This message item is part of choice 2.273 Reason.

Definition: Reason for the return, as published in an external reason code list.

Data Type:ExternalReturnReason1CodeFormat:maxLength: 4 minLength: 1

BBA USAGE: Only codes below are supported

Code	Name	Definition
AC01	IncorrectAccountNumber	Format of the account number specified is not correct.
AC04	ClosedAccountNumber	Account number specified has been closed on the Receiver's books.
AC06	BlockedAccount	Account specified is blocked, prohibiting posting of transactions against it.
AG01	TransactionForbidden	Transaction forbidden on this type of account (formerly NoAgreement).
AG02	InvalidBankOperationCode	Bank Operation code specified in the message is not valid for receiver.
AM05	Duplication	This message appears to have been duplicated.
BE01	InconsistentWithEndCustom er	Identification of end customer is not consistent with associated account number. (formerly CreditorConsistency)
MD01	NoMandate	Mandate is cancelled or invalid.
MD02	MissingMandatoryInformati onInMandate	Mandate related information data required by the scheme is missing.
MD03	InvalidFileFormatForOther ReasonThanGroupingIndica tor	File format incomplete or invalid.
MD06	RefundRequestByEndCusto mer	Return of funds requested by end customer.
MD07	EndCustomerDeceased	End customer is deceased.
MS02	NotSpecifiedReasonCustom erGenerated	Reason has not been specified by end customer.
MS03	NotSpecifiedReasonAgentG enerated	Reason has not been specified by agent.
NARR	Narrative	Reason is provided as narrative information in the additional reason information.
RC01	BankIdentifierIncorrect	Bank identifier code specified in the message has an incorrect format (formerly IncorrectFormatForRoutingCode).

2.307 AdditionalInformation < AddtlInf>



Presence: [0..n], R3

Definition: Further details on the return reason.

Data Type: Max105Text

Format: maxLength: 105

minLength: 1

2.313 AdditionalTransactionInformation <AddtlTxInf>



Presence: [0..1]


Definition: Further details of the transaction.

Data Type: Max500Text

Format: maxLength: 500

minLength: 1

2.314 AdditionalEntryInformation <AddtlNtryInf>



Presence: [0..1]

Definition: Further details of the entry.

Data Type: Max500Text

Format: maxLength: 500

minLength: 1

2.315 AdditionalStatementInformation < AddtlStmtInf>



Presence: [0..1]

Definition: Further details of the account statement.

Data Type: Max500Text

Format: maxLength: 500

minLength: 1

4. Principles governing the structure of reporting

In this chapter, we often make references to XML-examples in chapter 7.

The examples in chapter 7 are preceded by two indexes:

- A = Example-Index:
 - This example-index is made to facilitate the reading of these guidelines. All items are numbered consecutively, in order to have unique references to the examples.
- B = MX.CAMT053.001.02-Index:
 This index represents the exact index numbering of the CAMT053.001.02.

4.1 General principles

4.1.1. Information registered under the 'Entry' item – 2.76:

- both for simple and globalised transactions, information can be retrieved from the following items:
 - Amount 2.78 item : the net amount that has been booked
 - Creditdebitindicator 2.79 item: the direction of the transaction
 - Reversalindicator 2.80 item: the question whether one is dealing with a correction in writing or with R-transactions (SCT-SDD)
 - Status 2.81 item : always 'booked' in the EoD reporting
 - BookingDate 2.82 item : the booking date of the transaction
 - ValueDate 2.83 item: the value date of the transaction
 - Accountservicereference 2.84 item : the reference of the transaction generated by the bank
 - BankTransactionCode 2.91 item: the transaction type
- If the charges are linked to a globalised transaction, information also can be retrieved from the following items :
 - Charges 2.105 item : if there is a link between the costs/fees/taxes and the globalisation
 - AdditionalEntryInformation 2.314 item: additional information, if any, about the globalised transaction.

XML-example: see 7.4.1 – example-index 3.2 to 3.24

4.1.2. Information registered under the 'Entry details' item - 2.135:

- as for a single transaction, information can be retrieved from the following items:
 - TransactionDetails 2.141 item : any additional information about the transaction
- as for globalised transactions, information can be retrieved from the following items:
 - Batch 2.136 item : all batch elements
 - TransactionDetails 2.141item: all information about the details of a globalised transaction
 - AdditionalEntryInformation 2.314 item : additional information, if any, about the transaction

XML-example: see 7.4.2 - example-index 4.25 to 4.89

4.1.3. Partial / gross amounts versus net amount :

In case a transaction consists of several partial amounts (eg. a batch booking or a transaction where charges or taxes are included), the net amount will be reported under the Amount -2.78 item, and the partial amounts will be reported under EntryDetails -2.135 item.

The sum of all partial amounts should equal the net amount.


Depending on your bank, in case the gross amount equals the net amount, the gross amount will not be reported under the EntryDetails – 2.135 item.

4.2. Reporting of Structured Creditor References to RemittanceInformation - 2.234 Item:

- There are two kinds of Structured Creditor References:
 - The Belgian Structured Creditor References .

The CreditorReference contains the Belgian 12 digit structured communication, with the last 2 digits as check digits (modulo 97) of the first 10 digits, but if the result is 0, then the check digits are 97. This Structured CreditorReferenceInformation is supported only by the Belgian banks

- The ISO Structured Creditor References described in the ISO 11649-standard. (EPC approval expected by the end of 2008)
- In order to establish a distinct difference between the two Structured Creditor References, the Belgian Structured Creditor Reference will have 'BBA' as issuer; the ISO Structured Creditor Reference will have 'ISO' as issuer.
- Message implementation guide for Structured Creditor References :
 - General



- Belgian Structured Creditor References


```
<RmtInf>
     <Strd>
          <CdtrRefInf>
                <Tp>
                      <CdOrPrtry>
                           <Cd>SCOR</Cd>
                      </CdOrPrtry>
                      <Issr>BBA</Issr>
                </Tp>
                <Ref>080762515551</Ref>
          </CdtrRefInf>
     </Strd>
</RmtInf>
ISO Structured References
<RmtInf>
     <Strd>
           <CdtrRefInf>
                <Tp>
                      <CdOrPrtry>
                           <Cd>SCOR</Cd>
                      </CdOrPrtry>
                      <Issr>ISO</Issr>
                </Tp>
                <Ref>RF98123456789012345678901</Ref>
           </CdtrRefInf>
     </Strd>
</RmtInf>
```

4.3. Reporting of Structured Bank References:

Please contact your bank for more information about the contents of this remittance.

4.4 Reporting of costs, fees and taxes :

- Use of the 'Charges' 2.172 item under 'TransactionDetails' 2.142 item
- Use of the 'Tax' 2.182 item, if tax is levied on a part of or on the whole of the costs and fees concerned



Whenever charges are reported the 'Charges' - 2.172 item will be used as many times as there are different charges - related to the same transaction - to be reported,

The structure for a single charge – without tax levied on the charge – will be as follows :

The structure for several charges – with or without tax levied upon – will be as follows :

```
<Chrgs>
                       <Amt Ccy="EUR">...</Amt>
                       <CdtDbtInd>...</CdtDbtInd>
                       <Tp>
                             <Prtry>
                                   <Id>...</Id>
                                   <Issr>...</Issr>
                             </Prtry>
                       </Tp>
                 </Chrgs>
Or:
                 <Chrgs>
                       <Amt Ccy="EUR">...</Amt>
                       <CdtDbtInd>...</CdtDbtInd>
                       <Tp>
                             <Prtry>
                                   <Id>...</Id>
                                   <Issr>...</Issr>
                             </Prtry>
                       </Tp>
                 </Chrgs>
                 <Chrqs>
                       <Amt Ccy="EUR">...</Amt>
                       <CdtDbtInd>...</CdtDbtInd>
                       <Tp>
                             <Prtry>
                                   <Id>...</Id>
                                   <Issr>...</Issr>
                             </Prtry>
                       </Tp>
                 </Chrgs>
                 <Tax>
                       <TtlTaxAmt>...</ TtlTaxAmt >
                       <Rcrd>
                             <Tp>...<Tp>
                             <TaxAmt>
                                   <Rate>...</Rate>
                                   <TaxblBaseAmt>...</ TaxblBaseAmt >
                                   <TtlAmt>...</TtlAmt>
                             </TaxAmt>
                       </Rcrd>
                 </Tax>
```


XML-example : see 7.4.10

• If the costs, fees and taxes pertain to a globalised transaction, the information will be given under the 'Charges' – 2.105 item.

4.5. Reporting of Customer References from Pain-messages:

A Pain-message can contain different customer references such as MessageIdentification, PaymentInformationIdentification, InstructionIdentification and EndToEndInformation. If they occur in a Pain-message transaction, they will be reported as follows:

- For single transactions in the following items :
 - Under the References 2.143 item :
 - MessageIdentification 2.144 item
 - PaymentInformationIdentification 2.146 item
 - InstructionIdentification 2.147 item
 - EndToEndIdentification 2.148 item
- For globalised transactions :
 - O Under the Batch 2.136 item :
 - MessageIdentification 2.137 item
 - PaymentInformationIdentification 2.138 item
 - Under the References 2.143 item :
 - InstructionIdentification 2.147 item
 - EndToEndIdentification 2.148 item



4.6. Reporting of the different kinds of amounts:

> Booked amount on the account (globalised or single):

Use of the 'Amount' - 2.78 item

> Other kinds of amounts:

Use of 'AmountDetails' – 2.156 item in accordance with the following rules:

- Amount related to a detail of a globalised transaction:
 - → Use of the 'TransactionAmount' 2.1.9 item
- Gross amount (before deduction of costs, fees and taxes) labeled in the currency of the reported account:
 - → Use of the 'InstructedAmount 2.1.0 item
- Gross amount (before deduction of costs, fees and taxes) not labeled in the currency of the reported account:
 - → Use of the 'InstructedAmount' -2.1.0 item to report the gross amount of the original transaction in its original currency
 - → Use of the 'CounterValueAmount' 2.1.18 item for the reporting of the counter value labeled in the currency of the reported account, of the original amount. All useful information about currency conversion will be given under this item.

Optional for each bank:

- → Use of the 'ProprietaryAmount' 2.1.36 item with one of the category codes mentioned in § 6.2 Category being included in the 'type' -2.1.37 item for the reporting of more specific amounts (capital of a long-term investment...): ...
- <u>Attention</u>: if the amounts are related to a globalised transaction, the information

will be given under the 'AmountDetails' - 2.104

XML-example: see 7.4.2 – example-index 4.37 to 4.50

4.7. Reporting of the TransactionsSummary - 2.43 item:

Let's assume we have to report the following transactions in a statement :

- + 2.440,19
- + 482,40
- + 2926,20
- + 562,00
- - 442,00

The reporting of the TransactionSummary – 2.43 item will be as follows:

- The sum off all transactions, regardless whether they are credit- or debet-transactions.
- → The sum off all transactions, taken in account whether they are credit- or debettransactions.
- → Indicates whether the total net entry amount is a credit or a debit balance.
- Number of individual credit entries included in the report.
- → Total of all individual credit entries included in the report.
- Number of individual debit entries included in the report.
- → Total of all individual debit entries included in the report.

XML-example: see 7.3 – example-index 2.58 to 2.73

</TtlDbtNtries>

4.8. Miscellaneous

</TxsSummry>

4.8.1. Separate files-messages

• The contents of a separate file message will be defined in the message header (cf. §2-Message Items Description-Index 1.5)

4.8.2. Splitting up of messages


- Depending on the information volume to be transferred, it will be possible to split up the message into several messages in accordance with the pagination rules mentioned in §3 – Message Item Description – index 1.4.
- The balance types mentioned in the 'intermediate' messages are described in §3 Message Item Description index 2.23.

4.8.3. Specific encoding for Belgium:

• A Belgian codification could be used in different 'proprietary' items. BBA (Belgian Bankers' and Stockbroking firms' Association) will then be used as 'issuer' in all types of specific Belgian encoding in the 'issuer' item, if it exists.

5. Bank Transaction Codes

The Bank Transaction Codes (hereafter BkTxCd) are an 'external code list' and serve as a complement to the Bank-To-Customer Cash Management messages (CamtXXX) as described in the ISO 20022-standard.



'Rules' governing the BkTxCd structure

- If Domain is absent, Proprietary must be present.
- If Proprietary is absent, Domain must be present.
- Domain and Proprietary may be present together.

5.1. BkTxCd structure under Camt053.001.02

Under Camt053.001.02, we find the BkTxCd both at the Entry and TransactionDetails level.

	XML tag	Index Entry level	Index TransactionDetails level
BankTransactionCode	<bktxcd></bktxcd>	2.91	2.163
Domain	<domn></domn>	2.92	2.164
Code	<cd></cd>	2.93	2.165
Family	<fmly></fmly>	2.94	2.166
Code	<cd></cd>	2.95	2.167
SubFamilyCode	<subfmlycd></subfmlycd>	2.96	2.168
Proprietary	<prtry></prtry>	2.97	2.169
Code	<cd></cd>	2.98	2.170
Issuer	<issr></issr>	2.99	2.171

The way in which the BkTxCd is built up

There are three levels in the way in which a BkTxCd is built up:

Domain

Highest level of transaction identification. The Domain serves as a high-level definition of the transaction business domain.

Family

Transaction type definition.

SubFamily

Lowest level containing even more detailed information about the kind of transaction which is the subject of reporting.

5.2. Double encoding

The principle of double encoding applies, i.e. the encoding proper to MX.CAMT.053 as well as a 'proprietary' encoding which is specific for Belgium. The Belgian Bank Transaction Code will be reported in the Proprietary -2.97 item or 2.169 item.

5.2.1. ISO Bank Transaction codes

The Bank Transaction Code lists description

http://www.iso20022.org/documents/External code lists/BTC ExternalCodeListDescription 16June 09.doc (http://www.iso20022.org/Payments_External_Code_Lists.page) provides the detailed description of the external code lists and values to be used in the Bank Transaction Code structure.

BankTransactionCodes

5.2.2. BBA Bank Transaction Code

Family $(1^{st} + 2^{nd} pos)$

Gives the broad division a transaction belongs to. E.g. credit transfer, cards, collection,... See appendix 6.1.

Identifies the transaction within a family. For each family code, there are a number of different debit or credit transaction codes.

See appendix 6.1.

Category
$$(5^{th} + 6^{th} + 7^{th} pos)$$

Provides additional information about the nature of the transaction. For each movement record, the category clearly distinguishes between the different items relating to a single transaction. See appendix 6.2

Remarks

When a financial institution encounters a transaction which has not yet received a common code and which should be given one, code 39 or 89 will be given to the transaction within family 30. This will facilitate the allocation of a definitive code afterwards. Within each family, numbers 40 to 48 and 90 to 98 have been earmarked for the transactions which are proper to one bank and for which no common code is required immediately. Numbers 49 and 99 identify the correction and cancellation entries.

6. Appendix

6.1. Family and Transaction Codes

01 to 39: domestic or local SEPA transactions 41 to 79: foreign/non-SEPA transactions 80 to 89: other families

01	Domestic or local SEPA credit transfers	41	International credit transfers - non-SEPA credit transfers
02	Instant SEPA credit transfer		Horr der 71 droug transfero
03	Cheques	43	Foreign cheques
04	Cards		
05	Direct debit		
07	Domestic commercial paper	47	Foreign commercial paper
09	Counter transactions		
11	Securities		
13	Credit		
30	Various transactions		
35	Closing (periodical settlements for		
	interest, costs,)		
80	Separately charged costs and		
	provisions		

Family: 01 = Domestic local/credit transfers – SEPA credit transfers

Family	Transaction code	Family	Specification of the transaction	Comment
01	01	Domestic or local SEPA credit transfers	Individual transfer order	Credit transfer given by the customer on paper or electronically, even if the execution date of this transfer is in the future. Domestic payments as well as euro payments meeting the requirements.
01	02	Domestic or local SEPA credit transfers	Individual transfer order initiated by the bank	The bank takes the initiative for debiting the customer's account.
01	03	Domestic or local SEPA credit transfers	Standing order	Credit transfer for which the order has been given once and which is carried out again at regular intervals without any change.
01	05	Domestic or local SEPA credit transfers	Payment of wages, etc.	The principal will be debited for the total amount of the file entered.
01	07	Domestic or local SEPA credit transfers	Collective transfer	The principal will be debited for the total amount of the file entered.
01	13	Domestic or local SEPA credit transfers	Transfer from your account	Transfer from one account to another account of the same customer at the bank's or the customer's initiative (intracompany).
01	17	Domestic or local SEPA credit transfers	Financial centralisation	In case of centralisation by the bank, type 2 will be allotted to this transaction. This total can be followed by the detailed movement.
01	37	Domestic or local SEPA credit transfers	Costs	
01	39	Domestic or local SEPA credit transfers	Your issue circular cheque	To be used for issued circular cheques given in consignment
01	40 – 48	Domestic or local SEPA credit transfers	Codes proper to each bank	
01	49	Domestic or local SEPA credit transfers	Cancellation or correction	

Family	Transaction code	Family	Specification of the transaction	Comment
	Credit transact	tions		
01	50	Domestic or local SEPA credit transfers	Transfer in your favour	
01	51	Domestic or local SEPA credit transfers	Transfer in your favour – initiated by the bank	The bank takes the initiative for crediting the customer's account.
01	52	Domestic or local SEPA credit transfers	Payment in your favour	Payment by a third person
01	54	Domestic or local SEPA credit transfers	Unexecutable transfer order	
01	60	Domestic or local SEPA credit transfers	Non-presented circular cheque	
01	62	Domestic or local SEPA credit transfers	Unpaid postal order	
01	64	Domestic or local SEPA credit transfers	Transfer to your account	Intracompany
01	66	Domestic or local SEPA credit transfers	Financial centralization	In case of centralisation by the bank, type 2 will be allotted to this transaction. This total can be followed by the detailed movement.
01	87	Domestic or local SEPA credit transfers	Reimbursement of costs	
01	90-98	Domestic or local SEPA credit transfers	Codes proper to each bank	
01	99	Domestic or local SEPA credit transfers	Cancellation or correction	

Family: 02 = Instant SEPA credit transfers

Family	Transaction code	Family	Specification of the transaction	Comment			
	Debit transactions						
02	01	Instant SEPA credit transfers	Individual transfer order	Credit transfer given by the customer.			
02	02	Instant SEPA credit transfers	Individual transfer order initiated by the bank	The bank takes the initiative for debiting the customer's account.			
02	03	Instant SEPA credit transfers	Standing order	Credit transfer for which the order has been given once and which is carried out again at regular intervals without any change			
02	05	Instant SEPA credit transfers	Payment of wages, etc	The principal will be debited for the total amount of the file entered.			
02	07	Instant SEPA credit transfers	Collective transfer	The principal will be debited for the total amount of the file entered.			
02	13	Instant SEPA credit transfers	Transfer from your account	Transfer from one account to another account of the same customer at the bank's or the customer's initiative (intracompany).			
02	17	Instant SEPA credit transfers	Financial centralisation	In case of centralisation by the bank, type 2 will be allotted to this transaction. This total can be followed by the detailed movement.			
02	37	Instant SEPA credit transfers	Costs				
02	40-48	Instant SEPA credit transfers	Codes proper to each bank				
02	49	Instant SEPA credit transfers	Cancellation or correction				

Family	Transaction code	Family	Specification of the transaction	Comment
	Credit transa	ictions		
02	50	Instant SEPA credit transfers	Transfer in your favour	
02	51	Instant SEPA credit transfers	Transfer in your favour – initiated by the bank	The bank takes the initiative for crediting the customer's account.
02	52	Instant SEPA credit transfers	Payment in your favour	Payment by a third person
02	54	Instant SEPA credit transfers	Unexecutable transfer order	
02	64	Instant SEPA credit transfers	Transfer to your account	Intracompany
02	66	Instant SEPA credit transfers	Financial centralization	In case of centralisation by the bank, type 2 will be allotted to this transaction. This total can be followed by the detailed movement.
02	87	Instant SEPA credit transfers	Reimbursement of costs	
02	90-98	Instant SEPA credit transfers	Codes proper to each bank	

Family: 03 = Cheques

Family	Transaction code	Family	Specification of the transaction	Comment
	Debit transacti	ons	•	
03	01	Cheques	Payment of your cheque	
03	05	Cheques	Payment of voucher	Payment of holiday pay, etc.
03	09	Cheques	Unpaid voucher	
03	11	Cheques	Department store cheque	
03	15	Cheques	Your purchase bank cheque	Cheque drawn by the bank on itself, usually with charges.
03	17	Cheques	Your certified cheque	Amount of the cheque; if any, charges receive code 37
03	37	Cheques	Cheque-related costs	
03	38	Cheques	Provisionally unpaid	
03	40-48	Cheques	Codes proper to each bank	
03	49	Cheques	Cancellation or correction	
	Credit transact	ions		
03	52	Cheques	First credit of cheques, vouchers, luncheon vouchers, postal orders, credit under usual reserve	
03	58	Cheques	Remittance of cheques, vouchers, etc. credit after collection	Also for vouchers, postal orders, anything but bills of exchange, acquittances, promissory notes, etc.
03	60	Cheques	Reversal of voucher	
03	62	Cheques	Reversal of cheque	cheques debited on account, but debit cancelled afterwards for lack of cover (double debit/contra-entry of transaction 01 or 05)
03	63	Cheques	Second credit of unpaid cheque	
03	66	Cheques	Remittance of cheque by your branch - credit under usual reserve	
03	87	Cheques	Reimbursement of cheque-related costs	Overall amount, VAT included
03	90-98	Cheques	Codes proper to each bank	
03	99	Cheques	Cancellation or correction	

Family : 04 = Cards

Family code	Uniform code	Family	Specification of the transaction	Comment
	Debit transac	tions		
04	01	Cards	Loading a GSM card	Debit customer who is loading
04	02	Cards	Payment by means of a payment card within the Eurozone	Eurozone = countries which have the euro as their official currency
04	03	Cards	Settlement credit cards	
04	04	Cards	Cash withdrawal from an ATM	At home as well as abroad
04	05	Cards	Loading Proton	
04	06	Cards	Payment with tank card	
04	07	Cards	Payment by GSM	
04	08	Cards	Payment by means of a payment card outside the Eurozone	Eurozone = countries which have the euro as their official currency
04	37	Cards	Costs	Various costs for possessing or using a payment card
04	40-48	Cards	Codes proper to eachy bank	
04	49	Cards	Cancellation or correction	

Family code	Uniform code	Family	Specification of the transaction	Comment
Credit transactions				
04	50	Cards	Credit after a payment at a terminal	Except Proton
04	51	Cards	Unloading Proton	
04	52	Cards	Loading GSM cards	Credit provider
04	53	Cards	Cash deposit at an ATM	
04	55	Cards	Income from payments by GSM	
04	68	Cards	Credit after Proton payments	
04	87	Cards	Reimbursement of costs	
04	90 – 98	Cards	Codes proper to each bank	
04	99	Cards	Cancellation or correction	

Family: 05 = Direct debit

Family code	Uniform code	Family	Specification of the transaction	Comment		
	Debit transactions					
05	01	Direct Debit	Payment			
05	03	Direct Debit	Unpaid debt			
05	05	Direct Debit	Reimbursement			
05	37	Direct Debit	Costs			
05	40 – 48	Direct Debit	Codes proper to each institution			
05	49	Direct Debit	Cancellation or correction			
	Credit transa	ctions				
05	50	Direct Debit	Credit after collection			
05	52	Direct Debit	Credit under usual reserve			
05	54	Direct Debit	Reimbursement			
05	56	Direct Debit	Unexecutable reimbursement			
05	58	Direct Debit	Reversal	(cancellation of an undue debit of the debtor at the initiative of the financial institution or the debtor for lack of cover)		
05	87	Direct Debit	Reimbursement of costs			
05	90-98	Direct Debit	Codes proper to each bank			
05	99	Direct Debit	Cancellation or correction			

Family: 07 = Domestic commercial paper

Family code	Uniform code	Family	Specification of the transaction	Comment
	Debit transac	ctions		
07	01	Domestic commercial paper	Payment commercial paper	Bills of exchange, acquittances, promissory notes; debit of the drawee
07	05	Domestic commercial paper	Commercial paper claimed back	Bill claimed back at the drawer's request (bill claimed back before maturity date)
07	06	Domestic commercial paper	Extension of maturity date	Costs chargeable to the remitter
07	07	Domestic commercial paper	Unpaid commercial paper	Contra-entry of a direct credit or of a discount
07	08	Domestic commercial paper	Payment in advance	Debit of the remitter when the drawee pays in advance directly to the remitter (regards bank acceptances)
07	09	Domestic commercial paper	Agio on supplier's bill	Debit of the agios to the account of the drawee
07	37	Domestic commercial paper	Costs related to commercial paper	If any, detail in the category (e.g. costs for presentation for acceptance, etc.)
07	39	Domestic commercial paper	Return of an irregular bill of exchange	Debit of the drawer after credit under usual reserve or discount
07	40-48	Domestic commercial paper	Codes proper to each bank	
07	49	Domestic commercial paper	Cancellation or correction	

Family code	Uniform code	Family	Specification of the transaction	Comment			
	Credit transactions						
07	50	Domestic commercial paper	Remittance of commercial paper - credit after collection	Credit of the remitter			
07	52	Domestic commercial paper	Remittance of commercial paper - credit under usual reserve				
07	54	Domestic commercial paper	Remittance of commercial paper for discount	Among other things advances or promissory notes			
07	56	Domestic commercial paper	Remittance of supplier's bill with guarantee				
07	58	Domestic commercial paper	Remittance of supplier's bill without guarantee				
07	87	Domestic commercial paper	Reimbursement of costs				
07	90-98	Domestic commercial paper	Codes proper to each bank				
07	99	Domestic commercial paper	Cancellation or correction				

Family: 09 = Counter transactions

Family code	Uniform code	Family	Specification of the transaction	Comment
	Debit transac	ctions	·	
09	01	Counter transactions	Cash withdrawal	Withdrawal by counter cheque or receipt; cash remitted by the bank clerk
09	05	Counter transactions	Purchase of foreign bank notes	
09	07	Counter transactions	Purchase of gold/pieces	
09	09	Counter transactions	Purchase of petrol coupons	
09	13	Counter transactions	Cash withdrawal by your branch or agents	On the account of the head office
09	17	Counter transactions	Purchase of fiscal stamps	
09	19	Counter transactions	Difference in payment	Used in case of payments accepted under reserve of count, result of overcrediting
09	25	Counter transactions	Purchase of traveller's cheque	
09	37	Counter transactions	Costs	
09	40-48	Counter transactions	Codes proper to each bank	
09	49	Counter transactions	Cancellation or correction	

Family code	Uniform code	Family	Specification of the transaction	Comment
	Credit transac	ctions		
09	50	Counter transactions	Cash payment	For own account - the comment for the client is given in the communication; also for mixed payments (cash + cheques) - not to be communicated to the clients; for payments made by a third person: see family 01
09	52	Counter transactions	Payment night safe	
09	58	Counter transactions	Payment by your branch/agents	Takes priority over transaction 52 (hence a payment made by an agent in a night safe = 58 and not 52)
09	60	Counter transactions	Sale of foreign bank notes	
09	62	Counter transactions	Sale of gold/pieces under usual reserve	
09	68	Counter transactions	Difference in payment	In case of payment accepted under reserve of count; result of undercrediting - see also transaction 19
09	70	Counter transactions	Sale of traveller's cheque	
09	87	Counter transactions	Reimbursement of costs	
09	90-98	Counter transactions	Codes proper to each bank	
09	99	Counter transactions	Cancellation or correction	

Family: 11 = Securities

Family code	Uniform code	Family	Specification of the transaction	Comment
	Debit transac	tions		
11	01	Securities	Purchase of securities	Purchase of domestic or foreign securities, including subscription rights, certificates, etc.
11	02	Securities	Tenders	Payment to the bank on maturity date
11	03	Securities	Subscription to securities	Bonds, shares, tap issues of CDs, with or without payment of interest, etc.
11	04	Securities	Issues	
11	05	Securities	Partial payment subscription	Debit of the subscriber for the complementary payment of partly-paid shares
11	06	Securities	Share option plan – exercising an option	
11	09	Securities	Settlement of securities	For professionals (stockbrokers) only, whoever the issuer may be (Belgian or foreigner)
11	11	Securities	Payable coupons/repayable securities	Debit of the issuer by the bank in charge of the financial service
11	13	Securities	Your repurchase of issue	Unissued part (see 64)
11	15	Securities	Interim interest on subscription	In case of subscription before the interest due date
11	17	Securities	Management fee	
11	19	Securities	Regularisation costs	
11	37	Securities	Costs	
11	40-48	Securities	Codes proper to each bank	
11	49	Securities	Cancellation or correction	

Family code	Uniform code	Family	Specification of the transaction	Comment
	Credit transac	ctions	•	
11	50	Securities	Sale of securities	
11	51	Securities	Tender	Company issues paper in return for cash
11	52	Securities	Payment of coupons from a deposit or settlement of coupons delivered over the counter - credit under usual reserve	Whatever the currency of the security
11	58	Securities	Repayable securities from a deposit or delivered at the counter - credit under usual reserve	
11	62	Securities	Interim interest on subscription	When reimbursed separately to the subscriber
11	64	Securities	Your issue	Amount paid to the issuer by the bank in charge of the placement (firm underwriting or not); also used for the payment in full of partly-paid shares, see transaction 05
11	66	Securities	Retrocession of issue commission	For professionals such as insurances and stockbrokers
11	68	Securities	Compensation for missing coupon	In case coupons attached to a purchased security are missing
11	70	Securities	Settlement of securities	Only with stockbrokers when they deliver the securities to the bank
11	87	Securities	Reimbursement of costs	
11	90-98	Securities	Codes proper to each bank	
11	99	Securities	Cancellation or correction	

Family: 13 = Credits

Family code	Uniform code	Family	Specification of the transaction	Comment
	Debit transac	tions		
13	01	Credits	Short-term loan	Capital and/or interest (specified by the category)
13	02	Credits	Long-term loan	
13	05	Credits	Settlement of fixed advance	Full or partial reimbursement of a fixed advance at maturity date
13	07	Credits	Your repayment instalment credits	Often by standing order or direct debit. In case of direct debit, family 13 is used.
13	11	Credits	Your repayment mortgage loan	
13	13	Credits	Settlement of bank acceptances	
13	15	Credits	Your repayment hire- purchase and similar claims	Hire-purchase agreement under which the financial institution is the lessor
13	19	Credits	Documentary import credits	
13	21	Credits	Other credit applications	
13	37	Credits	Credit-related costs	
13	40-48	Credits	Codes proper to each bank	
13	49	Credits	Cancellation or correction	

Family code	Uniform code	Family	Specification of the transaction	Comment
	Credit transac	ctions		
13	50	Credits	Settlement of instalment credit	
13	54	Credits	Fixed advance – capital and interest	
13	55	Credits	Fixed advance – interest only	
13	56	Credits	Subsidy	Interest or capital subsidy
13	60	Credits	Settlement of mortgage loan	
13	62	Credits	Term loan	
13	68	Credits	Documentary export credits	
13	70	Credits	Settlement of discount bank acceptance	
13	87	Credits	Reimbursement of costs	
13	90-98	Credits	Codes proper to each bank	
13	99	Credits	Cancellation or correction	

Family: 30 = Miscellaneous transactions

Family code	Uniform code	Family	Specification of the transaction	Comment
	Debit transac	tions		
30	1	Miscellaneous transactions	Spot purchase of foreign exchange	
30	3	Miscellaneous transactions	Forward purchase of foreign exchange	
30	5	Miscellaneous transactions	Capital and/or interest term investment	
30	33	Miscellaneous transactions	Value (date) correction	
30	37	Miscellaneous transactions	Costs	
30	39	Miscellaneous transactions	Undefined transaction	
30	40-48	Miscellaneous transactions	Codes proper to each bank	
30	49	Miscellaneous transactions	Cancellation or correction	

Family code	Uniform code	Family	Specification of the transaction	Comment
	Credit transa	ctions		
30	50	Miscellaneous transactions	Spot sale of foreign exchange	
30	52	Miscellaneous transactions	Forward sale of foreign exchange	
30	54	Miscellaneous transactions	Capital and/or interest term investment	
30	55	Miscellaneous transactions	Interest term investment	
30	83	Miscellaneous transactions	Value (date) correction	
30	87	Miscellaneous transactions	Reimbursement of costs	
30	89	Miscellaneous transactions	Undefined transaction	
30	90-98	Miscellaneous transactions	Codes proper to each bank	
30	99	Miscellaneous transactions	Cancellation or correction	

Family: 35 = Closing (e.g. periodical payments of interest, costs, ...)

Family code	Uniform code	Family	Specification of the transaction	Comment
	Debit transact	tions		
35	01	Closing	Closing	
35	37	Closing	Costs	
35	40-48	Closing	Codes proper to each bank	
35	49	Closing	Cancellation or correction	
Family code	Uniform code	Family	Specification of the transaction	Comment
	Credit transac	tions	·	
35	50	Closing	Closing	
35	87	Closing	Reimbursement of costs	
35	90-98	Closing	Codes proper to each bank	
35	99	Closing	Cancellation or correction	

Family: 41 = Foreign— non-SEPA credit transfers

Family code	Uniform code	Family	Specification of the transaction	Comment
	Debit transac	tions		
41	01	Foreign— non-SEPA credit transfers	Transfer	
41	03	Foreign- non-SEPA credit transfers	Standing order	
41	05	Foreign- non-SEPA credit transfers	Collective payments of wages	
41	07	Foreign- non-SEPA credit transfers	Collective transfers	
41	13	Foreign- non-SEPA credit transfers	Transfer from your account	Intracompany
41	17	Foreign- non-SEPA credit transfers	Financial centralisation (debit)	
41	37	Foreign— non-SEPA credit transfers	Costs relating to outgoing foreign transfers and non- SEPA transfers	
41	38	Foreign— non-SEPA credit transfers	Costs relating to incoming foreign and non-SEPA transfers	
41	40-48	Foreign— non-SEPA credit transfers	Codes proper to each bank	
41	49	Foreign— non-SEPA credit transfers	Cancellation or correction	
	Credit transa	ctions		
41	50	Foreign- non-SEPA credit transfers	Transfer	
41	64	Foreign— non-SEPA credit transfers	Transfer to your account	Intracompany
41	66	Foreign- non-SEPA credit transfers	Financial centralisation (credit)	
41	87	Foreign- non-SEPA credit transfers	Reimbursement of costs	
41	90-98	Foreign- non-SEPA credit transfers	Codes proper to each bank	
41	99	Foreign- non-SEPA credit transfers	Cancellation or correction	

Family: 43 = Foreign cheques

Family code	Uniform code	Family	Specification of the transaction	Comment
	Debit transact	tions		
43	01	Foreign cheques	Payment of a foreign cheque	Debit of a cheque in foreign currency or in EUR in favour of a foreigner
43	07	Foreign cheques	Unpaid foreign cheque	Foreign cheque remitted for collection that returns unpaid
43	15	Foreign cheques	Purchase of an international bank cheque	
43	37	Foreign cheques	Costs relating to payment of foreign cheques	
43	40-48	Foreign cheques	Codes proper to each bank	
43	49	Foreign cheques	Cancellation or correction	
Family code	Uniform code	Family	Specification of the transaction	Comment
	Credit transac	ctions		
43	52	Foreign cheques	Remittance of foreign cheque credit under usual reserve	
43	58	Foreign cheques	Remittance of foreign cheque credit after collection	
43	62	Foreign cheques	Reversal of cheques	
43	87	Foreign cheques	Reimbursement of costs	
43	90-98	Foreign cheques	Codes proper to each bank	
43	99	Foreign cheques	Cancellation or correction	

Family: 47 = Foreign commercial paper

Family code	Uniform code	Family	Specification of the transaction	Comment
	Debit transact	tions		
47	01	Foreign commercial paper	Payment of foreign bill	
47	05	Foreign commercial paper	Bill claimed back	
47	06	Foreign commercial paper	Extension	
47	07	Foreign commercial paper	Unpaid foreign bill	
47	11	Foreign commercial paper	Payment documents abroad	Bills of lading
47	13	Foreign commercial paper	Discount foreign supplier's bills	Debit customer, payment of agios, interest, exchange commission, etc.
47	14	Foreign commercial paper	Warrant fallen due	
47	37	Foreign commercial paper	Costs relating to the payment of a foreign bill	
47	40-48	Foreign commercial paper	Codes proper to each bank	
47	49	Foreign commercial paper	Cancellation or correction	

Family code	Uniform code	Family	Specification of the transaction	Comment
	Credit transac	ctions		
47	50	Foreign commercial paper	Remittance of foreign bill credit after collection	
47	52	Foreign commercial paper	Remittance of foreign bill credit under usual reserve	
47	54	Foreign commercial paper	Discount abroad	
47	56	Foreign commercial paper	Remittance of guaranteed foreign supplier's bill	
47	58	Foreign commercial paper	Idem without guarantee	
47	60	Foreign commercial paper	Remittance of documents abroad - credit under usual reserve	
47	62	Foreign commercial paper	Remittance of documents abroad - credit after collection	
47	64	Foreign commercial paper	Warrant	
47	87	Foreign commercial paper	Reimbursement of costs	
47	90-98	Foreign commercial paper	Codes proper to each bank	
47	99	Foreign commercial paper	Cancellation or correction	

Family: 80 = Fees and commissions charged separately

Family code	Uniform code	Family	Specification of the transaction	Comment	
	Debit transactions				
80	02	Fees and commissions charged separately	Costs relating to electronic output		
80	04	Fees and commissions charged separately	Costs for holding a documentary cash credit		
80	06	Fees and commissions charged separately	Damage relating to bills and cheques		
80	07	Fees and commissions charged separately	Insurance costs	'-insurance costs of account holders against fatal accidents - passing-on of several insurance costs	
80	08	Fees and commissions charged separately	Registering compensation for savings accounts		
80	09	Fees and commissions charged separately	Postage	Postage recouped to the debit of the customer (including forwarding charges)	
80	10	Fees and commissions charged separately	Purchase of Smartcard		
80	11	Fees and commissions charged separately	Costs for the safe custody of correspondence	Costs chargeable to clients who ask to have their correspondence kept at their disposal at the bank's counter	
80	12	Fees and commissions charged separately	Costs for opening a bank guarantee		
80	13	Fees and commissions charged separately	Renting of safes	Commission for renting a safe deposit box	
80	14	Fees and commissions charged separately	Handling costs instalment credit		
80	15	Fees and commissions charged separately	Night safe	Commission collected to the debit of the customer to whom the bank delivers a key which gives access to the night safe	
80	16	Fees and commissions charged separately	Bank confirmation to revisor or accountant		
80	17	Fees and commissions charged separately	Charge for safe custody	Collected for unsealed deposit of securities, and other parcels	
80	18	Fees and commissions charged separately	Trade information		
80	19	Fees and commissions charged separately	Special charge for safe custody	Collected for securities, gold, pass- books, etc. placed in safe custody	
80	20	Fees and commissions charged separately	Drawing up a certificate		
80	21	Fees and commissions charged separately	Pay-packet charges	Charges for preparing pay packets	

Family code	Uniform code	Family	Specification of the transaction	Comment
80	22	Fees and commissions charged separately	Management/custody	
80	23	Fees and commissions charged separately	Research costs	Costs charged for all kinds of research (information on past transactions, address retrieval,)
80	24	Fees and commissions charged separately	Participation in and management of interest refund system	
80	25	Fees and commissions charged separately	Renting of direct debit box	Commission for the renting of boxes put at the disposal for the correspondence
80	26	Fees and commissions charged separately	Travel insurance premium	
80	27	Fees and commissions charged separately	Subscription fee	For publications of the financial institution
80	29	Fees and commissions charged separately	Information charges	Charges collected for: - commercial information - sundry information
80	31	Fees and commissions charged separately	Writ service fee	E.g. for signing invoices
80	33	Fees and commissions charged separately	Miscellaneous fees and commissions	Costs not specified otherwise, often with a manual communication (e.g. for collecting, ordering funds). VAT excluded = type 0 VAT included = type 3 (at least 3 articles)
80	35	Fees and commissions charged separately	Costs	Costs charged for calculating the amount of the tax to be paid (e.g. Fiscomat).
80	37	Fees and commissions charged separately	Access right to database	Fixed right, either one-off or periodical; for details, see "categories"
80	39	Fees and commissions charged separately	Surety fee	Agios on guarantees given
80	41	Fees and commissions charged separately	Research costs	
80	43	Fees and commissions charged separately	Printing of forms	
80	45	Fees and commissions charged separately	Documentary credit charges	
80	47	Fees and commissions charged separately	Charging fees for transactions	
80	49	Fees and commissions charged separately	Cancellation or correction	

Family code	Uniform code	Family	Specification of the transaction	Comment
	Credit trai	nsactions		
80	99	Fees and commissions charged separately	Cancellation or correction	

6.2. Category Codes

Uniform Code	Description of costs/fees	Comment
000	Net amount	Amount as mentioned on the statement
001	Interest credited	
002	Interest debited	
003	Credit fee	
004	Postage	
005	Letterbox rent	
006	Various costs and fees	
007	Right of access to databank	See also family 80 transaction 37
800	Information costs	e.g. commercial information, securities custody certificate, etc
009	Travelling costs	
010	Bailiff fee	
011	VAT	
012	Exchange fee	
013	Payment fee	
014	Collection charges	
015	Correspondent fee	
017	Study charges	
018	Rent guarantee charges	
019	Tax on physical delivery	e.g. securities
020	Physical delivery charges	e.g. securities
021	Charges for drawing a bank cheque	org. securices
022	Priority charges	Charges for swift money transfers
023	Execution fee	In case of a shares option plan
024	Growth premium	In case of a shares option plan
025	Individual exchange costs account	
026	Handling charges	Manual processing of payments
027	Charges for dishonoured B/Es	l landa processing or payments
028	Fidelity premium	
029	Protest charges including cancellation charges	
030	Account Insurance	
031	Foreign cheque charges	
032	Drawing of a circular cheque	
033	Foreign security charges	
034	Reinvestment charges	In case of early partial reimbursement of a fixed advance
035	Foreign documentary security charges	Timed davance
036	Refused cheque charges	
037	File handling costs	
039	Telecommunication	Confirmation of a foreign order to the
		beneficiary or to a third person
041	Credit card charges	
042	Payment card charges	
043	Insurance costs	
045	File handling costs	
047	Security prolongation charges	
049	Tax stamps/stamp duty	
050	Capital long term investment	

051	Withholding tax on income	Basic amount
052	(European) home country withholding tax	Basic amount
053	Drawing up of forms	Busic amount
055	Loan or credit capital write-off	
057	Interest subsidy	
058	Capital premium	
059	Interest on arrears	
061	Transaction tariffing	
063	Rounding off differences	
065	Interest subsidy message	
066	Fixed credit advance – reimbursement	
067	Fixed credit advance – prolongation	
068	Entry countervalue	
069	Long-term arbitrage contracts :	
009	Amount to be paid by the customer	
070	Long-term arbitrage contracts :	
070	Amount to be paid by the bank	
071		
071	Fixed credit advance – availability	
072	Third persons fees countervalue	
073	Foreign ATMs charges	
074	Correspondence costs	A 1 11 1 C 1 I
100	Gross amount	Amount without fees and charges deducted
200	Total documentary credit cost	
201	Cancellation commission	
202	Notification commission	
	Additional notification commission	
203	Confirmation commission Additional confirmation commission Commitment commission Flat commission Conformation reservation commission	
	Additional reservation commission	
204	Modification commission	e.g. for securities
205	Documentary payment commission Documentary commission Use commission Negotiation commission	
206	Commission for conditional guarantees/ Payment	
207	Divergencies commission	
208	Commitment commission postponed payment	
209	Transfer commission	
210	Availability commission	
211	Credit opening fee	
	Additional credit opening fee	
212	Storage charges	
213	Financing charges	
214	Issue charges (flow-through)	
400	Acceptance commission	
401	Visa charges	
402	Certification charges	
403	Minimum discount charges	
	Discount charges	†

405	Guarantee commission	
406	Collection charges	
407	Article 45 charges	
408	Opening charges	
409	Custody charges	e.g. as for securities offered for collection and with a maturity date that is still far off
410	Return charges	
411	Fixed collection charges	
412	Expiry message charges	
413	Acceptance charges	
414	Regularisation charges	
415	Commission for securing	
416	Charges for suretyship	Charges retransferred to the <i>Caisse</i> des dépôts et consignations
418	Endorsement commission	
419	Intervention commission	e.g. as for presenting a security for acceptance
420	Deduction charges	Charges deducted from a discount yield e.g. as for insufficient guarantee
425	Foreign brokerage	Tax included
426	Belgian brokerage	
427	Belgian stock exchange tax	
428	Interest yield	Only as for securities transactions
429	Foreign stock exchange tax	
430	Foreign tax recovery	
431	Copy delivery	e.g. commercial paper copy

7. Examples

The examples are preceded by two indexes:

- a. A = Example-Index:
 - This example-index is made to facilitate the reading of these guidelines. All items are numbered consecutively, in order to have unique references to the examples.
- b. B = MX.CAMT053.001.02-Index: This index represents the exact index numbering of the CAMT053.001.02.

7.1. XMLHeader

```
<?xml version="1.0" encoding="UTF-8"?>
  <Document xmlns="urn:iso:std:iso:20022:tech:xsd:camt.053.001.02"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
        <BkToCstmrStmtV01>
```

7.2. GroupHeader

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
1.1	1.0	<grphdr></grphdr>
1.2	1.1	<msgid>XML-Example</msgid>
1.3	1.2	<credttm>2009-05-12T00:00</credttm>
1.4	1.3	<msgrcpt></msgrcpt>
1.5	9.1.0	<nm>Name Recipient</nm>
1.6		
1.7	1.4	<msgpgntn></msgpgntn>
1.8	8.2.0	<pgnb>1</pgnb>
1.9	8.2.1	<lastpgind>YES</lastpgind>
1.10		
1.11	1.5	

7.3. Statement

Sequencenumber electronic message : **128** Sequencenumber statement on paper : **130**

Reporting Period: 29/04/2009

Reported account : **BE55 4429 6884 7144**

Old balance : + 1773.75

New balance : + 7742.54

Company number : 00462920226

Transactions: + 2440.19

+ 482.40 + 2926.20

+ 562.00 - 442.00

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
2.1	2.0	<stmt></stmt>
2.2	2.1	<id>XML-Example_2009-05-12T00:00</id>
2.3	2.2	<elctrncseqnb>128</elctrncseqnb>
2.4	2.3	<lg seqnb>130</lg seqnb>
2.5	2.4	<pre><credttm>2009-05-12T00:00</credttm></pre> /CreDtTm>
2.6	2.5	<frtodt></frtodt>
2.7	5.1.0	<pre><frdttm>2009-04-29T00:00:00</frdttm></pre> /FrDtTm>
2.8	5.1.1	<todttm>2009-04-29T00:00:00</todttm>
2.9		
2.10	2.10	<acct></acct>
2.11	1.2.0	<id></id>
2.12	1.2.1	<iban>BE55442968847144</iban>
2.13		
2.14	1.2.8	<tp></tp>
2.15	1.2.10	<prtry>Account Type</prtry>
2.16		
2.17	1.2.11	<ccy>EUR</ccy>
2.18	1.2.13	<ownr></ownr>
2.19	1.2.14	<nm>Name Accountowner</nm>
2.20	1.2.26	<id></id>
2.21	1.2.27	<orgid></orgid>
2.22	1.2.29	<othr></othr>
2.23	1.2.30	<id>00462920226</id>
2.24		0thr
2.25		
2.26		
2.27		0wnr
2.28	1.2.56	<svcr></svcr>
2.29	1.2.57	<fininstnid></fininstnid>
2.30	1.2.58	<bic>ABANKBEB</bic>
2.31		
2.32		
2.33		
2.34	2.23	<bal></bal>
2.35	2.24	<tp></tp>
2.36	2.25	<cdorprtry></cdorprtry>
2.37	2.26	<cd>OPBD</cd>
2.38		
2.39	L	
2.40	2.34	<amt ccy="EUR">1773.75</amt>
2.41	2.35	<cdtdbtind>CRDT</cdtdbtind>

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
2,42	2.36	<dt></dt>
2.43	4.1.0	<dt>2009-04-28</dt>
2.44		
2.45		
2.46	2.23	<bal></bal>
2.47	2.24	<tp></tp>
2.48	2.25	<cdorprtry></cdorprtry>
2.49	2.26	<cd>CLBD</cd>
2.50		
2.51		
2.52	2.34	<amt ccy="EUR">7742.54</amt>
2.53	2.35	<cdtdbtind>CRDT</cdtdbtind>
2.54	2.36	<dt></dt>
2.55	4.1.0	<dt>2009-04-29</dt>
2.56		
2.57		
2.58	2.43	<txssummry></txssummry>
2.59	2.44	<ttlntries></ttlntries>
2.60	2.45	<nbofntries>5</nbofntries>
2.61	2.46	<sum>6852.79</sum>
2.62	2.47	<ttlnetntryamt>5968.79</ttlnetntryamt>
2.63	2.48	<cdtdbtind>CRDT</cdtdbtind>
2.64		
2.65	2.49	<ttlcdtntries></ttlcdtntries>
2.66	2.50	<nbofntries>4</nbofntries>
2.67	2.51	<sum>6410.79</sum>
2.68		
2.69	2.52	<ttldbtntries></ttldbtntries>
2.70	2.53	<nbofntries>1</nbofntries>
2.71	2.54	<sum>442.00</sum>
2.72	-	
2.73	2.76	
2.74	2.76	<ntry></ntry>
2.75		//Nie o
2.76	2.76	
2.77	2.76	<ntry></ntry>
2.78		
2.79		
2.80	-	
2.81	-	
2.82		

7.4. Entries

7.4.1. SCT Transfer - single

20/10/08

Booking date : Value date : 19/10/08

DE79 3704 0044 0123 6199 00

Account counterparty : DE79 3704 004
BIC bank counterparty : COBADEFF370
Counterparty Name : HOTEL F **HOTEL RESERVATION**

Net Amount: - 1024.03

Communication: **INV 2150135**

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
3.1	2.76	<ntry></ntry>
3.2	2.78	<amt ccy="EUR">1024.03</amt>
3.3	2.79	<cdtdbtind>DBIT</cdtdbtind>
3.4	2.81	<sts>BOOK</sts>
3.5	2.82	<bookgdt></bookgdt>
3.6	4.1.0	<pre><dt>20081020</dt></pre>
3.7	11210	
3.8	2.83	<valdt></valdt>
3.9	4.1.0	<dt>20081019</dt>
3.10	1.1.0	
3.11	2.84	

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
3.48		
3.49		

International transfers - collective 7.4.2.

Booking Date: 08/07/08

Value date: 07/07/08

Batch reference : GD081900000191

Total net amount :

Payment 1

Your reference : 5100071347

Account counterparty: GB46 RBOS 1604 0020 1774 05

Counterparty Name: **IBOS**

Counterparty Address: **3 LONDON WALL BUILDINGS**

Locality counterparty: **EC2M5PP LONDON**

Counterparty Country: GB

Communication: 200815

Banker counterparty: **ROYAL BANK OF SCOTLAND PLC**

- 9.514,53 EUR Net amount:

Gross Amount: - 9.514,53 EUR

Gross Amount in the currency of the account: **9.514,53**

Gross Amount in original currency: 7.500,00 0,78826800

Exchange rate : **GBP** Currency:

Payment 2

Account counterparty :
Counterparty Name : Your reference : 5100071348 217502032065

Counterparty Address:
Locality counterparty:
Counterparty Country:

Counterparty Country:

FINQUEST PARTNERS
14 WALL STREET 20TH FLOO
US 10005 NEW YORK USA
US **FINQUEST PARTNERS LLC**

Communication: 080623

Banker counterparty: JPMORGAN CHASE BANK NA

Net Amount: - 10.893,47 EUR ______

Gross Amount : - 10.893,47 EUR

·

Gross Amount in the currency of the account: **10.893,47**

Gross Amount in original currency: 16.930,68

Exchange rate: 1,55420500 **USD** Currency:

Payment 3

Your reference : 5100071349
Account counterparty : FR76 3000 4008 0100 0215 5321 831
BIC bank counterparty : BNPAFRPP
MIRFY Counterparty Name : MUREX
Counterparty Address : 8 RUE BELLINI
Locality counterparty : 75782 PARIS CEDEX 16

-----Net amount : - 8.800,00 EUR

Payment 4

Your reference : 5100071350
Account counterparty : PL101050 0099 5521 0000 0076 4605

Address Counterparty:
Locality counterparty:
Counterparty Country:

POLENERGIA SA

CHMIELNA 85/87

PL 00-805WARSZAWA POLE

PL Counterparty Name: **POLENERGIA SA**

Communication: 01/0002434/1608R

Banker counterparty : ING Bank Slaski SA

Net Amount: - 6,47 EUR

______ Gross Amount : - **6,47 EUR**

Gross Amount in the currency of the account: **6.47**

Gross Amount in original currency: 21.12 3,26358800 Exchange rate: PLN Currency:

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
4.1	2.76	<ntry></ntry>
4.2	2.78	<amt ccy="EUR">29214.47</amt>
4.3	2.79	<cdtdbtind>DBIT</cdtdbtind>
4.4	2.81	<sts>BOOK</sts>
4.5	2.82	<bookgdt></bookgdt>
4.6	4.1.0	<dt>20080708</dt>
4.7		
4.8	2.83	<valdt></valdt>
4.9	4.1.0	<dt>20080707</dt>
4.10		
4.11	2.84	<acctsvcrref>Bank Reference</acctsvcrref>
4.12	2.91	<bktxcd></bktxcd>
4.13	2.92	<domn></domn>
4.14	2.93	<cd>PMNT</cd>
4.15	2.94	<fmly></fmly>
4.16	2.95	<cd>ICDT</cd>
4.17	2.96	<subfmlycd>XBCT</subfmlycd>
4.18		
4.19		
4.20	2.97	<prtry></prtry>
4.21	2.98	<cd>4101000</cd>
4.22	2.99	<issr>BBA</issr>
4.23		
4.24		
4.25	2.135	<ntrydtls></ntrydtls>
4.26	2.136	<btch></btch>
4.27	2.138	<pmtinfid>GD081900000191</pmtinfid>
4.28	2.139	<nboftxs>4</nboftxs>

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
4.29	2.140	TilAmt Ccy="EUR"> 29214.47
4.30	2.141	<cdtdbtind>DBIT</cdtdbtind>
4.31	2.111	
4.32	2.142	<txdtls></txdtls>
4.33	2.143	<refs></refs>
4.34	2.145	<acctsvcrref>Bank Reference</acctsvcrref>
4.35	2.148	<endtoendid>5100071347</endtoendid>
4.36	2.170	
4.37	2.156	<amtdtls></amtdtls>
4.38	2.1.0	<instdamt></instdamt>
4.39	2.1.0	Amt Ccy="GBP">7500
	2.1.1	
4.40	2 1 10	
	2.1.18	<cntrvalamt></cntrvalamt>
4.42	2.1.19	<amt ccy="EUR">9514.53</amt>
4.43	2.1.20	<ccyxchg></ccyxchg>
4.44	2.1.21	<srcccy>GBP</srcccy>
4.45	2.1.22	<trgtccy>EUR</trgtccy>
4.46	2.1.23	<unitccy>EUR</unitccy>
4.47	2.1.24	<xchgrate>0.78826800</xchgrate>
4.48		
4.49		
4.50		
4.51	2.163	<bktxcd></bktxcd>
4.52	2.164	<domn></domn>
4.53	2.165	<cd>PMNT</cd>
4.54	2.166	<fmly></fmly>
4.55	2.167	<cd>ICDT</cd>
4.56	2.168	<subfmlycd>XBCT</subfmlycd>
4.57		
4.58		
4.59	2.169	<prtry></prtry>
4.60	2.170	<cd>4101000</cd>
4.61	2.171	<issr>BBA</issr>
4.62		
4.63		
4.64	2.199	<rltdpties></rltdpties>
4.65	2.204	<cdtr></cdtr>
4.66	9.1.0	<nm>IBOS</nm>
4.67	9.1.1	<pstladr></pstladr>
4.68	9.1.11	<adrline>LONDON WALL BUILDIN</adrline>
	9.1.11	EC2M5PP LONDON GB
4.69		
4.70		
4.71	2.205	<cdtracct></cdtracct>
4.72	1.1.0	<id></id>
4.73	1.1.1	<iban>GB46RBO\$16040020177405</iban>
4.74		
4.75		
4.76		
4.77	2.211	<rltdagts></rltdagts>
4.78	2.213	<cdtragt></cdtragt>
4.79	6.1.0	<fininstnid></fininstnid>
4.80	6.1.7	<nm>royal bank of scotland Plc</nm>
4.81		
4.82		
4.83		
4.84	2.234	<rmtinf></rmtinf>
4.85	2.235	<ustrd>200815</ustrd>
4.86		
4.87		
4.88	2.142	<txdtls></txdtls>
4.89	2.143	<refs></refs>
4.90	2.145	<acctsvcrref>Bank Reference</acctsvcrref>
4.91	2.148	<endtoendid>5100071348</endtoendid>
4.92	2.2.10	
1172		NICO NICO NICO NICO NICO NICO NICO NICO

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
4.93	2.156	<amtdtls></amtdtls>
4.94	2.1.0	<instdamt></instdamt>
4.95	2.1.1	<amt ccy="USD">16930.68</amt>
4.96		
4.97	2.1.18	<cntrvalamt></cntrvalamt>
4.98	2.1.19	<amt ccy="EUR">10893.47</amt>
4.99	2.1.20	<ccyxchg></ccyxchg>
4.100	2.1.21	<srcccy>USD</srcccy>
4.101	2.1.22 2.1.23	<trgtccy>EUR</trgtccy> <unitccy>EUR</unitccy>
4.103	2.1.23	<pre></pre> <pre><xchgrate>1.55420500</xchgrate></pre>
4.104	2.1.21	
4.105		
4.106		
4.107	2.163	<bktxcd></bktxcd>
4.108	2.164	<domn></domn>
4.109	2.165	<cd>PMNT</cd>
4.110	2.166	<fmly></fmly>
4.111	2.167	<cd>ICDT</cd>
4.112	2.168	<subfmlycd>XBCT</subfmlycd>
4.113		
4.114	2 160	
4.115 4.116	2.169 2.170	<prtry></prtry>
4.117	2.171	<issr>BBA</issr>
4.118	2.171	
4.119		
4.120	2.199	<rltdpties></rltdpties>
4.121	2.204	<cdtr></cdtr>
4.122	9.1.0	<nm>FINQUEST PARTNERS LLC</nm>
4.123	9.1.1	<pstladr></pstladr>
4.124	9.1.11	<adrline>WALL STREET 20 US-10005</adrline>
4.125		NEW YORK US
4.126		
4.127	2.205	<cdtracct></cdtracct>
4.128	1.1.0	<id></id>
4.129	1.1.2	<0thr>
4.130	1.1.3	<id>217502032065</id>
4.131		
4.132		
4.133		
4.134	2 244	
4.135	2.211	<ritdagts></ritdagts>
4.136 4.137	6.1.0	<cdtragt> <fininstnid></fininstnid></cdtragt>
4.137	6.1.7	<nm>JPMORGAN CHASE BANK NA</nm>
4.139	0.1./	
4.140		
4.141		
4.142	2.234	<rmtinf></rmtinf>
4.143	2.235	<ustrd>080623</ustrd>
4.144		
4.145		
4.146	2.142	<txdtls></txdtls>
4.147	2.143	<refs></refs>
4.148	2.145	<acctsvcrref>Bank Reference</acctsvcrref> /AcctSvcrRef>
4.149 4.150	2.18	<endtoendid>5100071349</endtoendid>
4.150	2.156	
4.152	2.1.9	<txamt></txamt>
4.153	2.1.10	<amt ccy="EUR">8800</amt>
4.154		
4.155		
4.156	1.163	<bktxcd></bktxcd>
	_	

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index		
4.157	2.164	<domn></domn>		
4.158	2.165	<cd>PMNT</cd>		
4.159	2.166	<fmly></fmly>		
4.160	2.167	<cd>ICDT</cd>		
4.161	2.168	<subfmlycd>ESCT</subfmlycd>		
4.162				
4.163				
4.164	2.169	<prtry></prtry>		
4.165	2.170	<cd>4101000</cd>		
4.166	2.171	<issr>BBA</issr>		
4.167				
4.168	2.100			
4.169 4.170	2.199	<rltdpties></rltdpties>		
4.170	9.1.0	<cdtr> <nm>MUREX</nm></cdtr>		
4.172	9.1.0	<pre></pre>		
7.172	-	<adrline>RUE BELLINI 8 75782 PARIS</adrline>		
4.173	9.1.11	CEDEX 16 FR		
4.174				
4.175				
4.176	2.205	<cdtracct></cdtracct>		
4.177	1.1.0	<id></id>		
4.178	1.1.1	<iban>FR76300040080</iban>		
4.179				
4.180				
4.181	2 24 4			
4.182	2.211	<rltdagts></rltdagts>		
4.183	2.213	<cdtragt></cdtragt>		
4.184	6.1.0	<fininstnid></fininstnid>		
4.185 4.186	6.1.1	<bic>BNPAFRPP</bic>		
4.187				
4.188				
4.189	2.234	<rmtinf></rmtinf>		
4.190	2.235	<ustrd>01000-005948</ustrd>		
4.191	21233			
4.192				
4.193	2.142	<txdtls></txdtls>		
4.194	2.143	<refs></refs>		
4.195	2.145	<acctsvcrref>Bank Reference</acctsvcrref>		
4.196	2.148	<endtoendid>5100071350</endtoendid>		
4.197				
4.198	2.156	<amtdtls></amtdtls>		
4.199	2.1.0	<instdamt></instdamt>		
4.200	2.1.1	<amt ccy="PLN">21.12</amt>		
4.201	2 1 10			
4.202	2.1.18 2.1.19	<cntrvalamt></cntrvalamt>		
4.203 4.204	2.1.19	<amt ccy="EUR">6.47</amt> <ccyxchq></ccyxchq>		
4.204	2.1.20	<ccyxcrig> <srcccy>PLN</srcccy></ccyxcrig>		
4.206	2.1.21	<trgtccy>EUR</trgtccy>		
4.207	2.1.23	<unitccy>EUR</unitccy>		
4.208	2.1.24	XchgRate>>		
4.209				
4.210				
4.211				
4.212	2.163	<bktxcd></bktxcd>		
4.213	2.164	<domn></domn>		
4.214	2.165	<cd>PMNT</cd>		
4.215	2.166	<fmly></fmly>		
4.216	2.167	<cd>ICDT</cd>		
4.217	2.168	<subfmlycd>XBCT</subfmlycd>		
4.218				
4.219	2.462			
4.220	2.169	<prtry></prtry>		

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index	
4.221	2.170	<cd>4101000</cd>	
4.222	2.171	<issr>BBA</issr>	
4.223			
4.224			
4.225	2.199	<rltdpties></rltdpties>	
4.226	2.204	<cdtr></cdtr>	
4.227	9.1.0	<nm>POLENERGIA S.A.</nm>	
4.228	9.1.1	<pstladr></pstladr>	
4.229	9.1.11	<adrline>CHMIELNA 85/87 00-805 WARSZAWA PL </adrline>	
4.230			
4.231			
4.232	2.205	<cdtracct></cdtracct>	
4.233	1.1.0	<id></id>	
4.234	1.1.1	<iban>PL10105000995521000000764605</iban>	
4.235			
4.236			
4.237			
4.238	2.211	<ritdagts></ritdagts>	
4.239	2.213	<cdtragt></cdtragt>	
4.240	6.1.0	<fininstnid></fininstnid>	
4.241	6.1.7	<nm>ING BANK SLASKI SA</nm>	
4.242			
4.243			
4.244			
4.245	2.234	<rmtinf></rmtinf>	
4.246	2.235	<ustrd>01/0002434/1608R</ustrd>	
4.247			
4.248			
4.249			
4.250			

7.4.3. Charges, Fees and Taxes

Securities, payment of coupons

Booking Date : **10/10/08**

Value Date : 13/10/08

Net Amount : + 8,82 EUR

Gross Amount : + 19,21 EUR

Communication : **OSCP00000024996999**

Foreign tax : - 3,46 EUR

Withholding tax : - 3,94 EUR

Amount in the currency of the account : 3,94
Amount on which percentage was calculated : 15,75

Percent: 25 %

Collection fee : - 2,47 EUR

VAT : - 0,52 EUR

·

Amount in the currency of the account : 0,52
Amount on which percentage was calculated : 2,47

Percent: 21 %

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
5.1	2.76	<ntry></ntry>
5.2	2.78	<amt ccy="EUR">8.82</amt>
5.3	2.79	<cdtdbtind>CRDT</cdtdbtind>
5.4	2.81	<sts>BOOK</sts>
5.5	2.82	<bookgdt></bookgdt>
5.6	4.1.0	<dt>20081010</dt>
5.7		
5.8	2.83	<valdt></valdt>
5.9	4.1.0	<dt>20081013</dt>
5.10		
5.11	2.84	<acctsvcrref>Bank Reserve</acctsvcrref>
5.12	2.91	<bktxcd></bktxcd>
5.13	2.92	<domn></domn>
5.14	2.93	<cd>SECU</cd>
5.15	2.94	<fmly></fmly>
5.16	2.95	<cd>CORP</cd>
5.17	2.96	<subfmlycd>INTR</subfmlycd>
5.18		
5.19		
5.20	2.97	<prtry></prtry>
5.21	2.98	<cd>1152000</cd>
5.22	2.99	<issr>BBA</issr>
5.23		
5.24		
5.25	2.135	<ntrydtls></ntrydtls>
5.26	2.142	<txdtls></txdtls>
5.27	2.156	<amtdtls></amtdtls>
5.28	2.1.36	<prtryamt></prtryamt>
5.29	2.1.37	<tp>100</tp>

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
5.30	2.1.38	<amt ccy="EUR">19.21</amt>
5.31		
5.32		
5.33	2.172	<chrgs></chrgs>
5.34	2.174	<amt ccy="EUR">2.47</amt>
5.35	2.175	<cdtdbtind>DBIT</cdtdbtind>
5.36	2.176	<tp></tp>
5.37	2.178	<prtry></prtry>
5.38	7.1.0	<id>014</id>
5.39	7.1.1	<issr>BBA</issr>
5.40		
5.41		
5.42	2.182	<tax></tax>
5.43	2.183	<id>011</id>
5.44	2.184	<rate>0.21</rate>
5.45	2.185	<amt ccy="EUR">0.52</amt>
5.46		
5.47		
5.48	2.234	<rmtinf></rmtinf>
5.49	2.235	<ustrd>OSCP00000024996999</ustrd>
5.50		
5.51	2.292	<tax></tax>
5.52	13.1.15	<ttltaxamt ccy="EUR">7.4 </ttltaxamt>
5.53	13.1.18	<rcrd></rcrd>
5.54	13.1.19	<tp>051</tp>
5.55	13.1.31	<taxamt></taxamt>
5.56	13.1.32	<rate>0.25</rate>
5.57	13.1.33	<taxblamt ccy="EUR">15.75</taxblamt>
5.58	13.1.34	<ttlamt ccy="EUR">3.94</ttlamt>
5.59		
5.60		
5.61	13.1.18	<rcrd></rcrd>
5.62	13.1.19	<tp>429</tp>
5.63	13.1.31	<taxamt></taxamt>
5.64	13.1.34	<ttlamt ccy="EUR">3.46</ttlamt>
5.65		
5.66		
5.67		
5.68		
5.69		
5.70		

7.4.4. Interests

Loans,	Settlement	of fixed	deposit
--------	------------	----------	---------

Booking Date : **08/10/07**

Value Date : **08/10/07**

Account number counterparty : **726-4849257-16**

Net Amount : - 250.959,98 EUR

Communication : PARTIAL FIXED ADVANCE

Fixed loan - repayment : - 250.000,00 EUR

Interest paid : - 923,61 EUR

Various fees and charges : - 36,37 EUR

.....

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
6.1	2.76	<ntry></ntry>
6.2	2.78	<amt ccy="EUR">250959.98</amt>
6.3	2.79	<cdtdbtind>DBIT</cdtdbtind>
6.4	2.81	<sts>BOOK</sts>
6.5	2.82	<bookgdt></bookgdt>
6.6	4.1.0	<dt>20081007</dt>
6.7		
6.8	2.83	<valdt></valdt>
6.9	4.1.0	<dt>20081007</dt>
6.10		
6.11	2.84	- AcctSvcrRef> Bank Reference
6.12	2.91	<bktxcd></bktxcd>
6.13	2.92	<domn></domn>
6.14	2.93	<cd>LDAS</cd>
6.15	2.94	<fmly></fmly>
6.16	2.95	<cd>FTLN</cd>
6.17	2.96	<subfmlycd>DDWN</subfmlycd>
6.18		
6.19		
6.20	2.97	<prtry></prtry>
6.21	2.98	<cd>1305000</cd>
6.22	2.99	<issr>BBA</issr>
6.23		
6.24		
6.25	2.135	<ntrydtls></ntrydtls>
6.26	2.142	<txdtls></txdtls>
6.27	2.156	<amtdtls></amtdtls>
6.28	2.1.36	<prtryamt></prtryamt>
6.29	2.1.37	<tp>066</tp>
6.30	2.1.38	<amt ccy="EUR">250000</amt>
6.31		
6.32		
6.33	2.172	<chrgs></chrgs>
6.34	2.174	<amt ccy="EUR">36.37</amt>
6.35	2.175	<cdtdbtind>DBIT</cdtdbtind>
6.36	2.176	<tp></tp>
6.40	2.178	<prtry></prtry>
6.41	7.1.0	<id>006</id>
6.42	7.1.1	<issr>BBA</issr>
6.43		

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
6.44		
6.45		
6.46	2.186	<intrst></intrst>
6.47	2.187	<amt ccy="EUR">923.61</amt>
6.48	2.188	<cdtdbtind>DBIT</cdtdbtind>
6.49	2.189	<tp></tp>
6.50	2.191	<prtry>002</prtry>
6.51		
6.52		
6.53	2.199	<rltdpties></rltdpties>
6.54	2.205	<cdtracct></cdtracct>
6.55	1.1.0	<id></id>
6.56	1.1.2	<0thr>
6.57	1.1.3	<id>726484925716</id>
6.58		0thr
6.59		
6.60		
6.61		
6.62	2.234	<rmtinf></rmtinf>
6.63	2.235	<ustrd>PARTIAL FIXED ADVANCE</ustrd>
6.64		
6.65		
6.66		
6.67		

7.4.5. Direct Debit (DOM'80) - credit

Debits, invoices Remise - credit

Your reference : **5110702192**Booking Date : **20/10/08**

Value Date **21/10/08**

Total net amount : + 1.463,73 EUR

Direct debit 1

Net Amount : + **684,88 EUR**

740. C70407F

Debit number : **740-6784975-96**Central (pivot) Date : **21/10/2008**

Structured Communication: ***111050940656***

Creditor Number : **00403136453**

Direct debit 2

Net Amount : + 778,85 EUR

Debit number : **861-0140483-85**Central (pivot) Date : **21/10/2008**

Structured Communication: ***111050940858***

Creditor Number : **00403136453**

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
7.1	2.76	<ntry></ntry>
7.2	2.78	<amt ccy="EUR">1463.73</amt>
7.3	2.79	<cdtdbtind>CRDT</cdtdbtind>
7.4	2.81	<sts>BOOK</sts>

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
7.5	2.82	<bookgdt></bookgdt>
7.6	4.1.0	<dt>20081020</dt>
7.7		
7.8	2.83	<valdt></valdt>
7.9	4.1.0	<dt>20081021</dt>
7.10	2.04	
7.11	2.84	<acctsvcrref>Bank Reference</acctsvcrref> <bktxcd></bktxcd>
7.12	2.91	<dktxcu> <domn></domn></dktxcu>
7.14	2.93	<cd>PMNT</cd>
7.15	2.94	<fmly></fmly>
7.16	2.95	<cd>IDDT</cd>
7.17	2.96	<subfmlycd>URDD</subfmlycd>
7.18		
7.19		
7.20	2.97	<prtry></prtry>
7.21	2.98	<cd>0552000</cd>
7.22	2.99	<issr>BBA</issr>
7.23 7.24		
7.24	2.135	<ntrydtls></ntrydtls>
7.26	2.136	<btch></btch>
7.27	2.138	<pre><pmtinfid>5110702192</pmtinfid></pre>
7.28	2.139	<nboftx></nboftx>
7.29	2.140	<ttlamt ccy="EUR">1463.73</ttlamt>
7.30	2.141	<cdtdbtind>CRDT</cdtdbtind>
7.31		
7.32	2.142	<txdtls></txdtls>
7.33	2.143	<refs></refs>
7.34 7.35	2.145	<acctsvcrref>DOMDCDDID01</acctsvcrref> /AcctSvcrRef>
7.35	2.150	<mndtid>740678497596</mndtid>
7.37	2.156	<amtdtls></amtdtls>
7.38	2.1.9	<txamt></txamt>
7.39	2.1.10	<amt ccy="EUR">684.88</amt>
7.40		
7.41		
7.42	2.199	<rltdpties></rltdpties>
7.43	2.204	<cdtr></cdtr>
7.44	9.1.12	<id></id>
7.45	9.1.13	<orgid></orgid>
7.46 7.47	9.1.15 9.1.16	<0thr <id>00403136453</id>
7.48	9.1.10	
7.49		
7.50		
7.51		
7.52		
7.53	2.234	<rmtinf></rmtinf>
7.54	2.236	<strd></strd>
7.55	2.256	<cdtrrefinf></cdtrrefinf>
7.56 7.57	2.257 2.258	<tp> <cdorprtry></cdorprtry></tp>
7.58	2.259	<cd>SCOR</cd>
7.59		
7.60	2.261	<issr>BBA</issr>
7.61		
7.62	2.262	<ref>111050940656</ref>
7.63		
7.64		
7.65	2.255	
7.66	2.266	<ritddts></ritddts>
7.67	2.267	AcceptncDtTm> 20081021T00:00 /AcceptncDtTm>
7.68 7.69	_	
7.03		\/ 1\DU3/

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
7.70	2.142	<txdtls></txdtls>
7.71	2.143	<refs></refs>
7.72	2.145	<acctsvcrref>DOMDCDDID01</acctsvcrref>
7.73	2.150	<mndtid>861014048385</mndtid>
7.74		
7.75	2.156	<amtdtls></amtdtls>
7.76	2.1.9	<txamt></txamt>
7.77	2.1.10	<amt ccy="EUR">778.85</amt>
7.78		
7.79		
7.80	2.199	<rltdpties></rltdpties>
7.81	2.204	<cdtr></cdtr>
7.82	9.1.12	<id></id>
7.83	9.1.13	<orgid></orgid>
7.84	9.1.15	<0thr>
7.85	9.1.16	<id>00403136453</id>
7.86		0thr
7.87		
7.88		
7.89		
7.90		
7.91	2.234	<rmtinf></rmtinf>
7.92	2.236	<strd></strd>
7.93	2.256	<cdtrrefinf></cdtrrefinf>
7.94	2.257	<tp></tp>
7.95	2.258	<cdorprtry></cdorprtry>
7.96	2.259	<cd>SCOR</cd>
7.97		
7.98	2.261	<issr>BBA</issr>
7.99	2.25	
7.100	2.262	<ref>111050940858</ref>
7.101		
7.102		
7.103	2.266	
7.104	2.266	<ritddts></ritddts>
7.105	2.267	<acceptncdttm>20081021T00:00</acceptncdttm>
7.106		
7.107		
7.108		
7.109		

Unpaid direct debits (DOM'80) 7.4.6.

16/10/08 Booking Date:

Value Date: 16/10/08

Total net amount : - 148,70 EUR

Unpaid direct debit 1

Your reference : 41306 008752585539

- 13,05 EUR Net Amount : ______

740-9078316-66 Debit number : Central (pivot) Date: 16/10/2008 008752585539 Communication:

00456810810 Creditor Number: Reason for denial: Other reason

Unpaid direct debit 2

Your reference : 41306 008752198650

- 23,14 EUR Net Amount: ______

Debit number: 740-5835360-14 Central (pivot) Date: 16/10/2008 Communication: 008752198650

00456810810 Creditor Number: Reason for denial: Other reason

Unpaid direct debit 3

Your reference : 41306 008759092320

------ 37,77 EUR

740-7218205-27 Debit number :

Central (pivot) Date : Communication : 16/10/2008 008759092320

00456810810 Creditor Number: Reason for denial: Other reason

Unpaid direct debit 4

41306 008759093128 Your reference :

Net Amount: - 74,74 EUR

740-7218206-28 Debit number :

Central (pivot) Date : 16/10/2008 Communication: 008759093128 00456810810

Creditor Number:

Mandate is cancelled or invalid Reason for denial:

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
8.1	2.76	A = Example-fridex B = MX.CAPTI055.001.02-fridex <ntry></ntry>
8.2	2.78	<a a="" href="mailto: <a href=" mailto:<=""> <a <="" href="mailto:
8.3	2.79	<cdtdbtind>DBIT</cdtdbtind>
8.4	2.80	<rvslind>TRUE</rvslind>
8.5	2.81	<sts>BOOK</sts>
8.6	2.82	<bookgdt></bookgdt>
8.7	4.1.0	<dt>20081016</dt>
8.8		
8.9	2.83	<valdt></valdt>
8.10	4.1.0	<dt>20081016</dt>
8.11		
8.12	2.84	<acctsvcrref>Bank Reference</acctsvcrref>
8.13	2.91	<bktxcd></bktxcd>
8.14	2.92	<domn></domn>
8.15	2.93	<cd>PMNT</cd>
8.16	2.94	<fmly></fmly>
8.17	2.95	<cd>IDDT</cd>
8.18	2.96	<subfmlycd>UPDD</subfmlycd>
8.19		
8.20	2.07	
8.21	2.97	<pre><pre></pre></pre>
8.22	2.98	<cd>0503000</cd>
8.23	2.99	<issr>BBA</issr>
8.24 8.25		
8.26	2.135	<ntrydtls></ntrydtls>
8.27	2.136	<btch></btch>
8.28	2.139	<nb0ftx>4</nb0ftx>
8.29	2.140	<ttlamt ccy="EUR">148.7</ttlamt>
8.30	2.141	<cdtdbtind>DBIT</cdtdbtind>
8.31	2.1.1.1	
8.32	2.142	<txdtls></txdtls>
8.33	2.143	<refs></refs>
8.34	2.145	<acctsvcrref>Bank Reference</acctsvcrref>
8.35	2.148	<endtoendid>4130 6008752585539</endtoendid>
8.36	2.150	<mndtid>740907831666</mndtid>
8.37		
8.38	2.156	<amtdtls></amtdtls>
8.39	2.1.9	<txamt></txamt>
8.40	2.1.10	<amt ccy="EUR">13.05</amt>
8.41		
8.42	2.100	
8.43	2.199	<ritdpties></ritdpties>
8.44	2.204	<cdtr></cdtr>
8.45 8.46	9.1.12 9.1.13	<id></id>
		<orgid></orgid>
8.47 8.48	9.1.15 9.1.16	<0thr>
8.49	3.1.10	
8.50		
8.51		
8.52		
8.53		
8.54	2.234	<rmtinf></rmtinf>
8.55	2.235	<ustrd>8752585539</ustrd>
8.56		
8.57	2.266	<rltddts></rltddts>
8.58	2.267	<accptncdttm>20081016T00:00:00</accptncdttm>
8.59		
8.60	2.293	<rtrinf></rtrinf>
8.61	2.304	<rsn></rsn>
8.62	2.305	<cd>MS03</cd>
8.63		
8.64		
8.65		

۸	В	A = Example-Index B = MX.CAMT053.001.02-Index
A 8.66	2.142	A = Example-index
8.67	2.143	<refs></refs>
8.68	2.145	<acctsvcrref>Bank Reference</acctsvcrref>
8.69	2.148	<endtoendid>41306 8752198650</endtoendid>
8.70	2.150	<mndtid>740583536014</mndtid>
8.71		
8.72	2.156	<amtdtls></amtdtls>
8.73 8.74	2.1.9 2.1.10	<txamt> <amt ccy="EUR">23.14</amt></txamt>
8.75	2.1.10	
8.76		
8.77	2.199	<rltdpties></rltdpties>
8.78	2.204	<cdtr></cdtr>
8.79	9.1.12	< <u>I</u> d>
8.80	9.1.13	<orgid></orgid>
8.81	9.1.15	<0thr>
8.82	9.1.16	<id>0456810810</id>
8.83 8.84		
8.85		
8.86		
8.87		
8.88	2.234	<rmtinf></rmtinf>
8.89	2.235	<ustrd>8752198650</ustrd>
8.90		
8.91	2.266	<rltddts></rltddts>
8.92	2.267	<acceptncdttm>20081016T00:00</acceptncdttm>
8.93	2 202	
8.94 8.95	2.293 2.304	<rtrinf></rtrinf>
8.96	2.305	<cd>MS03</cd>
8.97	2.505	
8.98		
8.99		
8.100	2.142	<txdtls></txdtls>
8.101	2.143	<refs></refs>
8.102	2.145	<acctsvcrref>Bank Reference</acctsvcrref>
8.103	2.148	<endtoendid>41306 8759092320</endtoendid>
8.104 8.105	2.150	<mndtid>740721820527</mndtid>
8.106	2.156	<amtdtls></amtdtls>
8.107	2.1.9	<txamt></txamt>
8.108	2.1.10	<amt ccy="EUR">37.77</amt>
8.109		
8.110		
8.111	2.199	<rltdpties></rltdpties>
8.112	2.204	<cdtr></cdtr>
8.113 8.114	9.1.12 9.1.13	<id></id>
8.115	9.1.15	<othr></othr>
8.116	9.1.16	<id>00456810810</id>
8.117		
8.118		
8.119		
8.120		
8.121	2 224	
8.122	2.234	<pre><rmtinf> </rmtinf></pre>
8.123 8.124	2.235	<ustrd>8759092320</ustrd>
8.125	2.266	<rltddts></rltddts>
8.126	2.267	AcceptncDtTm>
8.127		
8.128	2.293	<rtrinf></rtrinf>
8.129	2.304	<rsn></rsn>
8.130	2.305	<cd>MS03</cd>

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
8.131		
8.132		
8.133		
8.134	2.142	<txdtls></txdtls>
8.135	2.143	<refs></refs>
8.136	2.145	<acctsvcrref>Bank Reference</acctsvcrref>
8.137	2.148	<endtoendid>41306 8759093128</endtoendid>
8.138	2.150	<mndtid>740721820628</mndtid>
8.139		
8.140	2.156	<amtdtls></amtdtls>
8.141	2.1.9	<txamt></txamt>
8.142	2.1.10	<amt ccy="EUR">74.74</amt>
8.143		
8.144		
8.145	2.199	<rltdpties></rltdpties>
8.146	2.204	<cdtr></cdtr>
8.147	9.1.12	<id></id>
8.148	9.1.13	<orgid></orgid>
8.149	9.1.15	<0thr>
8.150	9.1.16	<id>00456810810</id>
8.151		0thr
8.152		
8.153		
8.154		
8.155		
8.156	2.234	<rmtinf></rmtinf>
8.157	2.235	<ustrd>8759093128</ustrd>
8.158		
8.159	2.266	<rltddts></rltddts>
8.160	2.267	<accptncdttm>20081016T00:00</accptncdttm>
8.161		
8.162	2.293	<rtrinf></rtrinf>
8.163	2.304	<rsn></rsn>
8.164	2.305	<cd>MD01</cd>
8.165		
8.166		
8.167		
8.168		
8.169		

7.4.7. Received payments with a Structured Creditor Reference

Booking Date : **20/10/2008**

Value Date : 20/10/2008

Total net amount : + 61,15 EUR

Payment 1

Account counterparty: BE35 7320 1695 4237

BIC bank counterparty : CREGBEBB

Counterparty Name : HAYETTE CHRISTOPHE
Counterparty Address : PLACE DE WISBECQ 20

Locality counterparty : 1430 REBECQ

Net Amount : + 41,10 EUR

Structured Creditor Reference : ***080/8723/01868***

Payment 2

Account counterparty: 732-0008004-04
Counterparty Name: THIRY FRANCOISE

Counterparty Address: 67 CHEMIN DE LA GUENETTE

Locality counterparty : 1400 NIVELLES

Net Amount : + 18,30 EUR

Structured Creditor Reference: ***080/7626/71458***

Payment 3

Account counterparty: BE38 0630 4766 9572

BIC bank counterparty : **GKCCBEBB**

Counterparty Name : VANTIELEN ROGER

Counterparty Address: **54 RUE DE SOTRIAMONT**

Locality counterparty : 1400 NIVELLES

Net Amount : + 1,75 EUR

Structured Creditor Reference: ***080/8620/98680***

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
9.1	2.76	<ntry></ntry>
9.2	2.78	<amt ccy="EUR">61.15</amt>
9.3	2.79	<cdtdbtind>CRDT</cdtdbtind>
9.4	2.81	<sts>BOOK</sts>
9.5	2.82	<bookgdt></bookgdt>
9.6	4.1.0	<dt>20081020</dt>
9.7		
9.8	2.83	<valdt></valdt>
9.9	4.1.0	<dt>20081020</dt>
9.10		
9.11	2.84	<acctsvcrref>Bank Reference</acctsvcrref>
9.12	2.91	<bktxcd></bktxcd>
9.13	2.92	<domn></domn>
9.14	2.93	<cd>PMNT</cd>
9.15	2.94	<fmly></fmly>
9.16	2.95	<cd>RCDT</cd>
9.17	2.96	<subfmlycd>OTHR</subfmlycd>

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
9.18		
9.19		
9.20	2.97	<prtry></prtry>
9.21	2.98	<cd>0150000</cd>
9.22	2.99	<issr>BBA</issr>
9.23		
9.24		
9.25	2.135	<ntrydtls></ntrydtls>
9.26	2.136	<btch></btch>
9.27	2.139	<nboftxs>3</nboftxs>
9.28	2.140	<ttlamt ccy="EUR">61.15</ttlamt>
9.29	2.141	<cdtdbtind>CRDT</cdtdbtind>
9.30		
9.31	2.142	<txdtls></txdtls>
9.32	2.143	<refs></refs>
9.33	2.145	<acctsvcrref>Bank Reference</acctsvcrref>
9.34		
9.35	2.156	<amtdtls></amtdtls>
9.36	2.1.9	<txamt></txamt>
9.37	2.1.10	<amt ccy="EUR">41.10</amt>
9.38		
9.39	2.462	
9.40	2.163	<bktxcd></bktxcd>
9.41	2.164 2.165	<domn></domn>
9.42	2.165	<cd>PMNT</cd>
9.43	2.167	<cd>RCDT</cd>
9.45	2.168	<subfmlycd> ESCT</subfmlycd>
9.46	2.100	
9.47		
9.48	2.169	<prtry></prtry>
9.49	2.170	<cd>0150000</cd>
9.50	2.171	<issr>BBA</issr>
9.51		
9.52		
9.53	2.199	<rltdpties></rltdpties>
9.54	2.201	<dbtr></dbtr>
9.55	9.1.0	<nm>HAYETTE CHRISTOPHE</nm>
9.56	9.1.1	<pstladr></pstladr>
9.57	9.1.11	<adrline>PLACE DE WISBECQ 20 1430</adrline>
9.58		REBECQ BE
9.59		
9.60	2.202	<dbtracct></dbtracct>
9.61	1.1.0	<id><id><</id></id>
9.62	1.1.1	<iban>BE35732016954237</iban>
9.63		
9.64		
9.65		
9.66	2.211	<rltdagts></rltdagts>
9.67	2.212	<dbtragt></dbtragt>
9.68	6.1.0	<fininstnid></fininstnid>
9.69	6.1.1	<bic>CREGBEBB</bic>
9.70		
9.71		
9.72		
9.73	2.234	<rmtinf></rmtinf>
9.74	8.3.1	<strd></strd>
9.75	8.3.21	<cdtrrefinf></cdtrrefinf>
9.76	8.3.22	<tp></tp>
9.77	8.3.23	<cdorprtry></cdorprtry>
9.78	8.3.24	<cd>SCOR</cd>
9.79	0 2 20	
9.80	8.3.26	<issr>BBA</issr>
9.81	L	

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
9.82	8.3.27	<ref>080872301868</ref>
9.83		
9.84		
9.85 9.86		
9.86	2.142	
9.88	2.143	<refs></refs>
9.89	2.145	<acctsvcrref>Bank Reference</acctsvcrref>
9.90		
9.91	2.156	<amtdtls></amtdtls>
9.92	2.1.9	<txamt></txamt>
9.93	2.1.10	<amt ccy="EUR">18.30</amt>
9.94 9.95		
9.96	2.163	<bktxcd></bktxcd>
9.97	2.164	<domn></domn>
9.98	2.165	<cd>PMNT</cd>
9.99	2.166	<fmly></fmly>
9.100	2.167	<cd>RCDT</cd>
9.101	2.168	<subfmlycd>DMCT</subfmlycd>
9.102 9.103		
9.103	2.169	<pre></pre>
9.104	2.170	<cd>0150000</cd>
9.106	2.171	<issr>BBA</issr>
9.107		
9.108		
9.109	2.199	<rltdpties></rltdpties>
9.110	2.201	<dbtr></dbtr>
9.111	9.1.0 9.1.1	<nm>THIRY FRANCOISE</nm> <pstladr></pstladr>
9.112		<adrline>CHEMIN DE LA GUENETTE 67</adrline>
9.113	9.1.11	1400 NIVELLES BE
9.114		
9.115	2 202	
9.116 9.117	2.202 1.1.0	<dbtracct></dbtracct>
9.118	1.1.1	<0thr>
9.119	11111	<id>732000800404</id>
9.120		
9.121		
9.122		
9.123	2 224	
9.124 9.125	2.234	<rmtinf></rmtinf>
9.125	2.256	<stra> <cdtrrefinf></cdtrrefinf></stra>
9.127	2.257	<tp></tp>
9.128	2.258	<cdorprtry></cdorprtry>
9.129	2.259	<cd>SCOR</cd>
9.130		
9.131	2.261	<issr>BBA</issr>
9.132	2 262	
9.133 9.134	2.262	<ref>080762671458</ref>
9.135		
9.136		
9.137		
9.138	2.142	<txdtls></txdtls>
9.139	2.143	<refs></refs>
9.140	2.145	<acctsvcrref>Bank Reference</acctsvcrref>
9.141	2 156	
9.142 9.143	2.156 2.1.9	<amtdtls></amtdtls>
9.143	2.1.9	< i xamil.> < Amt Ccy="EUR"> 1.75
9.145	2.1.10	
		1.72 0.00

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
9.146		
9.147	2.163	<bktxcd></bktxcd>
9.148	2.164	<domn></domn>
9.149	2.165	<cd>PMNT</cd>
9.150	2.166	<fmly></fmly>
9.151	2.167	<cd>RCDT</cd>
9.152	2.168	<subfmlycd>ESCT</subfmlycd>
9.153		
9.154	2.460	
9.155	2.169	<prtry></prtry>
9.156 9.157	2.170	<cd>0150000</cd>
9.157	2.171	<issr>BBA</issr>
9.150		
9.159	2.199	<rltdpties></rltdpties>
9.161	2.199	<niturues></niturues>
9.162	9.1.0	<nm>VAN TIELEN ROGER</nm>
9.163	9.1.1	<pstiadr></pstiadr>
9.103		<adrline>RUE DE SOTRIAMONT 54 1400</adrline>
9.164	9.1.5	NIVELLES BE
9.165		
9.166		
9.167	2.202	<dbtracct></dbtracct>
9.168	1.1.0	<id></id>
9.169	1.1.1	<iban>BE38063047669572</iban>
9.170		
9.171		
9.172	2.211	
9.173	2.211	<rltdagts></rltdagts>
9.174	2.212	<dbtragt></dbtragt>
9.175 9.176	6.1.0 6.1.1	<fininstnid></fininstnid>
9.176	0.1.1	<bic>GKCCBEBB</bic>
9.177		
9.179		
9.180	2.234	<rmtinf></rmtinf>
9.181	2.236	<strd></strd>
9.182	2.256	<cdtrrefinf></cdtrrefinf>
9.183	2.257	<tp></tp>
9.184	2.258	<cdorprtry></cdorprtry>
9.185	2.259	<cd>SCOR</cd>
9.186		
9.187	2.261	<issr>BBA</issr>
9.188		
9.189	2.262	<ref>080862098680</ref>
9.190		
9.191		
9.192		
9.193		
9.194		
9.195		

7.4.8. **Direct Debits (SDD)**

Debits, invoices Remise - credit

Your reference: 000001575/000000001

07/10/2010 Booking Date:

Value Date 07/10/2010

______ Total net amount : +796,90 Eur

Direct debit 1

000001575/000000005 Your reference :

-----Net Amount: + 232,41 EUR

·

Debit number: BE96550300400505

Central (pivot) Date : 07/10/2010 Unstructured Communication: 057500059922 040953696800001207 Mandate Number:

Direct debit 2

000001575/000000008 Your reference :

Net Amount:

+ 564,90 EUR

Debit number : BE71057643353069

Central (pivot) Date : 07/10/2010 057500089בנפע 040953696800003802 Unstructured Communication: Mandate Number:

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
10.1	2.76	<ntry></ntry>
10.2	2.78	<amt ccy="EUR">796.90</amt>
10.3	2.79	<cdtdbtind>CRDT</cdtdbtind>
10.4	2.81	<sts>BOOK</sts>
10.5	2.82	<bookgdt></bookgdt>
10.6	4.1.0	<dt>20101007</dt>
10.7		
10.8	2.83	<valdt></valdt>
10.9	4.1.0	<dt>20101007</dt>
10.10		
10.11	2.84	<acctsvcrref>Bank Reference</acctsvcrref>
10.12	2.91	<bktxcd></bktxcd>
10.13	2.92	<domn></domn>
10.14	2.93	<cd>PMNT</cd>
10.15	2.94	<fmly></fmly>
10.16	2.95	<cd>IDDT</cd>
10.17	2.96	<subfmlycd>ESDD</subfmlycd>
10.18		
10.19		
10.20	2.97	<prtry></prtry>
10.21	2.98	<cd>0550000</cd>
10.22	2.99	<issr>BBA</issr>
10.23		
10.24		
10.25	2.135	<ntrydtls></ntrydtls>
10.26	2.136	<btch></btch>
10.27	2.138	<pre><pmtinfid>000001575/00000001</pmtinfid></pre>
10.28	2.139	<nboftx>4</nboftx>
10.29	2.140	<ttlamt ccy="EUR">796.90</ttlamt>

A	В	A = Example-Index B = MX.CAMT053.001.02-Index
10.30	2.141	<pre></pre> <pre><</pre>
10.31	2.111	
10.32	2.142	<txdtls></txdtls>
10.33	2.143	<refs></refs>
10.34	2.145	<acctsvcrref>08196A7000134</acctsvcrref>
10.35	2.148	<endtoendid>000001575/00000005<!-- EndToEndId--></endtoendid>
10.36	2.150	<mndtid>040953696800001207</mndtid>
10.37		
10.38	2.156	<amtdtls></amtdtls>
10.39	2.1.9	<txamt></txamt>
10.40	2.1.10	<amt ccy="EUR">232.41</amt>
10.41		
10.42		
10.43	2.199	<rltdpties></rltdpties>
10.44	2.204	<cdtr></cdtr>
10.45	9.1.0	<nm>ISOBLABLA</nm>
10.46		
10.47	2.205	<cdtracct></cdtracct>
10.48	1.1.0	<id></id>
10.49	1.1.1	<iban>BE9655030040050</iban>
10.50		
10.51		
10.52		
10.53	2.211	<rltdagts></rltdagts>
10.54	2.213	<cdtragt></cdtragt>
10.55	6.1.0	<fininstnid></fininstnid>
10.56	6.1.1	<bic>GKCCBEBB</bic>
10.57		
10.58 10.59		
10.59	2.234	
10.61	2.235	<ustrd>057500059922</ustrd>
10.62	2.233	
10.63	2.266	<rltddts></rltddts>
10.64	2.267	<a eur"="" href="https://www.ncbt.ncbt.ncbt.ncbt.ncbt.ncbt.ncbt.ncbt</td></tr><tr><td>10.65</td><td>2.207</td><td></RitdDts></td></tr><tr><td>10.66</td><td></td><td></TxDtls></td></tr><tr><td>10.67</td><td>2.142</td><td><TxDtls></td></tr><tr><td>10.68</td><td>2.143</td><td><Refs></td></tr><tr><td>10.69</td><td>2.145</td><td><acctSvcrRef>08196A7000134</acctSvcrRef></td></tr><tr><td>10.70</td><td>2.148</td><td><EndToEndId>000001575/00000008</ EndToEndId></td></tr><tr><td>10.71</td><td>2.150</td><td><MndtId>040953696800003802</MndtId></td></tr><tr><td>10.72</td><td></td><td></Refs></td></tr><tr><td>10.73</td><td>2.156</td><td><AmtDtls></td></tr><tr><td>10.74</td><td>2.1.9</td><td><TxAmt></td></tr><tr><td>10.75</td><td>2.1.10</td><td><Amt Ccy=">564.49
10.76		
10.77	2.402	
10.78	2.199	<ritdpties></ritdpties>
10.79	2.204	<cdtr></cdtr>
10.80	9.1.0	<nm>IMPERMET NV</nm>
10.81 10.82	2.205	
10.82		<cdtracct></cdtracct>
10.83	1.1.0 1.1.1	
10.85	1.1.1	< BAN> BE71057643353069 BAN
10.86		
10.87		
10.88	2.211	<ritdagts></ritdagts>
10.89	2.213	<cdtragt></cdtragt>
10.90	6.1.0	<fininstnid></fininstnid>
10.91	6.1.1	<bic>GKCCBEBB</bic>
10.92	,,_,	
10.93		
10.94		

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
10.95	2.234	<rmtinf></rmtinf>
10.96	2.235	<ustrd>057500089931</ustrd>
10.97		
10.98	2.266	<rltddts></rltddts>
10.99	2.267	<accptncdttm>20101007T00:00</accptncdttm>
10.100		
10.101		

7.4.9. Unpaid Direct Debits (SDD)

Booking Date : **08/10/10**

Total net amount : - 4,87 EUR

Unpaid direct debit 1

Your reference : **0000337349**

Net Amount : - 4,87 EUR

Central (pivot) Date : **07/10/2010**

Communication : /INV/00900509007724

Reason for denial : Other reason
Mandate Number : 300107

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index
11.1	2.76	<ntry></ntry>
11.2	2.78	<amt ccy="EUR">4.87</amt>
11.3	2.79	<cdtdbtind>DBIT</cdtdbtind>
11.4	2.80	<rvslind>TRUE</rvslind>
11.5	2.81	<sts>BOOK</sts>
11.6	2.82	<bookgdt></bookgdt>
11.7	4.1.0	<dt>20101008</dt>
11.8		
11.9	2.83	<valdt></valdt>
11.10	4.1.0	<dt>20101007</dt>
11.11		
11.12	2.84	<acctsvcrref>08196A7000274</acctsvcrref>
11.13	2.91	<bktxcd></bktxcd>
11.14	2.92	<domn></domn>
11.15	2.93	<cd>PMNT</cd>
11.16	2.94	<fmly></fmly>
11.17	2.95	<cd>IDDT</cd>
11.18	2.96	<subfmlycd>ESDD</subfmlycd>
11.19		
11.20		
11.21	2.97	<prtry></prtry>
11.22	2.98	<cd>0503000</cd>
11.23	2.99	<issr>BBA</issr>
11.24		
11.25		
11.26	2.135	<ntrydtls></ntrydtls>
11.27	2.136	<btch></btch>
11.28	2.138	<pmtinfid>1000003408</pmtinfid>
11.29	2.139	<nboftx>1</nboftx>
11.30	2.140	<ttlamt ccy="EUR">4.87</ttlamt>
11.31	2.141	<cdtdbtind>DBIT</cdtdbtind>
11.32		
11.33	2.142	<txdtls></txdtls>

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index			
11.34	2.143	<refs></refs>			
11.35	2.145	<acctsvcrref>08196A7000274</acctsvcrref>			
11.36	2.148	<endtoendid>0000337349</endtoendid>			
11.37	2.150	<mndtid>300107</mndtid>			
11.38					
11.39	2.156	<amtdtls></amtdtls>			
11.40	2.1.9	<txamt></txamt>			
11.41	2.1.10	<amt ccy="EUR">4.87</amt>			
11.42					
11.43					
11.44	2.199	<rltdpties></rltdpties>			
11.45	2.204	<cdtr></cdtr>			
11.46	9.1.0	<nm>Sacha Touille</nm>			
11.47					
11.48	2.205	<cdtracct></cdtracct>			
11.49	1.1.0	<id></id>			
11.50	1.1.1	<iban>BE37210058430428</iban>			
11.51					
11.52					
11.53	2.211	<rltdagts></rltdagts>			
11.54	2.213	<cdtragt></cdtragt>			
11.55	6.1.0	<fininstnid></fininstnid>			
11.56	6.1.1	<bic>GEBABEBB</bic>			
11.57					
11.58					
11.59					
11.60	2.234	<rmtinf></rmtinf>			
11.61	2.235	<ustrd>/INV/00900509007724</ustrd>			
11.62					
11.63	2.266	<rltddts></rltddts>			
11.64	2.267	<accptncdttm>20101007T00:00:00</accptncdttm>			
11.65	2.273	<txdttm>20100106T00:00</txdttm>			
11.66					
11.67	2.293	<rtrinf></rtrinf>			
11.68	2.304	<rsn></rsn>			
11.69	2.305	<cd>MS03</cd>			
11.70					
11.71					
11.72					

7.4.10. Taxes on charges

Booking Date : **24/09/2010**Value Date : **24/09/2010**

Net Amount : - 1539,93 EUR

Gross Amount : - **1500,00 EUR**

Communication: INBEMEC 9 13

Correspondence charges : - 20,00 EUR

Miscellaneous commisions : - 5,00 EUR

Transfer commision : - 8,00 EUR

VAT : - 6,93 EUR

Amount on which percentage was calculated : 33,00 EUR

Percent : 21 %

i ci cciic .					
Α	В	A = Example-Index B = MX.CAMT053.001.02-Index			
12.1	2.76	<ntry></ntry>			
12.2	2.78	<amt ccy="EUR">1539.93</amt>			
12.3	2.79	<cdtdbtind>CRDT</cdtdbtind>			
12.4	2.81	<sts>BOOK</sts>			
12.5	2.82	<bookgdt></bookgdt>			
12.6	4.1.0	<dt>20100924</dt>			
12.7					
12.8	2.83	<valdt></valdt>			
12.9	4.1.0	<dt>20100924</dt>			
12.10					
12.11	2.84	<acctsvcrref>Bank Reserve</acctsvcrref>			
12.12	2.91	<bktxcd></bktxcd>			
12.13	2.92	<domn></domn>			
12.14	2.93	<cd>PMNT</cd>			
12.15	2.94	<fmly></fmly>			
12.16	2.95	<cd>ICDT</cd>			
12.17	2.96	<subfmlycd>XBCT</subfmlycd>			
12.18					
12.19					
12.20	2.97	<prtry></prtry>			
12.21	2.98	<cd>4101000</cd>			
12.22	2.99	<issr>BBA</issr>			
12.23					
12.24					
12.25	2.135	<ntrydtls></ntrydtls>			
12.26	2.142	<txdtls></txdtls>			
12.27	2.156	<amtdtls></amtdtls>			
12.28		<instdamt></instdamt>			
12.29		<amt ccy="EUR">1500.00</amt>			
12.30					
12.31		<amtdtls></amtdtls>			
12.32	2.172	<chrgs></chrgs>			
12.33	2.174	<amt ccy="EUR">20.00</amt>			
12.34	2.175	<cdtdbtind>DBIT</cdtdbtind>			
12.35	2.176	<tp></tp>			
12.36	2.178	<prtry></prtry>			
12.37	7.1.0	<id>015</id>			
12.38	7.1.1	<issr>BBA</issr>			
12.39					

Α	В	A = Example-Index B = MX.CAMT053.001.02-Index			
12.40					
12.41					
12.42	2.172	<chrqs></chrqs>			
12.43	2.174	<amt ccy="EUR">5,00</amt>			
12.44	2.175	<cdtdbtind>DBIT</cdtdbtind>			
12.45	2.176	<tp></tp>			
12.46	2.178	<prtry></prtry>			
12.47	7.1.0	<id>006</id>			
12.48	7.1.1	<issr>BBA</issr>			
12.49					
12.50					
12.51					
12.52	2.172	<chrgs></chrgs>			
12.53	2.174	<amt ccy="EUR">8,00</amt>			
12.54	2.175	<cdtdbtind>DBIT</cdtdbtind>			
12.55	2.176	<tp></tp>			
12.56	2.178	<prtry></prtry>			
12.57	7.1.0	<id>209</id>			
12.58	7.1.1	<issr>BBA</issr>			
12.59					
12.60					
12.61					
12.62	2.292	<tax></tax>			
12.63	13.1.15	<ttltaxamt ccy="EUR">6.93 </ttltaxamt>			
12.64	13.1.18	<rcrd></rcrd>			
12.65	13.1.19	<tp>011</tp>			
12.66	13.1.31	<taxamt></taxamt>			
12.67	13.1.32	<rate>0.21</rate>			
12.68	13.1.33	<taxblamt ccy="EUR">33.00</taxblamt>			
12.69	13.1.34	<ttlamt ccy="EUR">6.93</ttlamt>			
12.70					
12.71					
12.72					
12.73					
12.74					
12.75					

8. Document version changes

8.1. Version 2.0 - 03/03/2015

Changes with regard to the previous document version 1.0 are listed here:

- Chapter 1 point 4 Restriction to the Latin character set has been removed
- Addition of the description of tags ID for the UltimateDebtor and UltimateCreditor, both in the overview and in the details
- XSD scheme location removed from the header example in chapter 7; part 7.1
- 2.26 balance types: ITBD (interim booked) removed from the table of possible values since this is a type only used in intraday statements
- 2.29 balance subtypes: addition of INTM (intermediate) with description as a possible value
- 2.153: addition of the block Proprietary within References
- 2.273: addition of the tag TransactionDateTime

8.2. Version 2.1 - 27/11/2018

Changes with regard to the previous document version 2.0 are listed here:

• Addition of family 02: Instant SEPA Credit Transfers in Appendix 6.1



Belgian Financial sector Federation