FICTIONAL DOCUMENT, written for a training course. Narvelia and orbistatide do not exist. Not a document of the European Medicines Agency.

Narvelia (orbistatide)

An overview of Narvelia and why it is being assessed

What is Narvelia and what is it used for?

Narvelia is a medicine for adults with chronic tinnitus, a ringing or buzzing in the ears that has lasted for more than six months. It is used when hearing aids or sound therapy have not helped enough.

Narvelia contains the active substance orbistatide.

How is Narvelia used?

Narvelia is available as 20 mg tablets. The usual dose is one tablet taken once a day in the evening, with food. If the tinnitus does not improve after 4 weeks, the doctor may increase the dose to two tablets once a day. The maximum dose is 40 mg a day.

The doctor should check after 12 weeks whether the treatment helps, and stop it if it does not.

How does Narvelia work?

Orbistatide attaches to a protein in the nerve cells of the inner ear and reduces the signals that the brain hears as ringing.

What benefits of Narvelia have been shown in studies?

One main study involved 412 adults with chronic tinnitus. After 24 weeks, the loudness of the tinnitus, measured on a standard questionnaire, fell by 31% in people taking Narvelia, compared with 12% in people taking placebo (a dummy treatment).

What are the risks associated with Narvelia?

The most common side effects with Narvelia (which may affect more than 1 in 10 people) are dizziness and dry mouth. Narvelia must not be used during pregnancy, or in people with severe liver disease.

Other information about Narvelia

Narvelia does not have a marketing authorisation. Price: not yet set.