

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area (checked with vnu 25.11.19)

Checker Input

Show source outline image report

Check by css

```
Doe</a></p></div></div><div class="github-item-wrapper mb-2 pb-2"><div class="ps-3"><p class="text-start mb-0"><i class="bi bi-geo-alt github-item-icon me-2" aria-hidden="true"></i> &ampnbsp</p></div></div><div class="github-item-wrapper mb-2 pb-2"><div class="ps-3"><p class="text-start mb-0"><i class="bi bi-card-text github-item-icon me-2" aria-hidden="true"></i> As we all know, John Doe's identity is unknown.
```

```
I just wanted to contribute without being known.</p></div></div><div class="github-item-wrapper mb-2 pb-2"><div class="ps-3"><p class="text-start mb-0"><i class="bi bi-box github-item-icon me-2" aria-hidden="true"></i>Repositories : 1</p></div></div><div class="github-item-wrapper mb-2 pb-2"><div class="ps-3"><p class="text-start mb-0"><i class="bi bi-people github-item-icon me-2" aria-hidden="true"></i>Followers : 19</p></div></div><div class="github-item-wrapper mb-2 pb-2"><div class="ps-3"><p class="text-start mb-0"><i class="bi bi-people github-item-icon me-2" aria-hidden="true"></i>Following : 0</p></div></div></div></div><div class="modal-footer border-secondary"><button type="button"
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>↔
2. <html lang="fr"><head>↔
3.   <meta charset="UTF-8">↔
4.   <link rel="icon" type="image/png" href="/favicon.png">↔
5.   <meta name="viewport" content="width=device-width, initial-scale=1.0">↔
6.   <title>Accueil | John Doe - Développeur Web et Web Mobile</title>↔
7.   ↔
8.   <!-- Nunito Sans - Google Fonts -->↔
9.   <link rel="preconnect" href="https://fonts.googleapis.com">↔
10.  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin="">↔
11.  <link href="https://fonts.googleapis.com/css2?family=Nunito+Sans:ital,opsz,wght@0,6..12,200..1000;1,6..12,200..1000&dislay=swap" rel="stylesheet" crossorigin="anonymous">↔
12.  ↔
13.  <!-- Bootstrap Icons -->↔
14.  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.1/font/bootstrap-icons.css" media="all" onload="this.media='all'">↔
15.  <noscript>↔
16.    <link↔
```

```
17.      rel="stylesheet" ↵
18.      href="https://cdn.jsdelivr.net/npm/bootstrap-icons/font/bootstrap-
icons.css" ↵
19.    >↵
20.  </noscript>↵
21.  ↵
22.  <script type="module" crossorigin="" src="/assets/index-BD1Ih7Td.js">
</script>↵
23.  <link rel="stylesheet" crossorigin="" href="/assets/index-D2EBSha_.css">↵
24. <meta name="description" content="Portfolio de John Doe, Developpeur Web et
Web Mobile : présentation, compétences, projets, informations GitHub et
informations de contact." data-react-helmet="true"></head>↵
25. <body>↵
26.   <div id="root"><nav class="navbar navbar-expand-lg navbar-dark bg-dark
fixed-top" aria-label="Navigation principale"><div class="container-fluid px-3
px-md-4 px-lg-5"><a class="navbar-brand" href="/" data-discover="true">
<strong>JOHN DOE</strong></a><button class="navbar-toggler" type="button"
data-bs-toggle="collapse" data-bs-target="#navbarNav" aria-
controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span></button><div class="collapse navbar-
collapse" id="navbarNav"><ul class="navbar-nav ms-auto"><li class="nav-item">
<a aria-current="page" class="nav-link active" href="/" data-
discover="true">Accueil</a></li><li class="nav-item"><a class="nav-link"
href="/services" data-discover="true">Services</a></li><li class="nav-item"><a
class="nav-link" href="/portfolio" data-discover="true">Portfolio</a></li><li
class="nav-item"><a class="nav-link" href="/contact" data-
discover="true">Contact</a></li><li class="nav-item"><a class="nav-link"
href="/mentions-legales" data-discover="true">Mentions Légales</a></li></ul>
</div></div></nav><main><section class="hero d-flex align-items-center
justify-content-center" aria-labelledby="hero-title"><div
class="hero-overlay" aria-hidden="true"></div><div class="hero-content text-
center text-white px-3"><h1 id="hero-title" class="display-5 fw-bold mb-
3">Bonjour, je suis John Doe</h1><h2 class="fw-bold mb-4">Développeur web full
stack</h2><button type="button" class="btn btn-danger btn-lg" data-bs-
toggle="modal" data-bs-target="#githubModal" aria-label="Ouvrir la fenêtre
d'informations GitHub">En savoir plus</button></div></section><div
class="modal fade modal-lg" id="githubModal" tabindex="-1" role="dialog" aria-
modal="true" aria-labelledby="githubModalLabel" aria-
describedby="githubModalDesc" aria-hidden="true"><div class="modal-dialog
modal-dialog-centered"><div class="modal-content bg-dark border-secondary
text-white shadow-lg"><div class="modal-header border-secondary"><h5
class="modal-title" id="githubModalLabel">Mon profil GitHub</h5><button
type="button" class="btn-close btn-close-white" data-bs-dismiss="modal" aria-
label="Fermer"></button></div><p id="githubModalDesc" class="visually-
hidden">Information du profil GitHub</p><div class="modal-body text-center">
<div class="row p-3 g-4"><div class="col-avatar col-12 col-md-6"></div><div
class="col-info col-12 col-md-6 mt-2"><div class="github-item-wrapper mb-2 pb-
2"><div class="ps-3"><p class="text-start mb-0"><i class="bi bi-person github-
item-icon me-2" aria-hidden="true"></i><a href="https://github.com/github-
john-doe" target="_blank" rel="noopener noreferrer" title="Voir le profil
GitHub">John Doe</a></p></div></div><div class="github-item-wrapper mb-2 pb-
2"><div class="ps-3"><p class="text-start mb-0"><i class="bi bi-geo-alt
github-item-icon me-2" aria-hidden="true"></i> &ampnbsp</p></div></div><div
class="github-item-wrapper mb-2 pb-2"><div class="ps-3"><p class="text-start
mb-0"><i class="bi bi-card-text github-item-icon me-2" aria-hidden="true"></i>
As we all know, John Doe's identity is unknown.</p></div></div></div>
27. I just wanted to contribute without being known.</p></div></div><div
class="github-item-wrapper mb-2 pb-2"><div class="ps-3"><p class="text-start
mb-0"><i class="bi bi-box github-item-icon me-2" aria-hidden="true">
</i>Repositories : 1</p></div></div><div class="github-item-wrapper mb-2 pb-
2"><div class="ps-3"><p class="text-start mb-0"><i class="bi bi-people github-
item-icon me-2" aria-hidden="true"></i>Followers : 19</p></div></div><div
class="github-item-wrapper mb-2 pb-2"><div class="ps-3"><p class="text-start
mb-0"><i class="bi bi-people github-item-icon me-2" aria-hidden="true">
</i>Following : 0</p></div></div></div></div><div class="modal-footer
border-secondary"><button type="button" class="btn btn-secondary rounded-3 px-
4" data-bs-dismiss="modal" aria-label="Fermer la fenêtre">Fermer</button>
```

28. ↵

29. ←

30. </body></html>

Used the HTML parser.

Total execution time 10 milliseconds.

[About this checker](#) • [Report an issue](#)