# Yuan Shan

Personal website: **cedricshan.github.io**

Master of Statistical Science Student · Duke University

ys328@duke.edu | (919) 697-2488 (US) / +86 159-1080-1104 (CN) | github.com/cedricshan | linkedin.com/in/yuanshan20011218

## EDUCATION

**Duke University** — Aug 2024 – Dec 2026 (expected)
*M.S. in Statistical Science* — *Durham, NC, USA*

**Duke University** — Jul 2020 – Aug 2024
*B.S. in Interdisciplinary Studies — Data Science* — *Durham, NC, USA*

**Duke Kunshan University** — Jul 2020 – Aug 2024
*B.S. in Data Science* — *Kunshan, China*

## RESEARCH INTERESTS

Post-training and evaluation of large language and vision-language models (SFT, distillation, GRPO); self-evolving reinforcement learning for LLM agents; efficient models for edge devices; AI for accessibility; statistical modeling and causal machine learning.

## PUBLICATIONS

Z. Ma*, **Yuan Shan***, J. Zhao, N. Xu, L. Wang. *"MEOW: End-to-End Outline Writing for Automatic Academic Survey."* **IEEE International Conference on Acoustics, Speech, and Signal Processing (ICASSP), 2026.** [IEEE Xplore] [arXiv] [Code & Benchmark] * *Equal contribution.*

Reformulates survey outline writing as an end-to-end task that maps paper metadata to a hierarchical outline. Curates a high-quality dataset distilled from 2.82M arXiv, 252k bioRxiv, and 72k medRxiv records, with Chain-of-Thought reasoning chains generated via DeepSeek-R1. Trains an 8B reasoning model (Qwen3-8B) in two stages: SFT cold-start followed by GRPO with a Tree-Edit-Distance structural reward and a format-compliance reward. Establishes an LLM-as-a-Judge benchmark covering five criteria (Structure Locate / Detail, Content Exclusion / Depth, Pragmatics Concise) plus a structural-distance metric. **Meow-8B-SFT-GRPO** surpasses SurveyX (35.62 vs. 29.60 LLM-Judge total) and outperforms GPT-5 Nano, DeepSeek-R1, and Gemini 2.5 Flash-Lite on the SurveyX test set.

## MANUSCRIPTS UNDER REVIEW

**Yuan Shan**, Z. Aharoni, M. Alabbas, R. Larrea, H. D. Pfister. *"Knowing What to Say and When: Proactive Hazard Alerts for Visually Impaired Pedestrians with a Lightweight Vision-Language Model."* **Under review, 2026.** [Showcase] [Code]

StreetWise offloads geometry, motion and timing to a perception front-end and an utterance gate, so a FastVLM-0.5B generator composes each spoken alert from one frame plus perception text. Trained by LoRA SFT of a 7B teacher, sequence-level distillation, and Dr. GRPO with a programmatic reward. On StreetWise-Bench (300 clips, VLM judge, 1–4 scale) the 0.5B model scores 3.00 vs. 3.29 for GPT-5.6-terra and above every open-weight model evaluated (up to 38B), with 59 ms time to first token. Also introduces StreetWise-20K, 20k relabeled egocentric walking clips.

## WORKING PAPERS

**Self-Evolving Reinforcement Learning for LLM Agents.** *In preparation.*

*Research project on reinforcement-learning-driven self-evolution for large language model agents.*

## INDUSTRY & RESEARCH EXPERIENCE

**Duke University — Graduate Research Assistant** May 2026 – Present

*Under the guidance of Prof. Henry D. Pfister and Dr. Ziv Aharoni | [Interview]*

*First-author manuscript under review (2026)*

- First-authored **StreetWise**, a two-tier vision-language system that gives blind and low-vision pedestrians proactive spoken hazard alerts from smart-glasses video.
- Designed the training pipeline: LoRA SFT of a **FastVLM-7B** teacher, sequence-level distillation into **FastVLM-0.5B**, then **Dr. GRPO** with a programmatic five-term reward (hazard coverage, action, false-clear, brevity, grounding).
- Built **StreetWise-20K** by relabeling 20k clips from WAD, WRD and EgoBlind into structured alerts (hazard, clock direction, motion, scene, danger level) with a single frontier-VLM pipeline.
- Built **StreetWise-Bench** (300 clips): a VLM-judge rubric over actionability, sufficiency, conciseness and honesty plus time-to-first-token latency; reproduced the WAD GPT-Score and VIABench protocols for external comparison.
- Result: the 0.5B generator scores **3.00** vs. **3.29** for GPT-5.6-terra and above every open-weight model evaluated (up to 38B), at **59 ms** time to first token; first among streaming systems on VIABench MPS.
- Deployed the 0.5B model as **Lumi** on an iPhone paired with **Mentra Live** smart glasses.

**Wenge Tech — LLM Algorithm Engineer Intern** May 2025 – Oct 2025

*Beijing, China*

*Work accepted at IEEE ICASSP 2026 (co-first author)*

- Co-designed and built **MEOW**, the first metadata-driven, end-to-end LLM framework that maps paper metadata to hierarchical academic survey outlines in a single inference step, replacing prior multi-agent template workflows that produce shallow, rigid outlines.
- Built the data pipeline that curated and filtered **2.82M arXiv**, **252k bioRxiv**, and **72k medRxiv** records into a high-quality survey dataset; enriched references via vector retrieval (`all-MiniLM-L6-v2`) and distilled Chain-of-Thought reasoning chains using **DeepSeek-R1** to bridge metadata input and outline output.
- Trained **Qwen3-8B** in two stages: SFT cold-start on the CoT-annotated corpus, followed by Group Relative Policy Optimization (**GRPO**) with a Tree-Edit-Distance *structural similarity reward* and a binary *format-compliance reward*, weighted by $\lambda$.
- Established an LLM-as-a-Judge evaluation framework covering five criteria (Structure Locate / Detail, Content Exclusion / Depth, Pragmatics Concise) plus a structural-distance metric; released the benchmark, training corpus, and evaluation scripts publicly on Hugging Face and GitHub.
- Used **vLLM** to accelerate both inference and RL training; **Meow-8B-SFT-GRPO** surpassed SurveyX (35.62 vs. 29.60 LLM-Judge total) and beat GPT-5 Nano, DeepSeek-R1, and Gemini 2.5 Flash-Lite on the SurveyX test set.

**Lakala Payment — Data Engineering Intern** Jul 2024 – Aug 2024

*Beijing, China*

- Assisted in the development and maintenance of the company's internal data platform using Hadoop

ecosystem tools.
- Designed and developed the internal data platform's data quality monitoring system.

**Beijing Academy of Artificial Intelligence (BAAI) — Research Intern** Jun 2023 – Oct 2023
*Beijing, China*

- Contributed to BAAI's 3D electron-microscopy (EM) processing toolchain, focusing on advanced neuron-segmentation methodologies including PyTorch Connectomics (PyTC) and Local Shape Descriptors (LSD).
- Built reproducible training pipelines for large-volume connectomics data, covering preprocessing, augmentation, and patch-based inference for cubic-micron EM volumes.
- Optimized segmentation models via systematic hyperparameter tuning combining Grid Search and Bayesian Optimization, materially improving segmentation quality on benchmark volumes.

**Tencent — Machine Learning Engineering Intern** Jun 2022 – Aug 2022
*Tencent Video, Shenzhen, China*

- Independently owned an end-to-end ML project to surface high-potential video categories on the Tencent Video platform, from data extraction and cleaning through algorithm design, evaluation, and stakeholder reporting.
- Built scalable data pipelines on Tencent's internal task-scheduling platform, handling dependency resolution across heterogeneous data sources.
- Engineered an XGBoost-based scoring model producing quantitative indicators of video-category potential; tuned the model with cross-validated hyperparameter search.
- Wrote production SQL and Python against large-scale internal data warehouses to extract, join, and transform features at scale.
- Deployed Spark for distributed feature engineering and model scoring, keeping the pipeline tractable on volumes of up to **7,500,000 records**.
- Synthesized findings into two project reports that informed downstream content-strategy and operational decisions on Tencent Video.

## TEACHING

**Teaching Assistant — DECISION 520Q: Data Science for Business** Fall 2026
*The Fuqua School of Business, Duke University*

- Support the data science course for MBA students: hold office hours, grade assignments and projects, and answer questions on the course forum.

**Teaching Assistant — DECISION 516: Quantitative Business Analysis** Fall 2026
*The Fuqua School of Business, Duke University*

- Support the core quantitative analysis course: lead review sessions, hold office hours, and grade assignments.

## PROJECTS

**World Cup 2026 — Commercial Intelligence Dashboard** Aug 2026
*Live Demo*

- Built an end-to-end **R Shiny** data product on the first 48-team World Cup: an ETL pipeline reconstructs a **minute-by-minute scoreline** for all **104 matches** from a **49,520-match** international record, with in-pipeline assertions on round structure and per-match reconciliation of goal tallies against published

scorelines that halt the build on any mismatch rather than passing silently.

- Designed three original measures for commercial questions: a **Clutch Index** weighting every goal by round, timing and scoreline situation to value goals rather than count them; a **Drama Score** with five viewer-adjustable weights for broadcast scheduling, shipped with a sensitivity analysis over 150 alternative weightings; and $k$-**means style archetypes** over six dimensions grouping all 48 teams into three playing profiles.
- **Key finding — volume and value separate at the very top**: the Golden Boot winner scored 10 goals but indexes **89.5**, while a 7-goal player tops the value ranking on 5 knockout goals. Separately identified that the champions ranked only mid-table for goals scored yet conceded a tournament-low **0.12** per match — winning on defence, not firepower.
- Engineered for maintenance: modular Shiny architecture (one module per view) with the analytical layer written as pure functions carrying no reactive dependencies, so it is testable outside the running app; **114 unit tests** covering metric computation and data integrity; deployed publicly on Posit Connect Cloud.

**Music Chat Recommender — LLM-mediated multi-turn recommender** Apr 2026

*Live Demo* | *GitHub*

- Built a chat-first music recommender that parses free-form English requests (e.g. "sad songs for a rainy evening, but no Coldplay"), runs live searches, and returns an ordered short-list with embedded YouTube playback.
- Designed a **two-call LLM architecture**: an intent-parsing call extracts a Pydantic-typed `SearchQuery` (mood, genres, exclusions, year range, control flags) from the latest user turn plus a serialized memory; a rerank-and-reply call selects from the candidate pool and writes the human-facing reply, with both outputs validated against Pydantic schemas to make malformed LLM outputs unrecoverable failures rather than crashes.
- Implemented a **provider abstraction** over **Groq Llama 3.3 70B** (primary, JSON mode) and **Gemini 2.5 Flash-Lite** (fallback) to absorb mid-project free-tier policy changes from both Spotify (API deprecation, Nov 2024) and Google.
- Pivoted the music backend from Spotify to the keyless **iTunes Search API** after the Spotify Web API was restricted; reconstructed similarity reasoning from search alone via a fan-out strategy that issues 1–6 facet-specific queries per intent.
- Built per-session `ConversationState` (likes, dislikes, must-exclude artists, history) so follow-ups like "stop recommending Drake" and "more diverse next time" work without restating context; orchestrated everything in a single Gradio app deployed publicly on Hugging Face Spaces.

**Age-Dependent Heterogeneity in the PA – Mental-Distress Association** Apr 2026

*Causal ML on BRFSS 2015–2024* | *GitHub*

- Pooled **ten consecutive annual waves** of the U.S. Behavioral Risk Factor Surveillance System (BRFSS, 2015–2024; **n** $=$ **3,242,218** adults after complete-case filtering) to test whether the protective association between leisure-time physical activity (PA) and frequent mental distress (FMD) varies systematically by age.
- Fit **survey-weighted logistic regression** with raked sampling weights, sandwich SEs clustered on PSU, and a formal PA $\times$ Age likelihood-ratio test for effect modification; ran age-stratified models within each of six age groups and a three-way PA $\times$ Age $\times$ Year interaction for temporal change.
- Independently estimated heterogeneous treatment effects via **Causal Forest under Double Machine Learning** (`CausalForestDML` in EconML), with HistGradientBoosting nuisance models and 2-fold cross-fitting, recovering the conditional ATE as a function of covariates without pre-specifying subgroups.
- **Found a striking, monotonic age gradient**: PA odds ratio for FMD ranges from **0.89** (ages 18–24) to **0.50** (ages 55–64); the Causal Forest independently identifies **age as the dominant heterogeneity driver** (feature importance $=$ 0.39, $2.5\times$ the next predictor).

- **Documented a novel temporal finding**: the already-weak protective effect among 18–24-year-olds has been eroding over the decade, reaching the null in both **2018 and 2024** and paralleling the deepening youth mental-health crisis.
- Validated robustness with **E-values** for unmeasured confounding, propensity-score overlap diagnostics, a placebo test on a non-causal outcome, and a conditional-imputation sensitivity analysis on missing income.

**Optimizing Turbine Blade Design under Operational Uncertainty** Apr 2026

*Robust DOE + Surrogate Modeling* | *GitHub*

- Tackled a **constrained robust optimization** problem on a finite-element gas-turbine-blade simulator: minimize expected maximum von Mises stress subject to a strict displacement feasibility constraint ($d < 1.3 \times 10^{-3}$ m), under uncontrollable perturbations of cooling temperature ($\pm 2^{\circ}$C) and pressure load ($\pm 10^{4}$ Pa), all within a hard **300-evaluation simulation budget**.
- Designed a **four-phase pipeline**: (i) 100-point maximin Latin Hypercube Design over the 6-D unit hypercube; (ii) Gaussian Process surrogate with **Matérn-5/2 kernel and ARD length-scales**, achieving **10-fold CV** $R^2 > 0.994$ on both stress and displacement; (iii) 150 sequential runs driven by an **Expected Improvement with Constraints** acquisition, augmented by a Gaussian proximity penalty for batch diversification; (iv) 27-run robust grid validation ($3 \times 3$ perturbation grid on 3 candidates) plus 23 random validation runs.
- Achieved a **41% reduction** in maximum stress relative to the LHD best, with the recommended design satisfying displacement feasibility on **100%** of all tested perturbations and a **45% safety margin** below the failure threshold; ARD length-scale analysis isolated **CTE** (Coefficient of Thermal Expansion) as the dominant design factor.
- Built a three-stage **SLURM pipeline** on the Duke Computing Cluster (input generation $\rightarrow$ array-job parallel simulation with `-array=1-N%40` $\rightarrow$ chained result merging via `-dependency=afterok`); 40-way parallelism delivered a $\sim$**33**$\times$ **wall-clock speedup** (4 min vs. 2.2 h for a 100-run batch), enabling rapid sequential iteration.

**Paper Helicopter — Sequential DOE** Apr 2026

*STA 643* | *GitHub*

- End-to-end design optimization via fractional-factorial screening, confirmation runs, response-surface (RSM) optimization, and validation experiments.

**Bradley–Terry Analysis of the English Premier League** Mar 2026

*Slides* | *GitHub*

- Applied the **Bradley–Terry** paired-comparison framework to **7,860** EPL match results across 21 seasons (2005/06–2025/26, 44 clubs) to estimate relative team strengths and quantify home advantage; reformulated the base BT model as logistic regression to enable standard MLE inference and asymptotic Wald / likelihood-ratio tests.
- Extended the analysis with the **Davidson** formulation to absorb the 24% of matches ending in draws, plus **season-specific** and **team-specific** home-advantage intercepts; validated each extension via nested LRT and AIC comparison.
- Estimated the home-team odds boost at $\hat{\theta} \approx 1.64\times$ ($p < 10^{-15}$ under all model variants); team-strength estimates from BT and Davidson agreed at $r = 0.990$, confirming robustness.
- Detected a **significant secular decline** in home advantage over the study window and a **near-complete collapse** during the 2020/21 spectator-less COVID season ($\hat{\alpha} \approx -0.10$) — direct empirical support for the causal role of crowds.

**HIV Self-Testing Study — Reproduction** Jan 2026

*Reproducibility in Public Health* | *GitHub*

- Careful reproduction of a published HIV self-testing study, validating statistical methodology, effect estimates, and robustness checks.

**Football Transfer Market Visualization** Sep 2023 – Oct 2023

*Team Leader (3-person team) | Live Demo | GitHub*

- Led a 3-person STATS 401 team end-to-end: scoped the research questions, defined the data model, and split engineering and design responsibilities.
- Wrote the full Python data-cleaning pipeline; designed the interactive UI and visual encoding from scratch in D3.js, letting users drill down by club, season, and league.
- Shipped a publicly hosted visualization at transfer-market-vis.netlify.app.

## HONORS & AWARDS

- Dean's List with Distinction, Duke Kunshan University.
- Finalist Prize, Interdisciplinary Contest in Modeling (MCM/ICM).
- First Prize, National Olympiad in Informatics in Provinces (NOIP).
- Outstanding Peer Mentor and Outstanding Peer Tutor, Duke Kunshan University (2022–2024).
- Selected as **Best Volunteer**, 7th China Buyout Fund Annual Conference, Chinese Museum of Funds.

## LEADERSHIP & SERVICE

- **Technical Intern**, Beijing 2022 Olympic & Paralympic Winter Games — Organising Committee. Dec 2021 – Jan 2022
  Conducted statistical analysis of the IOC global technical partners' transportation demands during pre-Games operations; compiled briefing materials informing vehicle allocation and route planning.
- **Volunteer**, Duke China-U.S. Summit 2023 Committee. Jun 2023 – Jul 2023
- **Orientation Leader**, Kunshan Student Orientation Peers (KSOP) at Duke. Nov 2022 – May 2023
- **Committee Member**, Duke Kunshan University 2024 Major Fair. Feb 2024 – Mar 2024