CHANGE MATRIX

Complete prioritized matrix of the recommendations and suggestions from the three IT experts.

REVISED (implementation-ready) · iDetect · Revised October 4, 2026

Source basis: Summary of Recommendations and Suggestions, October 1, 2026. All recommendations from the source are retained; duplicates are combined only where noted, and Appendix A traces every original row to its new row(s). Priorities reflect risk and importance, not effort.

Verification limit. The iDetect repository and documentation/IT_EXPERT_TESTING_ACTION_PLAN.md were not available when this revision was prepared, so implementation status could not be verified from code. Anything reported only by the brief or older notes is marked “Partially implemented / needs verification”; everything else is “Needs verification”, “Policy or operational procedure needed” or “Decision required”. No feature is claimed to guarantee compliance with the Data Privacy Act, COA or procurement rules, or court admissibility; those are for the appropriate LGU officers to review.

How to read this matrix

Term	Meaning
Priority	Reflects risk and importance, not implementation effort. Effort (S/M/L/XL) is noted separately in the notes column. High* is conditional (see row).
Source	E1–E3 = IT Experts 1–3. O# = row number in the original matrix, counted in the order listed. “Testing notes” = the original testing notes; expert attribution still to be confirmed.
Current status	Needs verification = the repository could not be inspected, so nothing is claimed. Partially implemented / needs verification = reported to exist (brief or development notes) but not confirmed in code. Policy or operational procedure needed. Decision required. No row is marked Implemented or Already satisfied.
Decision	Recommended handling: Adopt, Adopt with changes, Defer, Already satisfied, Needs decision. These are proposals for the project team and LGU owners to confirm.
Phase	Foundation → Accountability → Later / strategic. Quick wins are small UI or documentation items to do only after current status is verified.

Phase 1 — Foundation

Privacy controls, audit coverage, reference-number design, session policy, retention/data management and suspension requirements.

Priority	Area	Recommendation / deliverable	Source	Current status	Decision (proposed)	Rationale / risk	Dependencies / implementation notes	Phase	Acceptance criteria
F-01 High	Admin / Security	Verify and close audit-log coverage (not a from-scratch module): login/logout, record create/edit/delete, actor, timestamp (with timezone), target record, and relevant actions such as suspensions, role changes, unmasked views and exports. Confirm which events are already logged.	E1, E2, E3 · O1	Needs verification. Brief indicates a history/log exists; event coverage is unconfirmed.	**Adopt with changes**	Attributable logs underpin disputes, suspensions and evidence; gaps weaken all of them. Reframed from “build” to “gap analysis and closure”.	Inventory of logged vs. unlogged events against code (routes/middleware). Logs should be append-only for ordinary users. Links to F-04 reference numbers. Effort: M.	Foundation	Event inventory lists each in-scope action as logged / not logged. Each in-scope event records actor, timestamp, target record and action (test per event). Ordinary admins cannot edit or delete log entries.
F-02 Medium	OSCA Portal	Record date/time of login and access to senior citizen records (who opened which record, when).	E2 · O25	Needs verification.	**Adopt with changes**	Supports privacy accountability. Scope widened from “login time” to record access; watch log volume.	Depends on F-01 and F-05 (log unmasked views); retention per F-03. Effort: S–M.	Foundation	Staff and establishment record views are logged with actor, time and record. Unmasked views are flagged. Log is searchable by record and by actor.
F-03 High	Policy / Records	Define retention by data class (audit logs, verification history, disputes/reports, beneficiary records, photos, evidence under legal hold), plus archival and secure disposal. One year for audit/reporting data is E1’s proposal only and is pending approval.	E1 · O19	Policy or operational procedure needed.	**Needs decision**	Whether one year is sufficient is for the LGU records, privacy and legal owners to decide; it is not asserted here as legally sufficient. Too short risks losing evidence; too long risks over-retention.	Approval by LGU records officer, data protection officer and legal. Decide legal-hold rule, archive storage and disposal method. Affects F-01, F-11, L-01. Effort: S (decision) + M (automation).	Foundation	Written retention schedule approved by named owners, covering period, archival, disposal and legal hold per data class. Any automated disposal is itself logged.
F-04 High	Admin	Design ticket/reference numbers: system-generated, human-readable references that supplement (not replace) internal database IDs. Define format, uniqueness, generation, which records receive one (entries, reports, refusals, disputes, transactions) and how they are searched.	E1, E3 · O2	Needs verification.	**Adopt with changes**	Foundation for reporting, disputes and evidence; a poor format is costly to change later.	Decide: format, per-type vs. global sequence, immutability, no reuse, safe generation under concurrent writes (DB sequence / unique constraint), backfill of existing records. Effort: M.	Foundation	Every in-scope record gets a unique, immutable reference at creation (concurrency test passes). Internal IDs unchanged. Admin search by reference works. Format is documented.
F-05 High	Security	Specify privacy masking per view, report and printed document: which mask age and ID numbers, who may see unmasked values, and whether unmasked access is logged.	E1, E2 · O4	Needs verification.	**Adopt with changes**	Beneficiary data is sensitive personal information. Wording changed from “public exposure”: data is public only where a feature is public-facing. Data Privacy Act adequacy is for the data protection officer to assess; no compliance is claimed.	Inventory screens, API responses, exports and prints. Mask at API level, not UI only. Depends on role matrix (A-01–A-03) and F-01 for logging unmasked views. Effort: M.	Foundation	Approved matrix of screens/reports/prints vs. masked/unmasked fields. API responses to unauthorized roles contain masked values only (tested). Unmasked access limited to named roles and logged.

Priority	Area	Recommendation / deliverable	Source	Current status	Decision (proposed)	Rationale / risk	Dependencies / implementation notes	Phase	Acceptance criteria
F-06 High*	OSCA Portal	Do not expose senior citizens' age or ID number on any public-facing view; optionally provide printed per-person details where appropriate.	E1 · O23	Needs verification. Confirm whether any view is actually public-facing.	**Adopt with changes**	*High if any public-facing exposure is confirmed; otherwise Medium and covered by F-05. Printed details need an authorization rule.	Review of public routes/pages; print-view rules from F-05. Effort: S.	Foundation	Public routes verified to return no age or ID number. Printed per-person output follows the F-05 matrix and is restricted to authorized roles.
F-07 Medium	OSCA Portal	Do not show ID numbers in fraud flags; use internal references/ticket codes and standardize the establishment field.	E1 · O24	Needs verification.	**Adopt**	Reduces unnecessary exposure while keeping flags traceable.	Depends on F-04 and F-05. Standardize on establishment ID plus name. Effort: S.	Foundation	Fraud flag views and exports show a reference code, not an ID number. Establishment appears via one standardized field everywhere.
F-08 High	Security / Application	Restore session timeout as a tracked item (original testing notes specify two minutes). Do not approve a two-minute hard idle timeout by default; decide the policy per surface: admin portals vs. establishment scanning workflow.	Testing notes (attribution to confirm); absent from prior matrix	Decision required. A two-minute warning countdown is reported; it is not the same as an idle timeout. Verify what it does.	**Needs decision**	A two-minute hard idle timeout risks lost work and repeated logins for staff filing reports or disputes, and can interrupt scanning. Too long a timeout raises exposure on shared devices.	Decide: idle limit per portal, absolute session maximum, re-authentication for sensitive actions, protection of unsaved drafts, behavior mid-scan. Enforce server-side. Effort: S (decision) + M.	Foundation	Written timeout policy approved per portal. Server enforces it. Test: idle past limit forces re-login without silently losing drafts; in-progress scans behave as the policy states.
F-09 High	Admin	Define suspension requirements: who can suspend and lift; required reason and start/end dates; notification to the establishment; expiry/extension behavior; audit trail. Automatic reinstatement only if policy defines it.	E1, E2, E3 · O3	Needs verification.	**Adopt with changes**	Suspension affects an establishment's operations, so it needs due-process rules reviewed by LGU legal. Automatic reinstatement is not assumed.	Depends on role matrix (A-01–A-03), notifications (A-06), F-01, F-10. Policy on notice and appeal. Effort: L.	Foundation	Written policy exists. Suspend/lift restricted to named roles. Reason and dates required. Establishment notified and delivery recorded. Expiry behavior implemented as decided. Every action logged with actor.
F-10 Medium	Admin	Limit the establishment suspension reason to 2,500 characters.	E1 · O21	Needs verification.	**Adopt**	Low risk, with clear benefit for storage and print layout. Must be enforced server-side.	Part of F-09. Define counting rule (characters, line breaks) and handling of existing longer records. Effort: S.	Foundation	Live character counter. Server rejects more than 2,500 characters with a clear error (2,500 passes, 2,501 fails). Existing longer records are handled without data loss.
F-11 Medium	Application	Beneficiary photo: specify purpose, collection method, notice/consent, authorized access, retention and a fallback. Do not assume a photo is mandatory for every workflow.	E1, E3 · O6	Decision required.	**Needs decision**	Photos are sensitive and raise collection and retention questions. Priority lowered from High until purpose and consent are resolved.	Decisions: purpose (e.g., visual verification), capture vs. upload, notice text, access roles, storage protection, retention (F-03). Effort: M–L.	Foundation	Approved purpose statement and notice text. Photo access role-restricted and logged. Workflows function without a photo via a defined fallback. Retention set under F-03.
F-12 High	Database / Operations	Database freshness as an operational procedure (not a feature): data owner, update/reconciliation cadence, backup/restore expectations, measurable service targets.	E2 · O10	Policy or operational procedure needed.	**Adopt with changes**	Stale or lost data undermines every verification result. Targets must be set by the owner, not assumed here.	Named data owner; cadence; backup schedule and restore test; targets (e.g., maximum data age, recovery objectives). Effort: S–M.	Foundation	Named data owner. Written cadence. Backups scheduled with a documented restore test. Targets defined and measured. Reconciliation result recorded each cycle.

Priority	Area	Recommendation / deliverable	Source	Current status	Decision (proposed)	Rationale / risk	Dependencies / implementation notes	Phase	Acceptance criteria
F-13 Medium	System / Identification	“Do not use VVID.” Verify VVID is absent from code and configuration.	E2 · O35	Needs verification. Not checked: repository unavailable.	**Adopt**	Can be marked Already satisfied only after verification. The term’s exact meaning should be confirmed with the expert.	Search code, config, schema, environment and docs for the identifier. Effort: S.	Foundation	Search results documented. If absent: mark Already satisfied with evidence and date. If present: replacement plan agreed.

Phase 2 — Accountability

Establishment roles, LGU staff permissions, password reset, notifications, disputes, beneficiary history and establishment audit reporting.

Priority	Area	Recommendation / deliverable	Source	Current status	Decision (proposed)	Rationale / risk	Dependencies / implementation notes	Phase	Acceptance criteria
A-01 High	Security / Admin	Separate establishment account roles from LGU staff permissions. Prefer individual, attributable establishment accounts (no shared logins).	E1, E2 · O9	Needs verification.	**Adopt with changes**	Shared accounts break attribution in audit logs and disputes.	Role-permission matrix (e.g., establishment manager/staff; LGU admin/view-only/account manager); server-side checks; migrate any shared accounts. Effort: L.	Accountability	Documented role matrix. Each action authorization-tested per role. Every establishment user has an individual login. Actions are attributable per person in the audit log.
A-02 Medium	Admin	Restrict staff accounts to admin view-only access where appropriate; keep read-only access distinct from account management.	E2 · O15	Needs verification.	**Adopt**	Limits accidental or unauthorized change.	Part of A-01 matrix. Effort: S–M.	Accountability	View-only role cannot create, edit or delete (API tested); UI hides those actions.
A-03 Medium	Admin	Restrict staff-account management so not all administrators can create, edit, disable or reset accounts.	E2 · O16	Needs verification.	**Adopt**	Reduces privilege-abuse risk.	Part of A-01 matrix. Define backup holder of the privilege. Effort: S.	Accountability	Only the designated role can manage staff accounts. All account changes are logged.
A-04 Medium	Admin	Manager-issued token reframed as an expiring, revocable invitation/enrollment mechanism, not a shared permanent credential.	E1 · O13	Needs verification.	**Adopt with changes**	A permanent shared token would defeat individual accountability.	Depends on A-01. Single-use, expiry, revocation, hashed storage, delivery channel; issue/use/revoke logged. Effort: M.	Accountability	Tokens expire and are single-use. A revoked token fails. Tokens stored hashed. Issue/use/revoke events logged. A token never grants permanent login.
A-05 Medium	Security	Self-service password reset using a secure token-based flow: expiry, single-use, generic responses that do not reveal whether an account exists. Identify the existing admin reset capability and keep it as an audited fallback.	E2 · O14	Partially implemented / needs verification. Admin reset reported in brief; an authenticated change-password endpoint appears in development notes; neither re-checked.	**Adopt**	Removes administrators from password handling and avoids shared knowledge of passwords.	Needs a reliable contact channel on each account; rate limiting; invalidate sessions after reset; notify the user. Effort: M.	Accountability	Request returns the same message whether the account exists (tested). Token expires and is single-use. Sessions invalidated after reset. Rate limit applied. Reset events logged.
A-06 High	Notification	Verify existing notifications and routing, then define an event catalog (record edits, disputes, reports, suspensions, establishment actions) with recipients and channel.	E1, E2, E3 · O5	Partially implemented / needs verification. Some notifications reportedly exist; scope unconfirmed.	**Adopt with changes**	Suspensions, disputes and edits depend on timely notice. Avoid building new modules before verifying existing ones.	Catalog of events × recipient × channel; valid contact data; log of delivery. Effort: M.	Accountability	Written event catalog. Each cataloged event produces a notification to the stated recipient and delivery is logged. Messages carry no unmasked ID.

Priority	Area	Recommendation / deliverable	Source	Current status	Decision (proposed)	Rationale / risk	Dependencies / implementation notes	Phase	Acceptance criteria
A-07 Medium	OSCA Portal	When a record is edited, require and store a reason and notify the ID owner.	E2 · O26	Needs verification.	**Adopt with changes**	Gives owners visibility of changes; reason supports audit.	Depends on F-01, A-06 and contact data. Effort: S–M.	Accountability	An edit cannot be saved without a reason. Reason is stored in the audit log. Owner notification is generated and logged. Text omits unmasked IDs.
A-08 Low	Beneficiary App	Notification shows the establishment name tied to the transaction.	E1 · O37	Needs verification.	**Adopt**	Helps beneficiaries recognize and dispute transactions.	Uses the standardized establishment field (F-07). Effort: S.	Accountability	Notification for each transaction type shows the establishment display name.
A-09 High	Application	Strengthen dispute resolution: verify existing notifications and routing first; keep establishment identification mandatory where appropriate; route to administrators; capture beneficiary acknowledgment. Prefer an in-app workflow or monitored shared inbox. No automated inbound-email parsing without a specific, approved need.	E2, E3 · O8	Partially implemented / needs verification. A dispute function exists per brief; routing unconfirmed.	**Adopt with changes**	Disputes carry user and legal impact. Email parsing adds complexity and risk without a demonstrated need.	Needs F-04 references, A-06, an owner for the queue and response targets, and status definitions. Effort: L.	Accountability	Each dispute has a reference number and is routed to a named queue. Establishment is identified where applicable. Beneficiary acknowledgment is timestamped. Status changes are logged. No email parser unless a decision is recorded.
A-10 Medium	Application	Let an establishment dispute on behalf of a beneficiary only where policy allows.	E3 · O40	Needs verification.	**Needs decision**	Acting on someone's behalf raises consent and authorization questions. Priority raised from Low only if the policy permits it.	Decide when permitted and what the beneficiary must confirm. Depends on A-09. Effort: M.	Accountability	Policy states when allowed and how beneficiary confirmation is captured. Such disputes are labeled and logged.
A-11 Medium	Beneficiary App	Beneficiary action history: verify what the existing History tab includes, then define which actions the beneficiary sees (changes to their record, disputes, relevant actions).	E3 · O39	Partially implemented / needs verification. A History tab exists per brief; contents unconfirmed. A verification-history screen is in development notes and may be establishment-side.	**Adopt with changes**	Reassessed from Low: beneficiaries need visibility into changes and disputes.	Depends on F-01, F-04, A-09 and F-05 (masked display). Effort: M.	Accountability	Documented list of shown action types. Each entry shows date/time, reference and status. A beneficiary sees only their own history. Verified against the code.
A-12 Medium	Admin	Establishment audit report with historical record of relevant establishment activities (verifications, refusals, disputes, suspensions, account changes).	E3 (related E1, E2) · O7	Needs verification.	**Adopt with changes**	Reassessed from High: valuable but depends on F-01, F-03 and F-04 being in place.	Define content, period, filters, export formats and access. Effort: M.	Accountability	Report generates per establishment and period with defined sections and reference numbers. Access is restricted and logged. Totals reconcile to source records.
A-13 Medium	Admin	Reference number on every data entry; organize year-end reports by date, record type, status and reference number.	E1 · O22	Needs verification.	**Adopt with changes**	Turns F-04 into usable reporting.	Depends on F-04. Effort: S–M.	Accountability	Year-end report filters and groups by those four fields. Totals reconcile. A report row can be traced to its record by reference.

Priority	Area	Recommendation / deliverable	Source	Current status	Decision (proposed)	Rationale / risk	Dependencies / implementation notes	Phase	Acceptance criteria
A-14 Medium	Admin	Refusal report: defined character limit; establishment/branch; dedicated ID number; ticket number.	E1 · O20	Needs verification.	**Needs decision**	“Dedicated ID number” is ambiguous (beneficiary, establishment or branch ID) and the limit value is unspecified.	Clarify with E1. Uses F-04 and F-05. Effort: S.	Accountability	Fields present and validated. Limit enforced server-side. Any beneficiary ID is masked per F-05. Reference is auto-generated.
A-15 Medium	Admin	Require a license number in establishment records.	E2 · O11	Needs verification.	**Adopt with changes**	Improves establishment identification. Existing records lack the field until backfilled.	Format validation and uniqueness; backfill or grace period. Effort: S.	Accountability	Required for new/updated establishments. Format and uniqueness validated. Report lists existing records missing a license.
A-16 Medium	Admin	Show client name instead of owner name; record whether the establishment is franchise or company-owned.	E1 · O12	Needs verification.	**Adopt with changes**	“Client name” needs a precise definition.	Confirm meaning with E1; use an enumerated franchise/company-owned field. Effort: S.	Accountability	Approved label. Franchise/company-owned status is a required value. Displayed consistently in views and reports.
A-17 Medium	Admin	Record an establishment contact person (name, role, phone/email) for notices.	Testing notes (attribution to confirm); absent from prior matrix	Needs verification.	**Adopt**	Notifications for suspensions and disputes need a named recipient.	Depends on A-06. Contact data is personal data; add notice. Effort: S.	Accountability	Contact person fields captured. Used as a notification recipient. Changes logged.
A-18 Medium	Admin	Suspension notice/report and reminder: include notification and timeframe, with a reminder before expiry.	E3 · O41	Needs verification.	**Adopt with changes**	Reduces ambiguity for establishments. Merged with F-09 requirements.	Depends on F-09, A-06, A-17. Effort: M.	Accountability	Notice shows reason, dates, reference and issuing role. Reminder sent at the defined interval before end. Delivery logged.

Phase 3 — Later / strategic

Large additions to schedule only after the foundation and accountability phases.

Priority	Area	Recommendation / deliverable	Source	Current status	Decision (proposed)	Rationale / risk	Dependencies / implementation notes	Phase	Acceptance criteria
L-01 Medium	Admin / Legal	Evidence and activity package for potential court cases: evidence, timeline and ticketing of reports, with provenance, access controls and integrity considerations. Not claimed to be legally admissible.	E3 · O42	Needs verification.	**Defer**	Admissibility needs legal review. Building it before F-01, F-03 and F-04 would produce weak evidence.	Depends on F-01, F-03 (legal hold), F-04, A-12. Manifest, checksums, chain-of-custody notes. Effort: L.	Later	Package spec approved by legal. Export has a manifest of references and checksums. Generation is restricted and logged. Legal review is recorded before any court use.
L-02 Low	Application	Beneficiary website.	E3 · O43	Needs verification. Unclear whether this duplicates the mobile app.	**Defer**	Large scope and a new public attack surface.	Needs purpose, features, owner, hosting, security and privacy review; relies on F-05, F-08, A-11. Effort: XL.	Later	Scoping decision with purpose, features and owner recorded. If approved, a separate plan with security and privacy review.
L-03 Low	Admin	Bulk import of monthly/quarterly/yearly audit records. Clarify whether E1 meant importing or exporting.	E1 · O17	Decision required.	**Needs decision**	Imports must not be merged into iDetect's authoritative audit log as if iDetect generated them. Importing and exporting are different features.	If import: label as external, keep source and provenance, store apart from native audit data. If export: covered by A-12 and A-13. Effort: M.	Later	Intent recorded. If import: each row tagged external with source, file hash, importer and time, and shown apart from native events. If export: monthly/quarterly/yearly exports available.

Phase 4 — Quick wins

Small UI and documentation items; verify current status before starting.

Priority	Area	Recommendation / deliverable	Source	Current status	Decision (proposed)	Rationale / risk	Dependencies / implementation notes	Phase	Acceptance criteria
Q-01 Medium	Application	Request camera permission before scanning, with a rationale and handling for denial.	E2 · O30	Needs verification.	**Adopt**	Expected by users and by platform policy; poor denial handling blocks the core workflow.	Verify on each supported OS. Effort: S.	Quick win	Prompt/rationale shown before first scan. Denial shows instructions and a defined fallback. Tested on supported Android and iOS versions.
Q-02 Medium	Application	Displayed language matches the selected language setting.	E2 · O31	Needs verification.	**Adopt**	Wider bilingual support is a separate, larger decision.	String audit incl. errors and notifications. Effort: S–M.	Quick win	All screens and messages follow the selected language. Untranslated string audit has zero open items.
Q-03 Medium	Application	Display a system-down/unavailable indicator when the system is not operational.	E2 · O33	Needs verification.	**Adopt with changes**	Users should distinguish an outage or maintenance from their own connectivity.	Health check; maintenance mode (links to Q-09). Effort: S–M.	Quick win	When the API is unreachable or in maintenance, a clear message distinguishes it from no internet (tested).
Q-04 Low	Application	Add a Contact Us section to the establishment app homepage.	E2 · O34	Needs verification.	**Adopt with changes**	Needs a monitored channel to be useful.	Decide channels, hours and owner. Effort: S.	Quick win	Section present with approved channels. Inbox or line has a named owner.
Q-05 Low	Beneficiary App	Change the specified label to red.	E1 · O38	Decision required. The label is not identified in the source.	**Needs decision**	Color alone should not carry meaning (accessibility).	Confirm the label with E1; check contrast. Effort: S.	Quick win	Label identified and changed. Contrast checked; meaning also conveyed by text or icon.

Priority	Area	Recommendation / deliverable	Source	Current status	Decision (proposed)	Rationale / risk	Dependencies / implementation notes	Phase	Acceptance criteria
Q-06 Low	Admin	Add a Yearly Registration Graph (corrects “User Acceptance Graph”) and define the registration measure and date basis.	E1 · O36	Needs verification.	**Adopt with changes**	Counts differ by what is counted and by which date is used.	Define: beneficiaries/establishments, created vs. approved date, statuses included, timezone. Effort: S.	Quick win	Graph titled correctly with the definition displayed. Figures reconcile to database counts for sample years.
Q-07 Medium	Application	Bulk upload feedback: error notifications, upload counts, success notification.	E2 · O18	Needs verification. Existence of a bulk upload feature is unconfirmed.	**Adopt**	Silent partial failures corrupt data quality.	Row-level error report. Effort: S–M.	Quick win	Shows total, succeeded and failed rows with reasons, plus a downloadable error report and a success message.
Q-08 Medium	Documentation	System flowchart and architecture diagram (components, data flows, trust boundaries, hosting).	Testing notes (attribution to confirm); absent from prior matrix	Needs verification. Existence of current diagrams unconfirmed.	**Adopt**	A documentation deliverable, not a software feature.	Review with the team and date it. Effort: S–M.	Quick win	Reviewed, dated diagrams stored with project documentation and updated on significant releases.
Q-09 Medium	Operations	Scheduled maintenance performed on a defined rotation or period.	E2 · O27	Policy or operational procedure needed.	**Adopt**	Operational procedure, not a feature.	Windows, user notice, pre-maintenance backup, owner. Effort: S.	Quick win	Written schedule with windows, notice method and owner.
Q-10 Medium	Operations	Process for new feature updates (request, test, approval, release notes, rollback).	E2 · O28	Policy or operational procedure needed.	**Adopt**	Operational procedure, not a feature.	Align with F-09/F-12 owners. Effort: S.	Quick win	Written procedure including approver and rollback.
Q-11 Medium	Operations	Hotfix deployment procedure for immediate fixes.	E2 · O29	Policy or operational procedure needed.	**Adopt**	Operational procedure, not a feature.	Criteria, expedited testing, approval, rollback, post-release review. Effort: S.	Quick win	Written procedure; each hotfix is recorded with reason, approver and review.
Q-12 Medium	Application	Add an “Others” option to File Dispute with required free text.	E2 · O32	Needs verification.	**Adopt with changes**	Captures uncategorized disputes; review volume to refine categories.	Define text limit. Effort: S.	Quick win	Option present; free text required and limited. Entries appear in the admin dispute queue.

Decisions required

Unresolved policy questions that block or shape the work above.

Decision	What must be settled
Session timeout (F-08)	Idle limit per portal; separate rule for scanning; absolute session maximum; re-authentication for sensitive actions.
Retention (F-03)	Period, archival and disposal per data class; legal-hold rule. Owners: LGU records, data protection and legal.
Reference number format (F-04)	Format, sequence scope, and which record types receive one.
Masking and unmasked access (F-05, F-06)	Who may see unmasked age/ID; whether such access is logged; rules for printed documents.
Beneficiary photo (F-11)	Purpose, collection method, notice/consent, access, retention and fallback.
Suspension policy (F-09)	Who may suspend or lift; notice and appeal; expiry/extension; whether automatic reinstatement is appropriate.
Dispute handling (A-09, A-10)	Queue owner and response targets; whether establishments may dispute on a beneficiary's behalf.
Data owner and targets (F-12)	Named owner; update cadence; backup/restore and service targets.
Bulk import intent (L-03)	Confirm with E1 whether importing or exporting audit material was meant.
Clarifications needed from experts	Refusal report "dedicated ID number" (A-14); "client name" (A-16); which label to make red (Q-05); meaning of "VVID" (F-13).
Legal and records review	Any compliance, records-retention, procurement or evidentiary question is for the appropriate LGU officers; this matrix makes no compliance claim.

Recommended next steps

1. Obtain repository access (or an export of the routes, schema and configuration) and verify the Needs verification rows, starting with F-01, F-05, F-13, A-05, A-06, A-09 and A-11.
2. Hold a short decision meeting with the data protection officer, records officer and legal on F-03, F-05, F-08 and F-11; record outcomes in this matrix.
3. Draft the reference-number design (F-04) and the role-permission matrix (A-01–A-03) so both are settled before suspensions and disputes are built on them.
4. Run the audit-event inventory (F-01) and list gaps by priority.
5. Name the data owner and write the maintenance, feature-update and hotfix procedures (F-12, Q-09–Q-11), plus the flowchart and architecture diagram (Q-08).
6. Send the clarification questions to the experts (A-14, A-16, Q-05, F-13, L-03) and the testing-notes attribution for F-08, A-17 and Q-08.

Appendix A — Traceability to the original matrix

O# is the row number in the original matrix. Rows marked new came from the testing notes. Priority changes reflect the risk-based reassessment.

O#	Original item	Original priority	New row(s)	New priority
1	Audit Log / History Module	High	F-01	High
2	Ticketing / Reference Number System	High	F-04	High
3	Suspension Management Module	High	F-09	High
4	ID Privacy / Masking	High	F-05	High
5	Notification System	High	A-06	High
6	Beneficiary Photo Feature	High	F-11	Medium (changed)
7	Establishment Audit Report	High	A-12	Medium (changed)
8	Dispute Resolution Module	High	A-09	High
9	Role-Based Access Control	High	A-01, A-02, A-03	High / Medium / Medium (changed)
10	Database Maintenance Procedure	High	F-12	High
11	Establishment License Number Field	Medium	A-15	Medium
12	Establishment Information Update	Medium	A-16	Medium
13	Establishment Authentication Token	Medium	A-04	Medium
14	Secure Password Reset	Medium	A-05	Medium
15	Staff Account Permissions	Medium	A-02	Medium
16	Administrative Permission Control	Medium	A-03	Medium
17	Bulk Import Feature	Medium	L-03	Low (changed)
18	Bulk Upload Feedback	Medium	Q-07	Medium
19	Data Retention Policy	Medium	F-03	High (changed)
20	Refusal Report Enhancement	Medium	A-14	Medium
21	Suspension Reason Field	Medium	F-10	Medium
22	Ticket-Based Reporting	Medium	A-13	Medium
23	Privacy Controls (OSCA Portal)	Medium	F-06	High* (changed)
24	Fraud Flag Privacy / Reference Code	Medium	F-07	Medium
25	Record Access Log	Medium	F-02	Medium
26	Record Edit Notification	Medium	A-07	Medium
27	Maintenance Schedule	Medium	Q-09	Medium
28	Feature Update Procedure	Medium	Q-10	Medium
29	Hotfix Deployment Procedure	Medium	Q-11	Medium

O#	Original item	Original priority	New row(s)	New priority
30	Camera Permission Prompt	Medium	Q-01	Medium
31	Language Consistency	Medium	Q-02	Medium
32	Dispute Category Option	Medium	Q-12	Medium
33	System Status Indicator	Medium	Q-03	Medium
34	Contact Us Section	Medium	Q-04	Low (changed)
35	Identification Method Review (VVID)	Medium	F-13	Medium
36	User Acceptance Graph	Low	Q-06	Low
37	Establishment Notification	Low	A-08	Low
38	UI Label Update	Low	Q-05	Low
39	Beneficiary History Tab	Low	A-11	Medium (changed)
40	Establishment Dispute Option	Low	A-10	Medium (changed)
41	Suspension Reminder / Report	Low	A-18	Medium (changed)
42	Evidence & Case Timeline	Low	L-01	Medium (changed)
43	Beneficiary Website	Low	L-02	Low
—	Session timeout (new)	—	F-08	High
—	Establishment contact person (new)	—	A-17	Medium
—	System flowchart / architecture diagram (new)	—	Q-08	Medium