Work Breakdown Structure Dictionary

LEVEL	CODE	NAME	DESCRIPTION	PREDECESSORS	DURATION	OWNER
2	**1.1**	**SYSTEM INFRASTRUCTURE AND ENVIRONMENT SETUP**	**THE FOUNDATIONAL DEVELOPMENT ENVIRONMENT, PROJECT REPOSITORY, DATABASE SCHEMAS, AND API SCAFFOLDING MUST BE ESTABLISHED BEFORE ANY PORTAL FEATURE CAN BE BUILT OR TESTED**	**N/A**	**N/A**	
3	1.1.1	DEVELOPMENT ENVIRONMENT SETUP	PROJECT REPOSITORY, DEVELOPMENT TOOLS, MOBILE AND WEB FRAMEWORKS, DATABASE INSTANCES, AND API SCAFFOLDING MUST BE CONFIGURED AND VERIFIED SO THAT ALL PORTAL DEVELOPMENT TASKS HAVE A	N/A	3	

			WORKING BASELINE			
3	1.1.2	DATABASE SCHEMA AND API SCAFFOLDING	ALL DATABASE TABLES, RELATIONSHIPS, AND INITIAL SEED DATA FOR THE OSCA, PDAO, BPLO, ESTABLISHMENT, AND BENEFICIARY RECORDS MUST BE DEFINED, ALONG WITH THE RESTFUL API ENDPOINT STRUCTURE ACROSS ALL FIVE PORTALS	1.1.1	2	
2	**1.2**	**ADMIN ACCOUNT PRE-CONFIGURATION**	**ADMINISTRATOR ACCOUNTS FOR BPLO, OSCA, AND PDAO OFFICERS MUST BE PRE-CONFIGURED PRIOR TO SYSTEM DEPLOYMENT, WITH EACH OFFICE MANAGING ITS OWN**	**N/A**	**N/A**	

			PERSONNEL CREDENTIALS THROUGH ITS RESPECTIVE PORTAL AND NO CROSS-PORTAL ADMINISTRATIVE ACCESS PERMITTED			
3	1.2.1	BPLO ADMIN ACCOUNT SETUP	BPLO ADMINISTRATOR ACCOUNTS MUST BE CREATED AND VERIFIED WITH CORRECT PORTAL ACCESS PERMISSIONS BEFORE ESTABLISHMENT ACCOUNT PROVISIONING CAN BEGIN.	1.1.1	2	
3	1.2.2	OSCA AND PDAO ADMIN ACCOUNT SETUP	OSCA AND PDAO ADMINISTRATOR ACCOUNTS MUST BE CREATED AND VERIFIED WITH CORRECT PORTAL ACCESS PERMISSIONS, ENSURING EACH OFFICE MANAGES ONLY ITS OWN RECORDS WITH	1.2.1	2	

			NO CROSS-PORTAL ACCESS.			
2	**2.1**	**LOGGING IN AND AUTHENTICATING USERS**	**ALL SYSTEM USERS MUST BE ABLE TO SECURELY LOG IN TO THEIR RESPECTIVE PORTALS USING ROLE-SPECIFIC CREDENTIALS**	**N/A**	**N/A**	
3	2.1.1	ESTABLISHMENT STAFF LOGIN	ESTABLISHMENT STAFF MUST BE ABLE TO ENTER REGISTERED USERNAME AND PASSWORD IN THE CLIENT PORTAL TO AUTHENTICATE	1.1.1	2	
3	2.1.2	BENEFICIARY TWO-FACTOR LOGIN	BENEFICIARY MUST BE ABLE TO AUTHENTICATE USING ID NUMBER AND BIRTHDATE PLUS OTP SENT TO REGISTERED MOBILE NUMBER	2.1.1	2	

3	2.1.3	ADMINISTRATOR LOGIN	BPLO, OSCA, AND PDAO ADMINISTRATORS MUST BE ABLE TO LOG IN USING INSTITUTIONALLY ISSUED CREDENTIALS IN THEIR RESPECTIVE PORTAL	2.1.1	2	
3	2.1.4	ACCOUNT LOCKOUT	SYSTEM MUST TEMPORARILY LOCK ACCOUNT AFTER THREE CONSECUTIVE FAILED LOGIN ATTEMPTS AND NOTIFY THE ACCOUNT HOLDER	2.1.1	1	
3	2.1.5	ROLE-BASED ACCESS CONTROL	SYSTEM MUST ENFORCE ROLE-BASED ACCESS CONTROL SO EACH USER TYPE CAN ONLY ACCESS PORTAL FEATURES CORRESPONDING TO THEIR ASSIGNED ROLE	2.1.3	2	
2	**2.2**	**PROVISIONING AND MANAGING**	**BPLO OFFICERS MUST BE ABLE TO CREATE,**	**N/A**	**N/A**	

		ESTABLISHMENT ACCOUNTS	**MANAGE, AND CONTROL CLIENT PORTAL ACCOUNTS FOR FOOD SERVICE ESTABLISHMENTS**			
3	2.2.1	CREATE ESTABLISHMENT ACCOUNT	BPLO OFFICER MUST BE ABLE TO CREATE A CLIENT PORTAL ACCOUNT BY ENTERING A VALID BUSINESS PERMIT NUMBER AND STAFF CREDENTIALS IN THE BPLO PORTAL	2.1.3	2	
3	2.2.2	VALIDATE BUSINESS PERMIT	SYSTEM MUST VALIDATE SUBMITTED BUSINESS PERMIT NUMBER AGAINST BPLO REGISTRY IN REAL TIME AND BLOCK INVALID OR EXPIRED PERMITS	2.2.1	1	
3	2.2.3	DELIVER LOGIN CREDENTIALS	SYSTEM MUST AUTOMATICALLY DELIVER LOGIN CREDENTIALS AND ONBOARDING	2.2.1	1	

			INSTRUCTIONS TO ESTABLISHMENT VIA EMAIL OR SMS UPON ACCOUNT CREATION			
3	2.2.4	MANAGE ACCOUNT STATUS	BPLO OFFICER MUST BE ABLE TO ACTIVATE, SUSPEND, OR REVOKE ESTABLISHMENT ACCOUNTS THROUGH THE BPLO ADMINISTRATIVE DASHBOARD	2.2.1	1	
3	2.2.5	PERMIT EXPIRY MONITORING	SYSTEM MUST MONITOR BUSINESS PERMIT EXPIRY DATES AND DISPLAY FLAGGED ALERTS FOR PERMITS APPROACHING EXPIRY WITHIN 30 DAYS	2.2.4	1	
3	2.2.6	SELF-SERVICE PASSWORD RESET	ESTABLISHMENT STAFF MUST BE ABLE TO RESET CLIENT PORTAL PASSWORD THROUGH A	2.2.1	1	

			SELF-SERVICE MECHANISM USING REGISTERED EMAIL OR MOBILE NUMBER			
3	2.2.7	BPLO OPERATIONAL DASHBOARD	BPLO PORTAL MUST DISPLAY TOTAL ACTIVE ACCOUNTS, RECENTLY PROVISIONED ACCOUNTS, AND PENDING ADMINISTRATIVE ACTIONS	2.2.4	2	
2	**2.3**	**CAPTURING AND PREPROCESSING ID IMAGES**	**ESTABLISHMENT STAFF MUST BE ABLE TO CAPTURE SENIOR CITIZEN OR PWD ID IMAGES USING THE CLIENT PORTAL MOBILE CAMERA FOR OCR PROCESSING**	**N/A**	**N/A**	
3	2.3.1	REAL-TIME CAMERA VIEWFINDER	SYSTEM MUST PROVIDE REAL-TIME CAMERA VIEWFINDER OVERLAY DISPLAYING GUIDANCE ON ID POSITIONING,	2.2.1	2	

			DISTANCE, AND LIGHTING			
3	2.3.2	IMAGE QUALITY ASSESSMENT	SYSTEM MUST PERFORM AUTOMATED IMAGE QUALITY ASSESSMENT AND REJECT IMAGES THAT FALL BELOW THE DEFINED QUALITY THRESHOLD	2.3.1	2	
3	2.3.3	IMAGE PREPROCESSING PIPELINE	SYSTEM MUST APPLY DESKEWING, CONTRAST ENHANCEMENT, AND NOISE REDUCTION TO ALL ACCEPTED CAPTURED ID IMAGES BEFORE OCR PROCESSING	2.3.2	2	
3	2.3.4	MANUAL DATA ENTRY FALLBACK	SYSTEM MUST ALLOW ESTABLISHMENT STAFF TO SWITCH TO MANUAL DATA ENTRY WHEN OCR CONFIDENCE FALLS BELOW	2.3.3	1	

			ACCEPTABLE THRESHOLD			
3	2.3.5	MOBILE PLATFORM COMPATIBILITY	CLIENT PORTAL MUST SUPPORT ANDROID 8.0 AND LATER AND IOS 12.0 AND LATER FOR COMPATIBILITY WITH ESTABLISHMENT DEVICES	2.3.1	1	
2	**2.4**	**EXTRACTING AND VALIDATING OCR DATA FIELDS**	**SYSTEM MUST AUTOMATICALLY EXTRACT AND VALIDATE CREDENTIAL DATA FROM PREPROCESSED ID IMAGES USING OCR ENGINE**	**N/A**	**N/A**	
3	2.4.1	OCR DATA EXTRACTION	SYSTEM MUST USE OCR ENGINE TO AUTOMATICALLY EXTRACT ID NUMBER, FULL NAME, BENEFICIARY TYPE, VALIDITY PERIOD, AND ISSUING OFFICE FROM	2.3.3	3	

			PREPROCESSED ID IMAGES			
3	2.4.2	FIELD-LEVEL PATTERN VALIDATION	SYSTEM MUST APPLY FIELD-LEVEL PATTERN VALIDATION TO ALL OCR-EXTRACTED DATA VERIFYING ID NUMBER FORMAT, DATE RANGES, AND ISSUING OFFICE CODES	2.4.1	2	
3	2.4.3	STAFF CONFIRMATION DISPLAY	SYSTEM MUST DISPLAY OCR-EXTRACTED FIELDS TO STAFF FOR CONFIRMATION ONLY WHEN ONE OR MORE FIELDS CARRY LOW CONFIDENCE SCORE OR FAIL VALIDATION	2.4.2	1	
3	2.4.4	MANUAL FIELD EDITING	SYSTEM MUST ALLOW ESTABLISHMENT STAFF TO MANUALLY EDIT ANY PRE-POPULATED FIELD RETURNED	2.4.3	1	

			BY OCR ENGINE BEFORE SUBMITTING FOR DATABASE VERIFICATION			
2	**2.5**	**VERIFYING CREDENTIALS AGAINST DUAL DATABASES**	**SYSTEM MUST PERFORM QUERIES AGAINST THE SINGLE BENEFICIARY REGISTRY, SCOPED BY ID TYPE, TO RETURN A VERIFICATION STATUS WITHIN 30 SECONDS**	**N/A**	**N/A**	
3	2.5.1	DUAL DATABASE QUERY	SYSTEM MUST SIMULTANEOUSLY QUERY BOTH OSCA AND PDAO DATABASES THROUGH SECURE RESTFUL API INTEGRATION USING SUBMITTED ID NUMBER AND BENEFICIARY TYPE	2.4.2	3	
3	2.5.2	VERIFICATION RESULT DISPLAY	SYSTEM MUST DISPLAY VERIFICATION RESULT USING	2.5.1	1	

			COLOR-CODED VISUAL INDICATORS: GREEN FOR VALID, AMBER FOR SUSPICIOUS, AND RED FOR INVALID			
3	2.5.3	PERFORMANCE REQUIREMENT	SYSTEM MUST COMPLETE FULL VERIFICATION CYCLE FROM CREDENTIAL SUBMISSION TO RESULT DISPLAY WITHIN 30 SECONDS UNDER NORMAL NETWORK CONDITIONS	2.5.1	1	
3	2.5.4	TRANSACTION AUDIT LOGGING	SYSTEM MUST LOG EACH VERIFICATION TRANSACTION INCLUDING CREDENTIAL DATA SUBMITTED, STATUS RETURNED, TIMESTAMP, AND ESTABLISHMENT IDENTIFIER	2.5.1	1	

3	2.5.5	CONFLICTING RESULTS HANDLING	SYSTEM MUST RETURN SUSPICIOUS STATUS AND GENERATE DISCREPANCY ALERT TO BOTH OSCA AND PDAO PORTALS WHEN DATABASES RETURN CONFLICTING RESULTS	2.5.1	1	
3	2.5.6	OFFLINE BLOCKING AND QUEUED VERIFICATION	SYSTEM MUST BLOCK LOCALLY CACHED REVOKED OR SUSPENDED IDS AND QUEUE OTHER SCANS AS MANUAL REVIEW WHEN NETWORK IS UNAVAILABLE	2.5.1	1	
2	**2.6**	**FLAGGING AND REPORTING SUSPICIOUS CREDENTIALS**	**ESTABLISHMENT STAFF MUST BE ABLE TO FLAG SUSPICIOUS OR INVALID CREDENTIALS WITH A SINGLE TAP FOR ROUTING TO THE APPROPRIATE LGU PORTAL**	**N/A**	**N/A**	

3	2.6.1	ONE-TAP FLAG SUBMISSION	SYSTEM MUST ALLOW ESTABLISHMENT STAFF TO FLAG A SUSPICIOUS CREDENTIAL WITH A SINGLE TAP FROM THE VERIFICATION RESULT SCREEN	2.5.2	1	
3	2.6.2	FLAG REPORT TRANSMISSION	SYSTEM MUST INCLUDE CAPTURED ID IMAGE, OCR-EXTRACTED DATA, ESTABLISHMENT IDENTIFIER, TIMESTAMP, AND VERIFICATION OUTCOME IN EVERY FRAUD FLAG TRANSMISSION	2.6.1	1	
3	2.6.3	FLAG REFERENCE NUMBER	SYSTEM MUST GENERATE A UNIQUE REFERENCE NUMBER FOR EACH SUBMITTED FLAG REPORT AND DISPLAY IT TO THE ESTABLISHMENT STAFF UPON	2.6.2	1	

			SUCCESSFUL TRANSMISSION			
3	2.6.4	OFFLINE FLAG QUEUING	SYSTEM MUST QUEUE FRAUD FLAG REPORTS LOCALLY WHEN THE MOBILE DEVICE IS OFFLINE AND AUTOMATICALLY SUBMIT UPON CONNECTIVITY RESTORATION	2.6.1	1	
3	2.6.5	BENEFICIARY TYPE SELECTION	SYSTEM MUST PROMPT STAFF TO MANUALLY SELECT BENEFICIARY TYPE BEFORE ROUTING A FLAG REPORT WHEN VERIFICATION RETURNED INVALID DUE TO NO RECORD FOUND	2.6.1	1	
3	2.6.6	DUPLICATE FLAG DETECTION	SYSTEM MUST DETECT WHEN FLAG REPORT IS SUBMITTED FOR A CREDENTIAL WITH AN ACTIVE OPEN INVESTIGATION	2.6.2	1	

			AND LOG NEW SUBMISSION AS A SUPPLEMENTARY REPORT			
2	**2.7**	**MANAGING SENIOR CITIZEN RECORDS AND INVESTIGATING FRAUD (OSCA)**	**OSCA ADMINISTRATORS MUST BE ABLE TO MANAGE SENIOR CITIZEN ID DATABASE AND INVESTIGATE SUSPICIOUS CREDENTIALS FLAGGED BY ESTABLISHMENTS**	**N/A**	**N/A**	
3	2.7.1	OSCA FLAG NOTIFICATIONS	OSCA PORTAL MUST RECEIVE NOTIFICATIONS OF EACH FLAG REPORT WITHIN SECONDS TRANSMITTED FROM CLIENT PORTAL FOR SENIOR CITIZEN IDS	2.6.2	1	
3	2.7.2	REVOKED ID CONFIRMATION	OSCA ADMINISTRATOR MUST BE ABLE TO MARK CONFIRMED REVOKED IDS AS	2.7.1	1	

			REVOKED WITHIN THE OSCA PORTAL TRIGGERING A DATABASE STATUS UPDATE WITHIN SECONDS			
3	2.7.3	OSCA DATA COMPARTMENTALIZATION	SYSTEM MUST RESTRICT OSCA PORTAL ACCESS TO SENIOR CITIZEN ID RECORDS ONLY PREVENTING ACCESS TO PWD RECORDS OR PDAO AND BPLO DATA	2.7.1	1	
3	2.7.4	SENIOR CITIZEN RECORD MANAGEMENT	OSCA PORTAL MUST ENABLE ADMINISTRATORS TO ADD, UPDATE, AND MANAGE SENIOR CITIZEN ID RECORDS INCLUDING STATUS CHANGES AND RECORD CORRECTIONS	2.7.1	2	
3	2.7.5	OSCA FRAUD ANALYTICS REPORTS	OSCA PORTAL MUST GENERATE FRAUD ANALYTICS REPORTS	2.7.4	2	

			DISPLAYING TEMPORAL PATTERNS, GEOGRAPHIC DISTRIBUTION, AND FLAGGED-TO-CONFIRMED CONVERSION RATES			
2	**2.8**	**MANAGING PWD RECORDS AND INVESTIGATING FRAUD (PDAO)**	**PDAO ADMINISTRATORS MUST BE ABLE TO MANAGE PWD ID DATABASE AND INVESTIGATE SUSPICIOUS CREDENTIALS FLAGGED BY ESTABLISHMENTS**	**N/A**	**N/A**	
3	2.8.1	PDAO FLAG NOTIFICATIONS	PDAO PORTAL MUST RECEIVE NOTIFICATIONS OF EACH FLAG REPORT WITHIN SECONDS TRANSMITTED FROM CLIENT PORTAL FOR PWD IDS	2.6.2	1	
3	2.8.2	REVOKED PWD ID CONFIRMATION	PDAO ADMINISTRATOR MUST BE ABLE TO MARK	2.8.1	1	

			CONFIRMED REVOKED IDS AS REVOKED WITHIN THE PDAO PORTAL TRIGGERING A STATUS UPDATE WITHIN SECONDS			
3	2.8.3	PDAO DATA COMPARTMENTALIZATION	SYSTEM MUST RESTRICT PDAO PORTAL ACCESS TO PWD ID RECORDS ONLY PREVENTING ACCESS TO SENIOR CITIZEN RECORDS OR OSCA AND BPLO DATA	2.8.1	1	
3	2.8.4	PWD RECORD MANAGEMENT	PDAO PORTAL MUST ENABLE ADMINISTRATORS TO ADD, UPDATE, AND MANAGE PWD ID RECORDS INCLUDING STATUS CHANGES FROM INVESTIGATION OUTCOMES	2.8.1	2	
3	2.8.5	PDAO FRAUD ANALYTICS REPORTS	PDAO PORTAL MUST GENERATE FRAUD ANALYTICS	2.8.4	2	

			REPORTS DISPLAYING TEMPORAL PATTERNS, GEOGRAPHIC DISTRIBUTION, AND FLAGGED-TO-CONFIRMED CONVERSION RATES			
2	**2.9**	**SYNCHRONIZING FRAUD STATUS ACROSS ESTABLISHMENTS**	**SYSTEM MUST IMMEDIATELY PROPAGATE REVOKED CREDENTIAL STATUS TO ALL CONNECTED CLIENT PORTAL INSTANCES ACROSS ALL PARTICIPATING ESTABLISHMENTS**	**N/A**	**N/A**	
3	2.9.1	REAL-TIME STATUS PROPAGATION	SYSTEM MUST PROPAGATE ANY CREDENTIAL STATUS CHANGE CONFIRMED BY OSCA OR PDAO ADMINISTRATOR TO ALL CONNECTED CLIENT PORTAL INSTANCES	2.7.2, 2.8.2	2	

			WITHIN 10 SECONDS			
3	2.9.2	REVOKED CREDENTIAL BLOCKING	SYSTEM MUST RETURN INVALID VERIFICATION RESULT FOR ANY CREDENTIAL WHOSE STATUS HAS BEEN UPDATED TO REVOKED REGARDLESS OF WHICH ESTABLISHMENT VERIFIES IT	2.9.1	1	
3	2.9.3	OFFLINE STATUS SYNCHRONIZATION	SYSTEM MUST SYNCHRONIZE PENDING STATUS UPDATES TO OFFLINE CLIENT PORTAL INSTANCES AUTOMATICALLY UPON CONNECTIVITY RESTORATION	2.9.1	1	
3	2.9.4	STATUS CHANGE AUDIT LOG	SYSTEM MUST MAINTAIN COMPLETE AUDIT LOG OF ALL CREDENTIAL STATUS CHANGES INCLUDING ADMINISTRATOR,	2.9.1	1	

			TIMESTAMP, PREVIOUS STATUS, AND NEW STATUS			
2	**2.10**	**REGISTERING A BENEFICIARY ACCOUNT**	**SENIOR CITIZENS AND PWDS MUST BE ABLE TO REGISTER ACCOUNTS IN THE BENEFICIARY MOBILE APPLICATION USING THEIR ID NUMBER AND BIRTHDATE**	**N/A**	**N/A**	
3	2.10.1	BENEFICIARY REGISTRATION INITIATION	SYSTEM MUST ALLOW A BENEFICIARY TO INITIATE ACCOUNT REGISTRATION BY SUBMITTING THEIR SENIOR CITIZEN OR PWD ID NUMBER AND BIRTHDATE FOR DATABASE VERIFICATION	1.1.1	2	
3	2.10.2	REGISTRATION OTP VERIFICATION	SYSTEM MUST SEND A ONE-TIME PIN TO THE MOBILE NUMBER REGISTERED IN THE BENEFICIARY DATABASE	2.10.1	1	

			RECORD AS THE SECONDARY VERIFICATION FACTOR DURING REGISTRATION			
3	2.10.3	ACCOUNT ACTIVATION	SYSTEM MUST ACTIVATE BENEFICIARY ACCOUNT ONLY UPON SUCCESSFUL VALIDATION OF BOTH THE PRIMARY AUTHENTICATION FACTOR AND THE OTP SECONDARY FACTOR	2.10.2	1	
3	2.10.4	OPTIONAL REGISTRATION	SYSTEM MUST TREAT BENEFICIARY ACCOUNT REGISTRATION AS OPTIONAL ENSURING ESTABLISHMENTS PROVIDE MANDATED DISCOUNTS REGARDLESS OF REGISTRATION STATUS	2.10.1	1	

2	**2.11**	**SENDING REAL-TIME TRANSACTION NOTIFICATIONS**	**SYSTEM MUST DELIVER IMMEDIATE SMS AND PUSH NOTIFICATIONS TO BENEFICIARIES UPON EACH VERIFICATION ATTEMPT OF THEIR ID AT PARTICIPATING ESTABLISHMENTS**	**N/A**	**N/A**	
3	2.11.1	VERIFICATION NOTIFICATION DELIVERY	SYSTEM MUST DELIVER SMS AND PUSH NOTIFICATION TO BENEFICIARY UPON EACH VERIFICATION TRANSACTION INCLUDING ESTABLISHMENT NAME, TIMESTAMP, AND OUTCOME	2.5.4	2	
3	2.11.2	DENIAL REASON NOTIFICATION	SYSTEM MUST INCLUDE SPECIFIC DENIAL REASON IN NOTIFICATION WHEN A VERIFICATION TRANSACTION RETURNS A	2.11.1	1	

			DENIED OUTCOME			
3	2.11.3	SMS INDEPENDENT DELIVERY	SYSTEM MUST DELIVER SMS TRANSACTION NOTIFICATIONS INDEPENDENTLY OF MOBILE DATA ACCESS TO ENSURE BENEFICIARIES WITHOUT INTERNET STILL RECEIVE ALERTS	2.11.1	1	
3	2.11.4	UNAUTHORIZED USE ALERT	SYSTEM MUST ALLOW BENEFICIARY TO SUBMIT AN UNAUTHORIZED CREDENTIAL USE ALERT DIRECTLY FROM WITHIN THE TRANSACTION NOTIFICATION INTERFACE	2.11.1	1	
3	2.11.5	NOTIFICATION HISTORY	SYSTEM MUST MAINTAIN COMPLETE TRANSACTION NOTIFICATION HISTORY ACCESSIBLE WITHIN THE BENEFICIARY	2.11.1	1	

			MOBILE APPLICATION IN CHRONOLOGICAL ORDER			
2	**2.12**	**CHECKING ID VERIFICATION STATUS**	**AUTHENTICATED BENEFICIARIES MUST BE ABLE TO VIEW THEIR CURRENT ID VERIFICATION STATUS SYNCHRONIZED WITH OSCA OR PDAO MASTER DATABASES**	**N/A**	**N/A**	
3	2.12.1	ID STATUS DISPLAY	SYSTEM MUST DISPLAY BENEFICIARY CURRENT ID STATUS: ACTIVE, UNDER REVIEW, SUSPENDED, OR EXPIRED SYNCHRONIZED WITH OSCA OR PDAO MASTER DATABASE	2.10.3	1	
3	2.12.2	LAST VERIFICATION DETAILS	SYSTEM MUST DISPLAY LAST SUCCESSFUL VERIFICATION TRANSACTION DETAILS INCLUDING ESTABLISHMENT	2.12.1	1	

			NAME, DATE, AND OUTCOME ALONGSIDE CURRENT ID STATUS			
3	2.12.3	EXPIRATION DATE AND CONTACT INFO	SYSTEM MUST DISPLAY BENEFICIARY ID EXPIRATION DATE AND ISSUING OFFICE CONTACT INFORMATION WITHIN THE ID STATUS SCREEN	2.12.1	1	
3	2.12.4	CACHED STATUS OFFLINE DISPLAY	SYSTEM MUST DISPLAY LAST CACHED ID STATUS WITH RETRIEVAL TIMESTAMP WHEN BENEFICIARY ACCESSES ID STATUS SCREEN WITHOUT NETWORK CONNECTIVITY	2.12.1	1	
2	**2.13**	**SUBMITTING AND TRACKING DISPUTE RESOLUTIONS**	**BENEFICIARIES MUST BE ABLE TO CHALLENGE ERRONEOUS VERIFICATION DENIALS THROUGH A STRUCTURED**	**N/A**	**N/A**	

			DISPUTE MECHANISM ROUTED TO OSCA OR PDAO FOR ADJUDICATION			
3	2.13.1	DISPUTE INITIATION	SYSTEM MUST ALLOW BENEFICIARY TO INITIATE A DISPUTE FROM A DENIED TRANSACTION RECORD PRE-POPULATING FORM WITH TRANSACTION REFERENCE AND DENIAL REASON	2.11.2	1	
3	2.13.2	DISPUTE CATEGORY SELECTION	SYSTEM MUST PRESENT BENEFICIARY WITH THREE DISPUTE CATEGORIES: WRONG DENIAL, ID USED WITHOUT AUTHORIZATION, OR DATABASE CONTAINS INCORRECT INFORMATION	2.13.1	1	

3	2.13.3	DISPUTE FORM SUBMISSION	SYSTEM MUST REQUIRE A WRITTEN EXPLANATION AND ALLOW OPTIONAL UPLOAD OF SUPPORTING DOCUMENTATION BEFORE DISPUTE SUBMISSION CAN PROCEED	2.13.2	1	
3	2.13.4	DISPUTE ROUTING AND ACKNOWLEDGMENT	SYSTEM MUST ROUTE DISPUTE TO APPROPRIATE OSCA OR PDAO QUEUE, SEND ACKNOWLEDGMENT WITHIN 24 HOURS, AND PROVIDE A UNIQUE DISPUTE REFERENCE NUMBER	2.13.3	1	
3	2.13.5	DISPUTE STATUS TRACKING	SYSTEM MUST ENABLE BENEFICIARY TO TRACK STATUS OF SUBMITTED DISPUTE FROM WITHIN THE APPLICATION DISPLAYING STATUS UPDATES	2.13.4	1	

			UNTIL FINAL RESOLUTION			
3	2.13.6	SERVICE LEVEL ENFORCEMENT	SYSTEM MUST ENFORCE SERVICE-LEVEL AGREEMENTS OF 24-HOUR ACKNOWLEDGMENT AND 48-TO-72-HOUR RESOLUTION AND ESCALATE OVERDUE CASES AUTOMATICALLY	2.13.4	1	
2	**2.14**	**REPORTING FRAUD AS A BENEFICIARY**	**BENEFICIARIES MUST BE ABLE TO REPORT UNAUTHORIZED CREDENTIAL USE, BUSINESS DISCOUNT REFUSAL, AND DATABASE DISCREPANCY INCIDENTS**	**N/A**	**N/A**	
3	2.14.1	UNAUTHORIZED USE REPORT	SYSTEM MUST ALLOW BENEFICIARY TO SUBMIT AN UNAUTHORIZED CREDENTIAL USE ALERT ROUTING THE ALERT TO APPROPRIATE	2.11.4	1	

			OSCA OR PDAO PORTAL WITH TRANSACTION DETAILS			
3	2.14.2	BUSINESS REFUSAL REPORT	SYSTEM MUST ALLOW BENEFICIARY TO SUBMIT A BUSINESS REFUSAL REPORT WHEN AN ESTABLISHMENT DENIES A DISCOUNT DESPITE SYSTEM RETURNING A VALID VERIFICATION	2.14.1	1	
3	2.14.3	DATABASE DISCREPANCY ALERT	SYSTEM MUST ALLOW BENEFICIARY TO SUBMIT A DATABASE DISCREPANCY ALERT WHEN THEY IDENTIFY INCORRECT PERSONAL INFORMATION IN THEIR DISPLAYED RECORD	2.14.1	1	
3	2.14.4	FRAUD REPORT ACKNOWLEDGMENT	SYSTEM MUST GENERATE AN ACKNOWLEDGMENT	2.14.1	1	

			NOTIFICATION WITH A REFERENCE NUMBER FOR EACH BENEFICIARY-SUBMITTED FRAUD REPORT			
2	**2.15**	**OPERATING OFFLINE AND SYNCHRONIZING DATA**	**SYSTEM MUST PROVIDE LIMITED OFFLINE CAPABILITY FOR THE CLIENT PORTAL AND ALLOW BENEFICIARY APP TO DISPLAY PREVIOUSLY LOADED INFORMATION WITHOUT NETWORK**	**N/A**	**N/A**	
3	2.15.1	OFFLINE CREDENTIAL CACHING	SYSTEM MUST CACHE THE REVOKED AND SUSPENDED ID STATUS LIST LOCALLY ON THE CLIENT PORTAL DEVICE TO ENABLE OFFLINE BLOCKING	2.5.6	2	
3	2.15.2	QUEUED ACTIONS AUTO-SYNC	SYSTEM MUST QUEUE FRAUD FLAG REPORTS	2.15.1	1	

			AND OTHER PENDING ACTIONS LOCALLY WHEN OFFLINE AND AUTOMATICALLY SUBMIT UPON CONNECTIVITY RESTORATION			
3	2.15.3	OFFLINE MODE INDICATOR	SYSTEM MUST DISPLAY A PERSISTENT OFFLINE MODE INDICATOR TO ESTABLISHMENT STAFF AND BENEFICIARY WHENEVER REAL-TIME DATABASE VERIFICATION IS UNAVAILABLE	2.15.1	1	
3	2.15.4	BENEFICIARY OFFLINE VIEW	BENEFICIARY MOBILE APPLICATION MUST ALLOW BENEFICIARIES TO VIEW PREVIOUSLY LOADED TRANSACTION HISTORY AND ID STATUS WHEN NETWORK	2.15.1	1	

			ACCESS IS UNAVAILABLE			
2	**2.16**	**LOGGING AUDIT TRAILS AND TRANSACTION HISTORY**	**ALL VERIFICATION TRANSACTIONS, FRAUD FLAGS, DATABASE STATUS CHANGES, ADMINISTRATOR ACTIONS, AND DISPUTE EVENTS MUST BE PERMANENTLY LOGGED IN A TAMPER-EVIDENT AUDIT TRAIL**	**N/A**	**N/A**	
3	2.16.1	VERIFICATION TRANSACTION LOG	SYSTEM MUST PERMANENTLY LOG EVERY VERIFICATION TRANSACTION IMMEDIATELY UPON COMPLETION INCLUDING CREDENTIAL DATA, STATUS, ESTABLISHMENT ID, STAFF ID, AND TIMESTAMP	2.5.4	2	

3	2.16.2	ADMIN ACTION AUDIT LOG	SYSTEM MUST LOG ALL DATABASE STATUS CHANGES BY OSCA OR PDAO ADMINISTRATORS INCLUDING ADMINISTRATOR ID, AFFECTED CREDENTIAL, PREVIOUS AND NEW STATUS, AND TIMESTAMP	2.7.2, 2.8.2	1	
3	2.16.3	FRAUD EVENT LOG	SYSTEM MUST LOG ALL FRAUD FLAG SUBMISSIONS, DISPUTE EVENTS, AND ADMINISTRATOR INVESTIGATION OUTCOMES WITH ASSOCIATED REFERENCE NUMBERS AND USER IDENTIFIERS	2.16.1	1	
3	2.16.4	TAMPER-EVIDENT RECORDS	SYSTEM MUST PREVENT ANY USER FROM DELETING OR MODIFYING AUDIT LOG RECORDS MAINTAINING	2.16.1	1	

			TAMPER-EVIDENT TRANSACTION HISTORY FOR REGULATORY COMPLIANCE			
3	2.16.5	COMPLIANCE REPORT GENERATION	SYSTEM MUST ALLOW ESTABLISHMENT STAFF TO GENERATE COMPLIANCE REPORT SUMMARIES FROM TRANSACTION HISTORY FOR DEFINED DATE RANGES SHOWING COUNTS AND OUTCOMES	2.16.1	1	
3	2.16.6	AUDIT LOG RETENTION	SYSTEM MUST RETAIN ALL AUDIT LOG RECORDS FOR A MINIMUM OF 5 YEARS FROM DATE OF CREATION BEFORE ARCHIVING TO LONG-TERM STORAGE	2.16.4	1	

3	2.16.7	AUDIT TRAIL ACCESS RESTRICTION	SYSTEM MUST RESTRICT AUDIT TRAIL READ ACCESS BASED ON ROLE: BPLO FOR BUSINESS LOGS, OSCA FOR SENIOR CITIZEN LOGS, PDAO FOR PWD VERIFICATION LOGS	2.16.4	1	
2	**2.17**	**SECURING DATA AND ENSURING PRIVACY COMPLIANCE**	**SYSTEM MUST IMPLEMENT SECURITY CONTROLS, ENCRYPTED DATA TRANSMISSION, DATA MINIMIZATION PRINCIPLES, AND RA 10173 COMPLIANCE MECHANISMS ACROSS ALL PORTALS**	**N/A**	**N/A**	
3	2.17.1	ENCRYPTED DATA TRANSMISSION	SYSTEM MUST TRANSMIT ALL DATA BETWEEN CLIENT PORTAL, LGU PORTALS, AND BACKEND DATABASES OVER ENCRYPTED CHANNELS USING INDUSTRY-	2.5.1	2	

			STANDARD ENCRYPTION PROTOCOLS			
3	2.17.2	ROLE-BASED ACCESS CONTROL	SYSTEM MUST IMPLEMENT ROLE-BASED ACCESS CONTROL ACROSS ALL PORTALS ENSURING EACH ROLE CAN ONLY ACCESS DATA AND FEATURES CORRESPONDING TO THEIR ASSIGNED ROLE	2.1.5	1	
3	2.17.3	PRIVACY-PRESERVING QUERY DESIGN	SYSTEM MUST RETURN ONLY BINARY VERIFICATION STATUS TO CLIENT PORTAL WITHOUT TRANSMITTING COMPREHENSIVE BENEFICIARY PERSONAL DATA TO BUSINESS ESTABLISHMENTS	2.5.1	1	
3	2.17.4	DATA SUBJECT ACCESS RIGHTS	SYSTEM MUST PROVIDE BENEFICIARIES WITH ACCESS TO THEIR VERIFICATION	2.10.3	1	

			STATUS, TRANSACTION HISTORY, AND DISPUTE RECORDS FULFILLING RA 10173 SECTION 16 RIGHTS			
3	2.17.5	SECURITY AUDIT TRAIL	SYSTEM MUST LOG ALL UNAUTHORIZED ACCESS ATTEMPTS, AUTHENTICATION FAILURES, AND PERMISSION VIOLATION EVENTS IN A DEDICATED SECURITY AUDIT TRAIL	2.16.1	1	
3	2.17.6	BREACH INCIDENT REPORT	SYSTEM MUST SUPPORT GENERATION OF A BREACH INCIDENT REPORT CONTAINING NATURE OF BREACH, AFFECTED DATA CATEGORIES, AND NUMBER OF AFFECTED DATA SUBJECTS	2.17.5	1	

3	2.17.7	SESSION AUTO-EXPIRY	CLIENT PORTAL AND BENEFICIARY MOBILE APPLICATION MUST ENFORCE AUTOMATIC SESSION EXPIRY AFTER A DEFINED PERIOD OF INACTIVITY REQUIRING RE-AUTHENTICATION	2.1.1	1	
2	**2.18**	**DESIGNING AN ACCESSIBLE AND MULTILINGUAL INTERFACE**	**ALL IDETECT INTERFACES MUST EMPLOY LARGE TOUCH TARGETS, HIGH-CONTRAST COLOR SCHEMES, BILINGUAL SUPPORT, AND WCAG 2.1 AA ACCESSIBILITY STANDARDS**	**N/A**	**N/A**	
3	2.18.1	WCAG 2.1 AA COMPLIANCE	CLIENT PORTAL AND BENEFICIARY MOBILE APPLICATION MUST EMPLOY LARGE TOUCH TARGETS MEETING WCAG 2.1 AA MINIMUM	2.3.1	2	

			SIZE GUIDELINES AND HIGH-CONTRAST COLOR SCHEMES			
3	2.18.2	BILINGUAL LANGUAGE SUPPORT	ALL IDETECT PORTALS AND MOBILE APPLICATIONS MUST PROVIDE FULL BILINGUAL SUPPORT IN ENGLISH AND FILIPINO WITH INSTANT LANGUAGE SWITCHING WITHOUT SESSION RESTART	2.3.1	2	
3	2.18.3	THREE-ACTION VERIFICATION WORKFLOW	CLIENT PORTAL WORKFLOW MUST ADHERE TO THREE-ACTION LIMIT OF LAUNCH,SCAN, AND VIEW RESULT WITH AUTOMATIC BACKGROUND PROCESSING	2.3.1	2	
3	2.18.4	PROGRESSIVE DISCLOSURE	SYSTEM MUST APPLY PROGRESSIVE DISCLOSURE ACROSS ALL PORTALS	2.18.1	1	

			SURFACING ONLY CONTROLS REQUIRED FOR IMMEDIATE TASK DURING PRIMARY WORKFLOWS			
3	2.18.5	MINIMALTEXT INPUT	ALL IDETECT INTERFACES MUST MINIMIZE MANDATORY TEXT INPUT REQUIREMENT BY PRE-POPULATING FIELDS	2.18.1	1	