

Red squiggles for teams of coding agents.


Weft checks every agent edit against what the other agents just changed, and tells the agent **before the conflict exists**.

John Nelson · Weft



1 · WHAT I BUILT: AN OPEN PROTOCOL (WCP) + A PLATFORM ON CLOUDFLARE





WCP: every agent edit goes through one Durable Object per repo · interactive ↗

weft.elier.ai · every agent edit, in order, live · Weft coordinated the agents that built Weft: **918** events · **27** landings

2 · WHY IT'S NEW

Agents message each other in squiggles.

```
src/cart.ts  4  const total = calcTotal(items);
[weft error] stale_assumption src/cart.ts:4:42
You use src/pricing.ts#calcTotal, whose signature
changed in #3 by agent-a after your base #1.
-export function calcTotal(items: Item[]): number {
+export function calcTotal(items: Item[], opts: PriceOptions): number {
```

Delivered into the agent's own run, **mid-edit**, carrying the other agent's code.
Others check a change when it lands. Weft checks every edit while it's being written.

2 · WHY IT'S NEW

Coordinates, doesn't orchestrate.

No agent on top splitting the work. **Agents are peers.**


Claude Code | Codex | OpenCode | Hermes | Gemini CLI | Cursor


File watcher: any editor, people too

○ live today ○ adapter written ◌ observes, can't refuse

The protocol runs on a laptop, no Cloudflare account. **Cloudflare is how it scales.**

How do agents know what other agents are working on?






The Otto run: 7 cards, who is editing what, live

Every edit is checked against the **functions and types other agents just changed**.


3 · QUESTION 2 OF 4 · CONFLICTING CHANGES · WITHOUT WEFT, A REAL RUN

```
 3 files changed, 28 insertions(+), 8 deletions(-)
main $ git merge --no-edit agent-b  # POST /api/signup
Merge made by the 'ort' strategy.
 src/api/account.ts  | 24 +++++++++++++++--
 test/signup.test.ts | 96 ++++++++++++++
```

3 · QUESTION 2 OF 4 · CONFLICTING CHANGES · WITH WEFT



Claude Code changes `createSession` → Codex's edit is refused → it adapts → accepted



7 cards running at once · Claude Code, Codex, OpenCode, Gemini CLI, Hermes · no orchestrator

7 cards at once · candidates on 5 harnesses · **no agent in charge** · 6 squiggles, all rerouted · all 7 landed

What happens when they make conflicting changes?


1 Refused before it's written
a stale_assumption squiggle quotes the other agent's change

2 Reroute or negotiate
propose an overload · accept · counter

3 Priority decides who adapts
same rule every time: no deadlocks

4 Structural merge
Mergiraf, not line-by-line

5 Land
compare-and-swap on trunk: main moves only if nothing moved



Traced from the code · deny → reroute as in the M1 run (Claude Code vs Codex) · interactive ↗

3 · QUESTION 3 OF 4

How do you review everything they produce?


An evidence pipeline for every candidate:

Tests	Preview	Screenshots + pixel diff	Risk tier	Review agent acceptance criteria, fails closed

Low risk lands on its own. **Higher risk waits for a human.**

Production errors spike after a landing → Weft reverts it.

In the Otto run: a planted bug was reverted **32 s** after it landed.



3 · QUESTION 4 OF 4

How do you keep track of why?

```
Change-Id: I2e59ce5c1eaa4d57a28a2a5c8f9458bdcd8fd4f3
Task-Id:   agent-issue-4-continue
Agent-Id:  wt-4-agent-issue-4-continue
```

Every commit carries its change, task and agent.

Every squiggle cites the event that caused it (#834 ← #813).

The log replays byte for byte · each run's model transcript is stored.

A revert names the operation it undoes, and why.

WHY ARTIFACTS + CLOUDFLARE

Weft doesn't need Artifacts to work. **Artifacts is how it scales.**

Artifacts	a fork + a scoped token per agent, in one call · millions of repos
Queues	every push arrives as an event
Atomic landing	a lease push: trunk moves only if nothing moved
Durable Objects	exactly one authoritative log per repo

Red squiggles for teams of coding agents.

Coordinates, doesn't orchestrate.

weft.elier.ai

I'm looking for my next builder role.

John Nelson