

Instructor Run Sheet - Project Lab Level 2: The Night Watchman

Outcome

Specify, run, and test a scheduled page watcher that records each round, alerts only on a meaningful change, and stops through a tested switch.

Alignment

Learning target	Practice	Evidence
Define the job	Six-line watchman spec	Address, signal, rule, trigger, alert, never list
Distinguish states	Three controlled runs	Baseline, unchanged, changed receipts
Read operations evidence	Issue and log review	Old/new values and dated lines
Stop the system	Disable and attempted run	Named control and observed stopped state

Teaching stance

The watcher is intentionally small. Do not turn the level into a Python lesson. Beginners may paste the reviewed starter and work through browser controls. Builders may inspect and revise the parser after the same proof is complete.

Prepare before learners arrive

- Create a clean practice repository from the starter assets.
- Run the watcher three times: baseline, unchanged, and after changing OPEN to PAUSED.
- Confirm issue permission and the location of the disable control.
- Capture a saved run and one useful failure log.
- Print the watchman spec and never-list card.
- Confirm GitHub's current scheduled-workflow behavior before stating timing.

Safety boundary

Learners watch only the supplied page or a page they control. No scraping behind login, bypassing access controls, tracking people, or aggressive polling. The watcher can create a repository issue and update its state file. It cannot buy, reply, delete, post elsewhere, or spend.

90-minute schedule

Block	Minutes
Arrival, catch-up, and proof preview	8
Guard's rounds explanation and fence	7
Live baseline, unchanged, changed demo	10
Task 1: write and peer-check the spec	12
Starter orientation and repository setup	12
Task 2: baseline and unchanged runs	10
Task 2: controlled change and alert	11
Log review and error-reading pause	4
Task 3: disable and prove stop	8
Proof assembly, share, and exit	8
Total	90

Facilitation plan

Opening

Ask which jobs are look, compare, tell jobs. Reject examples that require automatic purchase, reply, or deletion. Show the off switch before the first run.

Demo

Read each log line aloud. Distinguish no change from failure. Change only the marked status so learners see why stable extraction matters.

Practice

Check specs before repository setup. During runs, learners must predict the result first. If a red run appears, read the last ten lines and identify the first useful error before asking a coding tool.

Close

Each learner points to the switch and reads one never item. Leave workflows disabled unless a learner has an approved page and schedule for homework.

Passing proof

A complete watchman spec; baseline, unchanged, and changed runs; one useful alert and log trail; a never list; and proof that the learner used the off switch.

Grading guide

Check	Meets	Return for revision when
Spec	A stranger can predict alert behavior	The signal or meaningful-change rule is vague
Runs	Baseline, unchanged, and changed states are distinct	A failed run is called no change
Alert	One controlled change names old and new	A moving footer creates noise
Log	Each round has time, observed value, and decision	Only the alert is shown
Switch	Disable action was used and observed	Learner only names where it is

Access and support

- Phone-only learners own the spec, predictions, and log review.
- Keep one instructor repository for a whole-room fallback.
- Give builders parser or Railway-contract extensions after proof.
- Keep UI labels visible because GitHub can move controls.
- Use the shared helper stop rule after two failed setup attempts.

Fallbacks

- GitHub down: use assets/fallback-three-runs.md.
- Workflow hidden: use the instructor repository while recording the local path issue.
- Issue permission blocked: the changed log is partial proof; repair the permission before pass.
- Email missing: do not delay. Repository issue plus log are the assessed alert.
- Fifteen minutes behind: paste the starter from the instructor repository; protect the three runs and switch test.

After class

Record successful baseline, unchanged, changed, and disabled proofs separately. Note noisy signals, permission failures, and learners who left a schedule enabled. Turn off any instructor-owned practice workflow.