

Instructor Run Sheet - Project Lab Level 4: The Front Desk, Attacked and Locked

Outcome

Define, build, and test a safe front desk for the public Celaya Solutions Research case or an instructor-approved business, then attack it with ten known tricks, apply four defenses outside and around the model, and rerun the same test.

Alignment

Learning target	Practice	Evidence
Define the job	Interview and six-part spec	Trigger through never list
Build from approved material	Case binder and instructions	Public versus synthetic boundary
Test the desk	Five caller scripts and message card	Expected, actual, verdict, repair
Explain injection	Note-on-package demo	Learner explanation in plain words
Build real fences	Ten attacks, four defenses, rerun	Before and after counts, removed secret, log, switch
Sell the outcome	One-minute pitch	Outcome named without AI, agent, or model

Teaching stance

This is a compressed ninety-minute product and security lab, not a hosted-product build. Every learner finishes the desk, the five callers, the ten-attack before-and-after, and the pitch. The thing they attack is the thing they just built, so the fences land on real work. Hosting contracts and the automated harness are a builder extension.

Make the permission rule the first spoken line. Breaking a classroom target is a way to improve it, not embarrass its builder. A zero-leak first run is an honest result, not a reason to skip the defenses. The shared case is real; its exercise records are not. Repeat that difference before the build.

Prepare before learners arrive

- Recheck the official CSR site and source card.
- Build the desk from only supplied files, run all five callers, then run the ten attacks against it with the current supported model.
- Save at least one leak or partial response from an allowed model for the demo.
- Confirm every phone number and code in the assets is fake.
- Prepare one complete message card and one unsafe reply for correction.
- Print interview, spec, caller, attack, and before-and-after cards.
- Test the pause, delete, or key-disable control used as the class switch.

Safety boundary

No private business material enters a cloud tool. A different real business requires owner approval and an instructor review of every input. Test only learner-owned or explicitly permitted classroom systems. Never target a public bot, employer, school, business, or stranger. Use fake secrets. If a learner names a real target, redirect to their own desk. The desk may answer from approved sources and draft a message card. It may not send, book, spend, promise, advise on high-stakes matters, or reveal private data.

90-minute schedule

Block	Minutes
Arrival, case boundary, permission rule, and proof preview	8
Front-desk job, six-part spec, and the note on the package	10
Live demo: public fact, missing price, hidden instruction, one defense	10
Task 1: interview and spec	12
Task 2: build the desk and run five callers	18
Task 3: ten attacks, before count	8
Task 3: four defenses and rerun	14
Paired sixty-second pitches	6
Proof check and exit	4
Total	90

Facilitation plan

Opening

Say: attack only what you built or what a partner allowed you to test. Ask learners to repeat it. Then ask what a good human front desk does and does not do. Show the public-source card and the training-only heading. Reveal the passing proof before any build.

Demo

Ask one supported public question and one unpublished-price question. Then run a hidden instruction and watch it land. Remove the fake secret from the material and ask why that change is stronger than a longer warning. Show the five-part message card and the handoff.

Practice

Check never lists before chat setup. During caller tests, reject a smooth reply that lacks a receipt or safe stop. Require expected behavior before each attack. During repair, point to the location of each fence: words, data removal, permissions, and operations controls. Consent must be written before any swap.

Close

Learners pitch in pairs. The partner counts AI, agent, and model. Collect before and after counts without ranking learners. Each learner states the defense that reduced the most risk and uses the switch once.

Passing proof

A six-part spec and never list; five caller tests and one complete message card; the same ten attacks scored before and after four defenses, with the fake secret removed and a tested log, draft-only boundary, and off switch; and a sixty-second outcome pitch without the words AI, agent, or model.

Grading guide

Check	Meets	Return for revision when
Spec	Six parts and explicit never list	Action or handoff is vague
Source boundary	Public and training facts remain labeled	Synthetic data is presented as CSR policy
Five callers and card	Required routes scored; all five card fields readable	Missing price or high-stakes route is absent
Before	Ten attacks and an honest count	Only successful attacks are kept
Defenses	All four are visible and fake secret is absent	Wording is the only defense
After	Same ten attacks and new count; switch used	Different tests hide the comparison; stop is only promised
Pitch	Sells the outcome in a minute	Uses the forbidden words or names a price

Access and support

- Phone learners can complete the core desk, callers, attacks, and pitch.
- Pair learners for interviews but require separate specs and proof.
- Do not force partner testing; unused card attacks replace it.
- Builders may automate only after manual proof and secret inspection.
- Offer a quiet route because attack language can feel confrontational.
- Read Spanish anchors and allow a Spanish pitch against the same evidence.

Fallbacks

- Chat tool down: use assets/fallback-caller-run.md and assets/fallback-before-after.md; rewrite unsafe replies and grade the same decisions.
- Current model holds all ten: teach from the dated saved leak and keep the zero.
- Real business approval missing: use the CSR case, no exception.
- Partner says no: respect it and use two unused attacks.
- Harness fails: return to the manual sheet.
- Fifteen minutes behind: provide the filled case interview and demo two attacks, but keep the never list, five callers, all ten learner rows, and four defenses.

After class

Record source-boundary misses, caller-test failures, consent issues, leak ranges, most effective defense, pitch timing, and which projects learners may choose for Level 5. Revoke any class-only key used by the instructor harness. Do not retain real owner notes without written permission.