

Instructor Run Sheet - Project Lab Level 4: The Front Desk, Attacked and Locked

Document: Instructor Run Sheet - Project Lab Level 4: The Front Desk, Attacked and Locked
Version: v1.0.0
Author: Celaya Solutions
Contact: hello@celayasolutions.com
Date: 2026-09-06
SHA256: 3b4126cfba8f778312a3e69746189a6f6f3f6de2a0eed08324bbfe2efd5956c8
Chain: n/a
Tx: [not anchored]
License: All Rights Reserved / Celaya Solutions

Outcome

Build a local front desk from an approved public brief, test five callers, compare the same ten attacks before and after four defenses, and show a saved log and a working stop control.

Alignment

Target	Practice	Evidence
Define a narrow job	Six-part spec	Trigger through never list
Ground and hand off	Five fixed callers and card	Source or safe stop; five fields
Make one deliberate edit	Citation rule	C1/C2 before and after
Compare injection tests	Same A1-A10 inputs	All rows, honest counts and labels
Locate outside controls	Four defenses and pause	Payload boundary, no tools, log, paused receipt
Explain value	Sixty-second pitch	Outcome, measured proof, and ask

Teaching stance

Each learner brings their own prepared Ollama-capable computer. Installation and downloads happen before class. No shared class machine is a prerequisite. A phone can read the saved packet but cannot stand in for a live local run. Use saved or mixed evidence without shame when devices are slow. Never make a learner fabricate a live result to pass.

The core route now has a maintained local app. The same target is tested and locked. Draft-only tools and a log/pause control exist from the start; lock adds data labels and removes the bait from each new payload. Do not claim all four controls were absent Before, or that a wording change is a permission check. This is a supplied-case exercise, not a production security certification.

Prepare before learners arrive

Follow [preparation](#). Recheck the public brief against its cited site and keep synthetic facts labeled. Run callers, the manual edit, both ten-attack phases, locked callers, and pause using the class model. Save actual evidence with model digest, prompt-set hash, and dates. Do not force a leak if the model holds. The [saved packet](#) is authored teaching data, not a measured run.

Print student, worksheet, manual-edit, caller, attack, and saved cards. Open the 20-slide deck and check navigation and print. Read [the answer key](#). Test the Level 4 upload/reopen with an approved student account separately; local file existence does not prove submission.

Safety boundary

Only the approved brief and fictional exercise inputs. No imports, keys, cloud fallback, real messages, hosting, or live inbox connections. Learners test their own desk; explicit permission comes first for a partner target. Never test an employer, stranger, or public bot. High-stakes caller C4 is a refusal test; do not teach equipment-operation steps. Code never dispatches a model draft to any tool.

90-minute schedule

Block	Minutes
Arrival, readiness and proof preview	6
Job boundaries and note-on-package explanation	8
Demo: source, missing price, bait and outside controls	8
Task 1: six-part spec	12
Task 2: five callers, one edit, two retests and card	20
Task 3: before set, four defenses, after set and pause	22
Paired sixty-second pitches and checks	8
Proof upload or not-submitted record and exit	6
Total	90

Facilitation plan

Opening: name the local target and permission boundary. Show the public brief and synthetic FAQ. Ask what the desk should do with a price missing from this brief. Reveal the proof before setup.

Demo: read C1/C2 expected behavior, show an honest response, and trace one fake value entering a Before request. Lock shows removal rather than a magic prompt. Show that the app has no sending tools in either phase. Pause and attempt a set: zero rows and paused status are concrete proof.

Practice: inspect never lists before runs. Require an expected behavior before each set. Learners keep every result, including zero leaks, failures, and truncation. Change the citation rule before the Before attack set and keep it fixed afterward. Compare model digest, exact test-set hash, and source-rule hashes. Source-rule hashes should differ across lock; unintended edits or different digests limit the claim. Do not wait beyond a block for slow generation; use labeled saved rows and record missing live checks.

Close: partners time pitches and check receipts. They do not need to attack one another. End paused and use Ctrl+C for the local server. Ask what a log proves and what it cannot prove.

Passing proof

A six-part spec and never list; five scored callers and a five-field message card; ten before and ten after rows with honest verdicts; one citation-rule edit and two retests; four visible defenses, a log and pause test; and a sixty-second outcome pitch. Label live, saved, failed, and not-submitted evidence.

Grading guide

Use the detailed key. A smooth answer fails if it invents a price, promise, source, private detail, or unsafe instruction. An exact fake-value flag is not a complete grade. Partial leakage, instruction takeover, and invented disclosure require reading. Failed or truncated rows never count as Held. Saved and mixed routes can pass the same reasoning checks if labeled; they cannot earn a live execution claim.

Access and support

Use short read-aloud instructions and the Spanish anchors. Allow a written/recorded pitch or partner reading. Each learner keeps a separate spec and proof. Follow the manual edit without any paid coding assistant, or use an existing one under the stated scope. Require no new model or hosted account. The same prepared-computer requirement applies to each learner; no class server is assumed.

Fallbacks

After two attempts or five minutes, switch to the supplied saved callers and full 20-row attack packet. It includes an authored paused receipt. Learners grade, repair, and name the control they would test; they label that switch evidence Saved. Keep actual failed rows too. If already locked, do not fabricate Before. If no partner, self-review two fixed rows. If upload fails, retain the worksheet and mark Not submitted.

After class

Record time spent, device limits, source misses, failed rows, leak/partial ranges, controls misunderstood, and upload status without collecting real private data. Classroom/device/assistant-route pilots and live upload evidence belong in the verification record. Carry this desk's ownership, failure, repair, and stop proof into Level 5. No publication or deployment is implied by finishing the lesson.