

Instructor Run Sheet - Project Lab Level 5: Choose, Improve, and Present

Document: Instructor Run Sheet - Project Lab Level 5: Choose, Improve, and Present
Version: v1.0.0
Author: Celaya Solutions
Contact: hello@celayasolutions.com
Date: 2026-09-06
SHA256: c0e496d8ef8f84ed4f1c977788b7547ded898f0e2344c7b1c9954ed90a7d6190
Chain: n/a
Tx: [not anchored]
License: All Rights Reserved / Celaya Solutions

Outcome

Choose one course project, improve it from test evidence, prove its normal and failure routes, and present the result to the class in three clear minutes.

Alignment

Learning target	Practice	Evidence
Choose a useful job	One user/job sentence	Bounded outcome and ownership
Improve from evidence	Earlier or new one-rule repair	Same-input before/after and verdict
Inspect separate routes	Normal, failure, fence, stop	Labeled excerpts and repeatable checks
Explain cost and limits	Calculation and three-minute talk	Assumptions, review hour, next check

Teaching stance

This is the final studio around an existing project. Reward truthful, useful proof. No new app, hosted service, purchase, or feature is required. Do not make learners undo working repairs to create dramatic failures. An authored packet supports analysis; it does not prove personal execution.

Prepare before learners arrive

- Assign the [preparation guide](#) and collect project choices and access blocks.
- Check the exact reviewed course version and all local download links. Earlier public releases may lack this pack.
- Read the [answer key](#), [project paths](#), and complete authored fallback board.
- Test your selected project, safe worksheet, timer, projector, and locally saved packet. Keep all credentials off the shared screen.
- Recheck official sources on the cost sheet. Make a dated source note or use hypothetical rates; do not present stale prices as current.
- Set up one table per six learners, with enough peer reviewers. Announce presentation route choices and the private submission route.

Safety boundary

Only public or supplied synthetic data. No learner must expose a key, billing identity, private source, or unrelated browser content. Do not collect the whole private folder. Test targets stay learner-owned; no public posting or real inbox actions. Obtain separate consent for recording or publication. Accept Spanish, recorded, paper, and partner-read delivery.

90-minute schedule

Block	Minutes
Arrival, project choice, and safe screen	8
Model one labeled board and rubric	7
Task 1: eight items and cost calculation	15
Task 2: normal/failure checks and one repair	15
Task 3: timed paired rehearsal	10
Final presentations at tables	25
Private submission, reflection, and stop check	10
Total	90

Facilitation plan

Arrival: confirm a chosen earlier project and private worksheet. If preparation is incomplete, select the labeled saved route immediately. Keep device and earlier-level gates open.

Demonstration: use the authored workbench board and say its label aloud. Show the four-sentence Before and two-sentence After, the unchanged input, missing-price response, and hypothetical \$23 cost. Open the fallback on your device as a real action. Do not describe its fictional output as a live run.

Task 1: ask What does this receipt prove? What does it not prove? Require one user/job, eight locations plus excerpts, and the cost with at least one review hour. Correct zero API equals zero total and invented timestamps.

Task 2: write expectations first. Fixed apps use a new execution of existing tests; they do not need unsupported custom prompts. A failed request is not a safe refusal. An earlier matched repair satisfies the comparison. Use the one-repair card for a blocking miss only; move to fallback after two attempts or five minutes.

Rehearsal: each learner has three minutes speaking and one minute feedback; both then have one minute to adjust. Use the 30/60/45/30/15-second split. A slow live run moves to the labeled receipt.

Presentation capacity: three-minute talk plus one-minute transition gives six learners in 24 minutes per table, then one minute collection. For N learners, prepare $\text{ceiling}(N/6)$ simultaneous tables; 7-12 learners need two, 13-18 need three, and 19-24 need four. Each learner presents, reviews a peer, and submits their own board. The instructor circulates and reviews every private board afterward. If tables/support are unavailable, schedule additional rounds separately; do not pretend all talks fit in 25 minutes.

Closing: give time to save, upload to Level 5, reopen, and record the result. Mark Not submitted when blocked. Check local/hosted stop boundaries, name one future check, and close safely.

Passing proof

Eight items: ownership, before state, tested change, normal run, failure route, privacy or security fence, stop or fallback, and cost plus reflection; followed by a three-minute class presentation. Label live, saved, authored example, and not-performed evidence; reopen the Level 5 upload or mark Not submitted.

Grading guide

Use the [shared rubric](#) and [worked answer key](#). Track the eight items separately from the feedback score.

Check	Meets	Return for revision
Ownership and decision	Learner explains a real choice or accurately analyzes an example	Claims another person's/example run as theirs
Before/change/after	Same input, one change, actual verdict	Invented before, changed test, or hidden failed repair
Normal and failure	Expected/actual/label; missing information handled or miss retained	Only a successful screenshot; error called refusal
Fence and stop	Control location and used action/fallback with limits	Closed tab called server stop; zero leaks called safe
Cost and talk	Units, source/date or example label, review hour, 180-second shape	Unknown costs treated as zero; unsupported savings
Submission	Actual reopened upload or explicit Not submitted	Local save called submitted

A saved/example analysis can meet the presentation and reasoning objective with all eight entries labeled. It cannot close personal setup/run/edit/stop gates or earlier incomplete levels. Record these as outstanding separately, not as hidden deductions for device access. A failed model repair is not an automatic failure when the learner narrows the claim and shows honest evidence.

Access and support

Accept live, saved, paper, recorded, Spanish, and partner-read routes with the same evidence checklist. Give quiet rehearsal space. A learner controls their evidence even when someone else reads. Grade decisions and proof, not confidence, accent, or visual polish. A self-review uses the same checklist when a partner is unavailable.

Fallbacks

Internet/model down: use the downloaded packet and real earlier excerpts. Missing excerpts: use the complete authored board and label live checks Not performed. Projector down: table devices or printouts. Price page down: dated snapshot or hypothetical example. Upload down: keep private file and record the error without secrets. Large class: parallel tables as counted above. Preserve the checklist when behind schedule.

After class

Review every board and return a specific missing item for revision. Record evidence route, speech/rehearsal timing, used fallback, remaining personal live checks, and actual submission status. Follow the course's retention rule; do not turn private boards into marketing material. Public release, production setup, real business tests, or a sixth level require a new scope decision.