

Project Lab Level 5: Choose, Improve, and Present

Document: Project Lab Level 5: Choose, Improve, and Present
Version: v1.0.0
Author: Celaya Solutions
Contact: hello@celayasolutions.com
Date: 2026-09-06
SHA256: e1a0446b14a269020baad54b057574258de04c38ef5ad8947b581524f7ab379
Chain: n/a
Tx: [not anchored]
License: All Rights Reserved / Celaya Solutions

Goal

Choose one course project, improve it from test evidence, prove its normal and failure routes, and present the result to the class in three clear minutes.

By the end of class, you can choose one useful job, connect a miss to one change, judge a new run, use a stop or fallback, estimate monthly cost, and explain the evidence in three minutes.

Start here

Complete [preparation](#) before this 90-minute meeting. Bring your own prepared computer and earlier proof from Documents, Watchman, Local Model, and Front Desk. Choose one of those four projects. Use the same reviewed course copy and setup; no new app, account, model, or hosting purchase is required.

Open your private PROJECT-LAB-05.md worksheet and the [project paths](#). Keep one repaired project, its original miss, and its after receipt. An earlier tested improvement counts; you do not need to undo a working repair to stage a new failure.

A fresh run means a new execution with a new receipt. The fixed local-model and front-desk tests reuse their supplied inputs. An unseen input is optional only where the app already supports it. A new screenshot of an old run is saved evidence.

Anchors / Ancias

- Show the work, the miss, the fix, and the switch. / Muestra el trabajo, el fallo, la corrección y el interruptor.
- A claim needs a receipt. / Una afirmación necesita una prueba.
- Show what happened, including what failed. / Muestra lo que pasó, incluso lo que falló.

Safety stop / Alto de seguridad

Use public or supplied synthetic data. Before sharing, close unrelated tabs, turn off notifications, and hide keys, account details, private records, and other people's work. Review the exact worksheet and images you will show. A screen-safe summary is enough; do not open all of .zta/ or a billing page on the projector. Keep your own controls.

Usa datos públicos o sintéticos. Cierra pestañas ajenas y oculta claves y datos privados. Etiqueta las pruebas guardadas. No publiques ni envíes datos de otras personas.

Nothing in this lesson asks you to connect a real inbox, publish a site, enable a dormant workflow, reset private state, or let an assistant inspect your private proof. A request already sent cannot be undone by closing a tab.

Task 1: Choose the job and assemble proof - 15 minutes

1. Write: This project helps [one person or role] do [one small job]. Example: A workshop host can draft a clear workbench reminder. Describe an observed result; do not promise saved hours you have not measured.
2. Use the [proof-board card](#). Locate eight items in your worksheet: ownership; original miss; one tested change; normal run; failure route; fence; used stop or fallback; cost plus reflection.
3. For each receipt write its file or safe URL, date, evidence label, and one sentence saying what it proves. Copy only the safe excerpt needed for the claim. Your original private receipts stay unchanged.

4. Open the [cost sheet](#). Choose local or hosted assumptions. Include at least one hour of human review. Copy the short final calculation into item 8 and keep the full calculation in the worksheet.
5. Mark missing proof Not performed. Follow the [outage packet](#) if an earlier project or service is unavailable. The supplied worked board is an authored example, not your own build.

Success check: a partner or self-review can find all eight items without hearing your speech. The cost has units, assumptions, and a source or an explicit classroom-example label.

Task 2: Run, inspect, and keep one repair - 15 minutes

1. Follow only your chosen [project path](#). Write the normal and failure inputs and expected results before pressing Run. A missing-information refusal is a successful failure route; a crashed request is a failed test.
2. Run the current project once through both routes. Record actual text or decision, time, receipt name, and Meets / Miss / Failed / Not performed. Keep cut-off outputs marked Truncated. Code tests alone do not prove the answer is right.
3. Connect one earlier before receipt, one change, and the same-input after receipt. If a blocking miss remains, use the [one-repair card](#). Change one permitted rule, then retest that same input and its companion failure check. Keep a failed repair visible; narrow the claim or use the saved route.
4. Operate the project's stop or fallback. Record the action and observable result. Front Desk has a persisted pause control; a terminal program exits; a hosted watcher has separate workflow controls. Show only what your control actually stopped.
5. Save the updated worksheet. Do not delete old receipts to make the board look cleaner.

Success check: normal, failure, repair comparison, and used stop are distinct pieces of proof. If you use a saved comparison, label each row and state which live check remains open.

Builder extension: with prior instructor agreement, show an existing course-edition project. Check browser behavior from a fresh page, service health, and claimed persistence after a safe restart separately. Use only your approved test environment. Mark persistence Not claimed when it is not part of the project. Deployment or a purchase is outside this class session.

Task 3: Rehearse and present - 35 minutes

Use the [presentation card](#). Spend ten minutes in pairs: each person speaks for three minutes, receives one minute of feedback, and uses the remaining minute to adjust their board. Self-timing or a partner-read script is valid.

Then present in the instructor's 25-minute round. Each learner gets three minutes plus one minute to change presenters. One table fits six learners. Larger groups use simultaneous tables, so everyone presents their own evidence.

Part	Seconds	Show or say
Outcome	30	One user, one job, one bounded claim
Normal route	60	New run if available; label a saved run
Miss and change	45	Before, one change, after, honest verdict
Fence and stop	30	Boundary and used control or labeled saved action
Cost and next step	15	Monthly estimate, main assumption, one safe next check

The totals are 180 seconds. If a run is slow, show the last labeled receipt and continue. Never keep the audience waiting for a model. Use Works, Honest, and Theirs from the [rubric](#); feedback helps revision and does not rank people.

Quick check before proof

1. Can someone find all eight items and repeat the normal check?
2. Do the before and after use the same input, with one named change?
3. Is failure handled safely, or honestly marked as a miss?
4. Did you actually use the stop or open the fallback?
5. Does the cost include human review and any unknowns?
6. Are saved, authored, and live evidence distinct?

Pass this level

Eight items: ownership, before state, tested change, normal run, failure route, privacy or security fence, stop or fallback, and cost plus reflection; followed by a three-minute class presentation. Label live, saved, authored example, and not-performed evidence; reopen the Level 5 upload or mark Not submitted.

Save your work privately as `.zta/showcase/PROJECT-LAB-05.md`. Keep safe receipts or excerpts inside this worksheet so the instructor does not need your local paths. In the [course](#), open Level 5, upload the worksheet, then reopen the submitted file and check its contents. Record the time and upload result. If sign-in or upload fails, keep the file and mark Not submitted. A local file or download is not submission. Do not upload the whole `.zta/` folder.

The saved route can show your reasoning and presentation skill. Authored examples do not establish that you built, ran, edited, stopped, or submitted your own project. The instructor records that distinction and any remaining live check; earlier incomplete levels do not become complete automatically.

If something fails

- Two attempts or five minutes without progress: open the outage packet, label the route, and continue.
- Lost old receipt: mark the comparison missing; use an authored example for practice. Do not recreate it and call it the original.
- No useful improvement yet: complete the bounded earlier edit with the instructor, or explain the untested change as a proposal.
- The project fails on stage: state expected behavior, show the actual failure and last saved result, then open the fallback.
- Price page unavailable: use a dated saved source, or use the clearly hypothetical cost example. An unknown bill is not zero.
- Cannot speak aloud: use a recording or partner-read script while you choose and control the evidence. Paper and Spanish responses are accepted.
- Upload unavailable: preserve the private file and record Not submitted.

Resumen en español

Elige un proyecto y un trabajo pequeño. Reúne ocho pruebas. Predice, ejecuta y compara un resultado normal y una falla. Conserva el antes, un cambio y el después. Usa la pausa o abre la alternativa. Calcula el costo con revisión humana. Presenta tres minutos. Entrega en el Nivel 5 y vuelve a abrir el archivo; si falla, escribe No entregado.

Words for Level 5

Proof board: eight items supporting a claim. Receipt: a saved result you can inspect, not a guarantee it is true. Fresh run: a new execution, even with a fixed input. Fence: a limit on data or actions. Cost floor: the estimated monthly operating total under written assumptions. Rehearsal: a timed practice presentation.