

GRUPO 04 – Correcciones Trabajo Práctico: COLAS

RESULTADO DE LA CORRECCIÓN: DESAPROBADO

OBSERVACIONES

NO COMPILA. Error con paths. En el repo siguen mal configurados.

The screenshot shows the Visual Studio Code interface with the Explorer panel on the left displaying the project structure. The main editor shows the file `colas_punteros.c` with the following code:

```
1 #include "colas.h"
2 #include <stdlib.h>
3 #include <stdio.h>
4 #include <stdbool.h>
5
6
7 struct Nodo {
8     TipoElemento datos;
9     struct Nodo *siguiente;
10 };
11
```

The Output panel at the bottom shows the compilation process and the following error message:

```
Starting build...
/usr/bin/gcc -fdiagnostics-color=always -g /home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/04-trabajoPractico-Colas/main.c -o /home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/04-trabajoPractico-Colas/tp_colas.c /home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/libs/validaciones/implementaciones/validaciones.c /home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/libs/listas/implementaciones/listas_cursores.c /home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/libs/tipoElemento/implementaciones/tipo_elemento.c /home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/libs/pilas/implementaciones/pilas_arreglos.c /home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/libs/colas/implementaciones/colas_punteros.c -lm
/home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/04-trabajoPractico-Colas/main.c: In function 'ejercicio6':
/home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/04-trabajoPractico-Colas/main.c:422:25: warning: format '%s' expects argument of type 'char *', but argument 3 has type 'void *' [-Wformat=]
422 | printf("%i:%s ", actual->clave, actual->valor);
    |                   ^
    |                   |
    |                   char *
    |                   void *
/home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/libs/colas/implementaciones/colas_punteros.c:1:10: fatal error: colas.h: No such file or directory
1 | #include "colas.h"
  |          ^~~~~~
compilation terminated.

Build finished with error(s).

* The terminal process failed to launch (exit code: -1).
* Terminal will be reused by tasks, press any key to close it.
```

The screenshot shows the Visual Studio Code interface with the Explorer panel on the left displaying the project structure. The main editor shows the file `colas_arreglos_circular.c` with the following code:

```
1 #include "colas.h"
2 #include <stdlib.h>
3 #include <stdio.h>
4 #include <stdbool.h>
5
6
7 struct ColaRep {
8     TipoElemento *valores;
9     unsigned int frente;
10     unsigned int final;
11 };
12
```


The Output panel at the bottom shows the compilation process and the following error message:

```
Starting build...
/usr/bin/gcc -fdiagnostics-color=always -g /home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/04-trabajoPractico-Colas/main.c -o /home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/04-trabajoPractico-Colas/main /home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/04-trabajoPractico-Colas/tp_colas.c /home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/libs/validaciones/implementaciones/validaciones.c /home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/libs/listas/implementaciones/listas_cursores.c /home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/libs/tipoElemento/implementaciones/tipo_elemento.c /home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/libs/pilas/implementaciones/pilas_arreglos.c /home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/libs/colas/implementaciones/colas_arreglos_circular.c -lm
/home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/04-trabajoPractico-Colas/main.c: In function 'ejercicio6':
/home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/04-trabajoPractico-Colas/main.c:422:25: warning: format '%s' expects argument of type 'char *', but argument 3 has type 'void *' [-Wformat=]
422 | printf("%i:%s ", actual->clave, actual->valor);
    |                   ^
    |                   |
    |                   char *
    |                   void *
/home/claudia/programacionII-2026/Grupo04/grupo4celestecampagnoli/libs/colas/implementaciones/colas_arreglos_circular.c:1:10: fatal error: colas.h: No such file or directory
1 | #include "colas.h"
  |          ^~~~~~
compilation terminated.

Build finished with error(s).


* The terminal process failed to launch (exit code: -1).
* Terminal will be reused by tasks, press any key to close it.
```

GRUPO 04 – Correcciones Trabajo Práctico: COLAS



The screenshot shows the GitHub web interface for the repository 'grupo4celestecampagnoli'. The file 'colas_arreglos_circular.c' is selected in the file explorer on the left. The main content area displays the C code for a circular queue implementation. The code includes headers for 'colas.h', 'stdlib.h', 'stdio.h', and 'stdbool.h'. It defines a 'ColaRep' struct with 'TipoElemento *valores', 'unsigned int frente', and 'unsigned int final'. A function 'paso' is defined to increment the 'frente' pointer. The 'Cola_c_crear' function initializes a new queue by allocating memory for the array and setting the 'frente' and 'final' pointers to 1 and 'TAMANIO_MAXIMO' respectively.

```
1 #include "colas.h"
2 #include <stdlib.h>
3 #include <stdio.h>
4 #include <stdbool.h>
5
6 struct ColaRep {
7     TipoElemento *valores;
8     unsigned int frente;
9     unsigned int final;
10 };
11
12 // Funcion interna que hace avanzar el frente y el final hacia adelante
13 int paso(int posicion) {
14     return ((posicion % TAMANIO_MAXIMO) + 1);
15 }
16
17 Cola c_crear() {
18     Cola nuevaCola = (Cola) malloc(sizeof(struct ColaRep));
19     nuevaCola->valores = calloc((TAMANIO_MAXIMO + 1), sizeof(TipoElemento));
20     // Esto es fundamental ya que esta vacia si hacemos un paso con el final y nos encontramos con el frente
21     nuevaCola->frente = 1;
22     nuevaCola->final = TAMANIO_MAXIMO;
```



The screenshot shows the GitHub web interface for the repository 'grupo4celestecampagnoli'. The file 'colas_punteros.c' is selected in the file explorer on the left. The main content area displays the C code for a queue implementation using pointers. The code includes headers for 'colas.h', 'stdlib.h', 'stdio.h', and 'stdbool.h'. It defines a 'Nodo' struct with 'TipoElemento datos' and 'struct Nodo *siguiente'. The 'ColaRep' struct contains 'struct Nodo *frente' and 'struct Nodo *final'. The 'Cola_c_crear' function initializes a new queue by allocating memory for the 'ColaRep' struct and setting the 'frente' and 'final' pointers to NULL.

```
1 #include "colas.h"
2 #include <stdlib.h>
3 #include <stdio.h>
4 #include <stdbool.h>
5
6 struct Nodo {
7     TipoElemento datos;
8     struct Nodo *siguiente;
9 };
10
11 struct ColaRep {
12     struct Nodo *frente;
13     struct Nodo *final;
14 };
15
16 Cola c_crear(void) {
17     Cola nuevaCola = (Cola) malloc(sizeof(struct ColaRep));
18     nuevaCola->frente = NULL;
19     nuevaCola->final = NULL;
20     return nuevaCola;
21 }
```