


ES-420 User Guide: Device Care and Deployment

support@celltracktech.com

6/10/2021

Contents

Overview	2
General Specifications	2
Unpacking Your Shipment, Caring for Your CTT® Devices, & Getting Started	2
Fitting device on an animal	3
Removing the Collar	3
Helpful hints	4
Feedback	4
Programming Specifications	4
Duty Cycle	4
Navigating the new ES-420 User Interface (UI) Website	5
Logging in	5
Main Page	5
Charts Tab	6
Data Grid Tab	7
Configuration Tab	7
Current Assignment Sub-tab	7
Assignment History Sub-tab	8
Download Tab	8
Further Support	8



Overview

You have received a CTT®-ES420 telemetry device by Cellular Tracking Technologies. This is our newest GPS-GSM wildlife tracking device. It features LTE CAT M1 complete with CTT's global coverage on over 400 carriers worldwide. LTE CAT M1 is designed specifically for IoT devices with drastically reduced power usage, dedicated IoT connectivity so there is little to no delays or downtime, remote updating capabilities, and extended cellular range.

This guide is intended to instruct you in the care of your wildlife tracking device. Please pay attention to these details, as several are different from any other devices on the market. This CTT® device is covered by US Patent No. 8,258,942.

General Specifications

The CTT®-ES420 Goose Collar (ES-420 GC) is a solar recharging battery-powered GPS tracking device designed for geese. The transmitter is a collar that weighs ~ 30g. The device is designed to operate over long periods of time with adequate solar recharging, and it can operate at different sampling rates depending on its reprogrammable duty cycle. Cellular technology allows the device to update frequent batches of telemetry data at much lower costs than satellite-transmission devices. If cellular coverage is unavailable, the device will store data until it returns to a cellular coverage area. If the device cannot recharge during extended periods of unfavorable weather, it will enter a “power save” mode, recharging until it is safe to operate.

Unpacking Your Shipment, Caring for Your CTT® Devices, & Getting Started

When a CTT® device is shipped to you, it is running in a special low power mode to reduce battery consumption. A CTT® device should be kept indoors and away from excessive heat, and in a place where there is adequate signal from a mobile phone tower. Do not place the device into metal containers or cabinets as this will obstruct the mobile phone and GPS signal.

NOTE: CTT® devices do not ship with the operational Duty Cycle for your project.

Within ten days of receiving your devices, contact Cellular Tracking Technologies to let us know which devices will be deployed in the near future and which devices will remain in storage for more than three weeks.

If you would like to store your devices at any time, we will place them into CTT® Deep Freeze storage mode where very little power is consumed. Contact Cellular Tracking Technologies to notify us which devices need to be put into CTT® Deep Freeze.

CTT® Deep Freeze: The CTT® device continuously monitors the state of charge of the battery. If stored for an extended period of time, the battery may need to be recharged. If the battery gets too low, our server will automatically send you an email notification when recharging is necessary. These notifications to your email address can be configured on the Cellular Tracking Technologies data access web page under your user profile. They will be sent to the default email address you have selected on your user profile.

When instructed by our server to charge the battery, position the device outside in a location with mobile phone network coverage and an unobstructed panoramic view of the sky. Strong sunlight is needed to quickly recharge the batteries to full capacity (see helpful hints on charging below). A full charge is approximately 4.1 V. You can determine voltage on your account page on the Cellular Tracking Technologies data access web page. You will also receive an automated email from your device, once fully charged. At this point, return the device to an indoors location.

At least ten days prior to deployment: Be sure that the duty cycle configuration has been updated on your devices prior to deployment. Contact Cellular Tracking Technologies to update your device to the correct configuration for deployment. Test each device by checking your account on the Cellular Tracking Technologies data access web page to verify that data have been recorded and transmitted properly. Be sure to charge the battery to full capacity. **Do not deploy the device on an animal until you are sure the device is functioning properly.**


Fitting device on an animal

This should only be done only by someone who is **experienced, licensed, and has appropriate permissions to attach telemetry devices to the specific wildlife species**. Having prior experience fitting the particular style of attachment (i.e. backpack, goose collar, mammal collar, ear tag) on these animals is important; if you need guidance in this regard please contact us.

Removing the Collar

If you need to refit a collar after closing, or need to remove the door after it is fully closed, it is very important these directions are followed. Failure to do so will permanently damage the collar. Your collars shipped with extra doors. Contact us if more are needed.


1. Note the lines on either edge of the door part of the collar as shown below



2. To remove cut only the red line section of the tab on the door
3. We recommend using small side cutters/ wire cutters as show below:



4. Cut from the top and only the line section of the door. Do not cut into the main unit.



IMPORTANT! For the ES-420 GC units, the **GPS bump** goes **towards the sky**. The sliding door will slide **down** into place until it locks.

Helpful hints

There are some basic operating principles about this telemetry device of which you should be aware:

Test Devices before Deployment

Check the GPS Data Collection & Cellular Data Connection for at least 24 hours in the area near where you will deploy them. This is always good policy. Check your account online to verify that each device transmitted appropriate data.

Recharging the Battery

The optimal position for recharging is outside, with the solar panel facing south and tilted 45 degrees above horizontal, all day long. Devices running a low-power duty cycle should be stored safely indoors until the battery needs to be charged (~ 3.7 V). Recharge batteries outside as described above. Return devices to an inside location when full charge is reached (~ 4.1 V). Battery voltage can be monitored on the Cellular Tracking Technologies user interface website.

Handle with Care

The devices are heat sensitive. They are designed to function well in outdoor environments; however, excessive heat (for example that which occurs on the dashboard of a car parked in direct sunlight) may permanently damage the waterproof seal or components in the device. While the telemetry device continuously monitors for excessive heat, and will not charge the battery if the device gets too hot, these conditions could permanently damage the device. **Cellular Tracking Technologies does not warranty telemetry devices damaged by exposure to excessive heat.**

Feedback

Because you are using a relatively new telemetry system, please be sure to take extensive notes on the device, its performance, and improvements you would like to see. We are constantly working to develop our tracking devices' hardware and operating systems and your feedback is priceless! We stand behind our products and continue our support for our customers and clients.

Programming Specifications

Duty Cycle

ATTENTION: All devices are shipped in a special low power mode. They connect to the Cellular Tracking Technologies server on Monday, Wednesday and Friday. Additionally, we have a special **motion activated cellular connection trigger**. Please only perform this procedure in an area that has GSM cellular coverage. To perform a cellular data connection on demand within 5 minutes, do the following: Hold the device with the solar panel facing up and then proceed to **shake the device up and down continuously (as though it is a clogged salt shaker) for 45 seconds without stopping**. Then set the device down on a flat surface with GPS UP for up to 5 minutes. You can then verify that the device transmitted successfully by logging in to your account on the Cellular Tracking Technologies website. Please note that the device needs

>50 seconds of up/down agitation, and only on the precise axis that is up/down when the solar panel is facing straight up (the angle that would be optimized for solar energy from a direct overhead light source.) This way, the device will be able to connect and download the specific duty cycle configuration file for your project at a time that is convenient to you, independent of the scheduled connections. If check-in does not occur within 5 minutes, attempt again, paying close attention to the angle at which the device is held and that the up/down motion persists for at least 45 seconds.

To ensure that the correct duty cycle for your project is set to be downloaded by these devices, please email Jessica Formento at jessica.formento@celltracktech.com, and cc: sales@celltracktech.com. You can also call us directly at 609-889-0305. **If you do not contact us, the duty cycle for these devices will remain unchanged.**

Navigating the new ES-420 User Interface (UI) Website


Logging in

The ES-420 line of transmitters has a new portal independent from the old CTT web portal. Upon shipping your ES-420 you will be emailed your credentials for this new login, as well as a list of your Device IDs. To log into your new account please visit the ES-420 web portal here:

<https://beta.internetofwildlife.com/>


Main Page

This section is still under construction and new data will be added imminently. Please check the online version for the most up-to-date user guide.



Charts Tab

This section is still under construction and new data will be added imminently. Please check the online version for the most up-to-date user guide.



Data Grid Tab

This section is still under construction and new data will be added imminently. Please check the online version for the most up-to-date user guide.

Device Panel: 356812100022092

Charts Data Grid Configuration Download

Time	Lat.	Long.	Altitude	Speed	COG (deg)	HDOP	VDOP	PDOP	Satellite Count	Fix Time (s)	Error	Reason	Nav. Type	Activity	Battery (mV)	Charge (V)	Solar Current (mA)	Temp (C)
2021-06-10T11:44:36.000Z	43.245869	-115.983963	940	0.02	0	0.79	1	1.25	12	8	0	2	3	121	4042	56	0	21
2021-06-10T10:44:29.000Z	43.246372	-115.983322	982	0.05	0	0.93	1.11	1.46	12	7	0	2	3	0	4045	0	0	22
2021-06-10T09:44:23.000Z	43.245949	-115.983231	920	0.11	22	0.75	1.05	1.28	12	8	0	2	3	2	4050	0	0	23
2021-06-10T08:44:16.000Z	43.24564	-115.983185	865	0.01	0	0.94	1.49	1.67	12	7	0	2	3	1	4055	0	0	23
2021-06-10T07:44:10.000Z	43.246044	-115.983452	970	0.01	0	0.82	1.01	1.26	12	8	0	2	3	301	4060	0	0	23
2021-06-10T06:44:03.000Z	43.248051	-115.983063	959	0.05	0	0.97	1.06	1.32	12	7	0	2	3	0	4058	0	0	26
2021-06-10T05:43:57.000Z	43.247707	-115.983292	923	0.02	39	0.94	1.02	1.25	12	7	0	2	3	2	4063	0	0	26
2021-06-10T04:43:51.000Z	43.248024	-115.983063	968	0.02	0	0.69	1.08	1.27	12	7	0	2	3	1194	4067	0	0	28
2021-06-10T03:43:45.000Z	43.233364	-115.979836	949	0.05	0	0.67	0.94	1.13	12	7	0	2	3	537	4068	64	0	30
2021-06-10T02:43:39.000Z	43.232632	-115.979073	932	0.26	0	0.82	1.24	1.53	12	8	0	2	3	1638	4068	1312	7	31
2021-06-10T01:43:32.000Z	43.232689	-115.979233	940	0.1	0	0.77	0.98	1.29	12	8	0	2	3	963	4072	1479	20	32
2021-06-10T00:43:25.000Z	43.232517	-115.98008	919	0.27	340	0.81	0.91	1.18	12	7	0	2	3	757	4073	1645	37	38
2021-06-09T23:43:19.000Z	43.234726	-115.993156	924	0.39	0	0.72	1.35	1.53	12	8	0	2	3	2292	4074	2132	19	36
2021-06-09T22:43:12.000Z	43.228722	-115.98838	947	0.01	340	0.61	0.94	1.11	12	8	0	2	3	1699	4074	1514	103	40
2021-06-09T21:43:05.000Z	43.227276	-115.984543	968	0.04	0	0.94	1.38	1.73	12	8	0	2	3	86	4077	1971	71	60
2021-06-09T20:42:58.000Z	43.226669	-115.984215	913	0.04	0	0.71	2.23	2.48	12	10	0	2	3	80	4077	2207	140	52
2021-06-09T19:42:48.000Z	43.22646	-115.98484	912	0.03	0	0.89	0.92	1.13	12	7	0	2	3	155	4075	1638	436	52
2021-06-09T18:42:42.000Z	43.226772	-115.984451	951	0.09	0	0.91	1.2	1.51	11	9	0	2	3	985	4072	1790	129	44
2021-06-09T17:42:34.000Z	43.23114	-115.988976	947	0.01	0	0.95	1.45	1.73	11	7	0	2	3	786	4069	1785	190	42

Cellular Tracking Technologies©
1293 Hornet Road Suite #1 • Rio Grande, NJ 08242 • (866) 889-0305
celltracktech.com

Configuration Tab

From the configuration tab you can see both the current configuration loaded on your unit, and the assignment history.

Current Assignment Sub-tab

This panel shows the **latest configuration** running on the unit **since the last check-in**. This is **important**, because newly assigned configs will **not update** until the check-in following the one where the unit took the config.

This section is still under construction and new data will be added imminently. Please check the online version for the most up-to-date user guide.

Device Panel: 356812100022092

Charts Data Grid Configuration Download


Current Assignment Assignment History

Config

Modem Checkin UTC	12:30
Modem Battery Threshold	3.60V
Interval 1	60 minutes
Sunday	true
Monday	true
Tuesday	true
Wednesday	true
Thursday	true
Friday	true
Saturday	true

Assignment History Sub-tab

This section is under construction and new data will be added imminently. Please check the online version for the most up-to-date user guide.




The screenshot shows the 'Device Panel' for device ID 356812100022092. It features a navigation bar with buttons for 'Charts', 'Data Grid', 'Configuration', and 'Download'. Below this is a sub-tab bar with 'Current Assignment' and 'Assignment History'. The 'Assignment History' sub-tab is active, displaying a table of assignments.

Type	Assigned By	Assignment Submitted	Delivered to Unit
config	server	2021-04-27T19:35:43.237Z	2021-04-28T10:24:39.211Z
config	server	2021-04-23T19:48:06.233Z	2021-04-26T12:14:31.452Z

Download Tab

This section is still under construction and new data will be added imminently. Please check the online version for the most up-to-date user guide.



The screenshot shows the 'Download' tab in the Device Panel. It features a navigation bar with buttons for 'Charts', 'Data Grid', 'Configuration', and 'Download'. Below this is a sub-tab bar with 'Current Assignment' and 'Assignment History'. The 'Download' sub-tab is active, displaying a button labeled 'Download Device Data (356812100022092)'. Below the button is a footer section with the text 'Cellular Tracking Technologies©', '1293 Hornet Road Suite #1 • Rio Grande, NJ 08242 • (866) 889-0305', and the website 'celltracktech.com'.

Further Support

If for any reason you need further support with your Cellular Tracking Technologies ES-420 device, please email support@celltracktech.com or call us during business hours, 9am - 5pm Monday to Friday at 609-889-0305.