Font Manager

Contents

About Fonts 4-6
Characters, Character Codes, and Glyphs 4-6
Kinds of Fonts 4-7
Identifying Fonts 4-8
Font Measurements 4-8
About Font Resources 4-12
Font Resource Types 4-13
A Brief History of Font Resource Use 4-13
Font Family IDs 4-14
Restrictions on the Use of 'FONT' Resources 4-15
Font Resource Tables 4-16
About the Font Manager 4-16
How QuickDraw Requests a Font 4-16
How the Font Manager Responds to a Font Request 4-17
How the Font Manager Scales Fonts 4-19
The Scaling Process for a Bitmapped Font 4-22
The Scaling Process for an Outline Font 4-23
How the Font Manager Calculates Glyph Widths 4-23
Synthetic Fonts 4-25
How the Font Manager Renders Outline Fonts 4-25
Using the Font Manager 4-31
Adding Font Sizes and Names to the Menu 4-32
Storing a Font Name in a Document 4-33
Getting Font Measurement Information 4-34
Favoring Outline or Bitmapped Fonts 4-35
Preserving the Shapes of Glyphs 4-35
Using Width Tables 4-36
Getting the System or Application Font ID 4-38
Using Fractional Glyph Widths and Font Scaling 4-38
Font Manager Reference 4-39

Data Structures 4-39
The Font Input Record 4-40
The Font Output Record 4-41
The Global Width Table 4-43
The Font Record 4-46
The Font Family Record 4-47
The Font Association Table Record 4-47
The Family Glyph-Width Table Record 4-48
The Style-Mapping Table Record 4-49
The Font Family Kerning Table Record 4-49
Routines 4-50
Initializing the Font Manager 4-50
Getting Font Information 4-51
Using the Current, System, and Application Fonts 4-53
Getting the Characteristics of a Font 4-54
Enabling Fractional Glyph Widths 4-58
Disabling Font Scaling 4-59
Favoring Outline Fonts Over Bitmapped Fonts 4-60
Scaling Outline Fonts 4-62
Accessing Information About a Font 4-64
Handling Fonts in Memory 4-65
The Bitmapped Font ('NFNT') Resource 4-66
The Font Type Element 4-70
The Offset to the Width/Offset Table 4-71
The Outline Font ('sfnt') Resource 4-72
The Font Directory 4-74
The Character-Code Mapping Table 4-76
The Control-Value Table 4-77
The Font Program Table 4-77
The Glyph Data Table 4-77
The Horizontal Device Metrics Table 4-78
The Font Header Table 4-79
The Horizontal Header Table 4-83
The Horizontal Metrics Table 4-83
The Kerning Table 4-84
The Location Table 4-84
The Maximum Profile Table 4-84
The Font Naming Table 4-85
The PostScript Table 4-89
The Preprogram Table 4-89
The Font Family ('FOND') Resource 4-90
The Font Style Code 4-94
The Font Association Table 4-95
The Offset Table 4-96
The Bounding-Box Table 4-97
The Family Glyph-Width Table 4-98
The Style-Mapping Table 4-99

The Font Family Kerning Table 4-106
Summary of the Font Manager 4-108
Pascal Summary 4-108
Constants 4-108
Data Types 4-108
Routines 4-112
C Summary 4-113
Constants 4-113
Data Types 4-114
Routines 4-118
Assembly-Language Summary 4-119
Trap Macros 4-119
Global Variables 4-120