Text Services Manager

Contents

About Text Services 7-6
About Input Methods 7-6
About the Text Services Manager 7-9
  The Text Services Environment 7-9
  The Text Services Manager and Input Methods 7-11
    Inline Input 7-11
    Floating Input Windows 7-13
    Floating Utility Windows 7-14
About Text Service Components 7-14
Using the Text Services Manager (for Client Applications) 7-17
  Testing for the Availability of the Text Services Manager 7-17
  Calling the Text Services Manager 7-17
    Initializing as a TSM-Aware Application 7-18
    Creating a TSM Document 7-18
    Making Text Services Available to the User 7-20
    Activating and Deactivating a TSM Document 7-20
    Passing Events, Menu Selections, and Cursor Setting 7-21
    Confirming Active Text Within a TSM Document 7-23
    Deleting a TSM Document 7-24
    Closing Down as a TSM-Aware Application 7-24
    Requesting a Floating Input Window for Text Entry 7-24
    Associating Input Methods With Scripts and Languages 7-25
  Handling Text Service Apple Events 7-25
    Receiving Text and Updating the Active Input Area 7-26
    Converting Screen Position to Text Offset 7-29
    Converting Text Offset to Screen Position 7-32
    Showing or Hiding the Input Window 7-36
  Direct Access to Text Service Components 7-36
    Calling the Component Manager 7-36
    Calling Text Service Components 7-37

Using the Text Services Manager (for Text Service Components) 7-37
Providing Menus and Icons 7-38
Providing a Text Service Component Menu 7-38
Providing Input Method Icons for the Keyboard Menu 7-39
Responding to Calls 7-40
Initiating a Text Service 7-41
Activating Text Service Component Windows 7-41
Responding to Events and Updating the Cursor and Menu 7-41
Confirming Active Text Input 7-42
Closing a Text Service 7-42
Identifying the Supported Scripts and Languages 7-42
Making Calls 7-44
Sending Apple Events to Client Applications 7-44
Opening Floating Utility Windows 7-48
Text Services Manager Reference 7-48
Text Services Manager Routines for Client Applications 7-48
Initializing and Closing as a TSM-Aware Application 7-49
Creating and Activating TSM Documents 7-50
Passing Events to Text Service Components 7-54
Passing Menu Selections and Cursor Setting 7-55
Confirming Active Input in a TSM Document 7-56
Making Text Services Available to the User 7-57
Requesting a Floating Input Window 7-61
Associating Scripts and Languages With Components 7-62
Apple Event Handlers Supplied by Client Applications 7-65
Creating and Updating an Active Input Area 7-68
Converting Global Coordinates to Text Offsets 7-72
Converting Text Offsets to Global Coordinates 7-74
Showing or Hiding the Floating Input Window 7-76
Text Services Manager Routines for Components 7-77
Sending Apple Events to a Client Application 7-77
Opening Floating Utility Windows 7-79
Text Service Component Routines 7-84
Providing a Text Service 7-84
Responding to Events and Updating the Cursor and Menu 7-87
Confirming Active Input in a TSM Document 7-89
Identifying the Supported Scripts and Languages 7-90
Summary of the Text Services Manager 7-92
Pascal Summary 7-92
Constants 7-92
Data Types 7-94
Text Services Manager Routines for Client Applications 7-95
Text Services Manager Routines for Components 7-97
Text Service Component Routines 7-97
C Summary 7-98
Constants 7-98
Data Types 7-101

Text Services Manager Routines for Client Applications 7-102
Text Services Manager Routines for Components 7-104
Text Service Component Routines 7-104
Assembly-Language Summary 7-105
Trap Macros 7-105
Result Codes 7-107