JDBCAdaptor

Inherits from:	com.webobjects.eoaccess.EOAdaptor: Object
Package:	com.webobjects.jdbcadaptor

Class Description

Documentation for this class is forthcoming.

Method Types

All methods

JDBCAdaptor

createAttribute

getJDBCInfoWithConnectionDictionary

typeInfoForModel

assertConnectionDictionaryIsValid

assignExternalInfoForEntireModel

assignExternalTypeForAttribute

createAdaptorContext

defaultExpressionClass

expressionFactory

externalTypesWithModel

fetchedValueForValue

isDroppedConnectionException

isValidQualifierType

jdbcInfo

plugIn

setConnectionDictionary

synchronizationFactory

typeInfo

varcharMaxLength

Constructors

JDBCAdaptor

public JDBCAdaptor(String name)

Description forthcoming.

Static Methods

createAttribute

```
public static com.webobjects.eoaccess.EOAttribute createAttribute(
    String name,
    String columnName,
    short columnType,
    String externalType,
    int precision,
    int scale,
    int isNullable)
```

Description forthcoming.

getJDBCInfoWithConnectionDictionary

```
protected static NSDictionary getJDBCInfoWithConnectionDictionary(NSDictionary connectionDictionary)
```

Description forthcoming.

typeInfoForModel

```
protected static NSDictionary typeInfoForModel(com.webobjects.eoaccess.EOModel anEOModel)
```

Description forthcoming.

Instance Methods

assertConnectionDictionaryIsValid

```
public void assertConnectionDictionaryIsValid()
```

Description forthcoming.

assignExternalInfoForEntireModel

```
public void assignExternalInfoForEntireModel(com.webobjects.eoaccess.EOModel anEOModel)
```

Description forthcoming.

assignExternalTypeForAttribute

```
public void assignExternalTypeForAttribute(
    com.webobjects.eoaccess.EOAttribute anEOAttribute)
```

Description forthcoming.

createAdaptorContext

```
public com.webobjects.eoaccess.EOAdaptorContext createAdaptorContext()
```

Description forthcoming.

defaultExpressionClass

```
public Class defaultExpressionClass()
```

Description forthcoming.

expressionFactory

```
public com.webobjects.eoaccess.EOSQLExpressionFactory expressionFactory()
```

Description forthcoming.

externalTypesWithModel

```
public NSArray externalTypesWithModel(com.webobjects.eoaccess.EOModel anEOModel)
```

Description forthcoming.

fetchedValueForValue

```
public Object fetchedValueForValue(
    Object value,
    com.webobjects.eoaccess.EOAttribute anEOAttribute)
```

Description forthcoming.

isDroppedConnectionException

```
public boolean isDroppedConnectionException(Exception anException)
```

Description forthcoming.

isValidQualifierType

```
public boolean isValidQualifierType(
    String typeName,
    com.webobjects.eoaccess.EOModel anEOModel)
```

Description forthcoming.

jdbcInfo

```
protected NSDictionary jdbcInfo()
```

Description forthcoming.

plugIn

```
public JDBCPlugIn plugIn()
```

Description forthcoming.

setConnectionDictionary

```
public void setConnectionDictionary(NSDictionary aNSDictionary)
```

Description forthcoming.

synchronizationFactory

`public com.webobjects.eoaccess.EOSchemaGeneration synchronizationFactory()`

Description forthcoming.

typeInfo

`protected NSDictionary typeInfo()`

Description forthcoming.

varcharMaxLength

`protected int varcharMaxLength()`

Description forthcoming.

JDBCAdaptorException

Inherits from:	com.webobjects.eoaccess.EOGeneralAdaptorException: java.lang.RuntimeException: java.lang.Exception: java.lang.Throwable: Object
Package:	com.webobjects.jdbcadaptor

Class Description

Documentation for this class is forthcoming.

Method Types

All methods

JDBCAdaptorException

sqlException

Constructors

JDBCAdaptorException

```
public JDBCAdaptorException(java.sql.SQLException aSQLException)
```

Description forthcoming.

```
public JDBCAdaptorException(
    String message,
    java.sql.SQLException aSQLException)
```

Description forthcoming.

Instance Methods

sqlException

```
public java.sql.SQLException sqlException()
```

Description forthcoming.

JDBCChannel

Inherits from:	com.webobjects.eoaccess.EOAdaptorChannel: Object
Package:	com.webobjects.jdbcadaptor

Class Description

Documentation for this class is forthcoming.

Method Types

All methods

JDBCChannel

addStoredProceduresNamed

attributesToFetch

cancelFetch

closeChannel

deleteRowsDescribedByQualifier

describeModelWithTableNames

describeResults

describeStoredProcedureNames

describeTableNames

evaluateExpression

executeStoredProcedure

fetchRow

insertRow

isFetchInProgress

isOpen

openChannel

primaryKeyForNewRowWithEntity

returnValuesForLastStoredProcedureInvocation

selectAttributes

setAttributesToFetch

updateValuesInRowsDescribedByQualifier

Constructors

JDBCChannel

public JDBCChannel(JDBCContext aJDBCContext)

Description forthcoming.

Instance Methods

addStoredProceduresNamed

```
public void addStoredProceduresNamed(
    NSArray storedProcedureNames,
    com.webobjects.eoaccess.EOModel anEOModel)
```

Description forthcoming.

attributesToFetch

```
public NSArray attributesToFetch()
```

Description forthcoming.

cancelFetch

```
public void cancelFetch()
```

Description forthcoming.

closeChannel

```
public void closeChannel()
```

Description forthcoming.

deleteRowsDescribedByQualifier

```
public int deleteRowsDescribedByQualifier(
    com.webobjects.eocontrol.EOQualifier anEOQualifier,
    com.webobjects.eoaccess.EOEntity anEOEntity)
```

Description forthcoming.

describeModelWithTableNames

```
public com.webobjects.eoaccess.EOModel describeModelWithTableNames(NSArray tableNames)
```

Description forthcoming.

describeResults

```
public NSArray describeResults()
```

Description forthcoming.

describeStoredProcedureNames

```
public NSArray describeStoredProcedureNames()
```

Description forthcoming.

describeTableNames

```
public NSArray describeTableNames()
```

Description forthcoming.

evaluateExpression

```
public void evaluateExpression(com.webobjects.eoaccess.EOSQLExpression anEOSQLExpression)
```

Description forthcoming.

executeStoredProcedure

```
public void executeStoredProcedure(
    com.webobjects.eoaccess.EOStoredProcedure anEOStoredProcedure,
    NSDictionary values)
```

Description forthcoming.

fetchRow

```
public NSMutableDictionary fetchRow()
```

Description forthcoming.

insertRow

```
public void insertRow(
    NSDictionary row,
    com.webobjects.eoaccess.EOEntity anEOEntity)
```

Description forthcoming.

isFetchInProgress

```
public boolean isFetchInProgress()
```

Description forthcoming.

isOpen

```
public boolean isOpen()
```

Description forthcoming.

openChannel

```
public void openChannel()
```

Description forthcoming.

primaryKeyForNewRowWithEntity

```
public NSDictionary primaryKeyForNewRowWithEntity(com.webobjects.eoaccess.EOEntity anEOEntity)
```

Description forthcoming.

returnValuesForLastStoredProcedureInvocation

```
public NSDictionary returnValuesForLastStoredProcedureInvocation()
```

Description forthcoming.

selectAttributes

```
public void selectAttributes(
    NSArray attributes,
    com.webobjects.eocontrol.EOFetchSpecification anEOFetchSpecification,
    boolean flag,
    com.webobjects.eoaccess.EOEntity anEOEntity)
```

Description forthcoming.

setAttributesToFetch

```
public void setAttributesToFetch(NSArray attributes)
```

Description forthcoming.

updateValuesInRowsDescribedByQualifier

```
public int updateValuesInRowsDescribedByQualifier(
    NSDictionary row,
    com.webobjects.eocontrol.EOQualifier anEOQualifier,
    com.webobjects.eoaccess.EOEntity anEOEntity)
```

Description forthcoming.

JDBCContext

Inherits from:	com.webobjects.eoaccess.EOAdaptorContext: Object
Package:	com.webobjects.jdbcadaptor

Class Description

Documentation for this class is forthcoming.

Method Types

All methods

JDBCContext

beginTransaction

commitTransaction

connection

createAdaptorChannel

handleDroppedConnection

rollbackTransaction

Constructors

JDBCContext

`public JDBCContext(com.webobjects.eoaccess.EOAdaptor anEOAdaptor)`

Description forthcoming.

Instance Methods

beginTransaction

`public void beginTransaction()`

Description forthcoming.

commitTransaction

`public void commitTransaction()`

Description forthcoming.

connection

`public java.sql.Connection connection()`

Description forthcoming.

createAdaptorChannel

`public com.webobjects.eoaccess.EOAdaptorChannel createAdaptorChannel()`

Description forthcoming.

handleDroppedConnection

`public void handleDroppedConnection()`

Description forthcoming.

rollbackTransaction

`public void rollbackTransaction()`

Description forthcoming.

JDBCExpression

Inherits from:	com.webobjects.eoaccess.EOSQLExpression: Object
Package:	com.webobjects.jdbcadaptor

Class Description

Documentation for this class is forthcoming.

Method Types

All methods

    JDBCExpression

    stringForDate

    addJoinClause

    addSelectListAttribute

    allowsNullClauseForConstraint

    appendItemToListString

appendItemToOrderByString

appendItemToValueListString

bindVariableDictionaryForAttribute

columnTypeStringForAttribute

externalNameQuoteCharacter

formatValueForAttribute

jdbcInfo

lockClause

mustUseBindVariableForAttribute

prepareSelectExpressionWithAttributes

setJDBCInfo

shouldUseBindVariableForAttribute

toString

useBindVariables

Constructors

JDBCExpression

public JDBCExpression(com.webobjects.eoaccess.EOEntity anEOEntity)

Description forthcoming.

Static Methods

stringForDate

```
public static String stringForDate(NSTimestamp date)
```

Description forthcoming.

Instance Methods

addJoinClause

```
public void addJoinClause(
    String leftName,
    String rightName,
    int semantic)
```

Description forthcoming.

addSelectListAttribute

```
public void addSelectListAttribute(com.webobjects.eoaccess.EOAttribute anEOAttribute)
```

Description forthcoming.

allowsNullClauseForConstraint

```
public String allowsNullClauseForConstraint(boolean flag)
```

Description forthcoming.

appendItemToListString

```
protected void appendItemToListString(String sqlString)
```

Description forthcoming.

appendItemToOrderByString

```
protected void appendItemToOrderByString(String sqlString)
```

Description forthcoming.

appendItemToValueListString

```
protected void appendItemToValueListString(String sqlString)
```

Description forthcoming.

bindVariableDictionaryForAttribute

```
public NSMutableDictionary bindVariableDictionaryForAttribute(
    com.webobjects.eoaccess.EOAttribute anEOAttribute,
    Object value)
```

Description forthcoming.

columnTypeStringForAttribute

```
public String columnTypeStringForAttribute(
    com.webobjects.eoaccess.EOAttribute anEOAttribute)
```

Description forthcoming.

externalNameQuoteCharacter

```
public String externalNameQuoteCharacter()
```

Description forthcoming.

formatValueForAttribute

```
public String formatValueForAttribute(
    Object value,
    com.webobjects.eoaccess.EOAttribute anEOAttribute)
```

Description forthcoming.

jdbcInfo

```
protected NSDictionary jdbcInfo()
```

Description forthcoming.

lockClause

```
public String lockClause()
```

Description forthcoming.

mustUseBindVariableForAttribute

```
public boolean mustUseBindVariableForAttribute(
    com.webobjects.eoaccess.EOAttribute anEOAttribute)
```

Description forthcoming.

prepareSelectExpressionWithAttributes

```
public void prepareSelectExpressionWithAttributes(
    NSArray attributes,
    boolean lock,
    com.webobjects.eocontrol.EOFetchSpecification anEOFetchSpecification)
```

Description forthcoming.

setJDBCInfo

```
protected void setJDBCInfo(NSDictionary jdbcInfo)
```

Description forthcoming.

shouldUseBindVariableForAttribute

```
public boolean shouldUseBindVariableForAttribute(
    com.webobjects.eoaccess.EOAttribute anEOAttribute)
```

Description forthcoming.

toString

```
public String toString()
```

Description forthcoming.

useBindVariables

```
public boolean useBindVariables()
```

Description forthcoming.

JDBCExpressionFactory

Inherits from:	com.webobjects.eoaccess.EOSQLExpressionFactory: Object
Package:	com.webobjects.jdbcadaptor

Class Description

Documentation for this class is forthcoming.

Method Types

All methods

JDBCExpressionFactory

createExpression

Constructors

JDBCExpressionFactory

```
public JDBCExpressionFactory(com.webobjects.eoaccess.EOAdaptor anEOAdaptor)
```

Description forthcoming.

Instance Methods

createExpression

```
public com.webobjects.eoaccess.EOSQLExpression
    createExpression(com.webobjects.eoaccess.EOEntity anEOEntity)
```

Description forthcoming.

JDBCPlugIn

Inherits from:	Object
Package:	com.webobjects.jdbcadaptor

Class Description

Documentation for this class is forthcoming.

Method Types

All methods

JDBCPlugIn

plugInNameForURL

removePlugInNameForSubprotocol

setPlugInNameForSubprotocol

adaptor

canDescribeStoredProcedure

createAttributeForRow

createExpressionFactory

createSynchronizationFactory

databaseInformation

databaseProductName

defaultDriverName

defaultExpressionClass

expressionFactory

fetchBLOB

fetchCLOB

isPseudoColumnName

jdbcInfo

newPrimaryKeys

schemaNameForEntity

sqlStatementForGettingProcedureNames

sqlStatementForGettingTableNames

sqlStatementForTableNamed

storedProcedureNamed

synchronizationFactory

updateLOBs

wildcardPatternForAttributes

wildcardPatternForSchema

wildcardPatternForTables

Constructors

JDBCPlugIn

```
public JDBCPlugIn(JDBCAdaptor aJDBCAdaptor)
```

Description forthcoming.

Static Methods

plugInNameForURL

```
protected static String plugInNameForURL(String URL)
```

Description forthcoming.

removePlugInNameForSubprotocol

```
protected static void removePlugInNameForSubprotocol(String subprotocol)
```

Description forthcoming.

setPlugInNameForSubprotocol

```
public static void setPlugInNameForSubprotocol(
    String pluginName,
    String subprotocol)
```

Description forthcoming.

Instance Methods

adaptor

```
public JDBCAdaptor adaptor()
```

Description forthcoming.

canDescribeStoredProcedure

```
public boolean canDescribeStoredProcedure(String storedProcedureName)
```

Description forthcoming.

createAttributeForRow

```
protected com.webobjects.eoaccess.EOAttribute createAttributeForRow(NSDictionary row)
```

Description forthcoming.

createExpressionFactory

```
protected com.webobjects.eoaccess.EOSQLExpressionFactory createExpressionFactory()
```

Description forthcoming.

createSynchronizationFactory

```
protected com.webobjects.eoaccess.EOSynchronizationFactory createSynchronizationFactory()
```

Description forthcoming.

databaseInformation

```
public NSDictionary databaseInformation()
```

Description forthcoming.

databaseProductName

```
public String databaseProductName()
```

Description forthcoming.

defaultDriverName

```
public String defaultDriverName()
```

Description forthcoming.

defaultExpressionClass

```
public Class defaultExpressionClass()
```

Description forthcoming.

expressionFactory

```
public com.webobjects.eoaccess.EOSQLExpressionFactory expressionFactory()
```

Description forthcoming.

fetchBLOB

```
protected Object fetchBLOB(
    java.sql.ResultSet aResultSet,
    int column,
    com.webobjects.eoaccess.EOAttribute anEOAttribute,
    boolean materialize)
```

Description forthcoming.

fetchCLOB

```
protected Object fetchCLOB(
    java.sql.ResultSet aResultSet,
    int column,
    com.webobjects.eoaccess.EOAttribute anEOAttribute,
    boolean materialize)
```

Description forthcoming.

isPseudoColumnName

```
protected boolean isPseudoColumnName(String columnName)
```

Description forthcoming.

jdbcInfo

```
protected NSDictionary jdbcInfo()
```

Description forthcoming.

newPrimaryKeys

```
protected NSDictionary newPrimaryKeys(
    int count
    com.webobjects.eoaccess.EOEntity anEOEntity,
    JDBCChannel aJDBCChannel)
```

Description forthcoming.

schemaNameForEntity

```
protected String schemaNameForEntity(com.webobjects.eoaccess.EOEntity anEOEntity)
```

Description forthcoming.

sqlStatementForGettingProcedureNames

```
protected String sqlStatementForGettingProcedureNames()
```

Description forthcoming.

sqlStatementForGettingTableNames

```
protected String sqlStatementForGettingTableNames()
```

Description forthcoming.

sqlStatementForTableNamed

```
protected String sqlStatementForTableNamed(String tableName)
```

Description forthcoming.

storedProcedureNamed

```
public com.webobjects.eoaccess.EOStoredProcedure storedProcedureNamed(
    String storedProcedureName,
    JDBCChannel aJDBCChannel,
    NSDictionary jdbcTypeDictionary)
```

Description forthcoming.

synchronizationFactory

```
public com.webobjects.eoaccess.EOSynchronizationFactory synchronizationFactory()
```

Description forthcoming.

updateLOBs

```
protected void updateLOBs(
    JDBCChannel aJDBCChannel,
    JDBCExpression aJDBCExpression,
    NSDictionary row,
    com.webobjects.eoaccess.EOEntity anEOEntity)
```

Description forthcoming.

wildcardPatternForAttributes

```
protected String wildcardPatternForAttributes()
```

Description forthcoming.

wildcardPatternForSchema

```
protected String wildcardPatternForSchema()
```

Description forthcoming.

wildcardPatternForTables

```
protected String wildcardPatternForTables()
```

Description forthcoming.

OpenBasePlugIn

Inherits from:	JDBCPlugIn: Object
Package:	com.webobjects.jdbcadaptor

Class Description

Documentation for this class is forthcoming.

Method Types

All methods

OpenBasePlugIn

createSynchronizationFactory

databaseProductName

defaultDriverName

defaultExpressionClass

isPseudoColumnName

jdbcInfo

Constructors

OpenBasePlugIn

public OpenBasePlugIn(JDBCAdaptor aJDBCAdaptor)

Description forthcoming.

Instance Methods

createSynchronizationFactory

protected com.webobjects.eoaccess.EOSynchronizationFactory createSynchronizationFactory()

Description forthcoming.

databaseProductName

public String databaseProductName()

Description forthcoming.

defaultDriverName

public String defaultDriverName()

Description forthcoming.

defaultExpressionClass

`public Class defaultExpressionClass()`

Description forthcoming.

isPseudoColumnName

`protected boolean isPseudoColumnName(String columnName)`

Description forthcoming.

jdbcInfo

`protected NSDictionary jdbcInfo()`

Description forthcoming.

OpenBasePlugIn. OpenBaseExpression

Inherits from:	JDBCExpression: com.webobjects.eoaccess.EOSQLExpression: Object
Package:	com.webobjects.jdbcadaptor

Class Description

Documentation for this class is forthcoming.

Method Types

All methods

OpenBasePlugIn.OpenBaseExpression

assembleSelectStatementWithAttributes

Constructors

OpenBasePlugIn.OpenBaseExpression

```
public OpenBasePlugIn.OpenBaseExpression(com.webobjects.eoaccess.EOEntity anEOEntity)
```

Description forthcoming.

Instance Methods

assembleSelectStatementWithAttributes

```
public String assembleSelectStatementWithAttributes(
    NSArray attributes,
    boolean lock,
    com.webobjects.eocontrol.EOQualifier anEOQualifier,
    NSArray fetchOrder,
    String selectString,
    String columnList,
    String tableList,
    String whereClause,
    String joinClause,
    String orderByClause,
    String lockClause)
```

Description forthcoming.

OpenBasePlugIn. OpenBaseSynchronizationFactory

Inherits from:	com.webobjects.eoaccess.EOSynchronizationFactory: Object
Implements:	EOSchemaGeneration, EOSchemaSynchronization
Package:	com.webobjects.jdbcadaptor

Class Description

Documentation for this class is forthcoming.

Interfaces Implemented

EOSchemaGeneration

createTableStatementsForEntityGroup

primaryKeyConstraintStatementsForEntityGroup

primaryKeySupportStatementsForEntityGroup

dropPrimaryKeySupportStatementsForEntityGroup

EOSchemaSynchronization

statementsToRenameTableNamed

statementsToModifyColumnNullRule

statementsToRenameColumnNamed

statementsToDropForeignKeyConstraintsOnEntityGroups

statementsToDropPrimaryKeyConstraintsOnEntityGroups

statementsToImplementPrimaryKeyConstraintsOnEntityGroups

supportsDirectColumnCoercion

supportsDirectColumnDeletion

supportsDirectColumnInsertion

supportsDirectColumnNullRuleModification

supportsDirectColumnRenaming

supportsSchemaSynchronization

Method Types

All methods

OpenBasePlugIn.OpenBaseSynchronizationFactory

isColumnTypeEquivalentToColumnType

objectStoreChangesFromAttributeToAttribute

Constructors

OpenBasePlugIn.OpenBaseSynchronizationFactory

```
public OpenBasePlugIn.OpenBaseSynchronizationFactory(
    com.webobjects.eoaccess.EOAdaptor anEOAdaptor)
```

Description forthcoming.

Instance Methods

---

createTableStatementsForEntityGroup

```
public NSArray createTableStatementsForEntityGroup(NSArray aNSArray)
```

See the method description in EOSchemaGeneration.

dropPrimaryKeySupportStatementsForEntityGroup

```
public NSArray dropPrimaryKeySupportStatementsForEntityGroup(
    NSArray entityGroup)
```

See the method description in EOSchemaGeneration.

isColumnTypeEquivalentToColumnType

```
public boolean isColumnTypeEquivalentToColumnType(
    com.webobjects.eoaccess.EOSchemaSynchronization.ColumnTypes candidate,
    com.webobjects.eoaccess.EOSchemaSynchronization.ColumnTypes columnType,
    NSDictionary options)
```

See the method description in EOSchemaSynchronization.

objectStoreChangesFromAttributeToAttribute

```
public NSDictionary objectStoreChangesFromAttributeToAttribute(
    com.webobjects.eoaccess.EOAttribute schemaAttribute,
    com.webobjects.eoaccess.EOAttribute modelAttribute)
```

Description forthcoming.

primaryKeyConstraintStatementsForEntityGroup

```
public NSArray primaryKeyConstraintStatementsForEntityGroup(
    NSArray entityGroup)
```

See the method description in EOSchemaGeneration.

primaryKeySupportStatementsForEntityGroup

```
public NSArray primaryKeySupportStatementsForEntityGroup(
    NSArray entityGroup)
```

See the method description in EOSchemaGeneration.

statementsToDropForeignKeyConstraintsOnEntityGroups

```
public NSArray statementsToDropForeignKeyConstraintsOnEntityGroups(
    NSArray entityGroups,
    NSDictionary changes,
    NSDictionary options)
```

See the method description in EOSchemaSynchronization.

statementsToDropPrimaryKeyConstraintsOnEntityGroups

```
public NSArray statementsToDropPrimaryKeyConstraintsOnEntityGroups(
    NSArray entityGroups,
    NSDictionary changes,
    NSDictionary options)
```

See the method description in EOSchemaSynchronization.

statementsToImplementPrimaryKeyConstraintsOnEntityGroups

```
public NSArray statementsToImplementPrimaryKeyConstraintsOnEntityGroups(
    NSArray entityGroups,
    NSDictionary changes,
    NSDictionary options)
```

See the method description in EOSchemaSynchronization.

statementsToModifyColumnNullRule

```
public NSArray statementsToModifyColumnNullRule(
    String columnName,
    String tableName,
    boolean allowsNull,
    NSDictionary options)
```

See the method description in EOSchemaSynchronization.

statementsToRenameColumnNamed

```
public NSArray statementsToRenameColumnNamed(
    String columnName,
    String tableName,
    String newName,
    NSDictionary options)
```

See the method description in EOSchemaSynchronization.

statementsToRenameTableNamed

```
public NSArray statementsToRenameTableNamed(
    String tableName,
    String newName,
    NSDictionary options)
```

See the method description in EOSchemaSynchronization.

supportsDirectColumnCoercion

```
public boolean supportsDirectColumnCoercion()
```

See the method description in EOSchemaSynchronization.

supportsDirectColumnDeletion

```
public boolean supportsDirectColumnDeletion()
```

See the method description in EOSchemaSynchronization.

supportsDirectColumnInsertion

```
public boolean supportsDirectColumnInsertion()
```

See the method description in EOSchemaSynchronization.

supportsDirectColumnNullRuleModification

```
public boolean supportsDirectColumnNullRuleModification()
```

See the method description in EOSchemaSynchronization.

supportsDirectColumnRenaming

```
public boolean supportsDirectColumnRenaming()
```

See the method description in EOSchemaSynchronization.

supportsSchemaSynchronization

```
public boolean supportsSchemaSynchronization()
```

See the method description in EOSchemaSynchronization.

OraclePlugIn

Inherits from: JDBCPlugIn:
Object

Package: com.webobjects.jdbcadaptor

Class Description

Documentation for this class is forthcoming.

Method Types

All methods

OraclePlugIn

createSynchronizationFactory

databaseProductName

defaultDriverName

defaultExpressionClass

fetchBLOB

fetchCLOB

newPrimaryKeys

schemaNameForEntity

sqlStatementForGettingTableNames

updateLOBs

wildcardPatternForAttributes

Constructors

OraclePlugIn

public OraclePlugIn(JDBCAdaptor aJDBCAdaptor)

Description forthcoming.

Instance Methods

createSynchronizationFactory

protected com.webobjects.eoaccess.EOSynchronizationFactory createSynchronizationFactory()

Description forthcoming.

databaseProductName

public String databaseProductName()

Description forthcoming.

defaultDriverName

```
public String defaultDriverName()
```

Description forthcoming.

defaultExpressionClass

```
public Class defaultExpressionClass()
```

Description forthcoming.

fetchBLOB

```
protected Object fetchBLOB(
    java.sql.ResultSet aResultSet,
    int column,
    com.webobjects.eoaccess.EOAttribute anEOAttribute,
    boolean materialize)
```

Description forthcoming.

fetchCLOB

```
protected Object fetchCLOB(
    java.sql.ResultSet aResultSet,
    int column,
    com.webobjects.eoaccess.EOAttribute anEOAttribute,
    boolean materialize)
```

Description forthcoming.

newPrimaryKeys

```
protected NSDictionary newPrimaryKeys(
    int count
    com.webobjects.eoaccess.EOEntity anEOEntity,
    JDBCChannel aJDBCChannel)
```

Description forthcoming.

schemaNameForEntity

```
protected String schemaNameForEntity(com.webobjects.eoaccess.EOEntity anEOEntity)
```

Description forthcoming.

sqlStatementForGettingTableNames

```
protected String sqlStatementForGettingTableNames()
```

Description forthcoming.

updateLOBs

```
protected void updateLOBs(
    JDBCChannel aJDBCChannel,
    JDBCExpression aJDBCExpression,
    NSDictionary row,
    com.webobjects.eoaccess.EOEntity anEOEntity)
```

Description forthcoming.

wildcardPatternForAttributes

```
protected String wildcardPatternForAttributes()
```

Description forthcoming.

OraclePlugIn.OracleExpression

Inherits from:	JDBCExpression:
	com.webobjects.eoaccess.EOSQLExpression:
	Object
Package:	com.webobjects.jdbcadaptor

Class Description

Documentation for this class is forthcoming.

Method Types

All methods

OraclePlugIn.OracleExpression

formatValueForAttribute

mustUseBindVariableForAttribute

shouldUseBindVariableForAttribute

sqlStringForKeyValueQualifier

Constructors

OraclePlugIn.OracleExpression

public OraclePlugIn.OracleExpression(com.webobjects.eoaccess.EOEntity anEOEntity)

Description forthcoming.

Instance Methods

formatValueForAttribute

public String formatValueForAttribute(
    Object value,
    com.webobjects.eoaccess.EOAttribute anEOAttribute)

Description forthcoming.

mustUseBindVariableForAttribute

public boolean mustUseBindVariableForAttribute(
    com.webobjects.eoaccess.EOAttribute anEOAttribute)

Description forthcoming.

shouldUseBindVariableForAttribute

public boolean shouldUseBindVariableForAttribute(
    com.webobjects.eoaccess.EOAttribute anEOAttribute)

Description forthcoming.

sqlStringForKeyValueQualifier

```
public String sqlStringForKeyValueQualifier(
    com.webobjects.eocontrol.EOKeyValueQualifier anEOKeyValueQualifier)
```

Description forthcoming.

OraclePlugIn. OracleSynchronizationFactory

Inherits from:	com.webobjects.eoaccess.EOSynchronizationFactory: Object
Implements:	EOSchemaGeneration, EOSchemaSynchronization
Package:	com.webobjects.jdbcadaptor

Class Description

Documentation for this class is forthcoming.

Interfaces Implemented

EOSynchronizationFactory

createDatabaseStatementsForConnectionDictionary

dropDatabaseStatementsForConnectionDictionary

dropTableStatementsForEntityGroup

appendExpressionToScript

primaryKeySupportStatementsForEntityGroup

supportsSchemaSynchronization

EOSchemaGeneration

Method Types

All methods

OraclePlugIn.OracleSynchronizationFactory

Constructors

OraclePlugIn.OracleSynchronizationFactory

```
public OraclePlugIn.OracleSynchronizationFactory(
    com.webobjects.eoaccess.EOAdaptor anEOAdaptor)
```

Description forthcoming.

Instance Methods

appendExpressionToScript

```
public void appendExpressionToScript(
    com.webobjects.eoaccess.EOSQLExpression anEOSQLExpression,
    StringBuffer script)
```

See the method description in the documentation for EOSynchronizationFactory.

createDatabaseStatementsForConnectionDictionary

```
public NSArray createDatabaseStatementsForConnectionDictionary(
    NSDictionary connectionDictionary,
    NSDictionary adminDictionary)
```

See the method description in the documentation for EOSynchronizationFactory.

dropDatabaseStatementsForConnectionDictionary

```
public NSArray dropDatabaseStatementsForConnectionDictionary(
    NSDictionary connectionDictionary,
    NSDictionary adminDictionary)
```

See the method description in the documentation for EOSynchronizationFactory.

dropTableStatementsForEntityGroup

```
public NSArray dropTableStatementsForEntityGroup(NSArray entityGroup)
```

See the method description in the documentation for EOSynchronizationFactory.

primaryKeySupportStatementsForEntityGroup

`public NSArray primaryKeySupportStatementsForEntityGroup(NSArray entityGroup)`

See the method description in the documentation for EOSynchronizationFactory.

supportsSchemaSynchronization

`public boolean supportsSchemaSynchronization()`

See the method description in the documentation for EOSynchronizationFactory.