Security Review Report NM-0561 Celo Custom Gas Token



(June 30, 2025)



Contents

1	Executive Summary	2
2	Audited Files 2.1 Celo 2.0 Modified Files	3 3
3	Summary of Issues	3
4	Risk Rating Methodology	4
5	Documentation Evaluation	5
6	Test Suite Evaluation 6.1 Compilation Output 6.2 Tests Output 6.3 Automated Tools 6.3.1 AuditAgent	6 10
7	About Nethermind	11



1 Executive Summary

This document presents the results of the security review conducted by Nethermind Security on the CELO fork of the Optimism V2 and V3 contracts, which implements the Custom Gas Token (CGT) feature for the Celo L2 chain. The audit focused on the changes made to add support for the Celo token as the native gas-paying token for Celo's chain.

This review covers two branches: Celo V2 and Celo V3. The Celo network is currently running on V1.8, and both branches are required to upgrade from V1.8 to V2, and then from V2 to V3, while still supporting the CGT feature. The changes in both branches are regressions to already-audited Optimism code. The purpose of this review is to ensure that reintroducing the CGT feature does not conflict with any other features introduced in later versions.

As part of this review, the changes in the Celo branches related to CGT were compared against the Optimism branches. An end-to-end flow-based analysis of CGT deposits from $L1 \rightarrow OpNode \rightarrow L2$ was conducted, CGT deprecation risks were assessed, and the Optimism CGT token specifications were checked to ensure they are upheld in the Celo CGT fork.

The audit comprises 35 files of solidity code, excluding interface files. The audit was performed using (a) manual analysis of the codebase, (b) automated analysis tools, and (c) creation of test cases.

Along this document, we report no points of attention. The issues are summarized in Fig. 1.

This document is organized as follows. Section 2 presents the files in the scope. Section 3 summarizes the issues. Section 4 discusses the risk rating methodology. Section 5 discusses the documentation provided by the client for this audit. Section 6 presents the compilation, tests, and automated tests. Section 7 concludes the document.



Fig. 1: Distribution of issues: Critical (0), High (0), Medium (0), Low (0), Undetermined (0), Informational (0), Best Practices (0). Distribution of status: Fixed (0), Acknowledged (0), Mitigated (0), Unresolved (0)

Summary of the Audit

Audit Tuna	Cooughty Davious
Audit Type	Security Review
Initial Report	June 30, 2025
Final Report	July 1, 2025
Repositories	celo-org/optimism
Initial Commit (V2)	celo-contracts/v2.0.0-1
	cdba802eb5e374fa3aa387deaa3243f219f821a1
Initial Commit (V3)	celo-contracts/v3.0.0-1
	dcfd0f3dc47669d16e97bbbd5ed6f5b57b8dba33
Final Commit	N/A
Documentation	Custom Gas Token Depreciation
	Custom Gas Token Specification
	Deposit Flow
Documentation Assessment	High
Test Suite Assessment	High



2 Audited Files

The scope for this audit focuses on the diffs between Celo and Optimisms V2 and V3 releases, specifically the custom gas token feature. The diff comparisons for V2 and V3 are listed below, this audit focuses on the re-integration of the custom gas token feature and the diffs rather than an entire audit of each file.

Optimism V2 vs Celo V2:

https://github.com/ethereum-optimism/optimism/compare/op-contracts/v2.0.0...celo-org:optimism:celo-contracts/v2.0.0-1 and the contracts of the contract of t

Optimism V3 vs Celo V3:

https://github.com/ethereum-optimism/optimism/compare/op-contracts/v3.0.0...celo-org:optimism:celo-contracts/v3.0.0-1

2.1 Celo 2.0 Modified Files

	Contract	LoC	Comments	Ratio	Blank	Total
1	packages/contracts-bedrock/src/universal/CrossDomainMessenger.sol	157	203	129.3%	59	419
2	packages/contracts-bedrock/src/universal/StandardBridge.sol	264	189	71.6%	48	501
3	packages/contracts-bedrock/src/L2/L1Block.sol	83	74	89.2%	27	184
4	packages/contracts-bedrock/src/L2/SuperchainWETH.sol	84	55	65.5%	32	171
5	packages/contracts-bedrock/src/L2/ETHLiquidity.sol	22	16	72.7%	8	46
6	packages/contracts-bedrock/src/L2/L2CrossDomainMessenger.sol	33	22	66.7%	11	66
7	packages/contracts-bedrock/src/L2/L1BlockInterop.sol	80	43	53.8%	29	152
8	packages/contracts-bedrock/src/L2/WETH.sol	14	11	78.6%	6	31
9	packages/contracts-bedrock/src/L2/L2StandardBridge.sol	145	82	56.6%	18	245
10	packages/contracts-bedrock/src/libraries/PortalErrors.sol	20	21	105.0%	1	42
11	packages/contracts-bedrock/src/libraries/errors/CommonErrors.sol	6	6	100.0%	5	17
12	packages/contracts-bedrock/src/L1/SystemConfigInterop.sol	78	38	48.7%	12	128
13	packages/contracts-bedrock/src/L1/SystemConfig.sol	243	164	67.5%	77	484
14	packages/contracts-bedrock/src/L1/OPContractsManager.sol	862	201	23.3%	147	1210
15	packages/contracts-bedrock/src/L1/L1StandardBridge.sol	183	131	71.6%	28	342
16	packages/contracts-bedrock/src/L1/L1CrossDomainMessenger.sol	53	29	54.7%	15	97
17	packages/contracts-bedrock/src/L1/OptimismPortal2.sol	361	284	78.7%	113	758
	Total	2688	1569	58.4%	636	4893

2.2 Celo 3.0 Modified Files

	Contract	LoC	Comments	Ratio	Blank	Total
1	packages/contracts-bedrock/src/universal/CrossDomainMessenger.sol	169	221	130.8%	65	455
2	packages/contracts-bedrock/src/universal/StandardBridge.sol	264	189	71.6%	48	501
3	packages/contracts-bedrock/src/universal/OptimismMintableERC20.sol	73	60	82.2%	21	154
4	packages/contracts-bedrock/src/L2/L1Block.sol	94	105	111.7%	31	230
5	packages/contracts-bedrock/src/L2/SuperchainWETH.sol	84	55	65.5%	32	171
6	packages/contracts-bedrock/src/L2/ETHLiquidity.sol	22	16	72.7%	8	46
7	packages/contracts-bedrock/src/L2/L2CrossDomainMessenger.sol	33	22	66.7%	11	66
8	packages/contracts-bedrock/src/L2/L1BlockInterop.sol	80	43	53.8%	29	152
9	packages/contracts-bedrock/src/L2/WETH.sol	14	11	78.6%	6	31
10	packages/contracts-bedrock/src/L2/L2StandardBridge.sol	145	82	56.6%	18	245
11	packages/contracts-bedrock/src/libraries/PortalErrors.sol	20	21	105.0%	1	42
12	packages/contracts-bedrock/src/libraries/errors/CommonErrors.sol	6	6	100.0%	5	17
13	packages/contracts-bedrock/src/L1/SystemConfigInterop.sol	78	38	48.7%	12	128
14	packages/contracts-bedrock/src/L1/SystemConfig.sol	255	170	66.7%	81	506
15	packages/contracts-bedrock/src/L1/OPContractsManager.sol	1026	229	22.3%	180	1435
16	packages/contracts-bedrock/src/L1/L1StandardBridge.sol	183	131	71.6%	28	342
17	packages/contracts-bedrock/src/L1/L1CrossDomainMessenger.sol	53	29	54.7%	15	97
18	packages/contracts-bedrock/src/L1/OptimismPortal2.sol	361	284	78.7%	109	754
	Total	2960	1712	57.8%	700	5372

3 Summary of Issues

After careful review of the proposed branch diffs for both V2 and V3, no security risks have been identified



4 Risk Rating Methodology

The risk rating methodology used by Nethermind Security follows the principles established by the OWASP Foundation. The severity of each finding is determined by two factors: **Likelihood** and **Impact**.

Likelihood measures how likely the finding is to be uncovered and exploited by an attacker. This factor will be one of the following values:

- a) **High**: The issue is trivial to exploit and has no specific conditions that need to be met;
- b) Medium: The issue is moderately complex and may have some conditions that need to be met;
- c) Low: The issue is very complex and requires very specific conditions to be met.

When defining the likelihood of a finding, other factors are also considered. These can include but are not limited to motive, opportunity, exploit accessibility, ease of discovery, and ease of exploit.

Impact is a measure of the damage that may be caused if an attacker exploits the finding. This factor will be one of the following values:

- a) High: The issue can cause significant damage, such as loss of funds or the protocol entering an unrecoverable state;
- b) **Medium**: The issue can cause moderate damage, such as impacts that only affect a small group of users or only a particular part of the protocol;
- c) **Low**: The issue can cause little to no damage, such as bugs that are easily recoverable or cause unexpected interactions that cause minor inconveniences.

When defining the impact of a finding, other factors are also considered. These can include but are not limited to Data/state integrity, loss of availability, financial loss, and reputation damage. After defining the likelihood and impact of an issue, the severity can be determined according to the table below.

		Severity Risk			
	High	Medium	High	Critical	
Impact	Medium	Low	Medium	High	
iiipaci	Low	Info/Best Practices	Low	Medium	
	Undetermined	Undetermined	Undetermined	Undetermined	
	·	Low	Medium	High	
		Likelihood			

To address issues that do not fit a High/Medium/Low severity, Nethermind Security also uses three more finding severities: Informational, Best Practices, and Undetermined.

- a) **Informational** findings do not pose any risk to the application, but they carry some information that the audit team intends to pass to the client formally;
- b) Best Practice findings are used when some piece of code does not conform with smart contract development best practices;
- c) Undetermined findings are used when we cannot predict the impact or likelihood of the issue.



5 Documentation Evaluation

Software documentation refers to the written or visual information that describes the functionality, architecture, design, and implementation of software. It provides a comprehensive overview of the software system and helps users, developers, and stakeholders understand how the software works, how to use it, and how to maintain it. Software documentation can take different forms, such as user manuals, system manuals, technical specifications, requirements documents, design documents, and code comments. Software documentation is critical in software development, enabling effective communication between developers, testers, users, and other stakeholders. It helps to ensure that everyone involved in the development process has a shared understanding of the software system and its functionality. Moreover, software documentation can improve software maintenance by providing a clear and complete understanding of the software system, making it easier for developers to maintain, modify, and update the software over time. Smart contracts can use various types of software documentation. Some of the most common types include:

- Technical whitepaper: A technical whitepaper is a comprehensive document describing the smart contract's design and technical details. It includes information about the purpose of the contract, its architecture, its components, and how they interact with each other;
- User manual: A user manual is a document that provides information about how to use the smart contract. It includes step-by-step
 instructions on how to perform various tasks and explains the different features and functionalities of the contract;
- Code documentation: Code documentation is a document that provides details about the code of the smart contract. It includes information about the functions, variables, and classes used in the code, as well as explanations of how they work;
- API documentation: API documentation is a document that provides information about the API (Application Programming Interface)
 of the smart contract. It includes details about the methods, parameters, and responses that can be used to interact with the
 contract:
- Testing documentation: Testing documentation is a document that provides information about how the smart contract was tested.
 It includes details about the test cases that were used, the results of the tests, and any issues that were identified during testing:
- Audit documentation: Audit documentation includes reports, notes, and other materials related to the security audit of the smart contract. This type of documentation is critical in ensuring that the smart contract is secure and free from vulnerabilities.

These types of documentation are essential for smart contract development and maintenance. They help ensure that the contract is properly designed, implemented, and tested, and they provide a reference for developers who need to modify or maintain the contract in the future.

Remarks about Celo documentation

Given the nature of this audit where already-reviewed code from Optimism V1.8 is being re-integrated into Celo V3.0, the majority of the documentation used during this engagement was sourced from Optimism documentation. This documentation includes:

Custom Gas Token Deprecation Details:

Documentation detailing feature removal, and security concerns with chains that continue to support CGT.

Custom Gas Token Specification:

The specification of the custom gas token feature, including smart contract and node expected behaviors.

Deposit Flow Documentation

Documentation describing the deposit flow from L1 -> OpNode -> L2 and how data and assets are transferred.

Throughout the audit engagement, there have been calls with the Celo team which have helped provide comprehensive insight and clarify any questions to assist with the understanding of the presented changes.



6 Test Suite Evaluation

6.1 Compilation Output

```
> forge build

Compiling...
Compiling 15 files with Solc 0.8.15
Compiling 89 files with Solc 0.8.15
Compiling 2 files with Solc 0.8.28
Solc 0.8.28 finished in 534.01ms
Solc 0.8.15 finished in 15.33s
Solc 0.8.15 finished in 113.08s
Compiler run successful!
```

6.2 Tests Output

```
> forge test
     pass; 0 fail; 0 skip; test/opcm/DeployPreimageOracle.t.sol:DeployPreimageOracle_Test
      pass; 0 fail; 0 skip; test/opcm/DeploySuperchain.t.sol:DeploySuperchainInput_Test
      pass; \ 0 \ fail; \ 0 \ skip; \ test/periphery/faucet/authmodules/AdminFaucetAuthModule.t.sol: AdminFaucetAuthModuleTest (and the control of the control o
      pass; \ 0 \ fail; \ 0 \ skip; \ test/opcm/DeploySuperchain.t.sol: DeploySuperchainOutput\_Test
      pass; 0 fail; 0 skip; test/opcm/DeploySuperchain.t.sol:DeploySuperchain_Test
      pass; \ 0 \ fail; \ 0 \ skip; \ test/dispute/AnchorStateRegistry.t.sol: AnchorStateRegistry\_IsGameBlacklisted\_Test
      pass; 0 fail; 0 skip; test/L1/L1StandardBridge.t.sol:L1StandardBridge_BridgeETH_Test
      pass; 0 fail; 0 skip; test/dispute/AnchorStateRegistry.t.sol:AnchorStateRegistry_GetAnchorRoot_Test
      pass; \ 0 \ fail; \ 0 \ skip; \ test/dispute/AnchorStateRegistry.t.sol: AnchorStateRegistry\_IsGameRespected\_Test
      pass; \ 0 \ fail; \ 0 \ skip; \ test/dispute/AnchorStateRegistry.t.sol: AnchorStateRegistry\_IsGameRegistered\_Test \ and the state of 
      pass; 0 fail; 0 skip; test/dispute/lib/LibPosition.t.sol:LibPosition_Test
      pass; 0 fail; 0 skip; test/L2/BaseFeeVault.t.sol:FeeVault_Test
      pass; 0 fail; 0 skip; test/dispute/AnchorStateRegistry.t.sol:AnchorStateRegistry_Anchors_Test
      pass; \ 0 \ fail; \ 0 \ skip; \ test/safe/LivenessGuard.t.sol:LivenessGuard\_CheckAfterExecution\_TestFails
      pass; \ 0 \ fail; \ 0 \ skip; \ test/dispute/AnchorStateRegistry.t.sol: AnchorStateRegistry\_Initialize\_TestFail
      pass; 0 fail; 0 skip; test/safe/LivenessGuard.t.sol:LivenessGuard_CheckTx_Test
      pass; 0 fail; 0 skip; test/safe/LivenessGuard.t.sol:LivenessGuard_CheckTx_TestFails
      pass; \ 0 \ fail; \ 0 \ skip; \ test/dispute/AnchorStateRegistry.t.sol: AnchorStateRegistry\_IsGameProper\_Test
      pass; 0 fail; 0 skip; test/safe/LivenessGuard.t.sol:LivenessGuard_Constructor_Test
      pass; 0 fail; 0 skip; test/dispute/AnchorStateRegistry.t.sol:AnchorStateRegistry_IsGameFinalized_Test
      pass; 0 fail; 0 skip; test/opcm/DeployAltDA.t.sol:DeployAltDAOutput_Test
      pass; \ 0 \ fail; \ 0 \ skip; \ test/dispute/AnchorStateRegistry.t.sol: AnchorStateRegistry\_IsGameRetired\_Test
      pass; 0 fail; 0 skip; test/universal/CrossDomainMessenger.t.sol:CrossDomainMessenger_RelayMessage_Test
      pass; 0 fail; 0 skip; test/opcm/DeployAltDA.t.sol:DeployAltDA_Test
      pass; 0 fail; 0 skip; test/opcm/DeployAuthSystem.t.sol:DeployAuthSystemInput_Test
      pass; 0 fail; 0 skip; test/opcm/DeployAuthSystem.t.sol:DeployAuthSystemOutput_Test
      pass; 0 fail; 0 skip; test/opcm/DeployAuthSystem.t.sol:DeployAuthSystem_Test
      pass; \ \textit{0} \ fail; \ \textit{0} \ skip; \ test/opcm/DeployImplementations.t.sol:DeployImplementationsInput\_Test
      pass; \ 0 \ fail; \ 0 \ skip; \ test/L1/L1StandardBridge.t.sol:L1StandardBridge\_BridgeETH\_TestFail
      pass; 0 fail; 0 skip; test/dispute/AnchorStateRegistry.t.sol:AnchorStateRegistry_Initialize_Test pass; 0 fail; 0 skip; test/universal/BenchmarkTest.t.sol:GasBenchMark_L1BlockInterop_DepositsComplete
      pass; 0 fail; 0 skip; test/safe/SafeSigners.t.sol:SafeSigners_Test
      pass; 0 fail; 0 skip; test/L1/L1StandardBridge.t.sol:L1StandardBridge_Receive_Test
      pass; \ 0 \ fail; \ 0 \ skip; \ test/L1/L1StandardBridge.t.sol: L1StandardBridge_FinalizeBridgeETH\_Test
      pass; \ 0 \ fail; \ 0 \ skip; \ test/dispute/AnchorStateRegistry. L.sol: AnchorStateRegistry\_SetAnchorState\_Test
      pass; \ 0 \ fail; \ 0 \ skip; \ test/dispute/AnchorStateRegistry.t. sol: AnchorStateRegistry\_IsGameClaimValid\_Test
      pass; 0 fail; 0 skip; test/periphery/drippie/dripchecks/CheckBalanceLow.t.sol:CheckBalanceLowTest
10 pass; 0 fail; 0 skip; test/periphery/drippie/dripchecks/CheckSecrets.t.sol:CheckSecretsTest
      pass; 0 fail; 0 skip; test/periphery/drippie/dripchecks/CheckTrue.t.sol:CheckTrueTest
      pass; 0 fail; 0 skip; test/libraries/Constants.t.sol:Constants_Test
      pass; \ 0 \ fail; \ 0 \ skip; \ test/invariants/AddressAliasHelper.t.sol: AddressAliasHelper\_AddressAliasing\_Invariants/AddressAliasHelper.t.sol: AddressAliasHelper\_AddressAliasing\_Invariants/AddressAliasHelper.t.sol: AddressAliasHelper\_AddressAliasing\_Invariants/AddressAliasHelper.t.sol: AddressAliasHelper.t.sol: AddressAlias
     pass; 0 fail; 0 skip; test/vendor/AddressAliasHelper.t.sol:AddressAliasHelper_applyAndUndo_Test pass; 0 fail; 0 skip; test/L1/L1StandardBridge.t.sol:L1StandardBridge_DepositERC20To_Test
      pass; 0 fail; 0 skip; test/universal/BenchmarkTest.t.sol:GasBenchMark_L1BlockInterop_DepositsComplete_Warm
      pass; 0 fail; 0 skip; test/L2/SequencerFeeVault.t.sol:SequencerFeeVault_L2Withdrawal_Test
      pass; 0 fail; 0 skip; test/L1/L1StandardBridge.t.sol:L1StandardBridge_DepositERC20_TestFail
      pass; \ 0 \ fail; \ 0 \ skip; \ test/L1/L1StandardBridge.t.sol:L1StandardBridge\_Receive\_TestFail
      pass; 0 fail; 0 skip; test/universal/CrossDomainMessenger.t.sol:CrossDomainMessenger_BaseGas_Test
      pass; 0 fail; 0 skip; test/dispute/AnchorStateRegistry.t.sol:AnchorStateRegistry_Version_Test
12 pass; 0 fail; 0 skip; test/periphery/AssetReceiver.t.sol:AssetReceiverTest
    pass; 0 fail; 0 skip; test/L2/SequencerFeeVault.t.sol:SequencerFeeVault_Test
      pass; 0 fail; 0 skip; test/L1/L1StandardBridge.t.sol:L1StandardBridge_DepositERC20_Test
     pass; 0 fail; 0 skip; test/opcm/SetDisputeGameImpl.t.sol:SetDisputeGameImplInput_Test
pass; 0 fail; 0 skip; test/opcm/SetDisputeGameImpl.t.sol:SetDisputeGameImpl_Test
      pass; 0 fail; 0 skip; test/universal/BenchmarkTest.t.sol:GasBenchMark_L1BlockInterop_SetValuesInterop
      pass; 0 fail; 0 skip; test/L1/L1StandardBridge.t.sol:L1StandardBridge_DepositETHTo_Test
17 pass; 0 fail; 0 skip; test/cannon/PreimageOracle.t.sol:PreimageOracle_Test
```



```
19 pass; 0 fail; 0 skip; test/L2/L2CrossDomainMessenger.t.sol:L2CrossDomainMessenger_Test
     pass; \ 0 \ fail; \ 0 \ skip; \ test/dispute/AnchorStateRegistry.t.sol: AnchorStateRegistry_SetAnchorState_TestFail \ and the state of the state o
     pass; 0 fail; 0 skip; test/opcm/DeployOPChain.t.sol:DeployOPChainInput_Test
     pass; 0 fail; 0 skip; test/opcm/DeployOPChain.t.sol:DeployOPChainOutput_Test.dispute
     pass; 0 fail; 0 skip; test/opcm/DeployOPChain.t.sol:DeployOPChainOutput_Test
     pass; 0 fail; 0 skip; test/L1/L1StandardBridge.t.sol:L1StandardBridge_FinalizeERC20Withdrawal_Test
18 pass; 0 fail; 0
                                       skip; test/L2/L2StandardBridge.t.sol:L2StandardBridge_Test
     pass; 0 fail; 1
                                        skip; test/L2/L2StandardBridgeInterop.t.sol:L2StandardBridgeInterop_Getters_Test
                                        skip;\ test/L2/L2StandardBridgeInterop.t.sol: L2StandardBridgeInterop\_LegacyToSuper\_Test
     pass; 0 fail;
     pass; 0 fail; 1
                                        skip;\ test/L2/L2StandardBridgeInterop.t.sol: L2StandardBridgeInterop\_SuperToLegacy\_Test
     pass; 0 fail; 0 skip; test/L2/L2StandardBridge.t.sol:L2StandardBridge_BridgeERC20To_Test
     pass; 0 fail; 0 skip; test/universal/BenchmarkTest.t.sol:GasBenchMark_L1BlockInterop_SetValuesInterop_Warm
     pass; 0 fail; 0 skip; test/L2/Preinstalls.t.sol:PreinstallsTest
18 pass; 0 fail; 0
                                       skip; test/L2/L2ERC721Bridge.t.sol:L2ERC721Bridge_Test
     pass; \ 0 \ fail; \ 0 \ skip; \ test/L1/L1StandardBridge.t.sol:L1StandardBridge_FinalizeERC20Withdrawal\_TestFail \ and \ an extraction of the part o
     pass; \ 0 \ fail; \ 0 \ skip; \ test/L1/L1StandardBridge.t.sol:L1StandardBridge\_DepositETHTo\_TestFail
     pass; 0 fail; 0 skip; test/L2/L2StandardBridge.t.sol:L2StandardBridge_BridgeERC20_Test
     pass: 0 fail: 0 skip: test/universal/BenchmarkTest.t.sol:GasBenchMark L1Block SetValuesEcotone
     pass; 0 fail; 0 skip; test/L1/ProtocolVersions.t.sol:ProtocolVersions_Initialize_Test
     pass; 0 fail; 0 skip; test/L1/L1StandardBridge.t.sol:L1StandardBridge_FinalizeETHWithdrawal_Test
     pass; 0 fail; 0 skip; test/L2/L2ToL1MessagePasser.t.sol:L2ToL1MessagePasserTest
     pass; 0 fail; 0 skip; test/opcm/DeployOPChain.t.sol:DeployOPChain_Test.dispute
     pass; 0 fail; 0 skip; test/L1/L1StandardBridge.t.sol:L1StandardBridge_DepositETH_Test
23 pass; 0 fail; 0 skip; test/L2/L2ToL2CrossDomainMessenger.t.sol:L2ToL2CrossDomainMessengerTest
1 pass; 0 fail; 0 skip; test/universal/BenchmarkTest.t.sol:GasBenchMark_L1Block_SetValuesEcotone_Warm
     pass; 0 fail; 0 skip; test/L2/L2StandardBridge.t.sol:L2StandardBridge_Bridge_Test
     pass; 0 fail; 0 skip; test/L1/L1StandardBridge.t.sol:L1StandardBridge_DepositETH_TestFail
     pass; 0 fail; 0 skip; test/L1/ProtocolVersions.t.sol:ProtocolVersions_Setters_Test
      pass; \ 0 \ fail; \ 0 \ skip; \ test/L1/L1StandardBridge.t.sol: L1StandardBridge\_FinalizeETHWithdrawal\_TestFail \ and \ between the control of the control
13 pass; 0 fail; 0 skip; test/libraries/Blueprint.t.sol:Blueprint_Test
     pass; 0 fail; 0 skip; test/legacy/LegacyMessagePasser.t.sol:LegacyMessagePasser_Test
     pass; 0 fail; 0 skip; test/universal/BenchmarkTest.t.sol:SetPrevBaseFee_Test
     pass; 0 fail; 0 skip; test/opcm/DeployOPChain.t.sol:DeployOPChain_Test
     \verb"pass; 0 fail; 0 skip; test/opcm/DeployImplementations.t.sol:DeployImplementationsInterop\_Test \\
     pass; 0 fail; 0 skip; test/opcm/DeployImplementations.t.sol:DeployImplementationsOutput_Test
     pass; 0 fail; 0 skip; test/L1/ProtocolVersions.t.sol:ProtocolVersions_Setters_TestFail
     pass; 0 fail; 0 skip; test/universal/Proxy.t.sol:Proxy_Test
23 pass; 0 fail; 0 skip; test/universal/ProxyAdmin.t.sol:ProxyAdmin_Test
     pass; 0 fail; 0 skip; test/libraries/rlp/RLPReader.t.sol:RLPReader_readBytes_Test
     pass; 0 fail; 0 skip; test/L2/L2StandardBridge.t.sol:L2StandardBridge_FinalizeBridgeERC20_Test
28 pass; 0 fail; 0 skip; test/libraries/rlp/RLPReader.t.sol:RLPReader_readList_Test
     pass; 0 fail; 0 skip; test/libraries/rlp/RLPWriter.t.sol:RLPWriter_writeList_Test
     pass; 0 fail; 0 skip; test/libraries/rlp/RLPWriter.t.sol:RLPWriter_writeString_Test
     pass; 0 fail; 0 skip; test/libraries/rlp/RLPWriter.t.sol:RLPWriter_writeUint_Test
     pass: 0 fail: 0
                                       skip; test/legacy/ResolvedDelegateProxy.t.sol:ResolvedDelegateProxy_Test
     pass; 0 fail; 0 skip; test/L1/L1StandardBridge.t.sol:L1StandardBridge_Getter_Test
     pass; 0 fail; 1 skip; test/L1/ResourceMetering.t.sol:ArtifactResourceMetering_Test
      pass; \ 0 \ fail; \ 0 \ skip; \ test/legacy/LegacyMintable ERC20.t.sol: LegacyMintable ERC20\_Test
     pass; 0 fail; 0 skip; test/dispute/lib/LibClock.t.sol:LibClock Test
     pass; 0 fail; 0 skip; test/dispute/lib/LibGameId.t.sol:LibGameId_Test
     pass; 0 fail; 0 skip; test/L2/L2StandardBridge.t.sol:L2StandardBridge_FinalizeBridgeETH_Test
     pass; 0 fail; 0 skip; test/libraries/Bytes.t.sol:Bytes_slice_Test
     pass; 0 fail; 0 skip; test/libraries/Bytes.t.sol:Bytes_slice_TestFail
     pass; 0 fail; 0 skip; test/libraries/Bytes.t.sol:Bytes_toNibbles_Test
     pass; 0 fail; 0 skip; test/opcm/DeployOPChain.t.sol:DeployOPChainInput_Test.dispute
     pass: 0 fail: 0 skip: test/L1/L1StandardBridge.t.sol:L1StandardBridge Pause Test
     pass; 0 fail; 0 skip; test/L1/L1StandardBridge.t.sol:L1StandardBridge_Initialize_Test
     pass; 0 fail; 0 skip; test/L2/SuperchainERC20.t.sol:SuperchainERC20Test
     pass; 0 fail; 0 skip; test/L2/SuperchainTokenBridge.t.sol:SuperchainTokenBridgeTest
      pass; \ 0 \ fail; \ 0 \ skip; \ test/L1/OPContractsManager.t.sol: OPContractsManager_InternalMethods\_Test \ and \ an approximation of the contractsManager.t.sol option of the contractsManager. The contractsManager \ and \ approximation of the contractsManager. The contractsManager \ approximation of the contractsManager \ approximation of the contractsManager. The contractsManager \ approximation of the contractsManager \ approximation \ approximat
     pass; 0 fail; 0 skip; test/opcm/DeployOPChain.t.sol:DeployOPChain_Test_Interop.dispute
     pass; 0 fail; 0 skip; test/L1/L1StandardBridge.t.sol:L1StandardBridge_Pause_TestFail
     pass; 0 fail; 0 skip; test/universal/Specs.t.sol:Specification_Test
                                        skip; test/L1/OptimismPortalInterop.t.sol:OptimismPortalInterop_Test
     pass: 0 fail: 0
     pass; 0 fail; 1
                                       skip; test/L1/OPContractsManager.t.sol:OPContractsManager_SetRC_Test
     pass; \ 0 \ fail; \ 0 \ skip; \ test/L1/OPContractsManager.t.sol: OPContractsManager_UpdatePrestate\_Test
     pass; 0 fail; 0 skip; test/L2/OperatorFeeVault.t.sol:FeeVault_Test
     pass: 0 fail: 0 skip: test/universal/StandardBridge.t.sol:StandardBridge Stateless Test
     pass; 0 fail; 0 skip; test/L1/SystemConfig.t.sol:SystemConfig_Setters_TestFail
14 pass; 0 fail; 0 skip; test/L1/StandardValidator.t.sol:StandardValidatorV180_Test
13 pass; 0 fail; 0 skip; test/L1/StandardValidator.t.sol:StandardValidatorV200_Test
     pass; 0 fail; 1
                                       skip; test/L1/OPContractsManager.t.sol:OPContractsManager_Upgrade_Test
     pass; 0 fail; 0 skip; test/opcm/DeployOPChain.t.sol:DeployOPChain_Test_Interop
     pass; 0 fail; 0 skip; test/safe/DeployOwnership.t.sol:DeployOwnershipTest
     pass; 0 fail; 0 skip; test/opcm/DeployPreimageOracle.t.sol:DeployPreimageOracleInput_Test
     pass; 0 fail; 0 skip; test/opcm/DeployPreimageOracle.t.sol:DeployPreimageOracleOutput_Test
     pass; 0 fail; 0 skip; test/safe/LivenessGuard.t.sol:LivenessGuard_ShowLiveness_TestFail
     pass; 0 fail; 0 skip; test/safe/LivenessModule.t.sol:LivenessModule_CanRemove_Test
      pass; 0 fail; 0 skip; test/safe/LivenessModule.t.sol:LivenessModule_CanRemove_TestFail
     pass: 0 fail: 0 skip: test/safe/LivenessModule.t.sol:LivenessModule Constructor TestFail
12 pass: 0 fail: 0 skip: test/universal/OptimismMintableERC20.t.sol:OptimismMintableERC20 Test
     pass; 0 fail; 0 skip; test/safe/LivenessModule.t.sol:LivenessModule_GetRequiredThreshold_Test
     pass; 0 fail; 0 skip; test/safe/LivenessModule.t.sol:LivenessModule_Getters_Test
     pass; 0 fail; 1 skip; test/L1/OPContractsManager.t.sol:OPContractsManager_Upgrade_TestFails
      pass; 0 fail; 0 skip; test/L1/SystemConfigInterop.t.sol:SystemConfigInterop_Test
```



```
5 pass; 0 fail; 0 skip; test/periphery/Transactor.t.sol:TransactorTest
      pass; 0 fail; 0 skip; test/periphery/TransferOnion.t.sol:TransferOnionTest
      pass; 0 fail; 0 skip; test/libraries/Storage.t.sol:Storage_Roundtrip_Test
      pass; 0 fail; 0 skip; test/libraries/TransientContext.t.sol:TransientContextTest
10 pass; 0 fail; 0 skip; test/libraries/TransientContext.t.sol:TransientReentrancvAwareTest
6 pass; 0 fail; 0 skip; test/opcm/UpgradeOPChain.t.sol:UpgradeOPChainInput_Test
      pass; 0 fail; 0 skip; test/opcm/UpgradeOPChain.t.sol:UpgradeOPChain_Test
      pass; 0 fail; 0 skip; test/safe/LivenessModule.t.sol:LivenessModule_RemoveOwnersFuzz_Test
      pass; 0 fail; 0 skip; test/safe/LivenessModule.t.sol:LivenessModule_RemoveOwners_Test
      pass; \ 0 \ fail; \ 0 \ skip; \ test/universal/Optimism \\ Mintable ERC 20 Factory.t.sol: Optimism \\ Mintable Token Factory\_Test \\ Test \\ Tes
      pass; 0 fail; 0 skip; test/safe/LivenessModule.t.sol:LivenessModule_RemoveOwners_TestFail
      pass; 0 fail; 0 skip; test/L2/WETH.t.sol:WETH_Test
13 pass; 0 fail; 0 skip; test/dispute/WETH98.t.sol:WETH98_Test
10 pass; 0 fail; 0 skip; test/L2/OptimismMintableERC721.t.sol:OptimismMintableERC721_Test
      pass; 0 fail; 0 skip; test/safe/LivenessGuard.t.sol:LivenessGuard_FuzzOwnerManagement_Test
      pass; 0 fail; 0 skip; test/opcm/DeployImplementations.t.sol:DeployImplementations_Test
      pass; 0 fail; 0 skip; test/safe/LivenessGuard.t.sol:LivenessGuard_Getters_Test
      pass: 0 fail: 0 skip: test/safe/LivenessGuard.t.sol:LivenessGuard OwnerManagement Test
      pass; 0 fail; 0 skip; test/safe/LivenessGuard.t.sol:LivenessGuard_ShowLiveness_Test
      pass; 0 fail; 0 skip; test/L1/SystemConfig.t.sol:SystemConfig_Init_CustomGasToken
      pass; 0 fail; 0 skip; test/L2/OptimismMintableERC721Factory.t.sol:OptimismMintableERC721Factory_Test
      pass; 0 fail; 0 skip; test/opcm/ManageDependencies.t.sol:ManageDependenciesInput_Test
      pass; 0 fail; 0 skip; test/opcm/ManageDependencies.t.sol:ManageDependencies_Test
12 pass: 0 fail: 0 skip: test/L1/ResourceMetering.t.sol:ResourceMetering Test
1 pass; 0 fail; 0 skip; test/governance/MintManager.t.sol:MintManager_constructor_Test
      pass; 0 fail; 0 skip; test/libraries/StaticConfig.t.sol:StaticConfig_Test
101 pass; 0 fail; 0 skip; test/cannon/MIPS2.t.sol:MIPS2_Test
     pass; 0 fail; 0 skip; test/L1/SystemConfig.t.sol:SystemConfig_Init_ResourceConfig
55 pass; 0 fail; 0 skip; test/L1/OptimismPortal2.t.sol:OptimismPortal2WithMockERC20_Test
5 pass; 0 fail; 0 skip; test/governance/MintManager.t.sol:MintManager_mint_Test
12 pass; 0 fail; 0 skip; test/cannon/MIPS64Memory.t.sol:MIPS64Memory_Test
2 pass; 0 fail; 0 skip; test/L1/SystemConfig.t.sol:SystemConfig_Initialize_Test
      pass; 0 fail; 0 skip; test/governance/MintManager.t.sol:MintManager_upgrade_Test
84 pass; 0 fail; 0 skip; test/cannon/MIPS.t.sol:MIPS_Test
      pass; \ 0 \ fail; \ 0 \ skip; \ test/L1/OPContractsManager.t.sol: OPContractsManager\_AddGameType\_Test
      pass; 0 fail; 0 skip; test/L1/OPContractsManager.t.sol:OPContractsManager_Deploy_Test
      pass: 0 fail: 0 skip: test/L1/SystemConfig.t.sol:SystemConfig Initialize TestFail
      pass; 0 fail; 0 skip; test/invariants/Burn.Eth.t.sol:Burn_BurnEth_Invariant
      pass; 0 fail; 0 skip; test/L1/SuperchainConfig.t.sol:SuperchainConfig_Init_Test
     pass; 0 fail; 0 skip; test/L2/SuperchainWETH.t.sol:SuperchainWETH_Test
      pass; 0 fail; 0 skip; test/L1/SuperchainConfig.t.sol:SuperchainConfig_Pause_Test
      pass; 0 fail; 0 skip; test/invariants/SystemConfig.t.sol:SystemConfig_GasLimitBoundaries_Invariant
      pass; 0 fail; 0 skip; test/L1/SuperchainConfig.t.sol:SuperchainConfig_Pause_TestFail
      pass; 0 fail; 0 skip; test/L1/SystemConfig.t.sol:SystemConfig_Setters_Test
      pass; 0 fail; 0 skip; test/L1/SuperchainConfig.t.sol:SuperchainConfig_Unpause_Test
      pass; 0 fail; 0 skip; test/dispute/SuperFaultDisputeGame.t.sol:SuperFaultDispute_1v1_Actors_Test
      pass; 0 fail; 0 skip; test/L1/SuperchainConfig.t.sol:SuperchainConfig_Unpause_TestFail
      pass; \ 0 \ fail; \ 0 \ skip; \ test/invariants/OptimismPortal2.t.sol: OptimismPortal2\_CannotFinalizeTwice
      pass; 0 fail; 0 skip; test/dispute/PermissionedDisputeGame.t.sol:PermissionedDisputeGame_Test
      pass; 0 fail; 0 skip; test/dispute/SuperPermissionedDisputeGame.t.sol:SuperPermissionedDisputeGame_Test
33 pass; 0 fail; 0 skip; test/libraries/trie/MerkleTrie.t.sol:MerkleTrie_get_Test
      pass; 0 fail; 0 skip; test/L2/Predeploys.t.sol:PredeploysBaseTest
      pass; 0 fail; 0 skip; test/libraries/Encoding.t.sol:Encoding_Test
      pass; 0 fail; 0 skip; test/integration/EventLogger.t.sol:EventLoggerTest
      pass; \ 0 \ fail; \ 0 \ skip; \ test/invariants/SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_Solvency\_Invariants/SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_Solvency\_Invariants/SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFaultDisputeGame\_t.sol:SuperFau
      pass: 0 fail: 0 skip: test/safe/DeputyPauseModule.t.sol:DeputyPauseModule Constructor TestFail
      pass; 0 fail; 0 skip; test/universal/ExtendedPause.t.sol:ExtendedPause_Test
15 pass; 0 fail; 0 skip; test/periphery/faucet/Faucet.t.sol:FaucetTest
      pass; 0 fail; 0 skip; test/invariants/SafeCall.t.sol:SafeCall_Fails_Invariants
43~pass;~0~fail;~0~skip;~test/L1/OptimismPortal2.t.sol:OptimismPortal2\_FinalizeWithdrawal\_Test
      pass; 0 fail; 0 skip; test/safe/DeputyPauseModule.t.sol:DeputyPauseModule_Getters_Test
      pass: 0 fail: 0 skip: test/invariants/OptimismPortal2.t.sol:OptimismPortal2 CannotTimeTravel
      pass; 0 fail; 0 skip; test/L2/Predeploys.t.sol:PredeploysInteropTest
      pass; 0 fail; 0 skip; test/dispute/DelayedWETH.t.sol:DelayedWETH_Hold_Test
      pass; 0 fail; 0 skip; test/invariants/SuperchainWETH.t.sol:SuperchainWETH_SendSucceeds_Invariant
      pass; 0 fail; 0 skip; test/L1/OptimismPortal2.t.sol:OptimismPortal2_ResourceFuzz_Test
      pass; 0 fail; 0 skip; test/safe/DeputyPauseModule.t.sol:DeputyPauseModule_Pause_Test
      pass; 0 fail; 0 skip; test/dispute/DelayedWETH.t.sol:DelayedWETH_Initialize_Test
      pass; 0 fail; 0 skip; test/L1/OptimismPortal2.t.sol:OptimismPortal2_Upgradeable_Test
      pass; 0 fail; 0 skip; test/dispute/DelayedWETH.t.sol:DelayedWETH_Withdraw_Test
      pass; 0 fail; 0 skip; test/opcm/DeployAlphabetVM.t.sol:DeployAlphabetVMInput_Test
      pass; 0 fail; 0 skip; test/opcm/DeployAlphabetVM.t.sol:DeployAlphabetVMOutput_Test
      pass; 0 fail; 0 skip; test/opcm/DeployAlphabetVM.t.sol:DeployAlphabetVM_Test
      pass; 0 fail; 0 skip; test/opcm/DeployAltDA.t.sol:DeployAltDAInput_Test
      pass; 0 fail; 0 skip; test/safe/DeputyPauseModule.t.sol:DeputyPauseModule_Pause_TestFail
      pass; 0 fail; 0 skip; test/L2/Predeploys.t.sol:PredeploysTest
      pass; 0 fail; 0 skip; test/invariants/SafeCall.t.sol:SafeCall_Succeeds_Invariants
      pass; \ 0 \ fail; \ 0 \ skip; \ test/safe/DeputyPauseModule.t.sol:DeputyPauseModule_SetDeputyGuardianModule_Test \ and \ an an analysis of the same 
      pass; \ 0 \ fail; \ 0 \ skip; \ test/invariants/FaultDisputeGame.t.sol:FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDisputeGame\_Solvency\_Invariants/FaultDispute
      pass; 0 fail; 0 skip; test/invariants/OptimismPortal2.t.sol:OptimismPortal_CanAlwaysFinalizeAfterWindow
17 pass: 0 fail: 0 skip: test/L2/OptimismSuperchainERC20.t.sol:OptimismSuperchainERC20Test
```



```
pass; 0 fail; 1 skip; test/L2/OptimismSuperchainERC20Beacon.t.sol:OptimismSuperchainERC20BeaconTest
     pass; 0 fail; 1 skip; test/L2/OptimismSuperchainERC20Factory.t.sol:OptimismSuperchainERC20FactoryTest
     pass; 0 fail; 0 skip; test/dispute/DelayedWETH.t.sol:DelayedWETH_Recover_Test
     pass; 0 fail; 0 skip; test/universal/SafeSend.t.sol:SafeSendTest
     pass; 0 fail; 0 skip; test/safe/DeputyPauseModule.t.sol:DeputyPauseModule_SetDeputy_Test
     pass; 0 fail; 0 skip; test/dispute/DelayedWETH.t.sol:DelayedWETH_Unlock_Test
     pass; 0 fail; 0 skip; test/dispute/DisputeGameFactory.t.sol:DisputeGameFactory_GetGameUUID_Test
     pass; 0 fail; 0 skip; test/safe/DeputyPauseModule.t.sol:DeputyPauseModule_SetDeputy_TestFail
     pass; \ 0 \ fail; \ 0 \ skip; \ test/dispute/DisputeGameFactory.t.sol: DisputeGameFactory\_Owner\_Test
     pass; 0 fail; 0 skip; test/dispute/DelayedWETH.t.sol:DelayedWETH_WithdrawFrom_Test
     pass; 0 fail; 0 skip; test/invariants/OptimismSuperchainERC20/OptimismSuperchainERC20.t.sol:OpSprchnERC20Properties
     pass; 0 fail; 0 skip; test/periphery/drippie/Drippie.t.sol:Drippie_Test
83 pass; 0 fail; 0 skip; test/dispute/FaultDisputeGame.t.sol:FaultDisputeGame_Test
     pass; 0 fail; 0 skip; test/libraries/EOA.t.sol:EOA_isEOA_Test
     pass; \ 0 \ fail; \ 0 \ skip; \ test/dispute/DisputeGameFactory\_t.sol: DisputeGameFactory\_Create\_Test
     pass; \ 0 \ fail; \ 0 \ skip; \ test/dispute/DisputeGameFactory.t.sol: DisputeGameFactory\_SetImplementation\_Test
     pass; 0 fail; 0 skip; test/dispute/DisputeGameFactory.t.sol:DisputeGameFactory_SetInitBond_Test
     pass; 0 fail; 0 skip; test/dispute/FaultDisputeGame.t.sol:FaultDispute_1v1_Actors_Test
     pass; 0 fail; 0 skip; test/libraries/GasPayingToken.t.sol:GasPayingToken_Roundtrip_Test
     pass; 0 fail; 0 skip; test/dispute/DisputeGameFactory.t.sol:DisputeGameFactory_FindLatestGames_Test
     pass; \ 0 \ fail; \ 0 \ skip; \ test/dispute/DisputeGameFactory.t.sol: DisputeGameFactory\_TransferOwnership\_Test
11 pass; 0 fail; 0 skip; test/L2/GasPriceOracle.t.sol:GasPriceOracleBedrock_Test
12 pass: 0 fail: 0 skip: test/L2/GasPriceOracle.t.sol:GasPriceOracleEcotone Test
8 pass; 0 fail; 0 skip; test/L2/ETHLiquidity.t.sol:ETHLiquidity_Test
13 pass; 0 fail; 0 skip; test/L2/GasPriceOracle.t.sol:GasPriceOracleFjordActive_Test
1 pass; 0 fail; 0 skip; test/safe/DeputyGuardianModule.t.sol:DeputyGuardianModule_Unpause_Test
     pass; 0 fail; 0 skip; test/L2/GasPriceOracle.t.sol:GasPriceOracleIsthmus_Test
     pass; \ 0 \ fail; \ 0 \ skip; \ test/safe/DeputyGuardianModule.t.sol:DeputyGuardianModule_Pause_TestFail
     pass; 0 fail; 0 skip; test/safe/DeputyGuardianModule.t.sol:DeputyGuardianModule_Unpause_TestFail
10 pass; 0 fail; 0 skip; test/governance/GovernanceToken.t.sol:GovernanceToken_Test
1 pass; 0 fail; 0 skip; test/safe/DeputyGuardianModule.t.sol:DeputyGuardianModule_SetAnchorState_Test
     pass; \ 0 \ fail; \ 0 \ skip; \ test/safe/DeputyGuardianModule.t.sol: DeputyGuardianModule_SetAnchorState\_TestFail \ and the safe of the
     pass; \ 0 \ fail; \ 0 \ skip; \ test/safe/DeputyGuardianModule.t.sol:DeputyGuardianModule_setRespectedGameType\_TestParties and the same test of the same test
     pass; \ 0 \ fail; \ 0 \ skip; \ test/safe/DeputyGuardianModule.t.sol:DeputyGuardianModule_Pause\_Test
     pass; \ 0 \ fail; \ 0 \ skip; \ test/safe/DeputyGuardianModule.t.sol: DeputyGuardianModule_setRespectedGameType\_TestFail \ and the setRespectedGameType\_TestFail \ a
     pass; 0 fail; 0 skip; test/invariants/OptimismPortal2.t.sol:OptimismPortal2_Deposit_Invariant
     pass; 0 fail; 0 skip; test/invariants/ETHLiquidity.t.sol:ETHLiquidity_MintBurn_Invariant
22 pass; 0 fail; 0 skip; test/L1/OptimismPortal2.t.sol:OptimismPortal2_Test
     pass; 0 fail; 0 skip; test/safe/DeputyGuardianModule.t.sol:DeputyGuardianModule_NoPortalCollisions_Test
     pass; 0 fail; 0 skip; test/legacy/L1BlockNumber.t.sol:L1BlockNumberTest
14 pass; 0 fail; 0 skip; test/legacy/L1ChugSplashProxy.t.sol:L1ChugSplashProxy_Test
     pass; 0 fail; 0 skip; test/safe/DeputyPauseModule.t.sol:DeputyPauseModule_Constructor_Test
     pass; 0 fail; 0 skip; test/libraries/SafeCall.t.sol:SafeCall_Test
     pass; 0 fail; 0 skip; test/libraries/Bytes.t.sol:Bytes_equal_Test
     pass; 0 fail; 0 skip; test/libraries/Hashing.t.sol:Hashing_hashDepositSource_Test
     pass; 0 fail; 0 skip; test/L2/CrossDomainOwnable.t.sol:CrossDomainOwnable_Test
     \verb"pass; 0 fail; 0 skip; test/libraries/Hashing.t.sol: \verb|Hashing_hashCrossDomainMessage_Test| \\
     pass; 0 fail; 0 skip; test/invariants/Encoding.t.sol:Encoding_Invariant
     pass; 0 fail; 0 skip; test/libraries/Hashing.t.sol:Hashing_hashOutputRootProof_Test
     pass; 0 fail; 0 skip; test/L1/L1CrossDomainMessenger.t.sol:L1CrossDomainMessenger_ReinitReentryTest
     pass; \ 0 \ fail; \ 0 \ skip; \ test/libraries/Hashing.t.sol: Hashing\_hashDepositTransaction\_Test
     pass; 0 fail; 0 skip; test/L2/CrossDomainOwnable2.t.sol:CrossDomainOwnable2_Test
     pass; 0 fail; 0 skip; test/L2/L1Block.t.sol:L1BlockIsthmus_Test
15 pass; 0 fail; 0 skip; test/L2/CrossL2Inbox.t.sol:CrossL2InboxTest
3 pass; 0 fail; 0 skip; test/L2/L1Block.t.sol:L1BlockBedrock_Test
12 pass; 0 fail; 0 skip; test/L2/CrossDomainOwnable3.t.sol:CrossDomainOwnable3_Test
1 pass; 0 fail; 0 skip; test/L1/L1ERC721Bridge.t.sol:L1ERC721Bridge_Pause_TestFail
     pass; 0 fail; 0 skip; test/L1/L1ERC721Bridge.t.sol:L1ERC721Bridge_Pause_Test
     pass; 0 fail; 0 skip; test/L2/L1Block.t.sol:L1BlockCustomGasToken_Test
19 pass; 0 fail; 0 skip; test/L2/L1BlockInterop.t.sol:L1BlockInteropIsDeposit_Test
30 pass: 0 fail: 0 skip: test/L1/L1CrossDomainMessenger.t.sol:L1CrossDomainMessenger Test
26 pass; 0 fail; 0 skip; test/L1/DataAvailabilityChallenge.t.sol:DataAvailabilityChallengeTest
     pass; 0 fail; 0 skip; test/vendor/InitializableOZv5.t.sol:InitializerOZv5_Test
18 pass; 0 fail; 0 skip; test/L1/L1ERC721Bridge.t.sol:L1ERC721Bridge_Test
     pass; 0 fail; 0 skip; test/L2/L1Block.t.sol:L1BlockEcotone_Test
77~pass;~ \textit{0}~fail;~ \textit{0}~skip;~test/dispute/SuperFaultDisputeGame.t.sol:SuperFaultDisputeGame\_Test
     pass; 0 fail; 0 skip; test/L2/CrossDomainOwnable.t.sol:CrossDomainOwnableThroughPortal_Test
     pass; 0 fail; 0 skip; test/libraries/Hashing.t.sol:Hashing_hashWithdrawal_Test
     pass; 0 fail; 0 skip; test/L2/L1FeeVault.t.sol:FeeVault_Test
     pass; 0 fail; 0 skip; test/L1/L1StandardBridge.t.sol:L1StandardBridge_BridgeETHTo_Test
     pass; 0 fail; 0 skip; test/L1/L1StandardBridge.t.sol:L1StandardBridge_BridgeETHTo_TestFail
     pass; 0 fail; 0 skip; test/safe/DeputyGuardianModule.t.sol:DeputyGuardianModule_BlacklistDisputeGame_Test
     pass; \ 0 \ fail; \ 0 \ skip; \ test/legacy/DeployerWhitelist.t.sol: DeployerWhitelist\_Test
     pass; 0 fail; 0 skip; test/safe/DeputyGuardianModule.t.sol:DeputyGuardianModule_Getters_Test
```



```
7 pass; 0 fail; 0 skip; test/invariants/ResourceMetering.t.sol:ResourceMetering_Invariant
2 pass; 0 fail; 0 skip; test/safe/DeputyGuardianModule.t.sol:DeputyGuardianModule_BlacklistDisputeGame_TestFail
1 pass; 0 fail; 0 skip; test/vendor/Initializable.t.sol:Initializer_Test
3 pass; 0 fail; 0 skip; test/cannon/PreimageOracle.t.sol:PreimageOracle_LargePreimageProposals_Test
2 pass; 0 fail; 0 skip; test/cannon/PreimageOracle.t.sol:PreimageOracle_LargePreimageProposals_Test
2 pass; 0 fail; 0 skip; test/setup/DeployVariations.t.sol:DeployVariations_Test
19 pass; 0 fail; 0 skip; test/L2/L1BlockInterop.t.sol:L1BlockInteropSetL1BlockValuesInterop_Test
17 pass; 0 fail; 0 skip; test/L2/L1BlockInterop.t.sol:L1BlockInteropTest
19 pass; 0 fail; 0 skip; test/largeDrackInterop.t.sol:L1BlockInteropTest
10 pass; 0 fail; 0 skip; test/invariants/Burn.Gas.t.sol:Burn_BurnGas_Invariant
10 pass; 0 fail; 0 skip; test/invariants/CrossDomainMessenger.t.sol:XDM_MinGasLimits_Succeeds
10 pass; 0 fail; 0 skip; test/dispute/AnchorStateRegistry_IsGameResolved_Test
11 pass; 0 fail; 0 skip; test/dispute/AnchorStateRegistry.t.sol:XDM_MinGasLimits_Reverts
```

6.3 Automated Tools

6.3.1 AuditAgent

All the relevant issues raised by the AuditAgent have been incorporated into this report. The AuditAgent is an Al-powered smart contract auditing tool that analyses code, detects vulnerabilities, and provides actionable fixes. It accelerates the security analysis process, complementing human expertise with advanced Al models to deliver efficient and comprehensive smart contract audits. Available at https://app.auditagent.nethermind.io.



7 About Nethermind

Nethermind is a Blockchain Research and Software Engineering company. Our work touches every part of the web3 ecosystem - from layer 1 and layer 2 engineering, cryptography research, and security to application-layer protocol development. We offer strategic support to our institutional and enterprise partners across the blockchain, digital assets, and DeFi sectors, guiding them through all stages of the research and development process, from initial concepts to successful implementation.

We offer security audits of projects built on EVM-compatible chains and Starknet. We are active builders of the Starknet ecosystem, delivering a node implementation, a block explorer, a Solidity-to-Cairo transpiler, and formal verification tooling. Nethermind also provides strategic support to our institutional and enterprise partners in blockchain, digital assets, and decentralized finance (DeFi). In the next paragraphs, we introduce the company in more detail.

Blockchain Security: At Nethermind, we believe security is vital to the health and longevity of the entire Web3 ecosystem. We provide security services related to Smart Contract Audits, Formal Verification, and Real-Time Monitoring. Our Security Team comprises blockchain security experts in each field, often collaborating to produce comprehensive and robust security solutions. The team has a strong academic background, can apply state-of-the-art techniques, and is experienced in analyzing cutting-edge Solidity and Cairo smart contracts, such as ArgentX and StarkGate (the bridge connecting Ethereum and StarkNet). Most team members hold a Ph.D. degree and actively participate in the research community, accounting for 240+ articles published and 1,450+ citations in Google Scholar. The security team adopts customer-oriented and interactive processes where clients are involved in all stages of the work.

Blockchain Core Development: Our core engineering team, consisting of over 20 developers, maintains, improves, and upgrades our flagship product - the Nethermind Ethereum Execution Client. The client has been successfully operating for several years, supporting both the Ethereum Mainnet and its testnets, and now accounts for nearly a quarter of all synced Mainnet nodes. Our unwavering commitment to Ethereum's growth and stability extends to sidechains and layer 2 solutions. Notably, we were the sole execution layer client to facilitate Gnosis Chain's Merge, transitioning from Aura to Proof of Stake (PoS), and we are actively developing a full-node client to bolster Starknet's decentralization efforts. Our core team equips partners with tools for seamless node set-up, using generated docker-compose scripts tailored to their chosen execution client and preferred configurations for various network types.

DevOps and Infrastructure Management: Our infrastructure team ensures our partners' systems operate securely, reliably, and efficiently. We provide infrastructure design, deployment, monitoring, maintenance, and troubleshooting support, allowing you to focus on your core business operations. Boasting extensive expertise in Blockchain as a Service, private blockchain implementations, and node management, our infrastructure and DevOps engineers are proficient with major cloud solution providers and can host applications inhouse or on clients' premises. Our global in-house SRE teams offer 24/7 monitoring and alerts for both infrastructure and application levels. We manage over 5,000 public and private validators and maintain nodes on major public blockchains such as Polygon, Gnosis, Solana, Cosmos, Near, Avalanche, Polkadot, Aptos, and StarkWare L2. Sedge is an open-source tool developed by our infrastructure experts, designed to simplify the complex process of setting up a proof-of-stake (PoS) network or chain validator. Sedge generates docker-compose scripts for the entire validator set-up based on the chosen client, making the process easier and quicker while following best practices to avoid downtime and being slashed.

Cryptography Research: At Nethermind, our Cryptography Research team is dedicated to continuous internal research while fostering close collaboration with external partners. The team has expertise across a wide range of domains, including cryptography protocols, consensus design, decentralized identity, verifiable credentials, Sybil resistance, oracles, and credentials, distributed validator technology (DVT), and Zero-knowledge proofs. This diverse skill set, combined with strong collaboration between our engineering teams, enables us to deliver cutting-edge solutions to our partners and clients.

Smart Contract Development & DeFi Research: Our smart contract development and DeFi research team comprises 40+ world-class engineers who collaborate closely with partners to identify needs and work on value-adding projects. The team specializes in Solidity and Cairo development, architecture design, and DeFi solutions, including DEXs, AMMs, structured products, derivatives, and money market protocols, as well as ERC20, 721, and 1155 token design. Our research and data analytics focuses on three key areas: technical due diligence, market research, and DeFi research. Utilizing a data-driven approach, we offer in-depth insights and outlooks on various industry themes.

Our suite of L2 tooling: Warp is Starknet's approach to EVM compatibility. It allows developers to take their Solidity smart contracts and transpile them to Cairo, Starknet's smart contract language. In the short time since its inception, the project has accomplished many achievements, including successfully transpiling Uniswap v3 onto Starknet using Warp.

- Voyager is a user-friendly Starknet block explorer that offers comprehensive insights into the Starknet network. With its intuitive interface and powerful features, Voyager allows users to easily search for and examine transactions, addresses, and contract details. As an essential tool for navigating the Starknet ecosystem, Voyager is the go-to solution for users seeking in-depth information and analysis;
- Horus is an open-source formal verification tool for StarkNet smart contracts. It simplifies the process of formally verifying Starknet smart contracts, allowing developers to express various assertions about the behavior of their code using a simple assertion language;
- Juno is a full-node client implementation for Starknet, drawing on the expertise gained from developing the Nethermind Client. Written in Golang and open-sourced from the outset, Juno verifies the validity of the data received from Starknet by comparing it to proofs retrieved from Ethereum, thus maintaining the integrity and security of the entire ecosystem.

Learn more about us at nethermind.io.



General Advisory to Clients

As auditors, we recommend that any changes or updates made to the audited codebase undergo a re-audit or security review to address potential vulnerabilities or risks introduced by the modifications. By conducting a re-audit or security review of the modified codebase, you can significantly enhance the overall security of your system and reduce the likelihood of exploitation. However, we do not possess the authority or right to impose obligations or restrictions on our clients regarding codebase updates, modifications, or subsequent audits. Accordingly, the decision to seek a re-audit or security review lies solely with you.

Disclaimer

This report is based on the scope of materials and documentation provided by you to Nethermind in order that Nethermind could conduct the security review outlined in 1. Executive Summary and 2. Audited Files. The results set out in this report may not be complete nor inclusive of all vulnerabilities. Nethermind has provided the review and this report on an as-is, where-is, and as-available basis. You agree that your access and/or use, including but not limited to any associated services, products, protocols, platforms, content, and materials, will be at your sole risk. Blockchain technology remains under development and is subject to unknown risks and flaws. The review does not extend to the compiler layer, or any other areas beyond the programming language, or other programming aspects that could present security risks. This report does not indicate the endorsement of any particular project or team, nor quarantee its security. No third party should rely on this report in any way, including for the purpose of making any decisions to buy or sell a product, service or any other asset. To the fullest extent permitted by law, Nethermind disclaims any liability in connection with this report, its content, and any related services and products and your use thereof, including, without limitation, the implied warranties of merchantability, fitness for a particular purpose, and non-infringement. Nethermind does not warrant, endorse, guarantee, or assume responsibility for any product or service advertised or offered by a third party through the product, any open source or third-party software, code, libraries, materials, or information linked to, called by, referenced by or accessible through the report, its content, and the related services and products, any hyperlinked websites. any websites or mobile applications appearing on any advertising, and Nethermind will not be a party to or in any way be responsible for monitoring any transaction between you and any third-party providers of products or services. As with the purchase or use of a product or service through any medium or in any environment, you should use your best judgment and exercise caution where appropriate. FOR AVOIDANCE OF DOUBT, THE REPORT, ITS CONTENT, ACCESS, AND/OR USAGE THEREOF, INCLUDING ANY ASSOCIATED SERVICES OR MATERIALS, SHALL NOT BE CONSIDERED OR RELIED UPON AS ANY FORM OF FINANCIAL, INVESTMENT, TAX, LEGAL, REGULATORY, OR OTHER ADVICE.