

Pickup App

Features, objectives & metrics.

A field guide to every screen, every box, and every button in the Celsius Coffee pickup app — what it does, why it's there, and how we know it's working.

PRODUCT

Pickup Native (Expo)

AUDIENCE

Product · Ops · Engineering

LAST REVIEWED

15 May 2026

MAINTAINER

Ammar Shahrin


i.

About this manual

This is the single source of truth for the Pickup app's product surface. It maps every feature to a purpose, and every purpose to a metric — so we never ship a UI box we can't justify, and never claim a win we can't measure.



How to read this

Each screen entry has three parts: **Purpose** (the one-line reason it exists), **Features** (every meaningful UI box on the screen with its role), and **Metrics** (what we measure to know it's pulling its weight). Pills mark instrumentation state:  **TRACKED** means an Amplitude event fires today;  **GAP** means the metric matters but isn't wired yet.

ii.

The product

The Pickup app is the Celsius Coffee customer's primary channel for ordering ahead, earning loyalty points, and skipping the queue. It runs as a native iOS/Android Expo app, bundled with OTA updates on the `.pickup.next` channel during development.

Tech	Expo Router · React Native · Supabase backend · Stripe PaymentSheet · Amplitude analytics · Expo Push (APNs + FCM V1)
Outlets supported	Shah Alam, Conezion, Tamarind — selected per session before browsing
Payments	Card, Apple Pay, FPX (Malaysia), GrabPay — Stripe-mediated. Zero-amount bypass for fully-discounted orders.
Loyalty model	Points (Beans) · tiered membership · vouchers · missions · mystery drops · referrals · annual Wrapped
Auth	Phone (Malaysian +60) → OTP, browse-without-auth fallback for menu/posters

iii.

App-level objectives

Every feature in this manual ladders up to one of six objectives. If a feature doesn't, it shouldn't exist.



Drive repeat purchase

Coffee is habitual; LTV is the business. We want every customer ordering more often than they would without the app.

NORTH-STAR

orders / active member / month · D30 repeat rate



Skip the queue

The core promise vs. walk-in. If app orders aren't faster, the product fails.

NORTH-STAR

app share of outlet orders · median pickup wait



Increase basket size

Modifiers, recommendations, and missions should lift the average order.

NORTH-STAR

AOV (RM) · items per order · modifier attach rate



Build loyalty habit

Points, tiers, and vouchers exist to convert visits into a quarterly streak.

NORTH-STAR

active member ratio · voucher redemption %



Cheap viral CAC

Referrals and Wrapped should beat paid acquisition cost-per-customer.

NORTH-STAR



Operational efficiency

Less barista friction, fewer disputes, faster handoff at the counter.

NORTH-STAR

auto-collection rate · order dispute rate

referral → first-order conversion · CAC
vs. paid

iv.

Information architecture

Five-tab bottom nav, with deep flows hanging off Account and Rewards.

Pickup app navigation

BOTTOM NAV

Home

Menu

Orders

Rewards

Account

ORDER FLOW

Store picker

Menu

Product detail

Cart

Checkout

Order detail

LOYALTY

Tier benefits

Voucher wallet

Mystery bean

Missions

Points shop

IDENTITY

Phone+OTP

Profile edit

Member QR

Referral

Wrapped

COMPLIANCE

Support

Privacy

Settings

Delete account

Screen reference

Every screen, in route order. Each entry lists the major UI boxes, what they're for, and the metrics that prove they work.

01 Home

app/index.tsx

Purpose. Get the user from app-open to “I know what I want next” in under ten seconds — by surfacing their usual drink, claimable rewards, in-progress missions, and current promos.

FEATURES

UI ELEMENT	ROLE
Poster carousel	Full-width promo hero, auto-advances every 4.5s, deep-links to product/menu/external URL on tap.
Info card	Sticky greeting with name, points balance, current tier, and live count badges for claimables and active missions.
Outlet picker pill	Shows selected outlet plus busy/closed status. Taps into the store picker.
“Your usual” carousel	Up to 8 thumbnails of recent or top-3 most-ordered products. One tap to product detail.
Claimable vouchers row	Welcome / promo / mystery vouchers eligible to claim. Inline green-state “Claim” button.
Active missions row	Mission progress bars with days-remaining countdown. Tap to /rewards.
Featured products carousel	5–8 curated picks — best sellers or seasonal pushes.
Pull-to-refresh	Force-refreshes posters, orders, vouchers, missions.

METRICS

UI ELEMENT	METRIC	STATE
Home overall	Time-to-first-tap; sessions reaching cart; D7/D30 home-return rate	● GAP
Poster carousel	Per-poster CTR; <code>poster_tapped</code> rate by position; promo → order attribution	● GAP
“Your usual”	Tap rate; usual-driven cart-adds vs. menu-driven	● GAP

UI ELEMENT	METRIC	STATE
Claimables row	Claim rate; time-to-claim; claim → order conversion	● GAP
Active missions	Progress velocity; completion %; expired-without-completion %	● GAP
Featured carousel	Featured CTR; featured-driven AOV uplift	● GAP

02 Menu

app/menu.tsx

Purpose. Let the user find what they want fast — by browse (category) or by search — and move them into product detail.

FEATURES

UI ELEMENT	ROLE
Category pills (sticky)	Horizontal pill bar mapping to product groups; first category auto-selected; scroll-syncs with grid.
Search bar (sticky)	Real-time filter on product name across the catalogue.
Product grid rows	Each row: 88×88 image, name, short description, base price. Tap → /product/[id].
Empty search state	"No products found" — signals a catalogue gap when frequent.
Pull-to-refresh	Re-pulls the menu for the selected outlet.

METRICS

UI ELEMENT	METRIC	STATE
Category pills	Category CTR; sessions touching ≥2 categories; first-category dwell	● GAP
Search	Search-usage rate; search → add-to-cart %; zero-result query log	● GAP
Product rows	Impressions/product; menu → PDP conversion	● PRODUCT_VIEWED

03 Product detail

app/product/[id].tsx

Purpose. Turn intent into a configured cart-add — with required modifiers chosen, optional add-ons surfaced, and quantity set.

FEATURES

UI ELEMENT	ROLE
Hero image	Half-screen product photo with floating back chevron.
Product info header	Name, multi-line description, base price in terracotta.
Modifiers	Required single-select groups (pre-filled default), optional multi-select groups (empty default). Group label flags requirement.
Special instructions	500-char text input for custom requests.
Quantity stepper (sticky)	Minus/plus with haptics; disabled at 1 (min) and 99 (max).
Add to cart (sticky)	Full-width CTA; disabled until required mods chosen; shows live total (base + mods × qty).

METRICS

UI ELEMENT	METRIC	STATE
PDP overall	<code>product_viewed</code> ; time-on-PDP; PDP → cart conversion	● PRODUCT_VIEWED
Modifiers	Required-mod completion %; modifier attach rate; AOV uplift from optionals	● GAP
Special instructions	% orders with notes; dispute rate on notes orders	● GAP
Add to cart	<code>cart_add</code> rate; avg quantity per add; abandonment after PDP view	● CART_ADD

04 Cart

app/cart.tsx

Purpose. Let the user review and edit line items, apply a voucher, see the full price breakdown, and commit to checkout — with no surprises.

FEATURES

UI ELEMENT	ROLE
Line items	Each item with modifiers, notes, qty stepper, and remove control.
Apply voucher slot	Surfaces eligible wallet vouchers; one tap reserves and applies.
Price summary	Subtotal, itemised discounts (reward / voucher / promo), SST, total.
Continue to checkout	Sticky CTA; gates if outlet not yet picked.

METRICS

UI ELEMENT	METRIC	STATE
Cart overall	Cart → checkout conversion; cart abandonment rate; time-on-cart	● GAP
Line edits	Item-edit and item-removal rate	● GAP
Voucher slot	<code>reward_reserved</code> ; voucher apply rate; discount-driven order share	● REWARD_RESERVED

05 Checkout

app/checkout.tsx

Purpose. Take payment without friction — supporting every Malaysian-relevant method, handling fully-discounted orders, and recovering from failures.

FEATURES

UI ELEMENT	ROLE
Outlet + pickup time	Confirms fulfillment context and shows ETA.
Payment method selector	Card, Apple Pay, FPX, GrabPay — Stripe PaymentSheet handles UI.
Stripe PaymentSheet	Native sheet; supports saved methods and Apple Pay tokens.
Zero-amount bypass	Skips payment when discounts fully cover total; fires <code>payment_skipped</code> .
Place order CTA	Final commit; triggers <code>checkout_started</code> then <code>order_placed</code> .

METRICS

UI ELEMENT	METRIC	STATE
Checkout funnel	<code>checkout_started</code> → <code>order_placed</code> conversion	● TRACKED
Payment methods	Method mix; completion rate per method; <code>payment_success</code> / <code>_failed</code> / <code>_cancelled</code>	● TRACKED
Zero-amount	<code>payment_skipped</code> rate; share of fully-discounted orders	● TRACKED
Stripe sheet	Sheet-open → completion %; in-sheet abandonment	● GAP



Best-instrumented screen in the app

Checkout has 5 of the 11 tracked events. Use this as the template when wiring up the rest.

06 Orders list

app/orders.tsx

Purpose. Two jobs in one screen — live status for in-flight orders, and one-tap reorder from history.

FEATURES

UI ELEMENT	ROLE
In Progress / Past tabs	Segmented control. Badge on "In Progress" shows active order count.
Order row	Order number, item count, location, ETA or date, total, status badge (color-coded), View and Reorder buttons.
Reorder confirmation modal	Confirms "same items, same modifiers". On confirm, hydrates cart and routes to /menu.
Pull-to-refresh	Forces order-list refetch.

METRICS

UI ELEMENT	METRIC	STATE
Tab split	In Progress vs Past usage; In Progress dwell during live orders	● GAP
View button	Order-detail open rate per status	● GAP
Reorder button	Reorder CTR; reorder → <code>order_placed</code> conversion; reorder AOV vs. fresh order	● GAP

07 Order detail

app/order/[id].tsx

Purpose. Close the loop from "order placed" to "drink in hand" — with live status, a delight moment, and a clean handoff at the counter.

FEATURES

UI ELEMENT	ROLE
Order stepper	3-step pipeline (Received → Brewing → Ready) with infinite-pulse animation on current step. Reduces "is it ready yet?" anxiety.
Mystery Bean card	Tap-to-reveal scratch card on ready/collected. Outcomes: multiplier, voucher, flat beans, surprise-in-store, or no-bonus.
Order summary	Line items, modifiers, notes, discounts, SST, total — receipt and dispute reference.
Swipe-to-collect	Customer slides a thumb across the track to confirm pickup. Replaces barista action.
Collected card	Terracotta confirmation with checkmark once status = completed.
Pending payment retry	Re-opens Stripe sheet for orders in pending_payment state.

METRICS

UI ELEMENT	METRIC	STATE
Stepper	Time-in-step per state; time-to-ready by outlet (median, p95)	● GAP
Mystery Bean	Reveal rate; time-to-reveal; outcome distribution; post-reveal session length	● GAP
Swipe-to-collect	Swipe-completion rate; % orders auto-collected vs. swipe vs. barista	● GAP
Pending payment retry	Retry attempt rate; retry → success rate (recovered revenue)	● GAP

08 Rewards

app/rewards.tsx

Purpose. Make issued rewards get *used*. Hoarded points and unredeemed vouchers are a failed loyalty loop.

FEATURES

UI ELEMENT	ROLE
Points hero	Large balance display with current tier badge.
Voucher wallet	Active vouchers grouped by source (mission / mystery / gift / points). "Use" applies and routes to menu.
Claimable section	One-tap claim for welcome / promo / mystery-pending vouchers. Green-state confirmation.
Active missions	Progress bars with claim-on-completion CTA and countdown.
Spend Beans catalog	Points-shop grid, sorted by affordability. "Redeem for free" CTA. Locked items show points gap.

METRICS

UI ELEMENT	METRIC	STATE
Rewards overall	Screen views per active member / week	● GAP
Voucher wallet	Utilisation = used / issued; days-to-use; expired-without-use %	● GAP
Claimables	Claim rate by source_type; <code>challenge_use_tapped</code> proxy	● CHALLENGE_USE_TAPPED
Missions	Completion %; claim-button CTR; missions-driven order frequency lift	● GAP

UI ELEMENT	METRIC	STATE
Points shop	Redemption rate; "almost there" view-without-buy gap	● GAP

09 Tier benefits

app/tier-benefits.tsx

Purpose. Convert tier visibility into incremental spend toward the next unlock — especially in the last weeks of a quarter.

FEATURES

UI ELEMENT	ROLE
Tier card carousel	Swipeable 6-tier pager (bronze · silver · gold · elite · staff · black-card) with bespoke theme per tier.
Progress bar + unlock window	"Spend RM X in Y days to unlock {next tier}" or "Achieved · perks unlocked".
Benefit sections	Member Rewards (multiplier), Birthday Gifts, Member Perks, VIP Special — rendered from benefit_rules.
"See rewards" CTA	Amber pill at the bottom routing to /rewards.

METRICS

UI ELEMENT	METRIC	STATE
Carousel	Swipes/session; % users who view tiers above their current	● GAP
Progress bar	RM-to-next-tier distribution; quarter-end-week order spike among "close" members	● GAP
CTA	CTA CTR → /rewards landing → redemption	● GAP

10 Account

app/account.tsx

Purpose. Two modes in one screen — onboard new users via phone+OTP, and serve as the profile / identity hub for signed-in users.

FEATURES — SIGNED-OUT

UI ELEMENT	ROLE
Phone step	Hardcoded +60 prefix, 9–11 digit input with live preview formatting.
OTP step	6-digit code, optional uppercase referral code, 30s resend timer, back arrow.
”Continue browsing” link	Escape-hatch to /menu — reduces auth-wall friction.

FEATURES — SIGNED-IN

UI ELEMENT	ROLE
Tier card (embedded)	Carousel + stats row (Points / Visits / Earned).
Identity card	QR code (<code>celsius:member:{id}</code>) for in-store recognition.
Account section	Order history, ”Your usual” drinks, Coffee Wrapped link.
Preferences	Settings hub link.
About	Support, Privacy policy.
Profile edit modal	Name, email, birthday (auto-formats DD/MM/YYYY).
Sign out / Delete account	Bottom-of-screen actions; delete is destructive (red).

METRICS

UI ELEMENT	METRIC	STATE
OTP funnel	Phone-entered → OTP-requested → <code>login_success</code> ; resend rate; time-to-verify	● LOGIN_SUCCESS

UI ELEMENT	METRIC	STATE
Continue browsing	% users in browse-without-auth; downstream conversion to signed-in	● GAP
Profile completion	% members with email + birthday filled (gate for birthday rewards)	● GAP
Identity QR	Scan rate at POS (server-side join with checkout events)	● GAP
Delete account	Delete request rate (anomaly signal); post-delete re-signup %	● GAP

11 Referral

app/referral.tsx

Purpose. Cheap viral CAC. Each existing customer becomes an acquisition channel with a one-tap share.

FEATURES

UI ELEMENT	ROLE
Hero card	Dark espresso card with the user's referral code (40px Peachi, amber, 4px tracking) and "Share code" button.
Share template	Pre-filled message: "Try Celsius Coffee with me ☕ Use my code {code}..." + order.celsiuscoffee.com link.
Stats row	Total / Pending / Rewarded counters in three cards.
How it works	4-step numbered list with terracotta badges.
Recent referrals list	Last 10 referrals with status badge (Rewarded / Pending order).

METRICS

UI ELEMENT	METRIC	STATE
Hero card	Screen views per signed-in member; views without share	● GAP
Share button	Share rate; share-sheet completion channel mix	● GAP
Full funnel	Referral code → install → first-order conversion; CAC vs. paid channels	● GAP

12 Coffee Wrapped

app/wrapped.tsx

Purpose. An annual retention moment that doubles as an organic-social distribution channel.

FEATURES

UI ELEMENT	ROLE
Headline number	"You drank X cups" — 120px Peachi in amber. The vanity moment.
Big-card stats grid	Favourite drink · Favourite hour (converted UTC → MYT) · Outlets visited · Longest streak · The damage (spent vs. saved).
Empty state	"You're still warming up" — shown to users with zero orders.
Share button	Native share sheet with text + image export for social.

METRICS

UI ELEMENT	METRIC	STATE
Wrapped overall	Eligible-user view rate; time-on-screen; scroll completion	● GAP
Share button	Share rate among viewers; attributed installs from shared content	● GAP

13 Store picker

app/store.tsx

Purpose. Always route the customer to a real, open outlet with a realistic ETA.

FEATURES

UI ELEMENT	ROLE
Outlet cards	Map-pin icon · name · status badges (Busy / Closed / open) · address · ETA · selected-state border.
Closed-outlet disable	50% opacity, non-pressable — prevents bad-state orders.
Smart routing	On select, routes to /cart if items in cart, else <code>?next</code> param or /menu.

METRICS

UI ELEMENT	METRIC	STATE
Outlet selection	Outlet share; outlet-switch frequency mid-session; wrong-outlet orders requiring refund/move	● GAP
Busy state	Busy-state shown → still-selected rate (does it deter?)	● GAP

14 Support • Privacy • Settings • Delete

app/{support,privacy,settings,account-delete}.tsx

Purpose. Compliance, deflection, and graceful exit. Apple/Google require these; they should also reduce support load.

FEATURES

UI ELEMENT	ROLE
Support FAQ (7 items)	Collapsible blocks covering OTP, failed orders, missing points, redemption, profile update, SMS opt-out, account deletion.
Contact rows	Email (barista@celsiuscoffee.com) + Instagram (@celsius.coffee).
Privacy policy	PDPA-compliant. Last reviewed 29 April 2026.
Settings hub	Three rows: Support • Privacy • Delete account (destructive).
Account deletion flow	Type-DELETE-to-confirm modal; clears Zustand, deregisters push, clears React Query cache.

METRICS

UI ELEMENT	METRIC	STATE
Support FAQ	FAQ expansion rate per item; FAQ-view without follow-up contact = self-serve resolution	● GAP
Contact rows	Contact-method tap rate (email vs IG)	● GAP
Account deletion	Delete completion rate; post-delete re-signup % within 90d	● GAP

Persistent components

Reusable UI surfaces that show up across multiple screens. They get measured wherever they appear.

COMPONENT	WHERE	PURPOSE & KEY METRIC
BottomNav	Every screen	Five-tab global nav with a reward badge that surfaces unclaimed value. Metric: tab CTR; reward-badge → /rewards conversion.
OrderStepper	Order detail	Animated 3-step pipeline. Metric: dwell time per state; perceived-progress score.
VoucherWallet	Rewards, Cart	Source-typed reward cards with filter chips. Metric: "Use" CTR; voucher utilisation %.
TierCardCarousel	Tier benefits, Account	Six-tier swipeable pager. Metric: swipes/session; cards-viewed-above-current %.
RewardTicket	Home, Rewards	Ticket-stub card UI. Metric: ticket impression → press rate.
MysteryBean	Order detail	Tap-to-reveal scratch card. Metric: reveal rate; outcome distribution; post-reveal session length.
PosterCarousel	Home	Hero promo with auto-advance. Metric: per-poster CTR; promo-to-purchase attribution.
ClaimableSection	Home, Rewards	One-tap claim row group. Metric: claim rate per source_type.
SwipeToCollect	Order detail	Gesture-based collection confirm. Metric: swipe completion rate; auto vs. swipe vs. barista mix.

vii.

Analytics & metrics

Where we are today, and the five events that unlock everything.

WHAT'S TRACKED RIGHT NOW

EVENT	FIRED FROM	MEASURES
product_viewed	Product detail	PDP impressions; menu → PDP conversion
cart_add	Product detail	Cart-add success; quantity per add
reward_reserved	Cart / Voucher wallet	Voucher application
challenge_use_tapped	Rewards	Mission/challenge engagement
checkout_started	Checkout	Funnel entry
order_placed	Checkout	Funnel completion
payment_success	Checkout	Successful capture
payment_failed	Checkout	Capture failure (recovery candidate)
payment_cancelled	Checkout	User-cancelled sheet
payment_skipped	Checkout	Zero-amount order share
login_success	Account (OTP)	Auth completion



The gap is wide

11 events cover roughly 15% of the app’s surface. The funnel between login → home → menu → PDP → cart → checkout works, but nothing measures rewards, mystery, referral, wrapped, tier, or order-detail outcomes. Amplitude is also gated on a non-empty EXPO_PUBLIC_AMPLITUDE_API_KEY + a fresh native build — confirm both before treating any number as real.

IF YOU FIX FIVE EVENTS, DO THESE

01 `screen_viewed` • the funnel-for-free move

Fire on every screen mount with `screen_name`. Unlocks landing-rate metrics for every screen above without any per-screen wiring.

02 `voucher_claimed` + `voucher_used` • the loyalty loop

Issued ÷ claimed ÷ used. Without these we can't tell whether vouchers are a P&L expense or a growth lever.

03 `order_collected` • closes the order funnel

Include the method (`swipe` / `auto` / `barista_marked`). Measures the swipe-to-collect feature and tells us how often the queue is actually being skipped.

04 `reorder_tapped` • the highest-value action

One-tap reorder is the cheapest path to a repeat order. Track CTR and reorder → `order_placed` conversion.






05 `poster_tapped` • proves marketing works

Include `poster_id` + `deeplink`. Without this, promos are pure faith.

Brand appendix

The colours, type, and tone every screen in the app honours.

PALETTE

 Espresso #1A0200 · brand black	 Terracotta #C05040 · primary	 Amber #FBBF24 · accent	 Peach 50 #FBE8E8 · surface
 Peach 100 #F5D2CC · hover	 Espresso Deep #5A1F16 · ink-strong	 Paper #FFFFFF · body bg	 Muted #8E8E93 · ink-3

TYPE

Display	Peachi — used for headlines, big numbers, prices, tier names. Italic for accents.
Body	Space Grotesk — UI labels, body copy, buttons. Bold for emphasis.
Eyebrows / pills	Space Grotesk Bold, uppercase, 1.4–2.2px letter-spacing, 9–11px.

VOICE PRINCIPLES

Warm, not chatty	”Tap to reveal” not ”Click here to see your reward!”
Specific over vague	”Spend RM12 in 47 days to unlock Gold” beats ”almost there”
Reward the user’s time	Empty states are honest moments, not apologies: ”You’re still warming up”

Bilingual when it lands

BM phrases like "Cuti staff" appear naturally in HR-adjacent surfaces; Pickup stays English-first.

Celsius Coffee • Pickup App Manual

Maintained by the product team. Source of truth lives

alongside the code at `apps/pickup-`

`native/docs/manual.html`. Update this doc in the same PR

as the feature.

v1.0 • 15 May 2026