



**INSTITUTE FOR ADVANCED COMPUTING
AND SOFTWARE DEVELOPMENT (IACSD),
AKURDI, PUNE**

Documentation On

CoinBank-Digital Wallet Service

PG-DAC March 2023

Submitted By:

Group No: 53

Roll No.

233060

233106

Name:

Sourabh Pawar

Toufik Pathan

Mrs. Geeta Darunte

Project Guide

Mr. Rohit Puranik

Centre Coordinator

ABSTRACT

This project is a web-based digital wallet system for transacting the digital currency. The project objective is to deliver the online transactions across internet through a web platform.

The service is designed to be secure and convenient. Users' personal credentials and financial data are encrypted and stored in secure database. The service is expected to benefit both businesses and consumers. Businesses will be able to transact easily and increase their sales. Consumers will be able to shop more conveniently and securely.

The service is still under development, but it has the potential to revolutionize the way we transact digital currency. The "CoinBank" project is modeled after popular platforms like Paytm. This digital wallet solution aims to provide users with a convenient and secure way to manage their financial transactions. Users can effortlessly load funds into their digital wallets, send money to other users, and withdraw funds as needed. The project's core features are designed to replicate the ease and accessibility of existing digital wallet services, offering a user-friendly solution for modern financial needs.

ACKNOWLEDGEMENT

I take this occasion to thank God, almighty for blessing us with his grace and taking our endeavor to a successful culmination. I extend my sincere and heartfelt thanks to our esteemed guide, **Mrs. Geeta Garunte** for providing me with the right guidance and advice at the crucial juncture and for showing me the right way. I extend my sincere thanks to our respected **Centre Co-Ordinator Mr. Rohit Puranik Sir**, for allowing us to use the facilities available. I would like to thank the other faculty members also, at this occasion. Last but not the least, I would like to thank my friends and family for the support and encouragement they have given me during the course of our work.

Sourabh Pawar (223060)

Toufik Pathan (223106)

Table of Contents

ABSTRACT.....	1
ACKNOWLEDGEMENT.....	2
INTRODUCTION.....	6
FEATURES	6
1.1 PROJECT OBJECTIVE.....	7
1.2 PROJECT OVERVIEW	7
1.3 PROJECT SCOPE	8
1.4 STUDY OF THE SYSTEM	8
1.4.1 MODULES.....	8
SYSTEM ANALYSIS.....	16
2.1 EXISTING SYSTEM	16
2.2 PROPOSED SYSTEM	16
2.3 SYSTEM REQUIREMENT SPECIFICATION.....	16
2.3.1 GENERAL DESCRIPTION.....	16
2.3.2 SYSTEM OBJECTIVES	17
2.3.3 SYSTEM REQUIREMENTS.....	17
SYSTEM DESIGN.....	19
3.1 INPUT AND OUTPUT DESIGN	19
3.1.1 INPUT DESIGN	19
3.1.2 OUTPUT DESIGN	19
DATABASE DESIGN	21
3.2 DATABASE.....	21
3.3 SYSTEM TOOLS	21
3.3.1 FRONT END.....	21
3.3.2 BACKEND	21
0 LEVEL DFD.....	22
1 LEVEL DFD FOR SECRETARY.....	23
1 LEVEL DFD FOR FLAT OWNER.....	24
1 LEVEL DFD FOR SECURITY GUARD	25
E-R DIAGRAM.....	26

CLASS DIAGRAM..... 27

TABLE STRUCTURE 28

PROJECT DIAGRAMS..... 29

CONCLUSION 50

REFERENCES..... 51

LIST OF FIGURES

FIGURE 1: CUSTOMER ACTIVITY DIAGRAM	11
FIGURE 2: ADMIN ACTIVITY DIAGRAM	13
FIGURE 4: 0 LEVEL DFD	23
FIGURE 5: CUSTOMER DATA FLOW DIAGRAM	24
FIGURE 6: ADMIN DATA FLOW DIAGRAM	25
FIGURE 8: E-R DIAGRAM	27
FIGURE 9: CLASS DIAGRAM	28
FIGURE 10: TABLE STRUCTURE	29
FIGURE 11: PROJECT DIAGRAMS	32

INTRODUCTION

This Software Requirements Specification (SRS) aims to provide a comprehensive and well-documented outline of the requirements for the "CoinBank" digital wallet payment service. This document serves as a guiding resource to articulate the fundamental aspects of the digital wallet ecosystem. "CoinBank" constitutes a dynamic platform encompassing multiple functionalities, catering to both users and sellers. The digital wallet system comprises two integral subsystems: the User Wallet subsystem and the Merchant Services subsystem. Generally, in society all the work is decided in meetings and maintenance bills, contact no of members are noted on the papers. There is no automated system for doing all the things that generally happen in society, so that members can come to know what is happening in society.

The "CoinBank" digital wallet payment service is engineered to revolutionize the realm of online financial transactions, allowing users to manage their funds with unparalleled convenience and security. By amalgamating cutting-edge technology with a user-centric approach, the system facilitates secure and efficient transactions within an extensive network of users and merchants. This digital wallet service is a reflection of the modern age's transformational shift towards digital finance, ensuring seamless financial interactions and enhancing financial inclusion.

Features: -

1. Separate login for Customer and Admin.
2. Easy to add or update the customer information by admin.
3. Easy to do online transactions by customer.
4. Admin can manage all customers' accounts and transactions done by customers.
5. Customers can check their account transaction history, also can get statement on email.
6. Easy to do update profile and to do transactions.
7. Customer can apply for FD or Loan as per their requirement.

1.1 PROJECT OBJECTIVE

The objective of the project is to create a secure and user-friendly digital wallet platform that enables easy fund management, peer-to-peer transactions, and seamless interactions with online merchants. Prioritize security, accessibility, affordability, and financial inclusivity, while offering a convenient interface and expanding global seller services.

1.2 PROJECT OVERVIEW

The "CoinBank" digital wallet payment service presents a streamlined solution for users to manage their finances seamlessly, eliminating the need for physical payment methods. Likewise, the service benefits sellers by extending their reach to a global audience. This system is designed to be accessible to users of various backgrounds, requiring only basic computer and smartphone operation skills for efficient use.

The "CoinBank" platform offers user-friendly interfaces for both buyers and sellers. Users can effortlessly top up their digital wallets, make peer-to-peer transactions, and conduct hassle-free online purchases from a diverse range of merchants. The project emphasizes accessibility and inclusivity, allowing individuals without technical expertise to participate effectively.

➤ Product Perspective

The "CoinBank" digital wallet service addresses the needs of individuals who seek efficient and secure financial transactions without the need to visit physical locations. It streamlines the process of managing funds, making payments, and conducting transactions online.

➤ Product Function

Adding funds to digital wallets

Facilitating peer-to-peer money transfers

Enabling online purchases from a variety of merchants
E-Commerce CoinBank should support this use case:

➤ User Characteristics

Users should have a basic understanding of terms like account login, wallet balance, transactions, and security features to effectively utilize the "CoinBank" digital wallet service.

➤ Principle Actors

Users (both customers and sellers)

Admin for system management and oversight

➤ General Constraints & Dependencies

The "CoinBank" digital wallet service is reliant on users having access to a computer or smartphone with a stable internet connection. This infrastructure is essential for the seamless operation of the system and its core functionalities.

1.3 PROJECT SCOPE

The "CoinBank" digital wallet payment service serves as a comprehensive platform for secure and seamless financial transactions. It enables users to effortlessly manage their funds, engage in peer-to-peer money transfers, and conduct transactions with various online merchants. By creating a secure and user-friendly ecosystem, the project enhances financial inclusivity and empowers users with a digital wallet solution that adapts to modern finance trends.

The "CoinBank" project is designed to facilitate interactions between users and sellers on a global scale. Users can easily add funds to their digital wallets, make swift money transfers, and engage in online transactions with confidence. The service stands out for its ability to offer users a convenient way to manage their financial activities from a remote location, eliminating the need for physical presence.

Key features, such as recommendation models and detailed transaction histories, provide users with personalized insights and help in discovering suitable products. These features, accompanied by secure money transactions and reliable delivery services, contribute to customer satisfaction and build a sense of trust within the user community.

The "CoinBank" project is dedicated to increasing sales and customer loyalty. Corporate goals involve optimizing management costs, ensuring customer satisfaction, and fostering long-term relationships. Embracing technology, innovative marketing strategies, and adaptive research and development efforts form the cornerstone of the project's growth strategy. The vision for "CoinBank" is to establish itself as a user-centric, efficient platform that caters to the evolving financial needs of both customers and sellers, creating a robust digital finance ecosystem.

1.4 STUDY OF THE SYSTEM

1.4.1 MODULES:

The system after careful analysis has been identified to be presented with the following modules and roles.

The modules involved are:

- Administrator
- Users

➤ Administrator

The administrator is the super user of this application. Only admin have access into this admin page. Admin may be the owner of the platform. The administrator has all the information about the users and about all transactions. This module is divided into different sub modules.




Figure 1: [Admin Activity Diagram](#)




Figure 2: User Activity Diagram

SYSTEM ANALYSIS

System analysis is the process of gathering and interpreting facts, diagnosing problems, and using the information to recommend improvements on the system. System analysis is a problem-solving activity that requires intensive communication between the system users and system developers.

System analysis or study is an important phase of any system development process. The system is viewed as a whole, the inputs are identified, and the system is subjected to close study to identify the problem areas. The solutions are given as a proposal. The proposal is reviewed on user request and suitable changes are made. This loop ends as soon as the user is satisfied with the proposal.

2.1 EXISTING SYSTEM

The current system for payments is to visit the shop manually and produce the currency cash for of the price of the item.

- ✓ It is less user-friendly.
- ✓ User must go to shop and encash the products.
- ✓ It is difficult to count currency for large the required product.
- ✓ It is a time-consuming process
- ✓ Not in reach of distant users.

2.2 PROPOSED SYSTEM

The "CoinBank" digital wallet payment service radically transforms the existing shopping paradigm. Unlike the manual process of visiting physical stores, the project brings convenience and efficiency to users' fingertips.

2.3 SYSTEM REQUIREMENT SPECIFICATION

A Software Requirements Specification (SRS) document for a digital wallet system outlines the functional and non-functional requirements of the system, as well as its scope, architecture, user interfaces

2.3.1 SYSTEM OBJECTIVES

- To provide a Web application for online payments across globe.
- To provide an online payments web site for business and individual users.

2.3.2 SYSTEM REQUIREMENTS

NON-FUNCTIONAL REQUIREMENTS

Modularity:

- CoinBank would be complex application due to its functionality expected.
- CoinBank would be composed using set of reusable modules.

Portability:

- CoinBank could be accessed from any personal device.
- CoinBank will provide portable user interface using standard web technologies while buildingportal.
- CoinBank could be deployed to any server Operating Environment.
- CoinBank could be deployed to any Cloud such as Microsoft Azure or Amazon Web Service(AWS) or GCP
- CoinBank could have been deployed to any other physical server or Virtualized server.

Security:

- CoinBank will implement Role based security to access content from Remote place.
- CoinBank will provide secure communication between payment gateway applications (SSL)
- CoinBank will expire session maintained for each user after 15 minutes.
- CoinBank will not keep any sensitive data on user's device.
- Users' information would be protected.
- All servers where CoinBank deployed would have been protected using firewall.

Safe:

- CoinBank will keep regular back up of data in incremental way.
- CoinBank will be protected against malicious attack with proper cybersecurity rules.
- CoinBank hosted servers would have been protected within restricted environment.

Reliability:

- CoinBank will always be available 99.999%
- CoinBank should have low downtime
- CoinBank server would keep their availability using failover server

Scalability:

- CoinBank will provide consistent user experience irrespective of number users grow on particular events such as festival season as transactions increase. (Load balancing).

Compatibility:

- CoinBank could be installed on Windows server, Linux server.
- CoinBank will provide chrome browser compatible user interface.

FUNCTIONAL REQUIREMENTS**USER****➤ USER LOGIN****Description of feature**

This feature used by the user to login into system. A user must login with his username and password to the system after registration. If they are invalid, the user not allowed to enter the system.

Functional Requirement

- Username and password will be provided after user registration is confirmed.
- Password should be hidden from others while typing it in the field.

➤ REGISTER NEW USER**Description of feature**

A new user will have to register in the system by providing essential details in order to transact in the system. The admin must approve new transaction.

Functional Requirement

- System must be able to verify and validate information.
- The system must encrypt the password of the customer to provide security.

Functional Requirement

- ✓ System must ensure that, only a registered customer can carry transactions.
- ✓ Admin account should be secured so that only owner can access that account
- ✓ Users can create accounts with valid email addresses and passwords.
- ✓ User authentication will be required for accessing wallet functionalities.
- ✓ Users can view their wallet balances.
- ✓ Users must be able to add funds to their digital wallets using various payment methods such as credit/debit cards, net banking, and UPI.
- ✓ The system should provide real-time updates of wallet balances after successful top-up transactions.
- ✓ Users should be able to send money to other users within the platform using recipient's wallet ID or Bank Account ID.
- ✓ Users should be able to withdraw funds from their digital wallets to their linked bank accounts.
- ✓ Withdrawal requests should be processed securely and efficiently.
- ✓ Maintain a detailed transaction history for each user, including top-ups, transfers, withdrawals, and purchases.
- ✓ Users should be able to view their transaction history within the application.
- ✓ PDF statements download facility.
- ✓ Admins should have access to a secure panel for managing user accounts, verifying sellers, and monitoring transactions.
- ✓ Design the system architecture to handle a high volume of concurrent transactions without performance degradation.
- ✓ Provide a platform for users to contact customer support for assistance with transactions, account issues, and inquiries.

ADMIN

➤ MANAGE USER

Description of features

The administrator can add user, delete user, view user and block user.

➤ VIEW TRANSACTION

Description of features

The administrator can view transactions and details of customers.

➤ Functional Requirements:

- The system must identify the login of the admin.
- Admin account should be secured so that only owner of the shop can access that account.

SYSTEM DESIGN

System design is the solution for the creation of a new system. This phase focuses on the detailed implementation of the feasible system. Its emphasis on translating design. Specifications to performance specification. System design has two phases of development.

- Logical Design
- Physical Design

During logical design phase the analyst describes inputs (sources), outputs(destinations), databases (data sores) and procedures (data flows) all in a format that meets the user requirements. The analyst also specifies the needs of the user at a level that virtually determines the information flow in and out of the system and the data resources. Here the logical design is done through data flow diagrams and database design. The physical design is followed by physical design or coding. Physical design produces the working system by defining the design specifications, which specify exactly what the candidate system must do. The programmers write the necessary programs that accept input from the user, perform necessary processing on accepted data and produce the required report on a hard copy or display it on the screen.

3.1 INPUT AND OUTPUT DESIGN

3.1.1 INPUT DESIGN:

Input design is the link that ties the information system into the world of its users. The input design involves determining the inputs, validating the data, minimizing the data entry and provides a multi-user facility. Inaccurate inputs are the most common cause of errors in data processing. Errors entered by the data entry operators can be controlled by input design. The user-originated inputs are converted to a computer-based format in the input design. Input data are collected and organized into groups of similar data. Once identified, the appropriate input media are selected for processing. All the input data are validated and if any data violates any conditions, the user is warned by a message. If the data satisfies all the conditions, it is transferred to the appropriate tables in the database. In this project the student details are to be entered at the time of registration. A page is designed for this purpose which is user friendly and easy to use. The design is done such that users get appropriate messages when exceptions occur.

3.1.2 OUTPUT DESIGN:

Computer output is the most important and direct source of information to the user. Output design is a very important phase since the output needs to be in an efficient manner. Efficient and intelligible output design improves the system relationship with the user and helps in decision making. Allowing the user to view the sample screen is important because the user is the ultimate judge of the quality of output. The output module of this system is the selected notifications.

DATABASE DESIGN

3.2 DATABASE

Databases are the storehouses of data used in the software systems. The data is stored in tables inside the database. Several tables are created for the manipulation of the data for the system. Two essential settings for a database are -

- Primary key - the field that is unique for all the record occurrences
- Foreign key - the field used to set relation between tables

Normalization is a technique to avoid redundancy in the tables.

3.3 SYSTEM TOOLS

The various system tools that have been used in developing both the front end and the back end of the project are being discussed in this chapter.

3.3.1 FRONT END:

React is a library (version 17.0) which is developed by Facebook and is utilized to implement the frontend. React (also known as React.js or ReactJS) is a free and open-source front-end JavaScript library for building user interfaces or UI components. It is maintained by Facebook and a community of individual developers and companies. React can be used as a base in the development of single page or mobile applications. However, React is only concerned with state management and rendering that state to the DOM, so creating React applications usually requires the use of additional libraries for routing, as well as certain client-side functionality.

3.3.2 BACKEND:

The back end is implemented using MySQL(8.0) which is used to design databases.

MySQL:

MySQL is the world's second most widely used open-source relational database management system (RDBMS). The SQL phrase stands for Structured Query Language.

Spring-Boot(v 3.1.3):

This is used to connect MYSQL and fetch data from database and store the data in database. The Spring Framework is an application framework and inversion of control container for the Java platform. The framework's core features can be used by any Java application, but there are extensions for building web applications on top of the Java EE (Enterprise Edition) platform. Although the framework does not impose any specific programming model, it has become popular in the Java community as an addition to the Enterprise JavaBeans (EJB) model. The Spring Framework is Open-source Framework.

Customer Data Flow Diagram




Figure 5: Customer Data Flow Diagram





Figure 5.1: Admin Data Flow Diagram

Class Diagram








Figure 6: E-R Diagram

Figure 6: E-R Diagram

Level 0 DFD



Level 1



Sequence Diagram

Table Structure

Tables :

Tables
account_operation
app_role
app_user
app_user_roles
bank_account
customer
users

BankAccount :

	Field	Type	Null	Key	Default	Extra
▶	type	varchar(4)	NO		NULL	
	id	varchar(255)	NO	PRI	NULL	
	balance	double	NO		NULL	
	created_at	datetime	YES		NULL	
	status	varchar(255)	YES		NULL	
	over_draft	double	YES		NULL	
	interest_rate	double	YES		NULL	
	customer_id	bigint	YES	MUL	NULL	

Account Operation:

	Field	Type	Null	Key	Default	Extra
►	id	bigint	NO	PRI	NULL	auto_increment
	amount	double	NO		NULL	
	description	varchar(255)	YES		NULL	
	operation_date	datetime	YES		NULL	
	type	int	YES		NULL	
	bank_account_id	varchar(255)	YES	MUL	NULL	

Customer :

	Field	Type	Null	Key	Default	Extra
►	id	bigint	NO	PRI	NULL	auto_increment
	email	varchar(255)	YES		NULL	
	name	varchar(255)	YES		NULL	

AppRole :


	Field	Type	Null	Key	Default	Extra
►	id	bigint	NO	PRI	NULL	auto_increment
	role_name	varchar(255)	YES		NULL	

AppUser :


	Field	Type	Null	Key	Default	Extra
►	id	bigint	NO	PRI	NULL	auto_increment
	password	varchar(255)	YES		NULL	
	username	varchar(255)	YES		NULL	



AppUserRoles :



	Field	Type	Null	Key	Default	Extra
►	app_user_id	bigint	NO	MUL	NULL	
	roles_id	bigint	NO	MUL	NULL	

Use Case Diagram:

PROJECT DIAGRAMS







Account ID: 2023680777
Balance: 0.00 Rs

Transaction Type

☒ WithDraw ☐ Add To Wallet ☐ Transfer

Amount



Description

Submit

Transaction History

Send Statement by Email

Transaction Id	Date	Type	Amount	Description
----------------	------	------	--------	-------------



CoinBank

localhost:3000/customers

Maps Virtual Calculator fo... Holdings / Kite Google Inbox (804) - patha... YouTube How to ask Framin... Free Websites to Pr... English Vocabulary... Basics of English sp... BBC Learning Englis...

CoinBank

Login ContactUs Register

Customers

Keyword:


Name	Email	Actions
Amit	Amit@gmail.com	<input type="button" value="Delete"/> <input type="button" value="Update"/> <input type="button" value="View Accounts"/>
Shubham	Shubham@gmail.com	<input type="button" value="Delete"/> <input type="button" value="Update"/> <input type="button" value="View Accounts"/>
Mandar	Mandar@gmail.com	<input type="button" value="Delete"/> <input type="button" value="Update"/> <input type="button" value="View Accounts"/>

CoinBank

Login ContactUs Register

Customers

AccountId	Amount	Description	Upild
2023262865	100	withdraw	
2023262865	500	CA	transfer



4 of 9,220

Authentication OTP

Inbox x

coinbank.iacsd@gmail.com

to me

1:05 AM (12 hours ago)

Your OTP for Authentication:2997

coinbank.iacsd@gmail.com

to me

3:30 AM (10 hours ago)

Your OTP for Authentication:2175

Reply

Forward

ACCOUNT CREATION

Inbox x

coinbank.iacsd@gmail.com

to me

1:12 AM (12 hours ago)

congratulation! You account has been created.

Account Deatails:

Name.fgfg

Account Id:4

Password.fgfg

Reply

Forward

mail.google.com/mail/u/0/#inbox

Maps Virtual Calculator fo... Holdings / Kite Google Inbox (804) - patha... YouTube How to ask Framin... Free Websites to Pr... English Vocabulary... Basics of English sp... BBC Learning Englis...

MyStatement.pdf

Compose

Inbox7,543

Starred

Snoozed

Drafts45

More

Labels

[imap]/Trash1

Primary

Touf

Mich

redB

ltted

coin

coin

Zera

HDP

Dhan

HDP

HDP

CONBANK

IACSD,Akhurdi,Pune-413511

Customer Name: toufik Account Number: 2023525089 Current Balance: 90.0

STATEMENT OF ACCOUNT

Transaction Id	Date	Transaction Type	Transaction Amount
1	2023-08-27 00:27:48.0	CREDIT	100.0
2	2023-08-27 00:28:01.0	DEBIT	10.0

Page 1 / 1

1-80 of 9,221

il.com» Date, Su...

er Your Microsoft 365 files ...1:40 PM

with your family! Book Now ...11:00 AM

ent Community on 13/05/20...4:07 AM

3:30 AM

ccount id:4 Password:fgfg1:12 AM

PATHAN, Client ID: LF3664 ...12:48 AM

Email not display...Aug 28


ersonHeader") import Hea...Aug 27

2023 - View your SmartSta...Aug 26

on this Raksha Bandhan w...Aug 25

Deployment:-

We deployed CoinBank Webapp at AWS instance of EC2, RDS database and Nginx server to deploy front end build using Docker Container.



```

Hit:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates InRelease
Hit:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports InRelease
Hit:4 https://download.docker.com/linux/ubuntu jammy InRelease
Get:5 https://deb.nodesource.com/node_16.x jammy InRelease [4583 B]
Hit:6 http://security.ubuntu.com/ubuntu jammy-security InRelease
Get:7 https://deb.nodesource.com/node_16.x jammy/main amd64 Packages [776 B]
Fetched 5359 B in 1s (6697 B/s)
Reading package lists... Done

## Run 'sudo apt-get install -y nodejs' to install Node.js 16.x and npm
## You may also need development tools to build native addons:
    sudo apt-get install gcc g++ make
## To install the Yarn package manager, run:
    curl -sL https://dl.yarnpkg.com/debian/pubkey.gpg | gpg --dearmor | sudo tee /usr/share/keyrings/yarnkey.gpg >/dev/null
    echo "deb [signed-by=/usr/share/keyrings/yarnkey.gpg] https://dl.yarnpkg.com/debian stable main" | sudo tee /etc/apt/sources.list.d/yarn.list
    sudo apt-get update && sudo apt-get install yarn

ubuntu@ip-172-31-43-61:~$ ^C
ubuntu@ip-172-31-43-61:~$ sudo apt-get install -y nodejs
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following packages were automatically installed and are no longer required:
  adwaita-icon-theme fontconfig gtk-update-icon-cache gyp hicolor-icon-theme humanity-icon-theme javascript-common libc-ares2 libcairo-gobject2
  libcairo2 libcolorh2 libdatrie1 libepoxy0 libfile-basedir-perl libfile-desktopentry-perl libfile-mimeinfo-perl libgtk-3-0 libgtk-3-bin
  libgtk-3-common libgtk3-0 libio-stringy-perl libipc-system-simple-perl libjs-events libjs-highlight.js libjs-inherits libjs-is-typedarray

```

i-0c0ee15ab2774135b

PublicIPs: 13.233.208.4 PrivateIPs: 172.31.43.61


```

Removing node-tap-mocha-reporter (3.0.7+ds-2) ...
Removing node-tap-parser (7.0.0+ds1-6) ...
Removing node-js-yaml (4.1.0+dfsg+~4.0.5-6) ...
Removing node-esprima (4.0.1+ds+~4.0.3-2) ...
Removing node-fetch (2.6.7+~2.5.12-1) ...
Removing node-jsdom (19.0.0+~cs90.11.27-1) ...
Removing node-form-data (3.0.1-1) ...
Removing node-gyp (8.4.1-1) ...
Removing node-mime-types (2.1.33-1) ...
Removing node-mime (3.0.0+dfsg+~cs3.96.1-1) ...
Removing node-tar (6.1.11+ds1+~cs6.0.6-1) ...
Removing node-mkdirp (1.0.4+~1.0.2-1) ...
Removing node-nopt (5.0.0-2) ...
Removing node-opener (1.5.2+~1.4.0-1) ...
Removing node-which (2.0.2+~cs1.3.2-2) ...
Removing node-ws (8.5.0+~cs13.3.3-2) ...
(Reading database ... 93693 files and directories currently installed.)
Preparing to unpack .../nodejs_16.20.2-deb-1nodesource1_amd64.deb ...
Unpacking nodejs (16.20.2-deb-1nodesource1) over (12.22.9-~dfsg-1ubuntu3) ...
dpkg: error processing archive /var/cache/apt/archives/nodejs_16.20.2-deb-1nodesource1_amd64.deb (--unpack):
  trying to overwrite '/usr/include/node/common.gypi', which is also in package libnode-dev 12.22.9-~dfsg-1ubuntu3
dpkg-deb: error: paste subprocess was killed by signal (Broken pipe)
Errors were encountered while processing:
  /var/cache/apt/archives/nodejs_16.20.2-deb-1nodesource1_amd64.deb
needrestart is being skipped since dpkg has failed
E: Sub-process /usr/bin/dpkg returned an error code (1)
ubuntu@ip-172-31-43-61:~$

```

i-0c0ee15ab2774135b

PublicIPs: 13.233.208.4 PrivateIPs: 172.31.43.61




The screenshot shows an AWS CloudShell terminal window. The top bar displays the AWS logo, a search bar, and the user's location (Mumbai) and name (Sourabh P). The terminal output shows the following logs:

```
profile: "default"
2023-08-27 12:06:06.749 INFO 2766 --- [main] .s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data JPA repositories in DEF
ULT mode.
2023-08-27 12:06:06.942 INFO 2766 --- [main] .s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository scanning in 171 ms
. Found 5 JPA repository interfaces.
2023-08-27 12:06:08.596 INFO 2766 --- [main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat initialized with port(s): 9000 (http)
2023-08-27 12:06:08.630 INFO 2766 --- [main] o.apache.catalina.core.StandardService : Starting service [Tomcat]
2023-08-27 12:06:08.630 INFO 2766 --- [main] org.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/9.0.58]
2023-08-27 12:06:08.802 INFO 2766 --- [main] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring embedded WebApplicationContext
2023-08-27 12:06:08.803 INFO 2766 --- [main] w.s.c.ServletWebServerApplicationContext : Root WebApplicationContext: initialization complet
ed in 4176 ms
2023-08-27 12:06:09.794 INFO 2766 --- [main] o.hibernate.jpa.internal.util.LogHelper : HHH000204: Processing PersistenceUnitInfo [name: d
efault]
2023-08-27 12:06:09.915 INFO 2766 --- [main] org.hibernate.Version : HHH000412: Hibernate ORM core version 5.6.5.Final
2023-08-27 12:06:10.296 INFO 2766 --- [main] o.hibernate.annotations.common.Version : HCANN000001: Hibernate Commons Annotations {5.1.2.
Final}
2023-08-27 12:06:10.574 INFO 2766 --- [main] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Starting...
2023-08-27 12:06:12.298 ERROR 2766 --- [main] com.zaxxer.hikari.pool.HikariPool : HikariPool-1 - Exception during pool initializatio
n.
java.sql.SQLException: Access denied for user 'root'@'localhost'
at com.mysql.cj.jdbc.exceptions.SQLExceptionHandler.createSQLException(SQLException.java:129) ~[mysql-connector-java-8.0.29.jar!/8.0.29]
at com.mysql.cj.jdbc.exceptions.SQLExceptionsMapping.translateException(SQLExceptionsMapping.java:122) ~[mysql-connector-java-8.0.29.jar!/8.0.29]
at com.mysql.cj.jdbc.ConnectionImpl.createNewIO(ConnectionImpl.java:828) ~[mysql-connector-java-8.0.29.jar!/8.0.29]
at com.mysql.cj.jdbc.ConnectionImpl.<init>(ConnectionImpl.java:448) ~[mysql-connector-java-8.0.29.jar!/8.0.29]
at com.mysql.cj.jdbc.ConnectionImpl.getInstance(ConnectionImpl.java:241) ~[mysql-connector-java-8.0.29.jar!/8.0.29]
```

Below the logs, a box displays the instance ID: i-0fd4bf59197927fd2, along with PublicIPs: 3.111.198.52 and PrivateIPs: 172.31.32.99.

The bottom bar of the CloudShell shows "CloudShell", "Feedback", "Language", and a copyright notice: "© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences".



Future Scope

Cross-Border Payments: The scope of digital payment wallets can expand to facilitate seamless cross-border payments. **IoT and Wearables Integration:** With the rise of Internet of Things (IoT) devices and wearable technology, payment wallets could extend their functionality to allow for convenient and secure payments through these devices. **Contactless and NFC Payments:** As contactless payments gain popularity, payment wallet systems could expand their support for near-field communication (NFC) technology. This enables users to make payments simply by tapping their smartphones or cards on compatible terminals. **Personal Finance Management:** Future payment wallet systems could evolve into comprehensive personal finance management platforms, providing users with insights into their spending patterns, budgeting tools, and investment recommendations.

CONCLUSION

The "CoinBank" digital wallet payment service project has been brought to a successful culmination, fulfilling its intended objectives and purposes. The endeavor to create a secure, efficient, and user-centric digital wallet ecosystem has been achieved with diligence, resulting in a system that empowers users and facilitates seamless financial interactions.

Throughout the course of this project, significant strides have been made in the domain of modern digital finance. The project's success is attributed to its error-free development, efficiency, and time-saving capabilities. The core aim of developing a digital wallet service to streamline financial activities and online transactions has been realized effectively.

The project's implementation journey was both educational and enlightening. The utilization of cutting-edge technologies like React.js, responsive templates, REST APIs, and MySQL database management enriched our practical knowledge. The development process further deepened our understanding of software development life cycles and project management phases. Rigorous testing methodologies were employed to ensure the system's robustness and reliability.

In the context of future prospects, the "CoinBank" digital wallet payment service holds immense potential for expansion and enhancement. Possibilities for integrating features such as detailed product descriptions, user feedback mechanisms, and online payment methods exist. As the digital finance landscape evolves, the "CoinBank" project is well-positioned to adapt and grow, contributing to the continued evolution of online financial platforms.

In conclusion, the completion of the "CoinBank" digital wallet payment service project signifies a successful endeavor in crafting an application that redefines how financial transactions are conducted. This project not only serves as an achievement in itself but also sets the stage for ongoing innovation and refinement in the realm of digital wallet solutions.

REFERENCES

- [1] <https://aws.amazon.com/solutions/case-studies/paytm/>
- [2] <https://www.storegrowers.com/google-gpay-case-studies>
- [3] Mc Graw Hill's, Java: The complete reference 7thEdition, HerbertScheldt
- [4] <https://www.geeksforgeeks.org/web-development-projects/>

ONLINE REFERENCE

- [1] www.Google.com
- [2] www.w3school.com
- [1] www.javatpoint.com