

AD SOYAD | CENGIZHAN TOPÇU NUMARA 2017010225048

İNTERNET TABANLI PROGRAMLAMA ÖDEV-5

KARABÜK ÜNİVERSİTESİ MÜHENDİSLİK FAKÜLTESİ MEKATRONIK MÜHENDISLIĞI





## **KARGO TAKİP**

ÜRÜN KAYIT FORMU VE LİSTELEME





Ürünleri Listele

UrunAD	UrunMarkası	UrunFiyat	UrunSatısTarihi	MusteriAd	MusteriTelefon	UrunTeslimEdildi
Pavilion Gaming	Нр	7500	14.03.2020	Cengiz	456546565446	
Kurutma Mak.	Arzum	150	14.03.2020	Sevda	546654645465	
Roket Milyarderleri	Destek	30	15.03.2020	Emine	564646546546	
Çamaşır Makinesi	Vestel	1200	12.03.2020	Murat	555888845655	<b></b>
Abra A5	Monster	8999	13.03.2020	Fatih	545464565465	
Galaxy S20	Samsung	1450	14.03.2020	Meryem	564654654565	

## HOŞ GELDİNİZ



MAĞAZALAR ÜZERİNDEN ALINAN SİPARİŞLERİN KAYDEDİLMESİ VE ÜRÜNLERİN KARGO TAKİBİ İÇİN GEREKLİ BİLGİLERİN LİSTELENMESİ İŞLEMLERİNİ AŞAĞIDAKİ BUTONLARA TIKLAYARAK İSTEDİĞİNİZ İŞLEMİ YAPABİLİRSİNİZ





```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
namespace Odev5_UrunKayitFormuveListeleme{
```

```
public partial class AnaSayfa : System.Web.UI.Page
        protected void Page Load(object sender, EventArgs e)
         }
        protected void ImageButton1 Click1(object sender, ImageClickEventArgs e)
             Response.Redirect("KayitForm.aspx");
         }
        protected void ImageButton2_Click1(object sender, ImageClickEventArgs e)
             Response.Redirect("Listeleme.aspx");
         }
    }
  MAĞAZA KAYDETME
 Mağaza Adı:
                                 Mağazayı Kaydet
  KATEGORİ KAYDETME
 Mağaza Seç: Magaza Seç
 Kategori Adi:
                                  Kategoriyi Kaydet
  ÜRÜN KAYDETME
 Mağaza Seç: Magaza Seç
 Kategori Seç:
           ÜRÜN BİLGİLERİ
        Adı:
     Markası:
       Fivatı:
   Satış Tarihi:
    Fotoğraf: Dosya Seç Dosya seçilmedi
 Teslim Edildi: O Evet O Hayır
          MÜŞTERİ BİLGİLERİ
       Adı:
     Sovadı:
  Telefon No:
      Mail:
            Ürünü Kaydet
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data.OleDb;
using System.Configuration;
namespace Odev5_UrunKayitFormuveListeleme
{
```

```
public partial class KayitForm : System.Web.UI.Page
                //Magazaları Listeleme
                protected void Page Load(object sender, EventArgs e)
                        if (IsPostBack!=true)
                                 String BaglantiYolu =
ConfigurationManager.ConnectionStrings["VT Baglanti"].ConnectionString;
                                 OleDbConnection Baglanti = new OleDbConnection (BaglantiYolu);
                                 Baglanti.Open();
                                OleDbCommand Komut = new OleDbCommand ("SELECT * FROM
TBL MAGAZALAR", Baglanti);
                                OleDbDataReader Okuyucu = Komut.ExecuteReader();
                                 //Magazaları Listeleme
                                 //DDwnMgzToKtgr.Items.Clear();
                                ListItem Eleman = new ListItem();
                                Eleman.Text = "Magaza Seç";
                                Eleman.Value = "0";
                                DDwnMgzToKtgr.Items.Add(Eleman);
                                DDwnMgzToUrun.Items.Add(Eleman);
                                while (Okuyucu.Read())
                                         Eleman = new ListItem();
                                         Eleman.Text = Okuyucu["MagazaAD"].ToString();
                                         Eleman.Value = Okuyucu["MagazaID"].ToString();
                                         DDwnMqzToKtqr.Items.Add(Eleman);
                                         DDwnMgzToUrun.Items.Add(Eleman);
                                Baglanti.Close();
                //Magaza Kaydetme
                protected void BtnMgzKydt Click(object sender, EventArgs e)
                        String BaglantiYolu =
ConfigurationManager.ConnectionStrings["VT_Baglanti"].ConnectionString;
                        OleDbConnection Baglanti = new OleDbConnection(BaglantiYolu);
                        Baglanti.Open();
                        OleDbCommand Komut = new OleDbCommand ("INSERT INTO TBL MAGAZALAR
(MagazaAD) VALUES (@P1)", Baglanti);
                        Komut.Parameters.AddWithValue("@P1", TxtMgz.Text);
                        Komut.ExecuteNonQuery();
                        Baglanti.Close();
                        Komut.Dispose();
                }
                //Kategori Kaydetme
                protected void BtnKtgrKydt Click(object sender, EventArgs e)
                        String BaglantiYolu =
ConfigurationManager.ConnectionStrings["VT Baglanti"].ConnectionString;
                        OleDbConnection Baglanti = new OleDbConnection(BaglantiYolu);
                        Baglanti.Open();
                        int MagazaID = Convert.ToInt32(DDwnMgzToKtgr.SelectedItem.Value);
                        OleDbCommand Komut = new OleDbCommand ("INSERT INTO TBL KATEGORİLER
(MagazaID, KategoriAD) VALUES (@P1, @p2)", Baglanti);
                        \label{tomut.Parameters.AddWithValue("@P1", MagazaID);} % \[ \[ \] \] % The property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the 
                        Komut.Parameters.AddWithValue("@P2", TxtKtgr.Text);
                                Komut.ExecuteNonQuery();
                        Baglanti.Close();
                        Komut.Dispose();
                }
```

```
//Kategorileri Listeleme
               protected void DDwnMgzToUrun SelectedIndexChanged(object sender, EventArgs
e)
                       String BaglantiYolu =
ConfigurationManager.ConnectionStrings["VT Baglanti"].ConnectionString;
                       OleDbConnection Baglanti = new OleDbConnection (BaglantiYolu);
                       Baglanti.Open();
                       int MagazaID = Convert.ToInt32(DDwnMgzToUrun.SelectedItem.Value);
                       OleDbCommand Komut = new OleDbCommand("SELECT * FROM TBL KATEGORILER
WHERE MagazaID=@P1", Baglanti);
                       Komut.Parameters.AddWithValue("@P1", MagazaID);
                       OleDbDataReader Okuyucu = Komut.ExecuteReader();
                       DDwnKtrgrToUrun.Items.Clear();
                       ListItem Eleman = new ListItem();
                       Eleman.Text = "Kategori Seç";
                       Eleman.Value = "0";
                       DDwnKtrgrToUrun.Items.Add(Eleman);
                       while (Okuyucu.Read())
                               Eleman = new ListItem();
                               Eleman.Text = Okuyucu["KategoriAD"].ToString();
                               Eleman.Value = Okuyucu["KategoriID"].ToString();
                               DDwnKtrgrToUrun.Items.Add(Eleman);;
                       Baglanti.Close();
                }
               protected void BtnUrunKydt Click(object sender, EventArgs e)
                       String BaglantiYolu =
ConfigurationManager.ConnectionStrings["VT Baglanti"].ConnectionString;
                       OleDbConnection Baglanti = new OleDbConnection(BaglantiYolu);
                       Baglanti.Open();
                       int KategoriID = Convert.ToInt32(DDwnKtrgrToUrun.SelectedItem.Value);
                       OleDbCommand Komut = new OleDbCommand("INSERT INTO TBL_URUNLER
(KategoriID, UrunAD, UrunMarkası, UrunFiyat, UrunSatısTarihi, MusteriAd, MusteriSoyad, Mus
teriTelefon,MusteriMail)    VALUES    (@p1,@p2,@p3,@P4,@p5,@p6,@P7,@p8,@p9)", Baglanti);
                       Komut.Parameters.AddWithValue("@P1", KategoriID);
                       Komut.Parameters.AddWithValue("@P2", TxtUrunAdi.Text);
                       \label{thmut.Parameters.AddWithValue("@P4", TxtUrunFiyati.Text);} % \[ \[ \] \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyati.Text) % \[ \] % TxtUrunFiyat
                       \label{thmut.Parameters.AddWithValue("@P5", TxtUrunSatisTarihi.Text);} \\
                       Komut.Parameters.AddWithValue("@P7", TxtMusteriSoyadi.Text);
                       Komut.Parameters.AddWithValue("@P8", TxtMusteriTlfNo.Text);
                       Komut.Parameters.AddWithValue("@P9", TxtMusteriMail.Text);
                       Komut.ExecuteNonQuery();
                       Baglanti.Close();
                       Komut.Dispose();
               }
       }
}
```



Ürünleri Listele

UrunAD	UrunMarkası	UrunFiyat	UrunSatısTarihi	MusteriAd	MusteriTelefon	UrunTeslimEdildi
Pavilion Gaming	Нр	7500	14.03.2020	Cengiz	456546565446	
Kurutma Mak.	Arzum	150	14.03.2020	Sevda	546654645465	Ø.
Roket Milyarderleri	Destek	30	15.03.2020	Emine	564646546546	<b>☑</b>
Çamaşır Makinesi	Vestel	1200	12.03.2020	Murat	555888845655	Ø
Abra A5	Monster	8999	13.03.2020	Fatih	545464565465	<b>V</b>
Galaxy S20	Samsung	1450	14.03.2020	Meryem	564654654565	

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data.OleDb;
using System.Configuration;
namespace Odev5 UrunKayitFormuveListeleme
    public partial class Listeleme : System.Web.UI.Page
        protected void Page Load(object sender, EventArgs e)
        }
        //Ürünleri Listeleme
        protected void BtnUrunList Click(object sender, EventArgs e)
            String BaglantiYolu =
ConfigurationManager.ConnectionStrings["VT Baglanti"].ConnectionString;
            OleDbConnection Baglanti = new OleDbConnection(BaglantiYolu);
            Baglanti.Open();
            OleDbDataAdapter Adapter1 = new OleDbDataAdapter("SELECT * FROM
TBL URUNLER", Baglanti);
            System.Data.DataSet DataSet1 = new System.Data.DataSet();
            Adapter1.Fill (DataSet1, "Tablo1");
            GridView1.DataSource = DataSet1.Tables["Tablo1"];
            GridView1.DataBind();
            Baglanti.Close();
            Adapter1.Dispose();
        }
    }
}
```