MAR BASELIOS

INSTITUTE OF TECHNOLOGY AND SCIENCE

NELLIMATTOM P.O., KOTHAMANGALAM

PHONE : 0485 – 2859348, 2859318

LABORATORY RECORD

YEAR……..

Name:..... Roll No:.....

Branch: ..... Batch: .....

MAR BASELIOS

INSTITUTE OF TECHNOLOGY AND SCIENCE

NELLIMATTOM P.O., KOTHAMANGALAM

PHONE : 0485 – 2859348, 2859318

LABORATORY RECORD

YEAR.....

Name:..... Roll No:.....

Branch: **Master of Computer Applications** Batch: **2025-2027**

Certified that this is the Bonafide Record of Practical work done in the ***(20MCA133)WEB PROGRAMMING*** *Laboratory at Mar Baselios Institute of Technology and Science Nellimattom P.O, Kothamangalam, by*

……..

Asst.Prof RESHMA S
Head of the Department

Asst.Prof REENU SEBU
Staff Member in Charge

Uni. Ex. Reg:No……of December/January ……...

Uni. Ex.Reg:No……ofMarch/Sept…….....

Internal Examiner

External Examiner

INDEX

SL NO .	Date	Name of Experiment	Page No	Signature of Staff in Charge
CYCLE 1 - HTML				
1.	19-08-2025	Create a simple HTML file to demonstrate the use of different tags	1	
2.	19-08-2025	Program to depict RGB Colour	4	
3.	19-08-2025	Program to show Un-Ordered List (Bridge Course Subject) and Ordered List (Students with Roll Number)	6	
4.	26-08-2025	Create a table showing student marksheet with name, 10th and UG marksheet	8	
5.	26-08-2025	Create a HTML file to link different HTML page which contain Images ,Tables and Links within a page	11	
6.	09-09-2025	Create HTML Program with a drop Down List containing web - programming languages	13	
7.	09-09-2025	Create HTML program with Checkbox containing list of certificates submitted	15	
8.	09-09-2025	Create HTML program of a basic form containing FirstName ,Last Name and Submit Button	17	
9.	12-09-2025	Write an HTML program to create a registration form	19	
10.	12-09-2025	Create a feedback form	21	

11.	12-09-2025	Create an HTML survey form	23	
12.	16-09-2025	Create Library Membership Form in HTML	25	
13.	16-09-2025	Create an HTML page with different types of frames such as floating frame ,navigation frame and mixed frame	27	
14.	26-09-2025	HTML program to analyze CSS by applying different style using Inline, External and Internal style sheet in HTML	30	
CYCLE 2 - JAVASCRIPT				
15.	07-10-2025	Write a program that demonstrate different ways of writing Output in JavaScript	33	
16.	10-10-2025	Create an HTML page to explain the use of various predefined functions in javascript	35	
17.	14-10-2025	Write JavaScript program with 3 buttons: 1. Change Color – changes the background color 2.Change Background Image – adds a background image 3. Resume to Normal – resets to original state	38	
18.	18-10-2025	Create an html registration form and validate using javascript	41	

CYCLE 3 - PHP				
19.	24-10-2025	PHP program that demonstrates how to store student names in an array, display them using print_r, and sort them using asort (ascending) and arsort (descending)	44	
20.	24-10-2025	PHP program to compose an electricity bill from user input based on a given tariff(formats the total cost with 2 decimal places)	46	
21.	24-10-2025	Develop a web application using HTML, PHP, and MySQL to store product details into a database	48	
22.	04-11-2025	Create a database application using PHP and MySQL. Insert new employee records and using PHP page display all the employee details in a table format.	51	
23.	07-11-2025	Write a simple PHP program to update a student's record in a database named online exam using an HTML form.	54	
24.	11-11-2025	Develop a PHP web application to manage fruit records using MySQL database.	57	
25.	14-11-2025	Deploy and test Application on the server (making it live on internet)	60	

PROGRAM: 1

AIM: CREATE A SIMPLE HTML FILE TO DEMONSTRATE THE USE OF DIFFERENT TAGS.

Program Code:

```
<!DOCTYPE html>
<html>
<head>
  <title>MBITS COLLEGE</title>
  <style>
    body {
      background-color: white;
      font-family: Arial, sans-serif;
      margin: 0;
      padding: 30px;
    }
    .center {
      text-align: center;
    }
    .left {
      text-align: left;
    }
    h1 {
      color: #003366;
    }
  </style>
</head>
<body>
  <h1 class="center">Welcome to MBITS COLLEGE</h1>
  <div class="left">
    <img src="C:\Users\cenna\OneDrive\Documents\S1 Mca WP\CENNA_WP\S1-MCA-CENNA\IMAGES\mbits.png" alt="MBITS Titled Image" width="300">
  </div>
  <p class="center">
    MBITS (Mar Baselios Institute of Technology and Science) is one of the leading engineering colleges in Kerala.<br>
```

```
  It offers a wide range of technical and professional courses and provides a strong academic foundation for students.
 </p>
 <p class="center">
  The college is affiliated to <b>KTU</b> and approved by <b>AICTE</b>.<br>
  Students from MBITS have consistently excelled in academics and placements.
 </p>
 <div class="center">
  <img src="C:\Users\cenna\OneDrive\Documents\S1 Mca WP\CENNA_WP\S1-MCA-CENNA\IMAGES\logo.png" alt="MBITS Logo" width="200">
 </div>
 <p class="center">
  <i>Come join us to shape your future!</i>
 </p>
 <div class="center">
  <a href="https://mbits.ac.in/" target="_blank">MBITS Official Website</a>
 </div>
</body>
</html>
```

OUTPUT:


MBITS COLLEGE
File C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(1).html
Welcome to MBITS COLLEGE
MAR BASELIOS
INSTITUTE OF TECHNOLOGY AND SCIENCE
MBITS (Mar Baselios Institute of Technology and Science) is one of the leading engineering colleges in Kerala.
It offers a wide range of technical and professional courses and provides a strong academic foundation for students.
The college is affiliated to KTU and approved by AICTE.
Students from MBITS have consistently excelled in academics and placements.
Come join us to shape your future!
MBITS Official Website

PROGRAM: 2

AIM: PROGRAM TO DEPICT RGB COLOUR.

Program Code:

```
<!DOCTYPE html>
<html>
<head>
  <title>RGB Color</title>
</head>
<body>
  <h1 style="color:rgb(255,0,0);">Red Color</h1>
  <h1 style="color:rgb(0,255,0);">Green Color</h1>
  <h1 style="color:rgb(0,0,255);">Blue Color</h1>
</body>
</html>
```

OUTPUT:



Red Color

Green Color

Blue Color

PROGRAM: 3

AIM: PROGRAM TO SHOW UN-ORDERED LIST (BRIDGE COURSE SUBJECTS) AND ORDERED LIST (STUDENTS WITH ROLL NUMBER).

Program Code:

```
<!DOCTYPE html>
<html>
<head>
  <title>Subject and Student List</title>
</head>
<body>
  <h2>Bridge Course Subjects</h2>
  <ul>
    <li>Mathematics</li>
    <li>Computer Basics</li>
    <li>English</li>
    <li>Fundamentals of Programming</li>
  </ul>
<h2>Student List</h2>
  <ol>
    <li>Teena</li>
    <li>Rohan</li>
    <li>Neha</li>
    <li>Aleena</li>
  </ol>
</body>
</html>
```

OUTPUT:



Bridge Course Subjects

- Mathematics
- Computer Basics
- English
- Fundamentals of Programming

Student List

1. Teena
2. Rohan
3. Neha
4. Aleena

PROGRAM: 4

AIM: CREATE A TABLE SHOWING STUDENT MARKSHEET WITH NAME , 10TH AND UG MARKSHEET.

Program Code:

```
<!DOCTYPE html>
<html>
<head>
  <title>Marksheet Table</title>
<style>
  h2 {
    text-decoration: underline;
  }
</style>
</head>
<body>
  <h2>Student Marksheet Table</h2>
  <table border="1">
    <tr style="background-color: pink;">
      <th>NAME</th>
      <th>10th Marks</th>
      <th>UG Marks</th>
    </tr>
    <tr>
      <td>Arjun Das</td>
      <td>89%</td>
      <td>90%</td>
    </tr>
    <tr>
      <td>Meera Babu</td>
      <td>90%</td>
      <td>82%</td>
    </tr>
```

```
    <tr>
      <td>Arunima Aji</td>
      <td>92%</td>
      <td>89%</td>
    </tr>
    <tr>
      <td>Noel Johnson</td>
      <td>95%</td>
      <td>94%</td>
    </tr>
    <tr>
      <td>Akhila KR</td>
      <td>97%</td>
      <td>93%</td>
    </tr>
  </table>
</body>
</html>
```

OUTPUT:



Student Marksheet Table

NAME	10th Marks	UG Marks
Arjun Das	89%	90%
Meera Babu	90%	82%
Arunima Aji	92%	89%
Noel Johnson	95%	94%
Akhila KR	97%	93%

PROGRAM: 5

AIM: CREATE A HTML FILE TO LINK DIFFERENT HTML PAGE WHICH CONTAIN IMAGES ,TABLES AND LINK WITHIN A PAGE.

Program Code:

```
<!DOCTYPE html>
<html>
<head>
  <title>Navigation Main Page</title>
</head>
<body>
  <h2>Navigate to Other Pages</h2>
  <ul>
    <li><a href="images.html">Images Page</a></li>
    <li><a href="tables.html">Tables Page</a></li>
    <li><a href="links.html">Links Page</a></li>
  </ul>
</body>
</html>
```

OUTPUT:

Navigation Main Page

File C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(5).html

Navigate to Other Pages

- Images Page
- Tables Page
- Links Page

Images Page

File C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/images.html

Images

Student Marksheet

File C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/tables.html

Student Marksheet

NAME	10th Marks	UG Marks
Arjun Das	89%	90%
Meera Babu	90%	82%
Arunima Aji	92%	89%
Noel Johnson	95%	94%
Akhila KR	97%	93%

PG Course Marks

NAME	Semester 1	Semester 2
Arjun Das	91%	88%
Meera Babu	87%	90%
Arunima Aji	94%	92%
Noel Johnson	93%	89%
Akhila KR	95%	96%

Links Page

File C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/links.html

Links

- MBITS Official Website
- KTU Official Website
- AICTE Portal

PROGRAM: 6

AIM: CREATE HTML PROGRAM WITH A DROP DOWN LIST CONTAINING WEB -PROGRAMMING LANGUAGES.

Program Code:

```
<!DOCTYPE html>
<html>
<head>
  <title>Dropdown Example</title>
</head>
<body style="background-color: #f9f9f9; font-family: Arial;">
  <h2 style="color: darkblue;">Select a Web Programming Language</h2>
<select>
    <option>Select a web language</option>
    <option>HTML</option>
    <option>CSS</option>
    <option>JavaScript</option>
    <option>PHP</option>
    <option>Python</option>
</select>
</body>
</html>
```

OUTPUT:


Dropdown Example
File
C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(6).html
Select a Web Programming Language
Select a web language
Select a web language
HTML
CSS
JavaScript
PHP
Python

PROGRAM: 7

AIM: CREATE HTML PROGRAM WITH CHECKBOX CONTAINING LIST OF CERTIFICATES SUBMITTED.

Program Code:

```
<!DOCTYPE html>
<html>
<head>
  <title>Checkbox Example</title>
  <style>
    body {
      background-color: #f2f8ff;
      font-family: Arial, sans-serif;
      margin: 40px;
    }
    h2 {
      color: #003366;
    }
    label {
      display: block;
      margin: 8px 0;
    }
  </style>
</head>
<body>
  <h2>Select Submitted Certificates</h2>
  <form>
    <label><input type="checkbox" name="cert" value="10th"> 10th Certificate</label>
    <label><input type="checkbox" name="cert" value="12th"> 12th Certificate</label>
    <label><input type="checkbox" name="cert" value="UG"> UG Certificate</label>
    <label><input type="checkbox" name="cert" value="TC"> Transfer Certificate</label>
  </form>
</body>
</html>
```

OUTPUT:


Checkbox Example
File
C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(7).html
Select Submitted Certificates
10th Certificate
12th Certificate
UG Certificate
Transfer Certificate

PROGRAM: 8

AIM: CREATE HTML PROGRAM A BASIC FORM CONTAINING FIRST NAME, LAST NAME AND SUBMIT BUTTON.

Program Code:

```
<!DOCTYPE html>
<html>
<head>
  <title>Basic Form</title>
</head>
<body>
  <h2>Basic Form</h2>
  <form>
    First Name: <input type="text" name="fname"><br><br>
    Last Name: <input type="text" name="lname"><br><br>
    <input type="submit" value="Submit">
  </form>
</body>
</html>
```

OUTPUT:


Basic Form
File
C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/HTML/pgm08-basicform.html
Basic Form
First Name:
Last Name:
Submit

PROGRAM: 9

AIM: WRITE AN HTML PROGRAM TO CREATE A REGISTRATION FORM.

Program Code:

```
<!DOCTYPE html>
<html>
<head>
<title>Registration Form</title>
</head>
<body>
<h2>Registration Form</h2>
<form>
Name:<input type="text" name="name"><br><br>
Password:<input type="password" name="password"><br><br>
Gender:<input type="radio" name="gender" value="male">Male
    <input type="radio" name="gender" value="female">Female<br><br>
Hobbies:<input type="checkbox" name="hobby" value="reading">Reading
        <input type="checkbox" name="hobby" value="cooking">Cooking
        <input type="checkbox" name="hobby" value="traveling">Traveling
        <input type="checkbox" name="hobby" value="dancing">Dancing<br><br>
Country:<select>
     <option selected disabled>Select a country</option>
        <option>India</option>
        <option>USA</option>
        </select><br><br>
Message:<br>
<textarea rows="4" cols="30" placeholder="Write your message here..."></textarea>
<br><br>
<input type="submit" value="Submit">
</form>
</body>
</html>
```

OUTPUT:


Registration Form
File C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(9).html
Registration Form
Name: Cenna Alias
Password: ••••••
Gender: Male Female
Hobbies: Reading Cooking Traveling Dancing
Country: India
Message:
Hoping the Best...
Submit

PROGRAM: 10

AIM: CREATE A FEEDBACK FORM.

Program Code:

```
<!DOCTYPE html>
<html>
<head>
<title>Feedback Form</title>
</head>
<body>
<h2>Feedback Form</h2>
<form>
Name:<input type="text" name="name"><br><br>
Email:<input type="email" name="email"><br><br>
<label>Rate our Service:</label><br>
<input type="radio" name="servie" value="excellent">Excellent<br>
<input type="radio" name="service" value="good">Good<br>
<input type="radio" name="service" value="average">Average<br>
<input type="radio" name="service" value="poor">Poor
<br><br>
Feedback if any:<br>
<textarea rows="4" cols="30" placeholder="Write your feedback here..."></textarea>
<br><br>
<input type="submit" value="Submit">
<input type="reset" value="Reset">
</form>
</body>
</html>
```

OUTPUT:


Feedback Form
File
C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(10).html
Feedback Form
Name: Meera Joy
Email: meera@gmail.com
Rate our Service:
Excellent
Good
Average
Poor
Feedback if any:
Make it excellent!
Submit
Reset

PROGRAM: 11

AIM: CREATE AN HTML SURVEY FORM.

Program Code:

```
<!DOCTYPE html>
<html>
<head><title>Survey Form</title></head>
<body>
<h2>Online Activity Survey</h2>
<form>
Name:<input type="text" name="name"><br><br>
Age:<input type="number" name="age"><br><br>
Gender:<br>
<input type="radio" name="gender" value="male">Male<br>
<input type="radio" name="gender" value="female">Female<br>
<input type="radio" name="gender" value="other">Other<br><br>
Favourite Online Activity:<br>
        <select>
      <option selected disabled>--Select--</option>
        <option>News</option>
        <option>Shopping</option>
        <option>Social Media</option>
        </select><br><br>
Devices Used:<br>
<input type="checkbox" name="devices" value="phone">Phone<br>
<input type="checkbox" name="devices" value="tablet">Tablet<br>
<input type="checkbox" name="devices" value="laptop">Laptop<br><br>
Comments if any:<br>
<textarea rows="4" cols="30" placeholder="Write your comments here..."></textarea>
<br><br>
<input type="submit" value="Submit">
<input type="reset" value="Reset">
</form>
</body>
</html>
```

OUTPUT:


Survey Form
File
C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(11).html
Online Activity Survey
Name: Johnson Jose
Age: 22
Gender:
Male
Female
Other
Favourite Online Activity:
Social Media
Devices Used:
Phone
Tablet
Laptop
Comments if any:
Nil
Submit
Reset

PROGRAM: 12

AIM: CREATE LIBRARY MEMBERSHIP FORM IN HTML.

Program Code:

```
<!DOCTYPE html>
<html>
<head><title>Membership Form</title></head>
<body>
<h2>Library Membership Form</h2>
<form>
Name:<input type="text" name="name"><br><br>
Email:<input type="email" name="email"><br><br>
Phone Number:<input type="tel" name="phone" pattern="[0-9]{10}" placeholder="Must contain 10 digits"><br><br>
Address:<br>
<textarea rows="4" cols="30" placeholder="Write your address here..."></textarea><br><br>
Date of Birth:<input type="date" name="dob"><br><br>
Gender:<br>
<input type="radio" name="gender" value="male">Male<br>
<input type="radio" name="gender" value="female">Female<br>
<input type="radio" name="gender" value="other">Other<br><br>
Interested Sections:<br>
<input type="checkbox" name="interested" value="fiction">Fiction<br>
<input type="checkbox" name="interested" value="non-fiction">Non-Fiction<br>
<input type="checkbox" name="interested" value="science">Science<br>
<input type="checkbox" name="interested" value="history">History<br><br>
Membership Type:<br>
        <select><option selected disabled>--Select--</option>
        <option>Student</option>
        <option>Teacher</option>
        </select><br><br>
<input type="submit" value="Submit">
<input type="reset" value="Reset">
</form>
</body></html>
```

OUTPUT:


Membership Form
File C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(12).html
Library Membership Form
Name: Noora S
Email: noor@gmail.com
Phone Number: 9142172333
Address:
ABC House
Rose Villa
Gandhi Road
Date of Birth: 29-05-1997
Gender:
Male
Female
Other
Interested Sections:
Fiction
Non-Fiction
Science
History
Membership Type:
Student
Submit
Reset

PROGRAM: 13

AIM: CREATE AN HTML PAGE WITH DIFFERENT TYPES OF FRAMES SUCH AS FLOATING FRAME ,NAVIGATION FRAME AND MIXED FRAME.

Program Code:

```
<!DOCTYPE html>
<html>
<head>
  <title>Student Navigation System</title>
</head>
<frameset rows="25%,*">
  <frame src="header.html" name="header" scrolling="no" noresize>


  <frameset cols="25%,50%,25%">
    <frame src="nav.html" name="nav">
    <frame src="main.html" name="main">
    <frame src="https://example.com" name="floating">
  </frameset>
</frameset>
</html>
```

header.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Header</title>
</head>
<body style="text-align:center; font-family: Arial;">
  <h2>Student Navigation System</h2>
  <p>Welcome! The floating iframe on the right displays external content.</p>
  <p>This system lets you view student details below.</p>
</body>
</html>
```

nav.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Navigation</title>
</head>
<body style="font-family: Arial;">
  <h3>Student List</h3>
  <ul>
    <li><a href="student1.html" target="main">Student 1</a></li>
    <li><a href="student2.html" target="main">Student 2</a></li>
    <li><a href="student3.html" target="main">Student 3</a></li>
  </ul>
</body>
</html>
```

main.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Main</title>
</head>
<body style="font-family: Arial;">
  <h2>Welcome to the Student Information System</h2>
  <p>Select a student from the left panel to view details.</p>
</body>
</html>
```

OUTPUT:


Student Navigation System
File C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(13).html
Student Navigation System
Welcome! The floating iframe on the right displays external content.
This system lets you view student details below.
Student List
Student 1
Student 2
Student 3
Welcome to the Student Information System
Select a student from the left panel to view details.
Example Domain
This domain is for use in documentation examples without needing permission. Avoid use in operations.
Learn more


Student Navigation System
File C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(13).html
Student Navigation System
Welcome! The floating iframe on the right displays external content.
This system lets you view student details below.
Student List
Student 1
Student 2
Student 3
Student 1 Details
Name: John Doe
Course: MCA
Semester: 1
Example Domain
This domain is for use in documentation examples without needing permission. Avoid use in operations.
Learn more

PROGRAM: 14

AIM: HTML PROGRAM TO ANALYZE CSS BY APPLYING DIFFERENT STYLE USING INLINE, EXTERNAL AND INTERNAL STYLE SHEET IN HTML.

Program Code:

```
<!DOCTYPE html>
<html>
<head>
<title>CSS Example</title>
<!-- Internal CSS -->
<style>
h2 {
  color: blue;
}
p {
  color: green;
  font-style: italic;
}
</style>
<!-- External CSS -->
<link rel="stylesheet" href="style.css">
</head>
<body>
<h1 style="color:red;">This is Inline CSS</h1>
<h2>This is Internal CSS</h2>
<p>This text is styled using Internal CSS.</p>
<h3>This is External CSS</h3>
<p class="external">This text uses External CSS from another file.</p>
</body>
</html>
```

style.css

```
h3 {
  color: purple;
}
.external {
  color: darkgreen;
  font-style: italic;
}
```

OUTPUT:


CSS Example
File
C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(14).html
This is Inline CSS
This is Internal CSS
This text is styled using Internal CSS.
This is External CSS
This text uses External CSS from another file.

PROGRAM: 15

AIM: WRITE A PROGRAM THAT DEMONSTRATE DIFFERENT WAYS OF WRITING OUTPUT IN JAVASCRIPT.

Program Code:

```
<!DOCTYPE html>
<html>
<head>
  <title>Different Ways to Display Output in JavaScript</title>
</head>
<body style="background-color: lightgray; font-family: Arial;">
<h2>Different Ways to Display Output in JavaScript</h2>
<p><b>1. Using document.write()</b></p>
  <script>
    document.write("This text is written directly to the web page.<br><br>");
  </script>
<p><b>2. Using alert()</b></p>
  <script>
    alert("This is an alert box message!");
  </script>
<p><b>3. Using console.log()</b></p>
  <p>Check the browser console to see the output.</p>
  <script>
    console.log("This message is displayed in the browser console.");
  </script>
<p id="output"></p>
<script>
    // 4. Using innerHTML
    document.getElementById("output").innerHTML = "4. This text is added using innerHTML.";
  </script>
</body>
</html>
```

OUTPUT:


Different Ways to Display Outp
File C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(15).html
This page says
This is an alert box message!
OK


Different Ways to Display Outp
File C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(15).html
Different Ways to Display Output in JavaScript
1. Using document.write()
This text is written directly to the web page.
2. Using alert()
3. Using console.log()
Check the browser console to see the output.
4. This text is added using innerHTML.


Different Ways to Display Outp
File C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(15).html
Different Ways to Display Output in JavaScript
1. Using document.write()
This text is written directly to the web page.
Elements Console Sources Network Performance Memory Application Privacy and security Lighthouse Recorder
top Filter
Default levels No Issues
This message is displayed in the browser console.
REC-PGM(15).html:23

PROGRAM: 16

AIM: CREATE AN HTML PAGE TO EXPLAIN THE USE OF VARIOUS PREDEFINED FUNCTIONS IN JAVASCRIPT.

Program Code:

```
<!DOCTYPE html>
<html>
<head>
<title>JavaScript Built-in Functions Example</title>
<style>
h4 {
        margin: 0;
        padding: 0;
        text-decoration: underline;
}
</style>
</head>
<body>
<h4>EXAMPLES OF BUILT-IN FUNCTIONS IN JAVASCRIPT</h4>
<script>
// ===== String Functions =====
var text = "JavaScript Programming";
document.write("<b>String Functions:</b><br>");
document.write("Original Text: " + text + "<br>");
document.write("Length: " + text.length + "<br>");
document.write("Uppercase: " + text.toUpperCase() + "<br>");
document.write("Lowercase: " + text.toLowerCase() + "<br>");
document.write("Substring(0,10): " + text.substring(0,10) + "<br>");
document.write("Index of 'Script': " + text.indexOf('Script') + "<br>");
document.write("Last Index of 'a': " + text.lastIndexOf('a') + "<br>");
document.write("Replace 'Programming' with 'Language': " + text.replace('Programming','Language') +
"<br>");
document.write("Split by space: " + text.split(' ') + "<br>");
document.write("Includes 'Java': " + text.includes('Java') + "<br>");
```

```
// ===== Math Functions =====
var num = 5.7;
document.write("<b>Math Functions:</b><br>");
document.write("Number: " + num + "<br>");
document.write("Round: " + Math.round(num) + "<br>");
document.write("Ceil: " + Math.ceil(num) + "<br>");
document.write("Floor: " + Math.floor(num) + "<br>");
document.write("Power (2^3): " + Math.pow(2,3) + "<br>");
document.write("Square Root (81): " + Math.sqrt(81) + "<br>");
document.write("Absolute Value (-9): " + Math.abs(-9) + "<br>");
document.write("Random Number (0-1): " + Math.random() + "<br>");
document.write("Maximum of (4, 8, 2): " + Math.max(4,8,2) + "<br>");
document.write("Minimum of (4, 8, 2): " + Math.min(4,8,2) + "<br>");
// ===== Date Functions =====
var today = new Date();
document.write("<b>Date Functions:</b><br>");
document.write("Full Date: " + today + "<br>");
document.write("Date: " + today.getDate() + "<br>");
document.write("Month (1-12): " + (today.getMonth() + 1) + "<br>");
document.write("Year: " + today.getFullYear() + "<br>");
document.write("Hours: " + today.getHours() + "<br>");
document.write("Minutes: " + today.getMinutes() + "<br>");
document.write("Seconds: " + today.getSeconds() + "<br>");
document.write("Day of the Week (0=Sun): " + today.getDay() + "<br>");
document.write("Readable Date: " + today.toDateString() + "<br>");
document.write("Local Time: " + today.toLocaleTimeString() + "<br>");
</script>
</body>
</html>
```

OUTPUT:

JavaScript Built-in Functions Ex

File C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(16).html

EXAMPLES OF BUILT-IN FUNCTIONS IN JAVASCRIPT

String Functions:
Original Text: JavaScript Programming
Length: 22
Uppercase: JAVASCRIPT PROGRAMMING
Lowercase: javascript programming
Substring(0,10): JavaScript
Index of 'Script': 4
Last Index of 'a': 16
Replace 'Programming' with 'Language': JavaScript Language
Split by space: JavaScript,Programming
Includes 'Java': true

Math Functions:
Number: 5.7
Round: 6
Ceil: 6
Floor: 5
Power (2^3): 8
Square Root (81): 9
Absolute Value (-9): 9
Random Number (0-1): 0.7163938542418872
Maximum of (4, 8, 2): 8
Minimum of (4, 8, 2): 2

Date Functions:
Full Date: Sun Nov 02 2025 14:15:50 GMT+0530 (India Standard Time)
Date: 2
Month (1-12): 11
Year: 2025
Hours: 14
Minutes: 15
Seconds: 50
Day of the Week (0=Sun): 0
Readable Date: Sun Nov 02 2025
Local Time: 2:15:50 PM

PROGRAM: 17

AIM: WRITE JAVASCRIPT PROGRAM WITH 3 BUTTONS:

i. CHANGE COLOR – CHANGES THE BACKGROUND COLOR.

ii. CHANGE BACKGROUND IMAGE – ADDS A BACKGROUND IMAGE.

iii. RESUME TO NORMAL – RESETS TO ORIGINAL STATE.

Program Code:

```
<!DOCTYPE html>
<html>
<head>
<title>3 Button JavaScript Example</title>
<style>
body {
        text-align: center;
        padding-top: 50px;
        background-color: white;
        transition: all 0.5s ease;
}
button {
        margin: 10px;
        padding: 10px 20px;
        font-size: 16px;
        border-radius: 8px;
        cursor: pointer;
}
</style>
</head>
<body>
<h2>Simple JavaScript Example</h2>
<button onclick="changeColor()">Change Color</button>
<button onclick="changeBackgroundImage()">Change Background Image</button>
<button onclick="resumeNormal()">Resume to Normal</button>
```

```
<script>
function changeColor() {
document.body.style.backgroundColor = "yellow";
}
function changeBackgroundImage() {
document.body.style.backgroundImage =
"url('https://static.vecteezy.com/system/resources/previews/049/855/805/non_2x/nature-background-high
resolution-wallpaper-for-a-serene-and-stunning-view-free-photo.jpg')";
document.body.style.backgroundSize = "cover";
}
function resumeNormal() {
document.body.style.backgroundColor = "white";
document.body.style.backgroundImage = "none";
}
</script>
</body>
</html>
```

OUTPUT:

3 Button JavaScript Example
File C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(17).html
Simple JavaScript Example
Change Color
Change Background Image
Resume to Normal


3 Button JavaScript Example
File C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(17).html
Simple JavaScript Example
Change Color
Change Background Image
Resume to Normal


3 Button JavaScript Example
File C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(17).html
Simple JavaScript Example
Change Color
Change Background Image
Resume to Normal

PROGRAM: 18

AIM: CREATE AN HTML REGISTRATION FORM AND VALIDATE USING JAVASCRIPT.

Program Code:

```
<!DOCTYPE html>
<html>
<head>
  <title>Simple Registration Form</title>
</head>
<body>
<h2>Registration Form</h2>
  <form onsubmit="return validateForm()">
    Name: <br>
    <input type="text" id="name"><br><br>
    Email: <br>
    <input type="text" id="email"><br><br>
    Phone: <br>
    <input type="text" id="phone"><br><br>
    Password: <br>
    <input type="password" id="password"><br><br>
    Confirm Password: <br>
    <input type="password" id="confirm"><br><br>
    <input type="submit" value="Register">
  </form>
  <script>
    function validateForm() {
      var name = document.getElementById("name").value;
      var email = document.getElementById("email").value;
      var phone = document.getElementById("phone").value;
      var password = document.getElementById("password").value;
      var confirm = document.getElementById("confirm").value;
      if (name == "" || email == "" || phone == "" || password == "" || confirm == "") {
        alert("All fields are required!");
        return false;
```

```
        }
        if (!email.includes("@") || !email.includes(".")) {
            alert("Enter a valid email!");
            return false;
        }
        if (phone.length != 10 || isNaN(phone)) {
            alert("Enter a valid 10-digit phone number!");
            return false;
        }
        if (password.length < 6) {
            alert("Password must be at least 6 characters!");
            return false;
        }
        if (password != confirm) {
            alert("Passwords do not match!");
            return false;
        }
        alert("Registration Successful!");
        return true;
    }
  </script>
</body>
</html>
```

OUTPUT:


Simple Registration Form
File C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(18).html
Registration Form
Name:
Arjun Das
Email:
das123@gmail.com
Phone:
9479004763
Password:
Confirm Password:
Register


Simple Registration Form
File C:/Users/cenna/OneDrive/Documents/S1%20Mca%20WP/CENNA_WP/S1-MCA-CENNA/RECORD%20PGMS/REC-PGM(18).html
This page says
Registration Successful!
OK
Registration Form
Name:
Arjun Das
Email:
das123@gmail.com
Phone:
9479004763
Password:
Confirm Password:
Register

PROGRAM: 19

AIM: PHP PROGRAM THAT DEMONSTRATES HOW TO STORE STUDENT NAMES IN AN ARRAY, DISPLAY THEM USING PRINT_R, AND SORT THEM USING ASORT (ASCENDING) AND ARSORT (DESCENDING).

Program Code:

```
<?php
$students = ["Alice", "Bob", "Charlie", "Diana", "Eve"];
echo "<h3>Original Array:</h3>";
print_r($students);
echo "<br><br>";
asort($students);
echo "<h3>Array Sorted in Ascending Order:</h3>";
print_r($students);
echo "<br><br>";
arsort($students);
echo "<h3>Array Sorted in Descending Order:</h3>";
print_r($students);
?>
```

OUTPUT:

localhost/class/pgm19-sort.php
localhost/class/pgm19-sort.php
Original Array:
Array ([0] => Alice [1] => Bob [2] => Charlie [3] => Diana [4] => Eve)
Array Sorted in Ascending Order:
Array ([0] => Alice [1] => Bob [2] => Charlie [3] => Diana [4] => Eve)
Array Sorted in Descending Order:
Array ([4] => Eve [3] => Diana [2] => Charlie [1] => Bob [0] => Alice)

PROGRAM: 20

AIM: PHP PROGRAM TO COMPOSE AN ELECTRICITY BILL FROM USER INPUT BASED ON A GIVEN TARIFF(FORMATS THE TOTAL COST WITH 2 DECIMAL PLACES).

Program Code:

```
<!DOCTYPE html>
<html>
<head>
<title>Electricity Bill Calculator</title>
</head>
<body>
<h2>Electricity Bill Calculator</h2>
<form method="post" action="electricity_bill.php">
   Enter Units Consumed (kWh): <input type="number" name="units" required><br><br>
   Enter Tariff Rate (per kWh): <input type="number" step="0.01" name="rate" required><br><br>
   <input type="submit" value="Calculate Bill">
</form>
</body>
</html>
```

electricity-bill.php

```
<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {
   $units = (float) $_POST['units'];
   $rate  = (float) $_POST['rate'];

   $total = $units * $rate;

   echo "<h2>Electricity Bill</h2>";
   echo "Units Consumed: $units kWh<br>";
   echo "Tariff Rate: ₹$rate per kWh<br>";
   echo "Total Cost: ₹" . number_format($total, 2);    //  formats the total cost with 2 decimal places:
}
?>
```

OUTPUT:


Electricity Bill Calculator
FINAL RECORD DIGITAL(SOFT)
localhost/class/pgm20-elec-bill.html
Electricity Bill Calculator
Enter Units Consumed (kWh): 150
Enter Tariff Rate (per kWh): 5
Calculate Bill

localhost/class/electricity_bill.p
FINAL RECORD DIGITAL(SOFT)
localhost/class/electricity_bill.php
Electricity Bill
Units Consumed: 150 kWh
Tariff Rate: ₹5 per kWh
Total Cost: ₹750.00

PROGRAM: 21

AIM: DEVELOP A WEB APPLICATION USING HTML, PHP, AND MYSQL TO STORE PRODUCT DETAILS INTO A DATABASE.

Program Code:

```
<html>
<head>
<title>Insert Product</title>
</head>
<body>
<h2>Enter Product Details</h2>
<form action="insert.php" method="POST">
Item Name: <input type="text" name="item_name"
required><br><br>
Price: <input type="number" name="price" step="0.01"
required><br><br>
<input type="submit" value="Save">
</form>
</body>
</html>
```

insert.php

```
<?php
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "sample";
$conn = new mysqli($servername, $username, $password,
$dbname);
if ($conn->connect_error) {
die("Connection failed: " . $conn->connect_error);
}
$item_name = $_POST['item_name'];
$price = $_POST['price'];
$sql = "INSERT INTO products (item_name, price)
VALUES ('$item_name', '$price')";
```

```
if ($conn->query($sql) === TRUE) {
echo " Record inserted successfully!";
} else {
echo " Error: " . $conn->error;
}
$conn->close();
?>
```

OUTPUT:


localhost:8080/test/form.html
Summarize
Enter Product Details
Item Name: Book
Price: 50
Save


localhost:8080/test/insert.php
Record inserted successfully!

PROGRAM: 22

AIM: CREATE A DATABASE APPLICATION USING PHP AND MYSQL. INSERT NEW EMPLOYEE RECORDS AND USING PHP PAGE DISPLAY ALL THE EMPLOYEE DETAILS IN A TABLE FORMAT.

Program Code:

```
<!DOCTYPE html>
<html>
<head>
<title>Insert Employee</title>
</head>
<body>
<h2>Add Employee</h2>
<form method="post" action="">
Name: <input type="text" name="emp_name"
required><br><br>
Department: <input type="text" name="department"
required><br><br>
Salary: <input type="text" name="salary"
required><br><br>
<input type="submit" value="Save">
</form>
<?php
$conn = new mysqli("localhost", "root", "", "Employee");
if ($_SERVER["REQUEST_METHOD"] == "POST") {
$name = $_POST['emp_name'];
$dept = $_POST['department'];
$salary = $_POST['salary'];
$sql = "INSERT INTO employees (emp_name,
department, salary)
VALUES ('$name', '$dept', '$salary')";
if ($conn->query($sql)) {
echo "<p> Employee Added Successfully!</p>";
} else {
echo "<p> Error: " . $conn->error . "</p>";
}
```

```
}
?>
</body>
</html>
```

display.php

```
<!DOCTYPE html>
<html>
<head>
<title>Employee Records</title>
</head>
<body>
<h2>Employee List</h2>
<?php
$conn = new mysqli("localhost", "root", "", "Employee");
$result = $conn->query("SELECT * FROM employees");
echo "<table border='1' cellpadding='10'>";
echo
"<tr><th>ID</th><th>Name</th><th>Department</th><th>Salary</th></tr>";
while ($row = $result->fetch_assoc()) {
echo "<tr>";
echo "<td>".$row['emp_id']."</td>";
echo "<td>".$row['emp_name']."</td>";
echo "<td>".$row['department']."</td>";
echo "<td>".$row['salary']."</td>";
echo "</tr>";
}
echo "</table>";
?>
</body>
</html>
```

OUTPUT:







ID	Name	Department	Salary
1	John	Sales	25000.00
2	Alice	HR	30000.00
4	Sneha	Finance	32000.00
5	Saniya	Head Office	50000.00
6	Ann Mariya	Production	49000.00

PROGRAM: 23

AIM: WRITE A SIMPLE PHP PROGRAM TO UPDATE A STUDENT'S RECORD IN A DATABASE NAMED ONLINE EXAM USING AN HTML FORM.

Program Code:

```
<!DOCTYPE html>
<html>
<head>
<title>Update Student</title>
</head>
<body>
<h2>Update Student Information</h2>
<form method="POST" action="">
<label>Student ID:</label>
<input type="number" name="id" required><br><br>
<label>New Name:</label>
<input type="text" name="name" required><br><br>
<label>New Email:</label>
<input type="email" name="email" required><br><br>
<input type="submit" name="update" value="Update">
</form>
<?php
if (isset($_POST['update'])) {
$conn = mysqli_connect("localhost", "root", "",
"online_exam");
if (!$conn) {
die("Connection failed: " .
mysqli_connect_error());
}
$id = $_POST['id'];
$name = $_POST['name'];
$email = $_POST['email'];
$sql = "UPDATE students SET name='$name',
email='$email' WHERE id=$id";
if (mysqli_query($conn, $sql)) {
```

```
echo "<p style='color:green;'>Record updated
successfully!</p>";
} else {
echo "<p style='color:red;'>Error updating
record: " . mysqli_error($conn) . "</p>";
}
mysqli_close($conn);
}
?>
</body>
</html>
```

OUTPUT:


localhost:8080/student/update_student.php
Summarize
Update Student Information
Student ID: 3
New Name: Hari
New Email: hari@gmail.com
Update


localhost:8080/student/update_student.php
Summarize
Update Student Information
Student ID:
New Name:
New Email:
Update
Record updated successfully!

PROGRAM: 24

AIM: DEVELOP A PHP WEB APPLICATION TO MANAGE FRUIT RECORDS USING MYSQL DATABASE.

Program Code:

```
<!DOCTYPE html>
<html>
<body>
<h2>Add Fruit</h2>
<form method="post">
Fruit Name: <input type="text" name="fruit_name"
required>
Price: <input type="text" name="price" required>
<input type="submit" name="insert" value="Save">
</form>
<hr>
<?php
$conn = new mysqli("localhost", "root", "", "Fruits");
if (isset($_POST['insert'])) {
$name = $_POST['fruit_name'];
$price = $_POST['price'];
$conn->query("INSERT INTO fruitlist(fruit_name, price)
VALUES('$name', '$price')");
echo "Fruit Added!<br><br>";
}
if (isset($_GET['delete'])) {
$id = $_GET['delete'];
$conn->query("DELETE FROM fruitlist WHERE fruit_id=$id");
echo "Fruit Deleted!<br><br>";
}
?>
<h3>Fruit List</h3>
<table border="1" cellpadding="10">
<tr>
<th>ID</th>
```

```
<th>Fruit Name</th>
<th>Price</th>
<th>Delete</th>
</tr>
<?php
$result = $conn->query("SELECT * FROM fruitlist");
while ($row = $result->fetch_assoc()) {
echo "<tr>
<td>{$row['fruit_id']}</td>
<td>{$row['fruit_name']}</td>
<td>{$row['price']}</td>
<td><a
href='fruits.php?delete={$row['fruit_id']}'>Delete</a></td>
</tr>";
}
echo "</table>";
$conn->close();
?>
</body>
</html>
```

OUTPUT:

What's new in Microsoft Edge
localhost:8080/fruits/fruits.php
localhost:8080/fruits/fruits.php
Summarize
Add Fruit
Fruit Name: Orange
Price: 99
Save
Fruit List
ID
Fruit Name
Price
Delete
1
Banana
50.00
Delete
3
Mango
101.00
Delete


What's new in Microsoft Edge
localhost:8080/fruits/fruits.php
Inbox (85) - cennaalias@gmail.co
Home - Google Drive
localhost:8080/fruits/fruits.php
Summarize
Add Fruit
Fruit Name:
Price:
Save
Fruit Added!
Fruit List
ID
Fruit Name
Price
Delete
1
Banana
50.00
Delete
3
Mango
101.00
Delete
5
Orange
99.00
Delete


What's new in Microsoft Edge
localhost:8080/fruits/fruits.php?d
Inbox (85) - cennaalias@gmail.co
Home - Google Drive
localhost:8080/fruits/fruits.php?delete=5
Summarize
Add Fruit
Fruit Name:
Price:
Save
Fruit Deleted!
Fruit List
ID
Fruit Name
Price
Delete
1
Banana
50.00
Delete
3
Mango
101.00
Delete

PROGRAM: 25

AIM: DEPLOY AND TEST APPLICATION ON THE SERVER (MAKING IT LIVE ON INTERNET).

Program Code:

Step 1: Sign Up and Create a Website

1. Go to **000webhost**.
2. Click **Sign Up → Create an account** (email + password).
3. Once logged in, click **Create New Website**.
4. Choose a website name → e.g., **myfruitsapp**.
5. Note your temporary domain: **myfruitsapp.000webhostapp.com**

Step 2: Create a MySQL Database on 000webhost

1. In your 000webhost dashboard → click **Manage Website → Manage Database**.
2. Click **Create new database**:
   - **Database name:** fruits
   - **Username:** your_db_user
   - **Password:** your_db_password
3. Save these credentials — you will need them in index.php.

Step 3: Export Your Local Database

1. Open **phpMyAdmin** on XAMPP → select the **Fruits** database.
2. Click **Export → Quick → SQL → Go** → download **fruits.sql**.

Step 4: Import Database on 000webhost

1. In **000webhost → Manage Database → Import Database**.
2. Upload your **fruits.sql** file → click **Import**.

Step 5: Upload Your PHP Files

1. In the **000webhost dashboard → File Manager**.
2. Go to **/public_html/**.
3. Upload your **index.php** file.
   - *Optional:* Create a folder named **fruits** and upload inside.
     Example URL: **myfruitsapp.000webhostapp.com/fruits/**

Step 6: Update Database Credentials in index.php

Replace your local credentials:

```
$conn = new mysqli("localhost", "root", "", "Fruits");
```

with your 000webhost credentials:

```
$conn = new mysqli("localhost", "your_db_user", "your_db_password", "fruits");
if ($conn->connect_error) {
```

```
    die("Connection failed: " . $conn->connect_error);
}
```

Step 7: Test Your App

1. Open your browser → go to your 000webhost URL, e.g.: **https://myfruitsapp.000webhostapp.com/index.php**
2. Add fruits → table updates.
3. Delete fruits → works online.

OUTPUT:

URL: https://yourwebsite.000webhostapp.com/index.php
(Accessible from any device with internet, not just your local PC.)

```
-----------------------------------------------
| ID | Fruit Name | Price  | Delete          |
-----------------------------------------------
|  1 | Apple      | 50.00  | Delete          |
|  2 | Banana     | 30.00  | Delete          |
-----------------------------------------------
```