

ATT&CK; Coverage Executive Report

consolidated_analysis(12).xlsx

Generated: 2026-07-31 05:17 | ATT&CK; v19.1

Overall Coverage	Overall Robustness	Overall Precision
26.8%	2.31	2.76
Needs Improvement	Moderate	Good


This assessment evaluated 144 analytics across 84 ATT&CK; techniques. The workbook shows 26 techniques with at least one matched implementation and an overall coverage of 26.8%. Scored analytics average 2.31 robustness and 2.76 precision across 178 scored files, with 21 analytics missing one or both scores.

Analysis-at-a-Glance

Overall Coverage 26.8% Needs Improvement	Overall Robustness 2.31 Moderate	Overall Precision 2.76 Good
Analytics Evaluated 144	Technique IDs Covered 84	Techniques with Coverage 26
Implementation Matches 56/209	Scored Analytics 178	Unscored Analytics 21

Score and Coverage Distributions

Score and Coverage Distributions



Histogram notes: the implementation coverage chart uses the workbook's Implementation Coverage Percent values directly and preserves the 0% bucket.

Technique Coverage

Technique ID	Technique Name	Coverage	Analytics Used	Avg Robustness	Avg Precision
T1001.003	Protocol or Service Impersonation	0.0% (0/1)	1	3.00	3.00
T1003	OS Credential Dumping	0.0% (0/1)	2	2.00	3.00
T1003.001	LSASS Memory	0.0% (0/1)	5	1.80	3.40
T1003.002	Security Account Manager	0.0% (0/1)	4	3.00	3.00
T1003.003	NTDS	0.0% (0/1)	2	3.00	3.00
T1003.004	LSA Secrets	0.0% (0/1)	4	3.00	3.33
T1003.005	Cached Domain Credentials	0.0% (0/1)	1	3.00	3.00
T1003.006		0.0% (0/0)	3	1.67	3.67
T1010	Application Window Discovery	0.0% (0/3)	1	1.00	4.00
T1012	Query Registry	80.0% (4/5)	4	2.00	3.00
T1021.001	Remote Desktop Protocol	100.0% (2/2)	3	1.00	1.00
T1021.002	SMB/Windows Admin Shares	100.0% (2/2)	13	2.23	2.92
T1021.003	Distributed Component Object Model	0.0% (0/2)	1	1.00	3.00
T1027	Obfuscated Files or Information	0.0% (0/1)	14	3.00	3.00
T1027.001	Binary Padding	0.0% (0/1)	1	3.00	4.00
T1027.005		0.0% (0/0)	1	3.00	3.00
T1036		0.0% (0/0)	2	2.50	2.50
T1039	Data from Network Shared Drive	0.0% (0/4)	1	3.00	3.00
T1040	Network Sniffing	0.0% (0/4)	1	3.00	3.00
T1047	Windows Management Instrumentation	0.0% (0/13)	2	1.00	2.50
T1048		0.0% (0/0)	1	3.00	3.00
T1053.002	At	0.0% (0/4)	1	3.00	3.00
T1053.005	Scheduled Task	87.5% (7/8)	4	2.00	2.67
T1059		0.0% (0/0)	1	1.00	1.00
T1059.001	PowerShell	25.0% (1/4)	11	3.00	3.00
T1069.002	Domain Groups	0.0% (0/3)	1	3.00	4.00
T1070.004	File Deletion	0.0% (0/1)	1	3.00	3.00
T1070.006	Timestamp	0.0% (0/1)	1	1.00	2.00
T1078		0.0% (0/0)	7	1.29	1.29
T1078.001	Default Accounts	100.0% (1/1)	1	1.00	3.00
T1078.002	Domain Accounts	100.0% (1/1)	1	1.00	3.00
T1078.003	Local Accounts	100.0% (1/1)	1	1.00	3.00
T1087	Account Discovery	0.0% (0/1)	1	1.00	1.00
T1087.002	Domain Account	0.0% (0/3)	3	1.67	3.67
T1090.001	Internal Proxy	100.0% (1/1)	1		
T1090.002	External Proxy	100.0% (1/1)	1		
T1091	Replication Through Removable Media	0.0% (0/6)	1	3.00	3.00
T1098	Account Manipulation	62.5% (5/8)	9	2.50	3.00
T1105	Ingress Tool Transfer	0.0% (0/5)	1	3.00	3.00
T1110	Brute Force	0.0% (0/1)	2	1.00	1.00
T1112	Modify Registry	100.0% (8/8)	3	3.00	3.00
T1114		0.0% (0/0)	1	1.00	1.00

Technique ID	Technique Name	Coverage	Analytics Used	Avg Robustness	Avg Precision
T1123	Audio Capture	25.0% (1/4)	1	3.00	3.00
T1133	External Remote Services	57.1% (4/7)	3	1.00	1.00
T1134	Access Token Manipulation	0.0% (0/1)	1	3.00	3.00
T1134.001	Token Impersonation/Theft	0.0% (0/1)	3	2.33	3.00
T1134.002	Create Process with Token	0.0% (0/2)	1	3.00	3.00
T1134.005	SID-History Injection	100.0% (1/1)	1	3.00	3.00
T1136.001	Local Account	0.0% (0/1)	3	2.00	1.50
T1136.002	Domain Account	100.0% (1/1)	1	2.00	2.00
T1187	Forced Authentication	50.0% (2/4)	2	1.50	3.00
T1190	Exploit Public-Facing Application	25.0% (1/4)	1	1.00	1.00
T1200	Hardware Additions	0.0% (0/3)	2	3.00	3.00
T1201	Password Policy Discovery	25.0% (1/4)	1	3.00	3.00
T1207	Rogue Domain Controller	100.0% (2/2)	2	3.00	3.00
T1212	Exploitation for Credential Access	0.0% (0/5)	1	1.00	1.00
T1222.001	Windows Permissions	0.0% (0/4)	1	3.00	4.00
T1484.001	Group Policy Modification	0.0% (0/1)	3	3.00	3.00
T1485	Data Destruction	0.0% (0/3)	1	3.00	3.00
T1528	Steal Application Access Token	0.0% (0/5)	1	1.00	3.00
T1531	Account Access Removal	0.0% (0/6)	1		
T1543		0.0% (0/0)	1		
T1543.003	Windows Service	60.0% (3/5)	2	3.00	3.00
T1546.003	Windows Management Instrumentation Event Subscription	0.0% (0/1)	1	3.00	3.00
T1547		0.0% (0/0)	1	3.00	3.00
T1547.009	Shortcut Modification	0.0% (0/1)	1	3.00	3.00
T1548		0.0% (0/0)	2	1.00	3.00
T1550		0.0% (0/0)	1	1.00	1.00
T1550.002	Pass the Hash	0.0% (0/1)	3	1.00	2.33
T1552.002	Credentials in Registry	0.0% (0/1)	1	3.00	3.00
T1553.002	Code Signing	0.0% (0/1)	1	3.00	3.00
T1554	Compromise Host Software Binary	0.0% (0/5)	1	3.00	3.00
T1556		0.0% (0/0)	1	3.00	3.00
T1557.001	Name Resolution Poisoning and SMB Relay	0.0% (0/2)	1	1.00	1.00
T1557.003	DHCP Spoofing	0.0% (0/2)	1		
T1558		0.0% (0/0)	1		
T1558.003	Kerberoasting	100.0% (1/1)	5	2.20	2.80
T1566.001	Spearphishing Attachment	0.0% (0/1)	2	3.00	3.00
T1569.002	Service Execution	50.0% (2/4)	5	3.00	3.00
T1570	Lateral Tool Transfer	10.0% (1/10)	1	3.00	3.00
T1574.011	Services Registry Permissions Weakness	50.0% (1/2)	1	3.00	3.00
T1685	Disable or Modify Tools	16.7% (1/6)	8	2.38	2.62
T1685.001	Disable or Modify Windows Event Log	0.0% (0/3)	2	3.00	3.00
T1685.005	Clear Windows Event Logs	0.0% (0/2)	1		

Analytic Scores

Analytic File	Analytic Title	Robustness	Precision	Detection Condition
win_security_access_token_abuse.yml	Potential Access Token Abuse	1.00	3.00	(LogonType AND LogonProcessName AND AuthenticationPackageName AND ImpersonationLevel)
win_security_admin_rdp_login.yml	Admin User Remote Logon	1.00	3.00	(LogonType AND AuthenticationPackageName AND TargetUserName)
win_security_admin_rdp_login.yml	Admin User Remote Logon	1.00	3.00	(LogonType AND AuthenticationPackageName AND TargetUserName)
win_security_admin_rdp_login.yml	Admin User Remote Logon	1.00	3.00	(LogonType AND AuthenticationPackageName AND TargetUserName)
win_security_diagtrack_eop_default_login_username.yml	DiagTrackEoP Default Login Username	1.00	2.00	(LogonType AND TargetOutboundUserName)
win_security_member_added_security_enabled_global_group.yml	A Member Was Added to a Security-Enabled Global Group			
win_security_member_removed_security_enabled_global_group.yml	A Member Was Removed From a Security-Enabled Global Group			
win_security_overpass_the_hash.yml	Successful Overpass the Hash Attempt	1.00	3.00	(LogonType AND LogonProcessName AND AuthenticationPackageName)
win_security_pass_the_hash_2.yml	Pass the Hash Activity 2	1.00	3.00	((SubjectUserSid AND LogonType AND LogonProcessName AND KeyLength) OR (LogonType AND LogonProcessName)) AND NOT TargetUserName)
win_security_rdp_localhost_login.yml	RDP Login from Localhost	1.00	1.00	(LogonType AND IpAddress)
win_security_security_enabled_global_group_deleted.yml	A Security-Enabled Global Group Was Deleted			
win_security_successful_external_remote_rdp_login.yml	External Remote RDP Logon from Public IP	1.00	1.00	(LogonType AND NOT (IpAddress OR IpAddress))
win_security_successful_external_remote_rdp_login.yml	External Remote RDP Logon from Public IP	1.00	1.00	(LogonType AND NOT (IpAddress OR IpAddress))
win_security_successful_external_remote_rdp_login.yml	External Remote RDP Logon from Public IP	1.00	1.00	(LogonType AND NOT (IpAddress OR IpAddress))
win_security_successful_external_remote_smb_login.yml	External Remote SMB Logon from Public IP	1.00	1.00	(LogonType AND NOT (IpAddress OR IpAddress))
win_security_successful_external_remote_smb_login.yml	External Remote SMB Logon from Public IP	1.00	1.00	(LogonType AND NOT (IpAddress OR IpAddress))

Analytic File	Analytic Title	Robustness	Precision	Detection Condition
win_security_successful_external_remote_smb_login.yml	External Remote SMB Logon from Public IP	1.00	1.00	(LogonType AND NOT (IpAddress OR IpAddress))
win_security_susp_failed_logon_source.yml	Failed Logon From Public IP	1.00	1.00	NOT (IpAddress OR IpAddress)
win_security_susp_failed_logon_source.yml	Failed Logon From Public IP	1.00	1.00	NOT (IpAddress OR IpAddress)
win_security_susp_failed_logon_source.yml	Failed Logon From Public IP	1.00	1.00	NOT (IpAddress OR IpAddress)
win_security_susp_logon_newcredentials.yml	Outgoing Logon with New Credentials	1.00	1.00	LogonType
win_security_susp_privesc_kerberos_relay_over_ldap.yml	Potential Privilege Escalation via Local Kerberos Relay over LDAP	1.00	3.00	((LogonType AND AuthenticationPackageName AND IpAddress AND TargetUserSid AND TargetUserSid) AND NOT IpPort)
win_security_susp_rottenpotato.yml	RottenPotato Like Attack Pattern	1.00	1.00	(LogonType AND TargetUserName AND WorkstationName AND IpAddress)
win_security_susp_wmi_login.yml	Successful Account Login Via WMI	1.00	2.00	ProcessName
win_security_wfp_endpoint_agent_blocked.yml	Windows Filtering Platform Blocked Connection From EDR Agent Binary	1.00	1.00	Application
win_security_aadhealth_mon_agent_regkey_access.yml	Azure AD Health Monitoring Agent Registry Keys Access	1.00	3.00	((ObjectType AND ObjectName) AND NOT ProcessName)
win_security_aadhealth_svc_agent_regkey_access.yml	Azure AD Health Service Agents Registry Keys Access	1.00	3.00	((ObjectType AND ObjectName) AND NOT ProcessName)
win_security_account_backdoor_dcsmc_rights.yml	Powerview Add-DomainObjectAcl DCSync AD Extend Right	3.00	3.00	((AttributeLDAPDisplayName AND AttributeValue) AND NOT ObjectClass)
win_security_account_discovery.yml	AD Privileged Users or Groups Reconnaissance	1.00	3.00	(ObjectType AND (ObjectName OR ObjectName) AND NOT SubjectUserName)
win_security_ad_object_writedac_access.yml	AD Object WriteDAC Access	3.00	4.00	(ObjectServer AND AccessMask AND ObjectType)
win_security_ad_replication_non_machine_account.yml	Active Directory Replication from Non Machine Account	1.00	4.00	((AccessMask AND Properties) AND NOT (SubjectUserName OR SubjectUserName))
win_security_ad_user_enumeration.yml	Potential AD User Enumeration From Non-Machine Account	1.00	4.00	((ObjectType AND AccessMask) AND NOT (SubjectUserName OR SubjectUserName))
win_security_adcs_certificate_template_configuration_vulnerability.yml	ADCS Certificate Template Configuration Vulnerability	3.00	3.00	(TemplateContent OR NewTemplateContent)

Analytic File	Analytic Title	Robustness	Precision	Detection Condition
win_security_adcs_certificate_template_configuration_vulnerability_eku.yml	ADCS Certificate Template Configuration Vulnerability with Risky EKU	3.00	3.00	((TemplateContent AND TemplateContent) OR (NewTemplateContent AND NewTemplateContent))
win_security_add_remove_computer.yml	Add or Remove Computer from DC			
win_security_admin_share_access.yml	Access To ADMIN\$ Network Share	1.00	3.00	(ShareName AND NOT SubjectUserName)
win_security_alert_active_directory_user_control.yml	Enabled User Right in AD to Control User Objects	3.00	4.00	PrivilegeList
win_security_alert_ad_user_backdoors.yml	Active Directory User Backdoors	3.00	3.00	(NOT (AllowedToDelegateTo OR AllowedToDelegateTo)) OR (AttributeLDAPDisplayName OR (ObjectClass AND AttributeLDAPDisplayName)) OR AttributeLDAPDisplayName))
win_security_alert_enable_weak_encryption.yml	Weak Encryption Enabled and Kerberoast	2.00	2.00	((NewUacValue AND NOT OldUacValue) OR (NewUacValue AND NOT OldUacValue) OR (NewUacValue AND NOT OldUacValue))
win_security_alert_ruler.yml	Hacktool Ruler	1.00	1.00	(Workstation OR WorkstationName)
win_security_alert_ruler.yml	Hacktool Ruler	1.00	1.00	(Workstation OR WorkstationName)
win_security_alert_ruler.yml	Hacktool Ruler	1.00	1.00	(Workstation OR WorkstationName)
win_security_alert_ruler.yml	Hacktool Ruler	1.00	1.00	(Workstation OR WorkstationName)
win_security_atsvc_task.yml	Remote Task Creation via ATSVK Named Pipe	3.00	3.00	(ShareName AND RelativeTargetName AND AccessList)
win_security_audit_log_cleared.yml	Security Eventlog Cleared			(Provider_Name OR Provider_Name)
win_security_camera_microphone_access.yml	Processes Accessing the Microphone and Webcam	3.00	3.00	ObjectName
win_security_cobaltstrike_service_installs.yml	CobaltStrike Service Installations - Security	3.00	3.00	(ServiceFileName OR ServiceFileName OR ServiceFileName OR ServiceFileName)
win_security_cobaltstrike_service_installs.yml	CobaltStrike Service Installations - Security	3.00	3.00	(ServiceFileName OR ServiceFileName OR ServiceFileName OR ServiceFileName)
win_security_cobaltstrike_service_installs.yml	CobaltStrike Service Installations - Security	3.00	3.00	(ServiceFileName OR ServiceFileName OR ServiceFileName OR ServiceFileName)
win_security_codeintegrity_check_failure.yml	Failed Code Integrity Checks	3.00	4.00	NOT (param1 OR param1)
win_security_dce_rpc_smb_spoolss_named_pipe.yml	DCERPC SMB Spoolss Named Pipe	3.00	3.00	(ShareName AND RelativeTargetName)

Analytic File	Analytic Title	Robustness	Precision	Detection Condition
win_security_dcom_iertutil_dll_hijack.yml	DCOM InternetExplorer.Application Iertutil DLL Hijack - Security	1.00	3.00	(RelativeTargetName AND NOT SubjectUserName)
win_security_dcom_iertutil_dll_hijack.yml	DCOM InternetExplorer.Application Iertutil DLL Hijack - Security	1.00	3.00	(RelativeTargetName AND NOT SubjectUserName)
win_security_dcsync.yml	Mimikatz DC Sync	1.00	4.00	((Properties AND AccessMask) AND NOT (SubjectDomainName OR SubjectUserName OR SubjectUserName))
win_security_default_domain_gpo_modification.yml	Windows Default Domain GPO Modification	3.00	3.00	(ObjectClass AND ObjectDN)
win_security_device_installation_blocked.yml	Device Installation Blocked			
win_security_disable_event_auditing.yml	Windows Event Auditing Disabled	3.00	3.00	(AuditPolicyChanges AND NOT SubcategoryGuid)
win_security_disable_event_auditing_critical.yml	Important Windows Event Auditing Disabled	3.00	3.00	((SubcategoryGuid AND AuditPolicyChanges) OR (SubcategoryGuid AND AuditPolicyChanges))
win_security_dot_net_etw_tamper.yml	ETW Logging Disabled In .NET Processes - Registry	3.00	3.00	((ObjectName AND ObjectValueName AND NewValue) OR (ObjectName AND ObjectValueName AND NewValue))
win_security_dot_net_etw_tamper.yml	ETW Logging Disabled In .NET Processes - Registry	3.00	3.00	((ObjectName AND ObjectValueName AND NewValue) OR (ObjectName AND ObjectValueName AND NewValue))
win_security_dpapi_domain_backupkey_extraction.yml	DPAPI Domain Backup Key Extraction	3.00	4.00	(ObjectType AND AccessMask AND ObjectName)
win_security_dpapi_domain_masterkey_backup_attempt.yml	DPAPI Domain Master Key Backup Attempt			
win_security_external_device.yml	External Disk Drive Or USB Storage Device Was Recognized By The System	3.00	3.00	(ClassName OR DeviceDescription)
win_security_external_device.yml	External Disk Drive Or USB Storage Device Was Recognized By The System	3.00	3.00	(ClassName OR DeviceDescription)
win_security_gpo_scheduledtasks.yml	Persistence and Execution at Scale via GPO Scheduled Task	3.00	3.00	((AttributeLDAPDisplayName AND AttributeValue) OR (ShareName AND RelativeTargetName AND AccessList))
win_security_hidden_user_creation.yml	Hidden Local User Creation	2.00	1.00	(TargetUserName AND NOT TargetUserName)
win_security_hktdr_silencer.yml	HackTool - EDRSilencer Execution - Filter Added	3.00	3.00	FilterName
win_security_hktdr_nofilter.yml	HackTool - NoFilter Execution	3.00	3.00	(FilterName OR ProviderContextName)

Analytic File	Analytic Title	Robustness	Precision	Detection Condition
win_security_hkctl_nofilter.yml	HackTool - NoFilter Execution	3.00	3.00	(FilterName OR ProviderContextName)
win_security_hybridconnectionmgr_svc_installation.yml	HybridConnectionManager Service Installation	3.00	3.00	(ServiceName AND ServiceFileName)
win_security_impacket_psexec.yml	Impacket PsExec Execution	3.00	3.00	(ShareName AND RelativeTargetName)
win_security_impacket_secretdump.yml	Possible Impacket SecretDump Remote Activity	3.00	3.00	(ShareName AND RelativeTargetName)
win_security_impacket_secretdump.yml	Possible Impacket SecretDump Remote Activity	3.00	3.00	(ShareName AND RelativeTargetName)
win_security_impacket_secretdump.yml	Possible Impacket SecretDump Remote Activity	3.00	3.00	(ShareName AND RelativeTargetName)
win_security_invoke_obfuscation_clip_services_security.yml	Invoke-Obfuscation CLIP+ Launcher - Security	3.00	3.00	ServiceFileName
win_security_invoke_obfuscation_clip_services_security.yml	Invoke-Obfuscation CLIP+ Launcher - Security	3.00	3.00	ServiceFileName
win_security_invoke_obfuscation_obfuscated_iex_services_security.yml	Invoke-Obfuscation Obfuscated IEX Invocation - Security	3.00	3.00	(ServiceFileName OR ServiceFileName OR ServiceFileName OR ServiceFileName OR ServiceFileName OR ServiceFileName)
win_security_invoke_obfuscation_stdin_services_security.yml	Invoke-Obfuscation STDIN+ Launcher - Security	3.00	3.00	(ServiceFileName AND ServiceFileName AND ServiceFileName)
win_security_invoke_obfuscation_stdin_services_security.yml	Invoke-Obfuscation STDIN+ Launcher - Security	3.00	3.00	(ServiceFileName AND ServiceFileName AND ServiceFileName)
win_security_invoke_obfuscation_var_services_security.yml	Invoke-Obfuscation VAR+ Launcher - Security	3.00	3.00	(ServiceFileName AND ServiceFileName)
win_security_invoke_obfuscation_var_services_security.yml	Invoke-Obfuscation VAR+ Launcher - Security	3.00	3.00	(ServiceFileName AND ServiceFileName)
win_security_invoke_obfuscation_via_compress_services_security.yml	Invoke-Obfuscation COMPRESS OBFUSCATION - Security	3.00	3.00	(ServiceFileName AND ServiceFileName)
win_security_invoke_obfuscation_via_compress_services_security.yml	Invoke-Obfuscation COMPRESS OBFUSCATION - Security	3.00	3.00	(ServiceFileName AND ServiceFileName)
win_security_invoke_obfuscation_via_rundll_services_security.yml	Invoke-Obfuscation RUNDLL LAUNCHER - Security	3.00	3.00	ServiceFileName
win_security_invoke_obfuscation_via_rundll_services_security.yml	Invoke-Obfuscation RUNDLL LAUNCHER - Security	3.00	3.00	ServiceFileName
win_security_invoke_obfuscation_via_stdin_services_security.yml	Invoke-Obfuscation Via Stdin - Security	3.00	3.00	(ServiceFileName AND ServiceFileName)
win_security_invoke_obfuscation_via_stdin_services_security.yml	Invoke-Obfuscation Via Stdin - Security	3.00	3.00	(ServiceFileName AND ServiceFileName)
win_security_invoke_obfuscation_via_use_clip_services_security.yml	Invoke-Obfuscation Via Use Clip - Security	3.00	3.00	ServiceFileName

Analytic File	Analytic Title	Robustness	Precision	Detection Condition
win_security_invoke_obfuscation_via_use_clip_services_security.yml	Invoke-Obfuscation Via Use Clip - Security	3.00	3.00	ServiceFileName
win_security_invoke_obfuscation_via_use_mshta_services_security.yml	Invoke-Obfuscation Via Use MSHTA - Security	3.00	3.00	ServiceFileName
win_security_invoke_obfuscation_via_use_mshta_services_security.yml	Invoke-Obfuscation Via Use MSHTA - Security	3.00	3.00	ServiceFileName
win_security_invoke_obfuscation_via_use_rundll32_services_security.yml	Invoke-Obfuscation Via Use Rundll32 - Security	3.00	3.00	(ServiceFileName AND ServiceFileName)
win_security_invoke_obfuscation_via_use_rundll32_services_security.yml	Invoke-Obfuscation Via Use Rundll32 - Security	3.00	3.00	(ServiceFileName AND ServiceFileName)
win_security_invoke_obfuscation_via_var_services_security.yml	Invoke-Obfuscation VAR++ LAUNCHER OBFUSCATION - Security	3.00	3.00	(ServiceFileName AND ServiceFileName)
win_security_invoke_obfuscation_via_var_services_security.yml	Invoke-Obfuscation VAR++ LAUNCHER OBFUSCATION - Security	3.00	3.00	(ServiceFileName AND ServiceFileName)
win_security_iso_mount.yml	ISO Image Mounted	3.00	3.00	((ObjectServer AND ObjectType AND ObjectName) AND NOT ObjectName)
win_security_kerberoasting_activity.yml	Kerberoasting Activity - Initial Query	1.00	3.00	((Status AND TicketEncryptionType) AND NOT (ServiceName OR TargetUserName))
win_security_kerberos_asrep_roasting.yml	Potential AS-REP Roasting via Kerberos TGT Requests	2.00	3.00	(TicketEncryptionType AND ServiceName AND PreAuthType)
win_security_kerberos_coercion_via_dns_object.yml	Potential Kerberos Coercion by Spoofing SPNs via DNS Manipulation			((ObjectClass AND ObjectDN) OR AdditionalInfo)
win_security_lm_namedpipe.yml	First Time Seen Remote Named Pipe	3.00	3.00	(ShareName AND NOT RelativeTargetName)
win_security_lsass_access_non_system_account.yml	LSASS Access From Non System Account	1.00	4.00	((AccessMask AND ObjectType AND ObjectName) AND NOT (SubjectUserName OR ProcessName OR (ProcessName AND AccessMask)) AND NOT ProcessName)
win_security_mal_creddumper.yml	Credential Dumping Tools Service Execution - Security	3.00	3.00	ServiceFileName
win_security_mal_creddumper.yml	Credential Dumping Tools Service Execution - Security	3.00	3.00	ServiceFileName
win_security_mal_creddumper.yml	Credential Dumping Tools Service Execution - Security	3.00	3.00	ServiceFileName
win_security_mal_creddumper.yml	Credential Dumping Tools Service Execution - Security	3.00	3.00	ServiceFileName
win_security_mal_creddumper.yml	Credential Dumping Tools Service Execution - Security	3.00	3.00	ServiceFileName

Analytic File	Analytic Title	Robustness	Precision	Detection Condition
win_security_mal_creddumper.yml	Credential Dumping Tools Service Execution - Security	3.00	3.00	ServiceFileName
win_security_mal_wceaux_dll.yml	WCE wceaux.dll Access	3.00	3.00	ObjectName
win_security_metasploit_authentication.yml	Metasploit SMB Authentication	1.00	1.00	((LogonType AND AuthenticationPackageName AND WorkstationName) OR Workstation)
win_security_metasploit_or_impacket_smb_psexec_service_install.yml	Metasploit Or Impacket Service Installation Via SMB PsExec	3.00	3.00	((ServiceFileName AND ServiceName AND ServiceStartType AND ServiceType) AND NOT ServiceName)
win_security_metasploit_or_impacket_smb_psexec_service_install.yml	Metasploit Or Impacket Service Installation Via SMB PsExec	3.00	3.00	((ServiceFileName AND ServiceName AND ServiceStartType AND ServiceType) AND NOT ServiceName)
win_security_metasploit_or_impacket_smb_psexec_service_install.yml	Metasploit Or Impacket Service Installation Via SMB PsExec	3.00	3.00	((ServiceFileName AND ServiceName AND ServiceStartType AND ServiceType) AND NOT ServiceName)
win_security_meterpreter_or_cobaltstrike_getsystem_service_install.yml	Meterpreter or Cobalt Strike Getsystem Service Installation - Security	3.00	3.00	((ServiceFileName AND ServiceFileName) OR ServiceFileName OR ServiceFileName)
win_security_meterpreter_or_cobaltstrike_getsystem_service_install.yml	Meterpreter or Cobalt Strike Getsystem Service Installation - Security	3.00	3.00	((ServiceFileName AND ServiceFileName) OR ServiceFileName OR ServiceFileName)
win_security_net_ntlm_downgrade.yml	NetNTLM Downgrade Attack	3.00	3.00	(ObjectName AND ObjectValueName)
win_security_net_ntlm_downgrade.yml	NetNTLM Downgrade Attack	3.00	3.00	(ObjectName AND ObjectValueName)
win_security_net_share_obj_susp_desktop_ini.yml	Windows Network Access Suspicious desktop.ini Action	3.00	3.00	(ObjectType AND RelativeTargetName AND AccessList)
win_security_new_or_renamed_user_account_with_dollar_sign.yml	New or Renamed User Account with '\$' Character	2.00	2.00	((SamAccountName OR NewTargetUserName) AND NOT TargetUserName)
win_security_not_allowed_rdp_access.yml	Denied Access To Remote Desktop			
win_security_password_policy_enumerated.yml	Password Policy Enumerated	3.00	3.00	(AccessList AND ObjectServer)
win_security_pcap_drivers.yml	Windows Pcap Drivers	3.00	3.00	ServiceFileName

Analytic File	Analytic Title	Robustness	Precision	Detection Condition
win_security_petitpotam_network_share.yml	Possible PetitPotam Coerce Authentication Attempt	1.00	3.00	(ShareName AND ShareName AND RelativeTargetName AND SubjectUserName)
win_security_petitpotam_suspicious_tgt_request.yml	PetitPotam Suspicious Kerberos TGT Request	2.00	3.00	((TargetUserName AND CertThumbprint) AND NOT (IpAddress OR CertThumbprint))
win_security_possible_dc_shadow.yml	Possible DC Shadow Attack	3.00	3.00	(ServicePrincipalNames OR (AttributeLDAP DisplayName AND AttributeValue))
win_security_powershell_scripts_installed_as_service.yml	PowerShell Scripts Installed as Services - Security	3.00	3.00	ServiceFileName
win_security_protected_storage_service_access.yml	Protected Storage Service Access	3.00	3.00	(ShareName AND RelativeTargetName)
win_security_rdp_reverse_tunnel.yml	RDP over Reverse SSH Tunnel WFP			((((SourcePort AND DestAddress) OR (DestPort AND SourceAddress)) AND NOT (FilterOrigin OR Application)))
win_security_rdp_reverse_tunnel.yml	RDP over Reverse SSH Tunnel WFP			((((SourcePort AND DestAddress) OR (DestPort AND SourceAddress)) AND NOT (FilterOrigin OR Application)))
win_security_rdp_reverse_tunnel.yml	RDP over Reverse SSH Tunnel WFP			((((SourcePort AND DestAddress) OR (DestPort AND SourceAddress)) AND NOT (FilterOrigin OR Application)))
win_security_register_new_logon_process_by_rubeus.yml	Register new Logon Process by Rubeus	3.00	3.00	LogonProcessName
win_security_registry_permissions_weakness_check.yml	Service Registry Key Read Access Request	3.00	3.00	(ObjectName AND AccessList)
win_security_remote_powershell_session.yml	Remote PowerShell Sessions Network Connections (WinRM)			(DestPort AND LayerRTID)
win_security_replay_attack_detected.yml	Replay Attack Detected			
win_security_sam_registry_hive_handle_request.yml	SAM Registry Hive Handle Request	3.00	3.00	(ObjectType AND ObjectName)
win_security_sam_registry_hive_handle_request.yml	SAM Registry Hive Handle Request	3.00	3.00	(ObjectType AND ObjectName)
win_security_scm_database_handle_failure.yml	SCM Database Handle Failure	1.00	4.00	((ObjectType AND ObjectName AND AccessMask) AND NOT SubjectLogonId)
win_security_scm_database_privileged_operation.yml	SCM Database Privileged Operation	1.00	3.00	((ObjectType AND ObjectName AND PrivilegeList) AND NOT (SubjectLogonId AND ProcessName))
win_security_sdelete_potential_secure_deletion.yml	Potential Secure Deletion with SDelete	3.00	3.00	ObjectName
win_security_sdelete_potential_secure_deletion.yml	Potential Secure Deletion with SDelete	3.00	3.00	ObjectName

Analytic File	Analytic Title	Robustness	Precision	Detection Condition
win_security_sdelete_potential_secure_deletion.yml	Potential Secure Deletion with SDelete	3.00	3.00	ObjectName
win_security_sdelete_potential_secure_deletion.yml	Potential Secure Deletion with SDelete	3.00	3.00	ObjectName
win_security_service_install_remote_access_software.yml	Remote Access Tool Services Have Been Installed - Security	3.00	3.00	ServiceName
win_security_service_install_remote_access_software.yml	Remote Access Tool Services Have Been Installed - Security	3.00	3.00	ServiceName
win_security_service_installation_by_unusal_client.yml	Service Installed By Unusual Client - Security			(ClientProcessId OR ParentProcessId)
win_security_signal_sensitive_config_access.yml	File Access Of Signal Desktop Sensitive Data	1.00	3.00	((ObjectType AND ObjectName AND ObjectName) AND NOT ProcessName)
win_security_smb_file_creation_admin_shares.yml	SMB Create Remote File Admin Share	1.00	4.00	((ShareName AND AccessMask) AND NOT SubjectUserName AND NOT IpAddress)
win_security_susp_add_domain_trust.yml	A New Trust Was Created To A Domain			
win_security_susp_add_sid_history.yml	Addition of SID History to Active Directory Object	3.00	3.00	(NOT SidHistory AND NOT SidHistory)
win_security_susp_computer_name.yml	Win Susp Computer Name Containing Samtheadmin	2.00	1.00	((SamAccountName AND SamAccountName) OR (TargetUserName AND TargetUserName))
win_security_susp_dsrm_password_change.yml	Password Change on Directory Service Restore Mode (DSRM) Account			
win_security_susp_failed_logon_reasons.yml	Account Tampering - Suspicious Failed Logon Reasons	1.00	1.00	((Status OR SubStatus) AND NOT SubjectUserSid)
win_security_susp_group_policy_abuse_privilege_addition.yml	Group Policy Abuse for Privilege Addition	3.00	3.00	(AttributeLDAPDisplayName AND AttributeValue)
win_security_susp_group_policy_startup_script_added_to_gpo.yml	Startup/Logon Script Added to Group Policy Object	3.00	3.00	((AttributeLDAPDisplayName AND AttributeValue) AND AttributeValue) OR (ShareName AND RelativeTargetName AND AccessList))
win_security_susp_group_policy_startup_script_added_to_gpo.yml	Startup/Logon Script Added to Group Policy Object	3.00	3.00	((AttributeLDAPDisplayName AND AttributeValue) AND AttributeValue) OR (ShareName AND RelativeTargetName AND AccessList))
win_security_susp_kerberos_manipulation.yml	Kerberos Manipulation	1.00	1.00	Status
win_security_susp_ldap_dataexchange.yml	Suspicious LDAP-Attributes Used	3.00	3.00	(AttributeValue AND AttributeLDAPDisplayName)
win_security_susp_local_anon_logon_created.yml	Suspicious Windows ANONYMOUS LOGON Local Account Created	2.00	2.00	SamAccountName

Analytic File	Analytic Title	Robustness	Precision	Detection Condition
win_security_susp_local_anon_logon_created.yml	Suspicious Windows ANONYMOUS LOGON Local Account Created	2.00	2.00	SamAccountName
win_security_susp_logon_explicit_credentials.yml	Suspicious Remote Logon with Explicit Credentials	2.00	2.00	(ProcessName AND NOT (TargetServerName OR (SubjectUserName AND TargetUserName)))
win_security_susp_lsass_dump.yml	Password Dumper Activity on LSASS	1.00	4.00	(ProcessName AND AccessMask AND ObjectType)
win_security_susp_lsass_dump_generic.yml	Potentially Suspicious AccessMask Requested From LSASS	1.00	3.00	((ObjectNames AND AccessMask) OR (ObjectNames AND AccessList)) AND NOT ((ProcessName AND ProcessName) OR ProcessName OR ProcessName OR (ProcessName AND AccessList) OR (ProcessName AND ProcessName AND AccessList) OR (ProcessName AND AccessList) OR (ProcessName AND ProcessName AND AccessList) OR (ProcessName AND ProcessName AND AccessList) OR (ProcessName AND ProcessName AND AccessList) OR (ProcessName AND ProcessName AND AccessList) OR (ProcessName AND ProcessName AND AccessList)) AND NOT (ProcessName AND AccessList))
win_security_susp_net_recon_activity.yml	Reconnaissance Activity	3.00	4.00	(AccessMask AND ObjectType AND ObjectNames AND ObjectNames)
win_security_susp_net_recon_activity.yml	Reconnaissance Activity	3.00	4.00	(AccessMask AND ObjectType AND ObjectNames AND ObjectNames)
win_security_susp_opened_encrypted_zip.yml	Password Protected ZIP File Opened	3.00	3.00	(TargetName AND NOT TargetName)
win_security_susp_opened_encrypted_zip_filename.yml	Password Protected ZIP File Opened (Suspicious Filenames)	3.00	3.00	(TargetName AND TargetName)
win_security_susp_opened_encrypted_zip_filename.yml	Password Protected ZIP File Opened (Suspicious Filenames)	3.00	3.00	(TargetName AND TargetName)
win_security_susp_opened_encrypted_zip_filename.yml	Password Protected ZIP File Opened (Suspicious Filenames)	3.00	3.00	(TargetName AND TargetName)
win_security_susp_opened_encrypted_zip_outlook.yml	Password Protected ZIP File Opened (Email Attachment)	3.00	3.00	TargetName
win_security_susp_opened_encrypted_zip_outlook.yml	Password Protected ZIP File Opened (Email Attachment)	3.00	3.00	TargetName

Analytic File	Analytic Title	Robustness	Precision	Detection Condition
win_security_susp_outbound_kerberos_connection.yml	Uncommon Outbound Kerberos Connection - Security	1.00	2.00	(DestPort AND NOT (Application AND Application) AND NOT ((Application AND Application) OR (Application AND Application) OR Application))
win_security_susp_possible_shadow_credentials_added.yml	Possible Shadow Credentials Added	3.00	3.00	AttributeLDAPDisplayName
win_security_susp_psexec.yml	Suspicious PsExec Execution	3.00	3.00	((ShareName AND RelativeTargetName) AND NOT RelativeTargetName)
win_security_susp_raccess_sensitive_fext.yml	Suspicious Access to Sensitive File Extensions	3.00	3.00	RelativeTargetName
win_security_susp_rc4_kerberos.yml	Suspicious Kerberos RC4 Ticket Encryption	3.00	3.00	((TicketOptions AND TicketEncryptionType) AND NOT ServiceName)
win_security_susp_scheduled_task_creation.yml	Suspicious Scheduled Task Creation	2.00	2.00	(TaskContent AND TaskContent)
win_security_susp_scheduled_task_delete_or_disable.yml	Important Scheduled Task Deleted/Disabled	1.00	3.00	(TaskName AND NOT (SubjectUserName AND TaskName))
win_security_susp_scheduled_task_update.yml	Suspicious Scheduled Task Update			(TaskContentNew AND TaskContentNew)
win_security_susp_time_modification.yml	Unauthorized System Time Modification	1.00	2.00	(NOT (ProcessName AND SubjectUserSid) AND NOT ProcessName)
win_security_svcctl_remote_service.yml	Remote Service Activity via SVCCTL Named Pipe	3.00	3.00	(ShareName AND RelativeTargetName AND AccessList)
win_security_syskey_registry_access.yml	SysKey Registry Keys Access	3.00	3.00	(ObjectType AND ObjectName)
win_security_sysmon_channel_reference_deletion.yml	Sysmon Channel Reference Deletion	3.00	3.00	((ObjectName AND ObjectValueName AND NewValue) OR (ObjectName AND AccessMask))
win_security_tap_driver_installation.yml	Tap Driver Installation - Security	3.00	3.00	ServiceFileName
win_security_teams_suspicious_objectaccess.yml	Suspicious Teams Application Related ObjectAccess Event	1.00	3.00	(ObjectName AND NOT ProcessName)
win_security_transf_files_with_cred_data_via_network_shares.yml	Transferring Files with Credential Data via Network Shares	3.00	3.00	(RelativeTargetName OR RelativeTargetName)
win_security_transf_files_with_cred_data_via_network_shares.yml	Transferring Files with Credential Data via Network Shares	3.00	3.00	(RelativeTargetName OR RelativeTargetName)
win_security_transf_files_with_cred_data_via_network_shares.yml	Transferring Files with Credential Data via Network Shares	3.00	3.00	(RelativeTargetName OR RelativeTargetName)
win_security_user_added_to_local_administrators.yml	User Added to Local Administrator Group	1.00	2.00	((TargetUserName OR TargetSid) AND NOT SubjectUserName)

Analytic File	Analytic Title	Robustness	Precision	Detection Condition
win_security_user_added_to_local_administrators.yml	User Added to Local Administrator Group	1.00	2.00	((TargetUserName OR TargetSid) AND NOT SubjectUserName)
win_security_user_couldnt_call_priv_service_Isaregisterlogonprocess.yml	User Couldn't Call a Privileged Service 'LsaRegisterLogonProcess'	3.00	3.00	(Service AND Keywords)
win_security_user_creation.yml	Local User Creation			
win_security_user_driver_loaded.yml	Potential Privileged System Service Operation - SeLoadDriverPrivilege	1.00	3.00	((PrivilegeList AND Service) AND NOT (ProcessName OR ProcessName) AND NOT (ProcessName OR (ProcessName AND ProcessName)))
win_security_user_logoff.yml	User Logoff Event			
win_security_vssaudit_secevent_source_registration.yml	VSSAudit Security Event Source Registration	3.00	3.00	AuditSourceName
win_security_windows_defender_exclusions_registry_modified.yml	Windows Defender Exclusion List Modified	3.00	3.00	ObjectName
win_security_windows_defender_exclusions_write_access.yml	Windows Defender Exclusion Registry Key - Write Access Requested	3.00	3.00	(AccessList AND ObjectName)
win_security_wmi_persistence.yml	WMI Persistence - Security	3.00	3.00	(ObjectType AND ObjectName)
win_security_wmiprvse_wbemcomn_dll_hijack.yml	T1047 Wmiprvse Wbemcomn DLL Hijack	1.00	3.00	(RelativeTargetName AND NOT SubjectUserName)
win_security_wmiprvse_wbemcomn_dll_hijack.yml	T1047 Wmiprvse Wbemcomn DLL Hijack	1.00	3.00	(RelativeTargetName AND NOT SubjectUserName)
win_security_workstation_was_locked.yml	Locked Workstation			

Key Observations

Highest coverage techniques

- T1112 - Modify Registry (100.0%, 8/8)
- T1207 - Rogue Domain Controller (100.0%, 2/2)
- T1021.002 - SMB/Windows Admin Shares (100.0%, 2/2)
- T1021.001 - Remote Desktop Protocol (100.0%, 2/2)
- T1558.003 - Kerberoasting (100.0%, 1/1)
- T1136.002 - Domain Account (100.0%, 1/1)
- T1134.005 - SID-History Injection (100.0%, 1/1)
- T1090.002 - External Proxy (100.0%, 1/1)
- T1090.001 - Internal Proxy (100.0%, 1/1)
- T1078.003 - Local Accounts (100.0%, 1/1)

Lowest coverage techniques

- T1001.003 - Protocol or Service Impersonation (0.0%, 0/1)
- T1003 - OS Credential Dumping (0.0%, 0/1)
- T1003.001 - LSASS Memory (0.0%, 0/1)
- T1003.002 - Security Account Manager (0.0%, 0/1)
- T1003.003 - NTDS (0.0%, 0/1)
- T1003.004 - LSA Secrets (0.0%, 0/1)
- T1003.005 - Cached Domain Credentials (0.0%, 0/1)
- T1003.006 - (0.0%, 0/0)
- T1010 - Application Window Discovery (0.0%, 0/3)
- T1021.003 - Distributed Component Object Model (0.0%, 0/2)

Highest robustness analytics

- win_security_ad_object_writedac_access.yml - AD Object WriteDAC Access (3.00)
- win_security_alert_active_directory_user_control.yml - Enabled User Right in AD to Control User Objects (3.00)
- win_security_codeintegrity_check_failure.yml - Failed Code Integrity Checks (3.00)
- win_security_dpapi_domain_backupkey_extraction.yml - DPAPI Domain Backup Key Extraction (3.00)
- win_security_susp_net_recon_activity.yml - Reconnaissance Activity (3.00)
- win_security_susp_net_recon_activity.yml - Reconnaissance Activity (3.00)
- win_security_account_backdoor_dcsync_rights.yml - Powerview Add-DomainObjectAcl DCSync AD Extend Right (3.00)
- win_security_adcs_certificate_template_configuration_vulnerability.yml - ADCS Certificate Template Configuration Vulnerability (3.00)
- win_security_adcs_certificate_template_configuration_vulnerability_eku.yml - ADCS Certificate Template Configuration Vulnerability with Risky EKU (3.00)
- win_security_alert_ad_user_backdoors.yml - Active Directory User Backdoors (3.00)

Highest precision analytics

- win_security_ad_object_writedac_access.yml - AD Object WriteDAC Access (4.00)
- win_security_alert_active_directory_user_control.yml - Enabled User Right in AD to Control User Objects (4.00)
- win_security_codeintegrity_check_failure.yml - Failed Code Integrity Checks (4.00)
- win_security_dpapi_domain_backupkey_extraction.yml - DPAPI Domain Backup Key Extraction (4.00)
- win_security_susp_net_recon_activity.yml - Reconnaissance Activity (4.00)
- win_security_susp_net_recon_activity.yml - Reconnaissance Activity (4.00)
- win_security_ad_replication_non_machine_account.yml - Active Directory Replication from Non Machine Account (4.00)
- win_security_ad_user_enumeration.yml - Potential AD User Enumeration From Non-Machine Account (4.00)
- win_security_dcsync.yml - Mimikatz DC Sync (4.00)
- win_security_lsass_access_non_system_account.yml - LSASS Access From Non System Account (4.00)

Unscored analytics

- win_security_member_added_security_enabled_global_group.yml - A Member Was Added to a Security-Enabled Global Group ()
- win_security_member_removed_security_enabled_global_group.yml - A Member Was Removed From a Security-Enabled Global Group ()
- win_security_security_enabled_global_group_deleted.yml - A Security-Enabled Global Group Was Deleted ()
- win_security_add_remove_computer.yml - Add or Remove Computer from DC ()
- win_security_audit_log_cleared.yml - Security Eventlog Cleared (provider_name)
- win_security_device_installation_blocked.yml - Device Installation Blocked ()
- win_security_dpapi_domain_masterkey_backup_attempt.yml - DPAPI Domain Master Key Backup Attempt ()
- win_security_kerberos_coercion_via_dns_object.yml - Potential Kerberos Coercion by Spoofing SPNs via DNS Manipulation (additionalinfo)
- win_security_not_allowed_rdp_access.yml - Denied Access To Remote Desktop ()
- win_security_rdp_reverse_tunnel.yml - RDP over Reverse SSH Tunnel WFP (filterorigin)

Decision-Maker Takeaways

- Prioritize the 58 techniques with 0% coverage before expanding breadth elsewhere.
- Use the 21 unscored analytics as the first quality-review queue for robustness and precision scoring.
- Focus enhancement work on analytics below the 1.6 quality threshold to lift average robustness and precision.