binx health At-home Nasal Swab COVID-19 Sample Collection Kit- for return at a drop-off location



Instructions For Use

Please read the full instructions prior to collecting your sample

MAKE SURE YOU ACTIVATE YOUR KIT AT https://mybinxhealth.com/activate

Kit contents



Cardboard shipping box



Swab in peel pouch and tube



Instructions for Use

(!)



Sample bag with absorbent pad



Return envelope



Sample identification label

- Open and unpack the sample collection kit, placing the contents on a clean surface.
- Activating your kit:
 - ▶ If you are a returning binx customer and have an existing binx account, you must go to https://mybinxhealth.com/login to first login and then enter your activation code to activate your kit.
 - ▶ If you are new to binx, the first step is to ACTIVATE YOUR KIT by going to https://mybinxhealth.com/activate and entering the activation code shown on the sample identification label.
 - ▶ Upon proper kit activation, you will receive an email notification. If you do not receive this AFTER activating, please email support at support@mybinxhealth.com
- The sample identification label is pre-printed with the activation code. The label may ask for your name, date of birth, and date, time and timezone you collected your sample. Complete the label with all of the requested information. Place the completed sample identification label around the swab tube so that the long side of the label matches the long side of the tube.
- Samples should only be collected Monday through Friday to minimize return delays. Be certain to
 return your envelope the same day you collect your sample. DROP OFF THE RETURN ENVELOPE
 AS SOON AS POSSIBLE AND ON THE SAME DAY AS SAMPLE COLLECTION AT THE
 DESIGNATED DROP-OFF LOCATION.

2 Collection Process


Activate your kit


FOLLOW ALL INSTRUCTIONS CAREFULLY TO ENSURE AN ACCEPTABLE SAMPLE IS COLLECTED. NOT FOLLOWING THESE INSTRUCTIONS MAY LEAD TO INCORRECT RESULTS OR REJECTION OF YOUR SAMPLE.


Samples should <u>ONLY</u> be collected Monday through Friday and should be returned to the drop-off location the same day.













- 1 Wash your hands thoroughly with soap and water for 20 seconds.
- Peel open the package where indicated. Leave the swab in the package for now.
 - Pull up to remove the cap from the collection tube. Place it on a clean surface where you can easily find it.
- 3 IMPORTANT: Do not touch the swab tip!

- Carefully pick up and slowly insert the swab approximately ½ inch / 1 cm into one nostril. Do not force the swab into your nose any further. Firmly sample the nasal membrane by rotating the swab 2-3 times then leave in place for 10 to 15 seconds. Gently remove the swab.
- Repeat this process using the same swab for the other nostril. It is important to collect your sample from both nostrils.
- Without touching the swab tip, place the swab (tip first) into the swab tube and close the tube tightly by pushing the cap straight down onto the tube firmly.

If during the collection process you feel any discomfort, stop collecting the sample immediately and contact binx.

Got any questions about the collection process? Contact binx at support@mybinxhealth.com or call 844-692-4691





- Place the swab tube (containing the swab) in the sample bag. Do not remove the absorbent pad. Seal the bag by tearing off the strip to expose the adhesive and folding the top of the bag over.
- Place the sealed sample bag in the cardboard shipping box. Close the box securely.
- Wash your hands thoroughly with soap and water for 20 seconds.

- 4 Place the cardboard shipping box inside the envelope and seal.
- Samples should only be collected Monday through Friday to minimize return delays. Drop off the sealed return envelope containing your sample at the designated drop off location.

| 4 | Checklist | You have successfully activated your kit online and received confirmation |
|---|---|---|
| | Before you send your sample back, please check: | The swab is sealed inside the sample bag, the sample bag is in the cardboard shipping box and the box is inside the return envelope |

Once received, the lab will process your sample and perform quality checks. We will contact you if there are any issues.

The sample identification label has been placed onto the swab

tube and all requested information has been filled out.

Your results will be reviewed by a licensed clinician and then securely transmitted to your binx dashboard. Log in to https://mybinxhealth.com/login to view your results.

This self-collection kit has not been FDA cleared or approved, but has been authorized for emergency use by FDA under an EUA for use by authorized laboratories. | This self-collection kit has been authorized only for the self-collection and maintenance of nasal swab specimens as an aid in the detection of nucleic acid from SARS-CoV-2, not for any other viruses or pathogens. | The emergency use of this self-collection kit in combination with the authorized test is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of medical devices for detection and/or diagnosis of COVID-19 under Section 564(b)(1) of the Federal Food, Drug, and Cosmetic Act, 21 U.S.C. §360bbb-3(b)(1), unless the declaration is terminated or authorization is revoked sooner.

What happens next?

binx health At-home Nasal Swab COVID-19 Sample Collection Kit- for return at a drop-off location



Instructions For Use

Please read the full instructions prior to collecting your sample

MAKE SURE YOU ACTIVATE YOUR KIT AT https://mybinxhealth.com/activate

Kit contents



Cardboard shipping box



Sterile swab and tube



Instructions for Use



Sample bag with absorbent pad



envelope



Sample identification label

- Open and unpack the sample collection kit, placing the contents on a clean surface.
- Activating your kit:
 - If you are a returning binx customer and have an existing binx account, you must go to https://mybinxhealth.com/login to first login and then enter your activation code to activate your kit.
 - ▶ If you are new to binx, the first step is to ACTIVATE YOUR KIT by going to https://mybinxhealth.com/activate and entering the activation code shown on the sample identification label.
 - ▶ Upon proper kit activation, you will receive an email notification. If you do not receive this AFTER activating, please email support at support@mybinxhealth.com
- The sample identification label is pre-printed with the activation code. The label may ask for your name, date of birth, and date, time and timezone you collected your sample. Complete the label with all of the requested information. Place the completed sample identification label around the swab tube so that the long side of the label matches the long side of the tube.
- Samples should only be collected Monday through Friday to minimize return delays. Be certain to return your envelope the same day you collect your sample. DROP OFF THE RETURN ENVELOPE AS SOON AS POSSIBLE AND ON THE SAME DAY AS SAMPLE COLLECTION AT THE DESIGNATED DROP-OFF LOCATION.

Collection Process

Activate your kit

FOLLOW ALL INSTRUCTIONS CAREFULLY TO ENSURE AN ACCEPTABLE SAMPLE IS COLLECTED. NOT FOLLOWING THESE INSTRUCTIONS MAY LEAD TO INCORRECT RESULTS OR REJECTION OF YOUR SAMPLE.


Samples should ONLY be collected Monday through Friday and should be returned to the drop-off location the same day.








(!)







- Wash your hands thoroughly with soap and water for 20 seconds.
- Remove the sterile swab from the tube
- **IMPORTANT:** Do not touch the swab tip!

- Carefully pick up and slowly insert the swab approximately ½ inch / 1 cm into one nostril. Do not force the swab into your nose any further. Firmly sample the nasal membrane by rotating the swab 2-3 times then leave in place for 10 to 15 seconds. Gently remove the swab.
- Repeat this process using the same swab for the other nostril. It is important to collect your sample from both nostrils.
- Without touching the swab tip, place the swab (tip first) into the swab tube and close the tube tightly.

If during the collection process you feel any discomfort, stop collecting the sample immediately and contact binx.

Got any questions about the collection process? Contact binx at support@mybinxhealth.com or call 844-692-4691





- Place the swab tube (containing the swab) in the sample bag. Do not remove the absorbent pad. Seal the bag by tearing off the strip to expose the adhesive and folding the top of the bag over.
- Place the sealed sample bag in the cardboard shipping box. Close the box securely.
- Wash your hands thoroughly with soap and water for 20 seconds.

- 4 Place the cardboard shipping box inside the envelope and seal.
- Samples should only be collected Monday through Friday to minimize return delays. Drop off the sealed return envelope The sample identification label has been placed onto the swab tube and all requested information has been filled out.

| 4 | Checklist Before you send your sample back, please check: | The sample identification label has been placed onto the swab tube and all requested information has been filled out. |
|---|---|---|
| | | You have successfully activated your kit online and received confirmation |
| | | The swab is sealed inside the sample bag, the sample bag is in the cardboard shipping box and the box is inside the return envelope |

- Once received, the lab will process your sample and perform quality checks. We will contact you if there are any issues.
- Your results will be reviewed by a licensed clinician and then securely transmitted to your binx dashboard. Log in to https://mybinxhealth.com/login to view your results.

This self-collection kit has not been FDA cleared or approved, but has been authorized for emergency use by FDA under an EUA for use by authorized laboratories. | This self-collection kit has been authorized only for the self-collection and maintenance of nasal swab specimens as an aid in the detection of nucleic acid from SARS-CoV-2, not for any other viruses or pathogens. | The emergency use of this self-collection kit in combination with the authorized test is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of medical devices for detection and/or diagnosis of COVID-19 under Section 564(b)(1) of the Federal Food, Drug, and Cosmetic Act, 21 U.S.C. §360bbb-3(b)(1), unless the declaration is terminated or authorization is revoked sooner.

What happens next?

binx health At-home Nasal Swab COVID-19 Sample Collection Kit- for individual shipping



Instructions For Use

Please read the full instructions prior to collecting your sample

MAKE SURE YOU ACTIVATE YOUR KIT AT https://mybinxhealth.com/activate

Kit contents



Cardboard shipping box



Swab in peel pouch and tube



Instructions for Use



Sample bag with absorbent pad



Pre-paid return envelope



Sample identification label

- Open and unpack the sample collection kit, placing the contents on a clean surface.
- Activating your kit:
 - ▶ If you are a returning binx customer and have an existing binx account, you must go to https://mybinxhealth.com/login to first login and then enter your activation code to activate your kit.
 - ▶ If you are new to binx, the first step is to ACTIVATE YOUR KIT by going to https://mybinxhealth.com/activate and entering the activation code shown on the sample identification label.
 - Upon proper kit activation, you will receive an email notification. If you do not receive this AFTER activating, please email support at support@mybinxhealth.com
- The sample identification label is pre-printed with the activation code. The label may ask for your name, date of birth, and date, time and timezone you collected your sample. Complete the label with all of the requested information. Place the completed sample identification label around the swab tube so that the long side of the label matches the long side of the tube.
- Samples should only be collected Monday through Friday to minimize return shipping delays. Be certain to return your envelope the same day you collect your sample. Return the pre-paid envelope using UPS before the last pickup of the day and on the same day you collect your sample. To arrange a UPS collection go to wwwapps.ups.com/pickup/schedule or take your envelope to any UPS access point or store.

2 Collection Process


Activate your kit





FOLLOW ALL INSTRUCTIONS CAREFULLY TO ENSURE AN ACCEPTABLE SAMPLE IS COLLECTED. NOT FOLLOWING THESE INSTRUCTIONS MAY LEAD TO INCORRECT RESULTS OR REJECTION OF YOUR SAMPLE.


Samples should ONLY be collected Monday through Friday and should be shipped back the same day.













- 1 Wash your hands thoroughly with soap and water for 20 seconds.
- Peel open the package where indicated.
 Leave the swab in the package for now.
 - Pull up to remove the cap from the collection tube. Place it on a clean surface where you can easily find it.
- 3 IMPORTANT: Do not touch the swab tip!

- Carefully pick up and slowly insert the swab approximately ½ inch / 1 cm into one nostril. Do not force the swab into your nose any further. Firmly sample the nasal membrane by rotating the swab 2-3 times then leave in place for 10 to 15 seconds. Gently remove the swab.
- Repeat this process using the same swab for the other nostril. It is important to collect your sample from both nostrils.
- Without touching the swab tip, place the swab (tip first) into the swab tube and close the tube tightly by pushing the cap straight down onto the tube firmly.

If during the collection process you feel any discomfort, stop collecting the sample immediately and contact binx.

Got any questions about the collection process? Contact binx at support@mybinxhealth.com or call 844-692-4691





- Place the swab tube (containing the swab) in the sample bag. Do not remove the absorbent pad. Seal the bag by tearing off the strip to expose the adhesive and folding the top of the bag over.
- Place the sealed sample bag in the cardboard shipping box. Close the box securely.
- Wash your hands thoroughly with soap and water for 20 seconds.

- Place the cardboard shipping box inside the envelope and seal.
- Be certain to return your sample before the last pickup the same day that you collect your samples. Samples should only be collected Monday through Friday to minimize return shipping delays. To arrange a UPS collection go to wwwapps.ups.com/pickup/schedule or take your envelope to any UPS access point or store.

| | | tube and all requested information has been filled out. |
|---|---|---|
| 4 | Checklist Before you send your sample back, please check: | You have successfully activated your kit online and received confirmation |
| | | The swab is sealed inside the sample bag, the sample bag is in the cardboard shipping box and the box is inside the return envelope |

What happens next?

Once received, the lab will process your sample and perform quality checks. We will contact you if there are any issues.

The sample identification label has been placed onto the swab

Your results will be reviewed by a licensed clinician and then securely transmitted to your binx dashboard. Log in to https://mybinxhealth.com/login to view your results.

This self-collection kit has not been FDA cleared or approved, but has been authorized for emergency use by FDA under an EUA for use by authorized laboratories. | This self-collection kit has been authorized only for the self-collection and maintenance of nasal swab specimens as an aid in the detection of nucleic acid from SARS-CoV-2, not for any other viruses or pathogens. I The emergency use of this self-collection kit in combination with the authorized test is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of medical devices for detection and/or diagnosis of COVID-19 under Section 564(b)(1) of the Federal Food, Drug, and Cosmetic Act, 21 U.S.C. §360bbb-3(b)(1), unless the declaration is terminated or authorization is revoked sooner.

binx health At-home Nasal Swab COVID-19 Sample Collection Kit- for individual shipping



Instructions For Use

Please read the full instructions prior to collecting your sample

MAKE SURE YOU ACTIVATE YOUR KIT AT https://mybinxhealth.com/activate

Kit contents



Cardboard shipping box



Sterile swab and tube



Instructions for Use



Sample bag with absorbent pad



Pre-paid return envelope



Sample identification label

- Open and unpack the sample collection kit, placing the contents on a clean surface.
- Activating your kit:
 - ▶ If you are a returning binx customer and have an existing binx account, you must go to https://mybinxhealth.com/login to first login and then enter your activation code to activate your kit.
 - ▶ If you are new to binx, the first step is to ACTIVATE YOUR KIT by going to https://mybinxhealth.com/activate and entering the activation code shown on the sample identification label.
 - Upon proper kit activation, you will receive an email notification. If you do not receive this AFTER activating, please email support at support@mybinxhealth.com
- The sample identification label is pre-printed with the activation code. The label may ask for your name, date of birth, and date, time and timezone you collected your sample. Complete the label with all of the requested information. Place the completed sample identification label around the swab tube so that the long side of the label matches the long side of the tube.
- Samples should only be collected Monday through Friday to minimize return shipping delays. Be
 certain to return your envelope the same day you collect your sample. Return the pre-paid envelope
 using UPS before the last pickup of the day and on the same day you collect your sample. To
 arrange a UPS collection go to wwwapps.ups.com/pickup/schedule or take your envelope to any
 UPS access point or store.

2 Collection Process

Activate your kit

FOLLOW ALL INSTRUCTIONS CAREFULLY TO ENSURE AN ACCEPTABLE SAMPLE IS COLLECTED. NOT FOLLOWING THESE INSTRUCTIONS MAY LEAD TO INCORRECT RESULTS OR REJECTION OF YOUR SAMPLE.


Samples should ONLY be collected Monday through Friday and should be shipped back the same day.









(!)








- 1 Wash your hands thoroughly with soap and water for 20 seconds.
- Remove the sterile swab from the tube
- 3 IMPORTANT: Do not touch the swab tip!

- Carefully pick up and slowly insert the swab approximately ½ inch / 1 cm into one nostril. Do not force the swab into your nose any further. Firmly sample the nasal membrane by rotating the swab 2-3 times then leave in place for 10 to 15 seconds. Gently remove the swab.
- Repeat this process using the same swab for the other nostril. It is important to collect your sample from both nostrils.
- Without touching the swab tip, place the swab (tip first) into the swab tube and close the tube tightly.

If during the collection process you feel any discomfort, stop collecting the sample immediately and contact binx.

Got any questions about the collection process? Contact binx at support@mybinxhealth.com or call 844-692-4691





- Place the swab tube (containing the swab) in the sample bag. Do not remove the absorbent pad. Seal the bag by tearing off the strip to expose the adhesive and folding the top of the bag over.
- Place the sealed sample bag in the cardboard shipping box. Close the box securely.
- Wash your hands thoroughly with soap and water for 20 seconds.

- 4 Place the cardboard shipping box inside the envelope and seal.
- Be certain to return your sample before the last pickup the same day that you collect your samples. Samples should only be collected Monday through Friday to minimize return shipping delays. To arrange a UPS collection go to wwwapps.ups.com/pickup/schedule or take your envelope to any UPS access point or store.

| | | The sample identification label has been placed onto tube and all requested information has been filled out | |
|---|---|--|---------|
| 4 | Checklist Before you send your sample back, please check: | You have successfully activated your kit online and reconfirmation | eceived |
| | | The swab is sealed inside the sample bag, the sample the cardboard shipping box and the box is inside the envelope | |

? What happens next?

- Once received, the lab will process your sample and perform quality checks. We will contact you if there are any issues.
- Your results will be reviewed by a licensed clinician and then securely transmitted to your binx dashboard. Log in to https://mybinxhealth.com/login to view your results.

This self-collection kit has not been FDA cleared or approved, but has been authorized for emergency use by FDA under an EUA for use by authorized laboratories. | This self-collection kit has been authorized only for the self-collection and maintenance of nasal swab specimens as an aid in the detection of nucleic acid from SARS-CoV-2, not for any other viruses or pathogens. | The emergency use of this self-collection kit in combination with the authorized test is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of medical devices for detection and/or diagnosis of COVID-19 under Section 564(b)(1) of the Federal Food, Drug, and Cosmetic Act, 21 U.S.C. §360bbb-3(b)(1), unless the declaration is terminated or authorization is revoked sooner.