

13 - Access Control Directory

Overview

This directory defines role-based access and integration access policy for PractitionerHub under EFIN 748335.

Directory Artifacts

Path	Purp
platform/security/access/rbac-integration-access-directory.yaml	Canoni role an integra access policy operati and au referen
platform/db/migrations/006_role_and_integration_access_directory.sql	Databa level r permis and integra access seedin

Executable Scripts

Command	Script Path	Purpose
npm run access:apply	scripts/access/apply-access-directory.mjs	Executes full migration chain including access-directory migration
npm run access:validate	scripts/access/validate-access-directory.mjs	Verifies required tables, permission counts, and integration mappings
npm run access:rollout	scripts/access/rollout-access-directory.mjs	Runs apply and validation as a single executable rollout

Roles and Permission Model

Role Code	Role Name	Access Intent
ERO_ADMIN	ERO Administrator	Full operational and integration control
PREPARER	Tax Preparer	Return prep and transmission workflows with constrained admin access
AUDITOR	Compliance Auditor	Read-focused compliance and control-plane visibility
CLIENT	Client Portal User	Portal and refund visibility with own-data boundary

Key Permission Families

Family	Permission Codes
Core Workflow	VIEW_RETURNS, EDIT_RETURNS, RUN_EFILE
Platform Access	ACCESS_GATEWAY, ACCESS_AUDIT_LOGS
IRS and Transmission	ACCESS_IRS_TUNNEL, ACCESS_MEF_A2A, ACCESS_FIRE_TRANSMISSION, ACCESS_MEF_TRANSMISSION
Tax Operations	ACCESS_IDENTITY_VERIFICATION, ACCESS_TPP_RECONCILIATION, ACCESS_ERO_STATUS, ACCESS_MASTERFILE, ACCESS_TC_SYNC, ACCESS_REFUND_INTELLIGENCE
Integration Governance	MANAGE_INTEGRATIONS

Integration Access Matrix

Integration Code	ERO_ADMIN	PREPARER	AUDITOR	CLIENT
GATEWAY	full	write	read	none
IRS_TUNNEL	full	none	read	none
MEF_A2A	full	write	none	none
FIRE_TRANSMISSION	full	write	none	none
MEF_TRANSMISSION	full	write	none	none
IDENTITY_VERIFY	full	write	none	none
TPP_RECON	full	none	read	none

Integration Code	ERO_ADMIN	PREPARER	AUDITOR	CLIENT
ERO_STATUS	full	write	read	none
MASTERFILE	full	write	read	none
TC_SYNC	full	read	read	none
REFUND_INTELLIGENCE	full	read	read	own_only

Implementation Notes

- Permission checks run through `platform/auth/service.js` using `checkPermission` and `validateCredentialAccess`.
- Migration `006_role_and_integration_access_directory.sql` is additive and uses `INSERT OR IGNORE` for idempotent execution.
- The access directory YAML is intended as the operational source of truth for audits, release checks, and policy review.

Release Gate Checks

1. Confirm migration 006 executes successfully in the target environment.
2. Verify role-to-permission mappings for all active operator accounts.
3. Validate integration access assignments for production roles.
4. Confirm no module requires a permission code absent from the directory artifacts.