



Ευστάθιος Ιωσηφίδης
iosifidis@opensuse.org

Τι είναι το ownCloud Μάκη μου;



Ανοικτού κώδικα πρόγραμμα όπου μπορείτε να διατηρείτε τα δεδομένα σας.

Η διαφορά με τις παραπάνω υπηρεσίες;

1. Ορίζετε εσείς πόσο χώρο θέλετε για τα αρχεία σας.
2. Επωφελήστε από τα πρόσθετα.

Προαπαιτούμενα

Ουσιαστικά είναι σαν ένα CMS πρόγραμμα.
Οπότε θα χρειαστεί ο LAMP



php5 (≥ 5.2)
php5-sqlite (≥ 3)
php5-json
php-xml
php-mbstring

mp3info
curl
libcurl3
libcurl3-dev
php5-curl
zip

Software Manager

This tool lets you install, remove, and update applications. [more](#)

LAMP, εύκολο;

Patterns

Remote Desktop
Installed 1 of 6

Technical Writing
Installed 0 of 38

Voice Over IP C...
Installed 0 of 6

Server Function...

File Server
Installed 4 of 13

Miscellaneous ...
Installed 0 of 6

Network Admi...
Installed 2 of 20

Print Server
Installed 8 of 15

Mail and News ...
Installed 2 of 15

Web and LAMP...
Installed 6 of 21

Internet Gateway
Installed 0 of 12

DHCP and DN...
Installed 0 of 8

Directory Serv...
Installed 0 of 5

Xen Virtual Ma...
Installed 2 of 10

Proprietary So...

Misc. Proprieta...
Installed 0 of 12

Development

Base Develop...
Installed 5 of 51

GNOME Devel...
Installed 0 of 41

KDE Developm...
Installed 0 of 248

All packages 21

Not installed 15

Installed 6

Modified 7

Package listing:

Find:

by Name & Summary ▼

Name	Version
<input checked="" type="checkbox"/> apache2 The Apache Web Server Version 2.2	2.2.21-3.4.1
<input checked="" type="checkbox"/> apache2-doc Additional Package Documentation.	2.2.21-3.4.1
<input checked="" type="checkbox"/> apache2-example-pages Example Pages for the Apache 2 Web Server	2.2.21-3.4.1
<input checked="" type="checkbox"/> apache2-mod_perl Embedded Perl for Apache	2.0.5-5.1.3
<input checked="" type="checkbox"/> apache2-mod_php5 PHP5 Module for Apache 2.0	5.3.8-4.2.1
<input checked="" type="checkbox"/> apache2-mod_python A Python Module for the Apache 2 Web Server	3.3.1-167.1.2
<input checked="" type="checkbox"/> apache2-prefork Apache 2 "prefork" MPM (Multi-Processing Module)	2.2.21-3.4.1
<input type="checkbox"/> mysql-community-server A True Multiuser, Multithreaded SQL Database Server	5.5.16-3.3.1
<input checked="" type="checkbox"/> patterns-openSUSE-lamp_server Meta package for pattern lamp_server	12.1-25.21.1
<input checked="" type="checkbox"/> php5-ctype PHP5 Extension Module	5.3.8-4.2.1
<input checked="" type="checkbox"/> php5-dom PHP5 Extension Module	5.3.8-4.2.1
<input type="checkbox"/> php5-gd PHP5 Extension Module	5.3.8-4.2.1
<input checked="" type="checkbox"/> php5-iconv PHP5 Extension Module	5.3.8-4.2.1
<input type="checkbox"/> php5-mbstring PHP5 Extension Module	5.3.8-4.2.1
<input checked="" type="checkbox"/> php5-mysql PHP5 Extension Module	5.3.8-4.2.1
<input type="checkbox"/> php5-zip PHP5 Extension Module	5.3.8-4.2.1
<input type="checkbox"/> php5-zlib PHP5 Extension Module	5.3.8-4.2.1
<input type="checkbox"/> postgresql Basic Clients and Utilities for PostgreSQL	9.1.1-3.1.4
<input type="checkbox"/> postgresql-contrib Contributed Extensions and Additions to PostgreSQL	9.1.1-3.1.4
<input type="checkbox"/> postgresql-server The Programs Needed to Create and Run a PostgreSQL Server	9.1.1-3.1.4
<input checked="" type="checkbox"/> yast2-http-server YaST2 - HTTP Server Configuration	2.21.0-2.1.1

+ install Web and LAMP Server, plus 9 dependencies

Undo (view all changes) Space available: 10.87 GiB



Help



Cancel



Apply



System Services (Runlevel): Details

Assign system services to runlevels by selecting the list entry of the respective service then checking or unchecking the check boxes B-S for the runlevel. [more](#)

☐ Simple Mode ☒ Expert Mode

Set default runlevel after booting to:

5: Full multiuser with network and display manager

Service	Running	B	0	1	2	3	5	6	S	Description
SuSEfirewall2_init	Yes					3	5			SuSEfirewall2 phase 1
SuSEfirewall2_setup	Yes					3	5			SuSEfirewall2 phase 2
acpid	Yes				2	3	5			Listen and dispatch ACPI events from the kernel
alsasound	No				2	3	5			Set up ALSA sound system
apache2	Yes					3	5			Apache 2.2 HTTP Server
atd	No									Start AT batch job daemon
autofs	No									automatic mounting of filesystems
autoyast	Yes									A start script to execute autoyast scripts
avahi-daemon	Yes					3	5			ZeroConf daemon
avahi-dnsmconfd	No									ZeroConf daemon
bluez-coldplug	Yes				2	3	5			handles udev coldplug of bluetooth dongles
boot.cgrouop	No									mount /sys/fs/cgroup
boot.cleanup	Yes	B								do cleanup
boot.clock	No									Read hardware clock and set system clock
boot.crypto	No									Enables crypto file systems that couldn't be enabled in first part
boot.crypto-early	No									crypto file systems
boot.cycle	Yes	B								Set default boot entry if called
boot.device-mapper	No									activate device mapper
boot.dmraid	No									start dmraid
boot.ldconfig	No									run ldconfig if needed
boot.loadmodules	No	B								load modules required to be loaded in specific order
boot.localfs	No	B								check and mount local filesystems except /
boot.localnet	Yes	B								setup hostname and yp
boot.lvm	Yes									start logical volumes
boot.md	No									Multiple Device RAID

Start the Apache HTTP daemon

Start now ...

Stop now ...

Refresh status ...

Start/Stop/Refresh ▾

ing runlevels:

0



1



2



3



5

Enable the service

Disable the service

Enable all services

Set/Reset ▾



Help



Cancel



OK



System Services (Runlevel): Details

Assign system services to runlevels by selecting the list entry of the respective service then checking or unchecking the check boxes B-S for the runlevel. [more](#)

☐ Simple Mode ☒ Expert Mode

Set default runlevel after booting to:

5: Full multiuser with network and display manager

Service	Running	B	0	1	2	3	5	6	S	Description
joystick	No									Set up analog joysticks
kbd	No			1	2	3	5		S	Keyboard settings
kexec	No									Enables reboot through kexec
lirc	No									lirc daemon
mdadm	No									mdadm daemon monitoring MD devices
microcode.ctl	Yes			1	2	3	5			CPU microcode updater
multipathd	No									Starts multipath daemon
mysql	Yes					3	5			Start the MySQL database server
network	Yes					3	5			Configure the localfs depending network interfaces
network-remotefs	Yes					3	5			Configure the remote-fs depending network interfaces
nfs	No									NFS client services
nmb	No									Samba NetBIOS naming service over IP
nscd	Yes					3	5			Start Name Service Cache Daemon
ntp	No									Network time protocol daemon (ntpd)
pm-profiler	No									Script infrastructure to enable/disable certain power management functions
powerd	No									Start the UPS monitoring daemon
purge-kernels	Yes					3	5			Purge old kernels
random	No				2	3	5			Snapshot random state
raw	No									raw devices
rpcbind	No									TI-RPC program number mapper
rpmconfigcheck	No									rpm config file scan
rsyncd	No									Start the rsync server daemon
sendmail	Yes					3	5			Start the Sendmail MTA
setserial	No									Initializes the serial ports

Start the MySQL database server

Start now ...

Stop now ...

Refresh status ...

Start/Stop/Refresh ▼



Help

Enable the service

Disable the service

Enable all services

Set/Reset ▼



Cancel



OK



System Services (Runlevel): Details


Assign system services to runlevels by selecting the list entry of the respective service then checking or unchecking the check boxes B-S for the runlevel. [more](#)

☐ Simple Mode ☒ Expert Mode

Set default runlevel after booting to:

5: Full multiuser with network and display manager

Service	Running	B	0	1	2	3	5	6	S	Description
joystick	No									Set up analog joysticks
kbd	No			1	2	3	5		S	Keyboard settings
kexec	No									Enables reboot through kexec
lirc	No									lirc daemon
mdadm	No									mdadm daemon monitoring MD devices
microcode.ctl	Yes			1	2	3	5			CPU microcode updater
multipathd	No									Starts multipath daemon
mysql	Yes					3	5			Start the MySQL database server
network	Yes					3	5			Configure the localfs depending network interfaces
network-remotefs	Yes					3	5			Configure the remote-fs depending network interfaces
nfs	No									
nmb	No									
nscd	Yes					3	5			
ntp	No									
pm-profiler	No									
powerd	No									
purge-kernels	Yes					3	5			
random	No				2	3	5			Snapshot random state
raw	No									raw devices
rpcbind	No									TI-RPC program number mapper
rpmconfigcheck	No									rpm config file scan
rsyncd	No									Start the rsync server daemon
sendmail	Yes					3	5			Start the Sendmail MTA
setserial	No									Initializes the serial ports



Start the MySQL database server

Service will be started in following runlevels:

☐ B ☐ 0 ☐ 1 ☐ 2 ☒ 3 ☒ 5 ☐ 6 ☐ S

Start/Stop/Refresh ▼

Set/Reset ▼



Help



Cancel



OK

Ωραία ο LAMP εκτελείται. Τώρα;

1. Κατεβάζουμε την τελευταία έκδοση από την ιστοσελίδα <http://www.owncloud.org>
2. Αποσυμπίεστε το αρχείο
`tar -pxvzf owncloud-3.0.3.tar.bz2`
3. Ως υπερχρήστες (su), μετακινήστε το αρχείο στον φάκελο:
`mv owncloud /srv/www/htdocs/owncloud`
4. Αλλάξτε τα δικαιώματα:
`#cd /srv/www/htdocs/`
`#chown -R wwwrun owncloud`



Create an admin account

Advanced ▼

Data folder:

Configure the database

MySQL will be used.

🏠 Αρχεία

Νέο



🎵 Μουσική ▶▶

👤 Contacts

🖼️ Gallery

📖 Bookmarks

🖨️ 0%

<input type="checkbox"/> Όνομα	Μέγεθος	Τροποποιήθηκε
📁 Music	16.0	yesterday
📁 Shared	0	years ago
🖼️ DSCN1488	1.0	months ago
🖼️ DSCN1489	1.0	months ago
🖼️ DSCN1539	1.0	months ago
📄 Simeiwseis.pdf	0.6	16 minutes ago



🏠 Αρχεία

🎵 Μουσική

👤 Contacts

🖼️ Gallery

📖 Bookmarks

🖱️ 0%

00:12



Posthumus Regnum Trailer Edit

Επανασάρωση συλλογής

Posthumus Regnum Trailer Edit

▶️ Akashic Records	Medieval Battle Soundtrack	Medieval Battle
▶️ Arnaud Conde	COMING SOON	Posthumus Regnum Trailer Edit
▶️ Kokenovem	March for Rome	March for Rome
▶️ NiNzo. Licensed to the public under http:...	Epic feel	Epic feel

Προσθήκη επαφής

Addressbooks

Όνομα

Οργανισμός

Email

Τηλέφωνο Κινητό x

Διεύθυνση

Τύπος

Ταχ. Θυρίδα

Εκτεταμένη

Οδός

Πόλη

Περιοχή

T.K.

Χώρα

Δημιουργία επαφής



Αρχεία

Προσθήκη επαφής

Addressbooks

Μουσική ▶▶

Contacts

Gallery

Bookmarks

0%

Efstathios Iosifidis

Efstathios Iosifidis

Οργανισμός openSUSE

Email iefstathios@gmail.com

Email 

Προσθήκη







Αρχεία κειμένου

A screenshot of the ownCloud web interface. The top navigation bar is dark blue with the ownCloud logo on the left, a search bar in the center, and a power icon on the right. The left sidebar contains a list of navigation items: "Αρχεία" (Files), "Μουσική" (Music), "Contacts", "Gallery", and "Bookmarks". Below these is a progress bar showing "0%". The main content area displays a list of files and folders. A context menu is open over the "Αρχείο κειμένου" (Text file) item, showing options: "Νέο" (New) with an upward arrow icon, "Αρχείο κειμένου" (Text file) with a document icon, and "Φάκελος" (Folder) with a folder icon. The file list table has columns for file names, sizes, and modification dates. The files listed are "Shared", "DSCN1488", "DSCN1489", "DSCN1539", and "Simeiwseis".

	Μέγεθος	Τροποποιήθηκε
Αρχείο κειμένου	16.0	yesterday
Φάκελος	0	years ago
Shared		
DSCN1488	1.0	months ago
DSCN1489	1.0	months ago
DSCN1539	1.0	months ago
Simeiwseis	0.6	yesterday






 Αρχεία

owncloud@fosscomm

Save

Go to line: Search:


Close

 Μουσική Contacts Gallery Bookmarks 0%

```
1 Όσοι από τους συμμετέχοντες επιθυμούν να συμμετάσχουν στο openSUSE collaboration camp  
2 μπορούν να ρωτήσουν τα παιδιά στο booth του openSUSE.  
3
```

Ανάγνωση αρχείων pdf

Ορμονική ρύθμιση



Χρησιμοποιείτε **25.1 MB** από τα διαθέσιμα **296.9 GB**

.....

Νέος κωδικός

☐ Εμφάνιση

Αλλαγή κωδικού πρόσβασης

Email

Συμπληρώστε μια διεύθυνση ηλεκτρονικού ταχυδρομείου για να ενεργοποιηθεί ή ανάκτηση κωδικού πρόσβασης

Γλώσσα

Ελληνικά

Βοηθήστε στην μετάφραση

WebDAV <http://owncloud.comuv.com/owncloud/files/webdav.php>

χρησιμοποιήστε αυτή τη διεύθυνση για να συνδεθείτε στο ownCloud σας από το διαχειριστή αρχείων σας

Contacts

CardDAV syncing address: <http://owncloud.comuv.com/owncloud/apps/contacts/carddav.php>

Bookmarklet: Add page to ownCloud

Drag this to your browser bookmarks and click it, when you want to bookmark a webpage.

Media


Ampache address: <http://owncloud.comuv.com/owncloud/apps/media/>

ownCloud 3

developed by the ownCloud community

Your ownCloud is up to date

source code licensed freely under AGPL



Χρησιμοποιείτε **25.1 MB** από τα διαθέσιμα **296.9 GB**

.....

Νέος κωδικός

☐ Εμφάνιση

Αλλαγή κωδικού πρόσβασης

Email

Συμπληρώστε μια διεύθυνση ηλεκτρονικού ταχυδρομείου για να ενεργοποιηθεί ή ανάκτηση κωδικού πρόσβασης

Γλώσσα

Ελληνικά



Βοηθήστε στην μετάφραση

WebDAV <http://owncloud.comuv.com/owncloud/files/webdav.php>

χρησιμοποιήστε αυτή τη διεύθυνση για να συνδεθείτε στο ownCloud σας από το διαχειριστή αρχείων σας

Contacts

CardDAV syncing address: <http://owncloud.comuv.com/owncloud/apps/contacts/carddav.php>

Bookmarklet: Add page to ownCloud

Drag this to your browser bookmarks and click it, when you want to bookmark a webpage.

Media

Ampache address: <http://owncloud.comuv.com/owncloud/apps/media/>

ownCloud 3

developed by the ownCloud community

Your ownCloud is up to date

source code licensed freely under AGPL



Bookmarks

Ο καιρός έχει ζεστάνει για τα καλά και ήρθε λοιπόν η ώρα να κανονίσουμε ξανά τις καλοκαιρινές μας εξορμήσεις για φέτος. Έτσι λοιπόν ήρθε η ώρα να βρεθούμε και πάλι όλοι μαζί για το φετινό **openSUSE Collaboration Summer Camp !!!**

Τι θα κάνουμε είπες;

Θα μαζευτούμε όλοι μαζί δίπλα στη θάλασσα για να παρακολουθήσουμε διάφορα workshops (μην ξεχάσετε να φέρετε τα laptop σας!) και θα δουλέψουμε πάνω στα αγαπημένα μας projects!

Πότε;

Το Παρασκευοσαββατοκύριακο **20-21-22 Ιουλίου 2012!**

Πού;

Στο ξενοδοχείο **Grand Platon Hotel** (www.grandplaton-hotel.gr) στην Ολυμπιακή Ακτή στην παραλία Κατερίνης. Λεπτομέρειες για το πώς να έρθετε μπορείτε να βρείτε εδώ.

Ποιός;

Address Title Tags

Hint: Use space to separate tags.

[openSUSE Collaboration Summer Camp 2012](#)<http://www.os-el.gr/summercamp/>

Χρησιμοποιείτε **25.1 MB** από τα διαθέσιμα **296.9 GB**

.....

Νέος κωδικός

☐ Εμφάνιση

Αλλαγή κωδικού πρόσβασης

Email

Συμπληρώστε μια διεύθυνση ηλεκτρονικού ταχυδρομείου για να ενεργοποιηθεί ή ανάκτηση κωδικού πρόσβασης

Γλώσσα

Ελληνικά



Βοηθήστε στην μετάφραση

WebDAV <http://owncloud.comuv.com/owncloud/files/webdav.php>

χρησιμοποιήστε αυτή τη διεύθυνση για να συνδεθείτε στο ownCloud σας από το διαχειριστή αρχείων σας

Contacts

CardDAV syncing address: <http://owncloud.comuv.com/owncloud/apps/contacts/carddav.php>

Bookmarklet: Add page to ownCloud

Drag this to your browser bookmarks and click it, when you want to bookmark a webpage.

Media

Ampache address: <http://owncloud.comuv.com/owncloud/apps/media/>


ownCloud 3


developed by the ownCloud community

Your ownCloud is up to date

source code licensed freely under AGPL

Ampache στο Amarok





🏠 Αρχεία

🎵 Μουσική ▶▶

👤 Contacts

🖼️ Gallery

📖 Bookmarks

🖼️ 0%

⚙️

👤 Προσωπικά

👤 Χρήστες

🗖️ Εφαρμογές

🖨️ Log

☰ Διαχειριστής

📖 Βοήθεια

Προσθέστε την δική σας εφαρμογή

Bookmarks

Calendar

Contacts

Gallery

Import/Export

Media

Owncloud dependencies info

PDF viewer (pdfjs-based)

Quota Bar

Share Files

Text Editor

remoteStorage compatibility

External

LDAP user backend

Mail

OpenID user backend

Storage Charts

Webfinger

playstreaming

SVG Editor

Photo album

Playstreaming

Dashboards v1.0

Getfile

user_redmine

ocDownloader v2.0

Subphonic

Mail 0.3

Roundcube for ownCloud


AGPL-με άδεια με David Jaedke

Enable

Mirall



mirall

 Create a new ownCloud

Where do you want to create your ownCloud?

☐ create ownCloud on this computer

installs the ownCloud on this computer. Other people will not be able to access your data by default.

☒ create ownCloud on my internet domain

installs ownCloud on a domain you control. You need the FTP credentials for the installation.

This ownCloud will be accessible from the internet.

Domain:

< Back Next > Cancel

Όνομα	Κωδικός	Ομάδες ▼	Δημιουργία
Όνομα	Κωδικός	Ομάδες	Αναλογία χώρου
owncloud	admin ▼	None
owncloud1	Ομάδες ▼	None
owncloud10	Ομάδες ▼	None
owncloud2	Ομάδες ▼	None
owncloud3	Ομάδες ▼	None
owncloud4	Ομάδες ▼	None
owncloud5	Ομάδες ▼	None
owncloud6	Ομάδες ▼	None
owncloud7	Ομάδες ▼	None
owncloud8	Ομάδες ▼	None
owncloud9	Ομάδες ▼	None

http://www.owncube.com

OwnCube

Live Chat
offline

Αρχεία

Μουσική

Ημερολόγιο

Contacts

Gallery

Bookmarks

ocDownloader

OwnCube Mail

Invite Friends

Νέο


↑

<input type="checkbox"/> Όνομα	Μέγεθος	Τροποποιήθηκε
ΚDE	24.1	last month
Music	183.7	18 days ago
Shared	0	years ago

★ ↓ ▶ 📄 🔗 ✎ ✕

https://owncube.com/files/index.php?dir=/Shared

<http://www.getfreecloud.com>



Πληροφορίες

Ιστοσελίδα: <http://www.owncloud.org>

Facebook: <https://www.facebook.com/owncloud>


Twitter: <https://twitter.com/#!/owncloudcom>

Google Plus: <https://plus.google.com/b/102805591550379137055/>

Gitorious: <https://gitorious.org/owncloud>

ownCloud in a box PRELOAD cd:

<http://susestudio.com/a/TadMax/owncloud-in-a-box>



Collaboration SummerCamp 2012

20 - 21 - 22

Ιουλίου

Παραλία

Κατερίνης



Σκάνναρε με!

Grand Platon Hotel ,Ολυμπιακή Ακτή
www.grandplaton-hotel.gr

www.os-el.gr