1928GOAM....2A..39D

TRANSIT-CIRCLE

SUN, MOON AND PLANETS

Observed Right Ascensions, Declinations and Diameters

Compared with the Corresponding Results of the Nautical Almanac
with
Deduced Corrections in Longitude and Latitude for the Sun and Moon

1926

John G. Wolbach Library, Harvard-Smithsonian Center for Astrophysics • Provided by the NASA Astrophysics Data System

1928GOAM....2A..39D

SUN.

G.M.T. from Midnight.		Observer.	Limb.	Right Ascension. Observed.	Right Ascension. O-C.	Horizontal Diameter. Observed.	Horizontal Diameter. O-C.	Limb.	Declination. Observed.	Declination. O-C.	Vertical Diameter. Observed.	Vertical Diameter. O-C.
1926. d	h			h m s	s	m s	s		° ′ ″	″	′ ″	″
Jan. 4	12	HB		18 58 11·98	+ ·08	2 21·61	− ·19	N	−22 46 26·25	−1·55	...	...
9	12	GR		19 20 6·92	+ ·14	2 20·83	− ·33		−22 10 14·51	+0·09	32 30·28	−4·60
11	12	HA		19 28 49·37	+ ·08	2 20·74	− ·12		−21 52 42·51	−0·11	32 32·97	−1·73
12	12	HB	1	19 33 9·85	+ ·14	...	...		−21 43 17·60	+0·20	32 30·74	−3·86
13	12	RC		19 37 29·58	+ ·05	2 20·48	− ·04		−21 33 28·13	−0·33	32 33·14	−1·36
18	12	HB		19 58 58·85	+ ·12	2 19·33	− ·27		−20 38 8·63	+0·07	32 31·03	−2·83
20	12	GW		20 7 29·67	+ ·29	2 19·04	− ·16		−20 13 13·64	+0·96	32 34·85	+1·31
27	12	GR		20 36 (52)	...	...	...		−18 34 26·67	+1·33	32 29·31	−2·83
29	12	HA		20 45 8·31	+ ·10	2 17·18	− ·06		−18 3 7·21	+0·29	32 29·40	−2·24
Feb. 13	12	GW		21 45 28·11	+ ·08	2 13·45	− ·39		−13 30 28·70	+2·10	32 26·10	−0·56
18	12	RC		22 4 56·10	+ ·14	2 12·80	·00		−11 47 25·91	−0·31	32 24·12	−0·58
22	12	HA		22 20 17·52	+ ·12	2 12·07	+ ·03		−10 21 35·50	−0·40	32 21·86	−1·18
24	12	RC		22 27 54·29	+ ·14	2 11·72	+ ·04		− 9 37 41·32	+0·28	32 20·55	−1·61
25	12	W		22 31 41·73	+ ·14	2 11·39	− ·11		− 9 15 (32)	...	...	...
26	12	GR		22 35 28·63	+ ·19	2 11·27	− ·07		− 8 53 13·51	−0·01	32 20·93	−0·31
Mar. 1	12	HB		22 46 45·82	+ ·20	2 10·84	− ·02		− 7 45 33·40	−0·10	32 17·83	−1·99
2	12	RC		22 50 30·34	+ ·04	2 10·62	− ·08		− 7 22 46·16	−0·16	32 18·37	−0·97
5	12	HB		23 1 41·58	+ ·11	2 10·42	+ ·12		− 6 13 48·15	−0·55	32 17·35	−0·47
10	12	GR		23 20 11·94	+ ·13	2 9·45	− ·25		− 4 17 11·20	−0·20	32 13·16	−2·06
11	12	LS	1	23 23 52·95	+ ·13	...	...		− 3 53 (40):	...	...	...
13	12	HB		23 31 13·95	+ ·05	2 9·37	− ·05		− 3 6 28·11	+2·09	32 11·46	−2·16
22	12	GR	2	0 4 6·64	− ·04	...	...		+ 0 26 44·98	+0·38	32 8·98	+0·14
23	12	LS	1	0 7 45·23	+ ·20	...	...		+ 0 50 23·76	−0·84	32 8·67	+0·37
24	12	HA		0 11 23·39	+ ·12	2 8·97	+ ·09		+ 1 14 3·53	+0·63	32 7·29	−0·47
25	12	HB		0 15 1·55	+ ·10	2 8·80	− ·06		+ 1 37 40·76	+1·56	32 5·22	−2·00
26	12	RC	2	0 18 39·70	+ ·13	...	...		+ 2 1 13·75	+0·55	32 7·43	+0·75
27	12	W		0 22 (18)	...	2 8·47	− ·37		+ 2 24 45·85	+1·45	32 6·39	+0·25
30	12	HA		0 33 12·17	+ ·15	2 8·82	− ·06		+ 3 34 57·38	−1·12	32 2·14	−2·34
31	12	HB		0 36 50·34	+ ·11	2 8·76	− ·14		+ 3 58 16·27	+0·67	32 2·11	−1·81
April 1	12	HA		0 40 28·67	+ ·13	2 8·97	+ ·05		+ 4 21 29·35	+1·05	32 3·22	−0·14
2	12	RC		0 44 6·92	− ·03	2 8·79	− ·17		+ 4 44 37·86	+1·66	32 4·20	+1·42
5	12	HA		0 55 3·21	+ ·16	2 9·04	− ·04		+ 5 53 29·09	+0·39	31 59·30	−1·80
6	12	LS		0 58 42·19	+ ·07	2 9·04	− ·10		+ 6 16 14·77	+0·17	31 59·30	−1·22
9	12	GR	2	1 9 40·66	+ ·01	...	...		+ 7 23 53·06	+0·26	31 58·48	−0·36
12	12	HB		1 20 41·60	+ ·09	2 9·52	− ·04		+ 8 30 24·23	−0·37	31 56·17	−1·03
13	12	RC		1 24 22·47	+ ·09	2 9·64	− ·02		+ 8 52 18·37	−0·23	31 57·63	+0·97
14	12	GW		1 28 3·81	+ ·26	2 9·32	− ·44		+ 9 14 5·20	+1·30	31 55·41	−0·71
17	12	HA		1 39 9·14	+ ·09	2 10·00	− ·06		+10 18 22·74	−0·16	31 53·90	−0·64
19	12	RC		1 46 34·59	+ ·09	2 10·22	− ·08		+11 0 23·50	−1·30	31 52·55	−0·95
29	12	HA		2 24 7·33	+ ·10	2 11·53	− ·13		+14 18 45·05	−0·05	31 46·29	−2·21
May 2	12	RC		2 35 32·73	+ ·06	2 12·01	− ·11		+15 13 53·87	−0·23	31 47·06	+0·04
3	12	GR		2 39 22·48	+ ·23	2 12·28	·00		+15 31 48·13	+0·63	31 46·37	−0·17
4	12	HB	1	2 43 12·55	+ ·15	...	...		+15 49 25·77	+0·17	31 44·60	−1·46
6	12	HB		2 50 54·50	+ ·07	2 12·58	− ·16		+16 23 55·16	+0·46	31 42·91	−2·21
9	12	LS		3 2 31·89	+ ·04	2 13·36	+ ·12		+17 13 37·68	+1·68	31 43·22	−0·54
12	12	HB		3 14 14·54	+ ·01	2 13·74	·00		+18 0 42·77	−0·03	31 41·01	−1·45

Jan. 4. Cloudy.
Jan. 12. Limbs unsteady; clouds passing throughout.
Jan. 13. Definition very bad; clouds passing.
Jan. 27. Limbs tremulous.
Feb. 18. Cloudy.
Feb. 24. Light cloud.
Mar. 5. Limbs diffused and unsteady.
Mar. 10. Clouds passing.
Mar. 11. Cloudy.
Mar. 13. Limbs very unsteady; clouds passing.
Mar. 22. Clouds passing.
Mar. 23. Clouds passing throughout; limbs unsteady.
Mar. 25. Light clouds passing throughout.
Mar. 31. Limbs very unsteady.
Apr. 1. Limbs badly defined.
Apr. 2. Unsteady.
Apr. 6. Very faint and diffused; clouds passing.
Apr. 12. Limbs unsteady.
Apr. 13. Limbs very unsteady.
Apr. 19. Clouds passing.
May 3. Limbs very unsteady.
May 4. Limbs very faint; through cloud.
May 6. Clouds passing; limbs unsteady throughout.

John G. Wolbach Library, Harvard-Smithsonian Center for Astrophysics • Provided by the NASA Astrophysics Data System

1928GOAM....2A..39D

SUN—*continued.*

G.M.T. from Midnight.		Observer.	Limb.	Right Ascension. Observed.	Right Ascension. O-C.	Horizontal Diameter. Observed.	Horizontal Diameter. O-C.	Limb.	Declination Observed.	Declination O-C.	Vertical Diameter. Observed.	Vertical Diameter. O-C.
1926. d	h			h m s	s	m s	s		° ′ ″	″	′ ″	″
May 13	12	RC		3 18 10·00	+ ·09	2 13·82	− ·08		+18 15 50·44	+1·24	31 41·90	−0·14
16	12	W		3 29 59·52	+ ·09	2 14·40	+ ·02		+18 59 15·83	−0·97	31 41·31	+0·45
21	12	GR		3 49 53·04	+ ·07	2 15·24	+ ·06		+20 5 13·80	+0·50	31 38·20	−0·82
24	12	RC		4 1 55·49	+ ·06	2 15·84	+ ·22	N	+20 40 40·94	−0·76	...	...
25	12	RC		4 5 (57)	...	...	...		+20 51 49·36	+0·46	31 38·56	+0·90
26	12	GW		4 9 59·70	+ ·11	2 15·81	− ·09		+21 2 (37·32)	(+2·92)	31 36·23	−1·11
29	12	HA		4 22 9·57	+ ·10	2 16·33	+ ·03		+21 32 (40)	...	...	...
June 1	12	GW		4 34 23·60	+ ·08	2 16·67	+ ·01		+21 59 24·92	+0·92	31 34·86	−0·62
4	12	HA		4 46 41·54	+ ·11	2 17·05	+ ·07		+22 22 41·90	−0·40	31 34·15	−0·49
5	12	HB		4 50 48·31	+ ·13	2 17·15	+ ·07		+22 29 41·93	+0·13	31 33·52	−0·84
7	12	GW		4 59 2·92	+ ·18	2 17·14	− ·12		+22 42 30·80	+0·70	31 33·84	−0·02
9	12	LS		5 7 18·65	+ ·09	2 17·35	− ·07		+22 53 43·05	+0·15	31 33·34	−0·06
10	12	HA		5 11 26·89	+ ·01	2 17·58	+ ·10		+22 58 43·13	−0·17	31 32·90	−0·28
11	12	HB		5 15 35·40	− ·04	2 17·44	− ·10		+23 3 18·53	−0·77	31 30·21	−2·77
14	12	JJ		5 28 2·47	+ ·17	2 17·73	+ ·03		+23 14 39·03	−1·87	31 32·58	+0·14
19	12	W	2	5 48 49·67	+ ·17	...	...		+23 25 (24)	...	...	...
20	12	LS		5 52 59·15	+ ·06	2 17·82	− ·02		+23 26 17·98	−0·22	31 31·96	+0·36
21	12	LS	1	5 57 8·72	+ ·05	...	...		+23 26 47·80	+0·20	31 30·89	−0·61
23	12	HB	2	6 5 27·80	+ ·09	...	...		+23 26 30·88	−1·12	31 30·57	−0·73
24	12	HA		6 9 37·16	+ ·02	2 17·87	+ ·07		+23 25 46·48	−0·42	31 30·45	−0·77
26	12	JJ		6 17 55·85	+ ·15	2 17·79	+ ·05		+23 23 2·42	−0·18	31 31·45	+0·39
27	12	JJ		6 22 4·93	+ ·13	2 17·68	− ·02	N	+23 21 3·80	+0·40	...	...
28	12	RC		6 26 13·81	+ ·06	2 17·55	− ·11		+23 18 38·74	−0·86	31 31·06	+0·14
29	12	LS		6 30 22·64	+ ·10	2 17·60	·00		+23 15 51·25	−0·05	31 31·11	+0·25
30	12	HA		6 34 31·23	+ ·08	2 17·40	− ·14		+23 12 37·99	−0·51	31 31·20	+0·38
July 1	12	GW		6 38 39·80	+ ·24	2 17·38	− ·10		+23 9 2·99	+1·59	31 30·70	−0·08
3	12	LS		6 46 55·85	+ ·16	2 17·43	+ ·09		+23 0 34·10	−0·10	31 32·71	+1·99
4	12	W		6 51 3·53	+ ·16	2 17·17	− ·09		+22 55 43·99	−0·51	31 30·88	+0·18
6	12	RC		6 59 17·96	+ ·11	2 17·03	− ·03		+22 44 52·33	−0·87	31 30·81	+0·11
9	12	LS		7 11 37·17	+ ·17	2 16·72	− ·04		+22 25 38·42	−0·38	31 30·87	+0·09
12	12	RC		7 23 52·76	+ ·21	2 16·55	+ ·15		+22 2 54·86	−0·14	31 31·17	+0·21
13	12	W	1	7 27 56·97	+ ·13	...	...	N	+21 54 34·20	−0·50	...	...
14	12	GR		7 32 0·92	+ ·28	2 16·19	+ ·05		+21 45 51·79	−0·11	31 31·42	+0·28
16	12	RC		7 40 6·79	+ ·04	2 16·03	+ ·17		+21 27 20·24	+0·64	31 32·85	+1·51
17	12	HB		7 44 9·12	+ ·09	2 15·64	− ·08		+21 17 30·60	+0·20	31 32·23	+0·77
19	12	W		7 52 12·15	+ ·21	2 15·37	− ·05		+20 56 47·62	+0·22	31 32·98	+1·24
23	12	HB		8 8 11·16	+ ·19	2 14·65	− ·13		+20 11 8·80	−0·20	31 32·44	+0·06
25	12	FJ		8 16 7·12	+ ·13	2 14·56	+ ·10		+19 46 17·47	−0·03	31 32·71	−0·01
30	12	HA		8 35 46·82	+ ·05	2 13·59	− ·01		+18 38 28·48	+0·18	31 34·18	+0·46
31	12	GW	1	8 39 41·14	+ ·17	...	...		+18 23 (58)	...	...	...
Aug. 1	12	G		8 43 34·68	+ ·09	2 13·50	+ ·24		+18 9 9·02	−0·88	31 40·22	+6·06
2	12	HA		8 47 27·68	+ ·06	2 13·18	+ ·10		+17 54 4·16	+0·36	31 35·15	+0·75
4	12	HB		8 55 12·00	+ ·09	2 12·67	− ·05		+17 22 58·10	−1·00	31 32·30	−2·58
5	12	HA		8 59 3·25	+ ·08	2 12·69	+ ·13		+17 7 0·77	−0·43	31 35·87	+0·73
8	12	AC		9 10 33·46	+ ·06	2 12·02	− ·02		+16 17 27·72	−0·78	31 38·98	+3·00
12	12	W	2	9 25 45·69	+ ·22	...	...	N	+15 7 46·29	+0·29	...	...
15	12	LS		9 37 3·53	+ ·05	2 10·83	− ·07		+14 12 55·40	−0·50	31 38·72	+0·42
17	12	HA		9 44 32·81	+ ·11	2 10·57	− ·01		+13 35 14·43	−0·07	31 38·45	−0·57

May 13. Clouds passing.
May 24. Cloudy.
May 25. Clouds passing.
May 29. Through cloud.
June 4. Cloudy.
June 9. Very badly defined.
June 19. Clouds passing.
June 21. Clouds passing throughout.
June 24. Cloudy.
June 26. Clouds passing.
June 29. Limbs very diffused.
July 1. Definition bad.
July 3. Very unsteady; limbs diffused.
July 6. Clouds passing.
July 9. Faint at times; clouds passing throughout.
July 12. Clouds passing.
July 13. Clouds passing.
July 14. Limbs tremulous.
July 16. Limbs very unsteady.
July 17. Limbs diffused and very unsteady.
July 19. Clouds passing throughout.
July 23. Limbs very unsteady.
July 31. Cloudy.
Aug. 4. Limbs very diffused and unsteady.
Aug. 5. Very cloudy.
Aug. 17. Through Clouds.

John G. Wolbach Library, Harvard-Smithsonian Center for Astrophysics • Provided by the NASA Astrophysics Data System

1928GOAM....2A..39D

SUN—*continued.*

G.M.T. from Midnight.		Observer.	Limb.	Right Ascension. Observed.	Right Ascension. O-C.	Horizontal Diameter. Observed.	Horizontal Diameter. O-C.	Limb.	Declination. Observed.	Declination. O-C.	Vertical Diameter. Observed.	Vertical Diameter. O-C.
1926. d	h			h m s	s	m s	s		° ′ ″	″	′ ″	″
Aug. 23	12	RC		10 6 48·03	+ ·10	2 9·66	− ·08		+11 37 11·03	−0·57	31 42·31	+0·95
24	12	GW		10 10 28·93	+ ·11	2 9·40	− ·22	S	+11 16 49·35	−1·55	...	...
26	12	LS		10 17 49·38	+ ·05	2 9·36	·00		+10 35 36·75	−0·85	31 44·43	+1·85
27	12	RC		10 21 29·20	+ ·20	2 9·30	+ ·06		+10 14 44·33	−1·27	31 43·24	+0·24
28	12	LS		10 25 8·48	+ ·18	2 9·10	− ·04		+ 9 53 44·82	+1·12	31 46·51	+3·09
29	12	RC		10 28 47·32	+ ·07	2 9·12	+ ·10		+ 9 32 31·29	−1·11	31 45·04	+1·20
30	12	GW		10 32 (26)	...	...	...		+ 9 11 12·44	+0·54	31 45·68	+1·42
31	12	GR		10 36 4·13	− ·02	2 8·90	+ ·08		+ 8 49 42·96	+0·46	31 44·42	−0·28
Sept. 4	12	HA		10 50 34·58	+ ·19	2 8·36	− ·12		+ 7 22 21·30	−1·10	31 46·74	+0·26
9	12	HB		11 8 36·85	+ ·10	2 8·01	− ·15		+ 5 30 32·88	+0·98	31 47·28	−1·60
10	12	RC		11 12 12·77	+ ·13	2 8·11	− ·01		+ 5 7 52·07	+0·17	31 49·42	+0·04
11	12	GW	2	11 15 48·55	+ ·17	...	...		+ 4 45 8·11	+1·51	31 48·67	−1·21
12	12	HB		11 19 24·14	+ ·16	2 7·91	− ·13		+ 4 22 17·07	+0·67	31 48·85	−1·55
13	12	LS		11 22 59·63	+ ·17	2 7·96	− ·06		+ 3 59 20·94	−0·86	31 50·34	−0·58
14	12	HA		11 26 34·99	+ ·15	2 7·95	− ·05		+ 3 36 22·71	−0·29	31 51·27	−0·17
16	12	RC		11 33 45·48	+ ·12	2 8·08	+ ·10		+ 2 50 13·19	−1·11	31 52·88	+0·40
18	12	GR		11 40 55·92	+ ·21	2 7·77	− ·21		+ 2 3 51·93	−1·17	31 51·66	−1·90
19	12	HA		11 44 31·04	+ ·18	2 8·09	+ ·11		+ 1 40 38·33	−0·27	31 53·62	−0·46
20	12	HA		11 48 6·18	+ ·14	2 7·93	− ·07		+ 1 17 21·10	−0·90	31 53·40	−1·22
22	12	RC		11 55 16·69	+ ·12	2 8·15	+ ·11		+ 0 30 43·31	−0·19	31 55·31	−0·37
23	12	GW		11 58 52·16	+ ·19	2 7·82	− ·24		+ 0 7 22·05	−0·25	31 57·56	+1·34
25	12	HB		12 6 3·19	+ ·04	2 8·08	− ·06		− 0 39 22·53	+0·17	31 57·16	−0·12
30	12	GR		12 24 4·64	+ ·14	2 8·33	− ·13		− 2 36 14·27	−0·17	31 58·58	−1·38
Oct. 1	12	HB		12 27 41·61	+ ·10	2 8·46	− ·08		− 2 59 33·60	−0·10	31 59·05	−1·43
2	12	HA	2	12 31 19·01	+ ·20	...	...		− 3 22 50·46	+0·74	31 59·92	−1·12
6	12	GR		12 45 51·31	− ·01	2 9·12	+ ·10		− 4 55 36·85	−0·15	32 3·89	+0·67
7	12	LS		12 49 30·54	+ ·19	2 9·13	− ·01		− 5 18 40·42	−0·52	32 4·51	+0·73
8	12	HA		12 53 9·92	+ ·13	2 9·17	− ·09		− 5 41 39·68	−0·48	32 3·09	−1·25
9	12	HB	2	12 56 49·72	+ ·09	...	...		− 6 4 34·99	−0·99	32 3·34	−1·54
13	12	LS		13 11 33·71	+ ·22	2 9·85	− ·09		− 7 35 21·91	−0·51	32 6·40	−0·74
14	12	HA		13 15 15·82	+ ·16	2 9·98	− ·12		− 7 57 49·44	−1·14	32 6·21	−1·49
17	12	GR		13 26 25·44	+ ·12	2 10·36	− ·24		− 9 4 28·39	−1·39	32 8·03	−1·35
18	12	GR		13 30 9·79	+ ·14	2 10·57	− ·19		− 9 26 26·19	−1·49	32 8·37	−1·57
19	12	LS		13 33 54·71	+ ·13	2 10·99	+ ·05		− 9 48 15·32	−1·22	32 11·20	+0·72
22	12	RC		13 45 13·14	+ ·02	2 11·34	− ·16	N	−10 52 50·56	−1·56	...	...
25	12	HB		13 56 37·91	+ ·18	2 12·09	− ·01		−11 55 57·38	−0·78	32 11·94	−1·74
27	12	LS		14 4 17·90	+ ·15	2 12·35	− ·17		−12 37 8·73	−0·63	32 13·46	−1·24
Nov. 1	12	HA		14 23 41·36	+ ·11	2 13·60	− ·02		−14 16 37·71	−1·21	32 15·55	−1·65
6	12	LS		14 43 25·01	+ ·11	2 14·60	− ·18		−15 50 23·11	+0·19	32 17·40	−2·24
7	12	W		14 47 24·27	+ ·16	2 14·97	− ·05		−16 8 22·64	+0·36	32 19·58	−0·54
9	12	RC		14 55 25·16	+ ·12	2 15·38	− ·12		−16 43 34·60	−1·20	32 19·59	−1·49
14	12	HB		15 15 41·98	+ ·07	2 16·60	− ·10		−18 6 23·98	−0·28	32 21·52	−1·88
21	12	FJ		15 44 40·52	+ ·12	2 18·35	+ ·03		−19 48 50·52	+0·28	32 25·52	−0·80
28	12	HA		16 14 18·74	+ ·08	2 19·78	− ·02		−21 13 40·56	−1·16	32 27·00	−1·80
Dec. 1	12	HA		16 27 12·17	+ ·11	2 20·32	− ·04		−21 44 8·62	−1·12	32 28·94	−0·80
2	12	HB		16 31 31·30	+ ·07	2 20·28	− ·24		−21 53 27·27	+0·23	32 25·50	−4·54
4	12	W		16 40 11·70	+ ·22	2 20·62	− ·24		−22 10 51·78	−0·28	32 29·78	−0·84
8	12	HB		16 57 38·98	+ ·10	2 21·36	− ·08		−22 40 27·80	+0·90	32 29·74	−1·98
9	12	RC		17 2 2·14	+ ·15	2 21·51	− ·05		−22 46 47·12	−0·42	32 33·52	+1·54

Aug. 29. Badly defined and unsteady.
Aug. 30. Limbs badly defined; cloudy.
Sept. 9. Limbs diffused.
Sept. 12. Limbs very unsteady; clouds passing.
Sept. 13. Clouds passing.
Sept. 14. Badly defined.
Sept. 16. Limbs unsteady.
Sept. 20. Cloudy.
Sept. 25. Unsteady.
Oct. 8. Cloudy.
Oct. 9. Clouds passing.
Oct. 17. Clouds passing.
Oct. 19. Limbs barely visible; misty.
Oct. 22. Cloudy; 2 L barely visible.
Oct. 25. Limbs very unsteady; clouds passing.
Nov. 6. Limbs very unsteady.
Nov. 14. Limbs unsteady.
Nov. 21. Clouds passing.
Dec. 2. Limbs very unsteady.

John G. Wolbach Library, Harvard-Smithsonian Center for Astrophysics • Provided by the NASA Astrophysics Data System

1928GOAM...2A..39D

SUN—*continued.*

G.M.T. from Midnight.			Observer.	Limb.	Right Ascension. Observed.	Right Ascension. O-C.	Horizontal Diameter. Observed.	Horizontal Diameter. O-C.	Limb.	Declination. Observed.	Declination. O-C.	Vertical Diameter. Observed.	Vertical Diameter. O-C.
1926.	d	h			h m s	s	m s	s		° ′ ″	″	′ ″	″
Dec.	15	12	RC		17 28 28·89	+ ·14	2 21·99	− ·19		−23 15 1·71	+0·89	32 33·05	−0·29
	16	12	W		17 32 54·46	+ ·18	2 22·27	+ ·03		−23 18 7·73	+0·67	32 33·19	−0·35
	18	12	LS	1	17 41 46·09	+ ·09	...	...		−23 22 55·40	+0·70	32 32·78	−1·10
	20	12	HB		17 50 38·53	+ ·14	2 22·28	− ·14		−23 25 51·03	+0·27	32 33·25	−0·93
	24	12	HB		18 8 24·32	+ ·09	2 22·30	− ·16		−23 26 2·63	+0·47	32 34·81	+0·19
	26	12	W		18 17 17·36	+ ·17	2 22·30	− ·12		−23 23 19·93	−0·43	32 33·87	−0·91
	29	12	GR		18 30 36·09	+ ·17	2 22·03	− ·27		−23 15 42·99	−0·29	32 33·39	−1·53
	30	12	LS	2	18 35 1·88	+ ·04	...	...		−23 12 14·09	+0·21	32 33·77	−1·19
	31	12	HA		18 39 27·66	+ ·12	2 22·13	− ·05		−23 8 19·07	−0·97	32 33·03	−1·95

Dec. 18. Clouds passing throughout.
Dec. 20. Limbs very unsteady.
Dec. 24. Extremely bad limb; very unsteady.
Dec. 26. Clouds passing throughout.

MEAN MONTHLY CORRECTIONS to NEWCOMB'S PLACE of the SUN as given in the NAUTICAL ALMANAC.

Mean Day of Month, 1926.		Observed *minus* Computed. R.A.	Observed *minus* Computed. Dec.	Observed *minus* Computed. Long.	Observed *minus* Computed. Lat.	Number of Observations. R.A.	Number of Observations. Dec.
		s	″	″	″		
Jan.	16	+ ·124	+ ·20	+ 1·75	− ·12	7½	8½
Feb.	21	+ ·135	+ ·33	+ 1·98	− ·40	6	5
Mar.	18	+ ·111	+ ·34	+ 1·67	− ·35	11	13
April	12	+ ·100	+ ·25	+ 1·47	− ·32	10½	11
May	13	+ ·087	+ ·34	+ 1·29	+ ·01	11½	10½
June	17	+ ·090	− ·26	+ 1·23	− ·30	16½	16½
July	14	+ ·156	+ ·05	+ 2·14	+ ·39	14	13½
Aug.	17	+ ·092	− ·37	+ 1·38	+ ·09	14½	15
Sept.	16	+ ·147	− ·19	+ 2·10	+ ·70	14½	15
Oct.	14	+ ·129	− ·70	+ 2·04	+ ·07	13	13½
Nov.	12	+ ·110	− ·43	+ 1·63	+ ·02	7	7
Dec.	16	+ ·133	+ ·06	+ 1·83	+ ·15	13	14

When one limb only of the Sun has been observed, half weight is given to the observation in forming the above monthly means.

John G. Wolbach Library, Harvard-Smithsonian Center for Astrophysics • Provided by the NASA Astrophysics Data System

1926GOTM..2A..39D

MOON.

G.M.T. from Midnight.		Observer.	Limb.	Observed R.A. From Limb.	Observed R.A. From Mösting A.	O–C. Limb.	O–C. Mösting A.	Limb.	Observed Dec. From Limb.	Observed Dec. From Mösting A.	O–C. Limb.	O–C. Mösting A.	Correction for Motion. R.A.	Correction for Motion. Dec.
1926. d	h			h m s	s	s	s		° ′ ″	″	″	″	s	″
Jan. 1	2	HB	2	8 15 44·84	...	+ ·42	...	S	+20 21 55·82	...	−2·28	...	+ ·01	− ·03
2	2	W	2	9 6 56·60	...	+ ·44	...	S	+18 17 26·46	...	−2·64	...	+ ·02	− ·04
4	4	LS	2	10 44 30·28	30·33	+ ·35	+ ·40	S	+11 51 30·53	29·43	−1·47	−2·57	+ ·01	− ·06
8	7	W	2	13 53 57·21	...	+ ·41	...	S	− 6 2 30·59	...	−2·79	...	+ ·01	− ·08
Jan. 19	17	RC	1	0 57 37·38	...	+ ·43	...	S	+ 0 32 16·69	...	+1·19	...	+ ·02	+ ·09
20	18	GW	1	1 49 57·70	...	+ ·62	...	S	+ 5 39 27·32	...	+2·02	...	+ ·02	+ ·12
23	20	HA	1	4 25 22·73	22·83	+ ·44	+ ·54	S	+17 40 2·36	2·93	−0·04	+0·53	+ ·02	+ ·06
25	22	RC	1	6 11 37·90	37·95	+ ·38	+ ·43	S	+21 21 29·38	29·23	+0·38	+0·23	+ ·01	+ ·01
27	23	GR	1	7 57 52·48	52·47	+ ·45	+ ·44	N	+20 51 17·89	19·94	−3·22	−1·16	+ ·02	− ·03
30	1	HA	2	9 39 41·84	41·96	+ ·34	+ ·46	S	+16 27 58·26	57·82	−2·04	−2·48	+ ·01	− ·05
Feb. 6	6	RC	...	15 16 (2)	...	...	...	S	−13 10 32·37	...	−2·97	...	...	− ·07
Feb. 24	22	RC	1	8 32 36·21	36·28	+ ·37	+ ·44	N	+19 48 25·43	26·17	−1·57	−0·83	+ ·01	− ·03
25	23	W	1	9 23 10·45	10·49	+ ·38	+ ·42	N	+17 25 55·86	54·30	−1·24	−2·80	+ ·01	− ·04
Mar. 1	1	HA	2	11 47 4·06	3·98	+ ·33	+ ·25	S	+ 6 14 40·63	40·48	−1·37	−1·52	+ ·01	− ·05
3	3	W	2	13 20 32·23	32·19	+ ·36	+ ·32	S	− 2 58 56·19	56·79	−2·99	−3·59	+ ·01	− ·07
4	3	GR	2	14 8 33·32	33·25	+ ·22	+ ·15	S	− 7 36 14·16	15·09	−1·66	−2·59	+ ·01	− ·03
7	6	HB	2	16 47 16·30	...	+ ·43	...	S	−18 58 39·80	...	−0·30	...	+ ·02	− ·05
8	7	RC	2	17 46 49·65	...	+ ·53	...	S	−21 3 57·87	...	−3·17	...	+ ·02	− ·03
Mar. 21	19	W	1	6 28 35·05	...	+ ·50	...	N	+21 50 19·03	...	+0·63	...	+ ·02	+ ·01
23	20	LS	1	8 14 46·08	46·08	+ ·46	+ ·46	N	+20 35 13·89	13·74	−1·71	−1·86	+ ·02	− ·04
25	22	HB	1	9 55 23·18	23·28	+ ·40	+ ·50	N	+15 33 1·90	0·74	−1·80	−2·96	+ ·02	− ·06
26	22	RC	1	10 43 37·11	37·12	+ ·40	+ ·41	N	+11 55 36·86	36·91	−2·44	−2·39	+ ·01	− ·07
28	23	GR	1	12 17 46·36	46·26	+ ·59	+ ·49	N	+ 3 13 26·74	27·81	−3·36	−2·29	+ ·02	− ·10
31	1	HA	2	13 52 54·68	54·65	+ ·39	+ ·36	S	− 6 16 26·34	27·82	−0·84	−2·32	+ ·01	− ·08
Apr. 1	2	RC	2	14 42 38·53	38·46	+ ·44	+ ·37	S	−10 49 40·11	41·27	+0·09	−1·07	+ ·01	− ·08
6	7	HB	2	19 30 40·07	...	+ ·59	...	...	−21 46 (11)	...	...	...	+ ·03	...
8	9	W	2	21 35 13·41	...	+ ·37	...	N	−16 57 41·70	...	+1·70	...	+ ·02	+ ·06
Apr. 19	18	RC	1	7 54 36·94	...	+ ·46	...	N	+21 24 44·78	...	−1·22	...	+ ·02	− ·03
21	20	GR	...	9 36 ...	57·49	...	+ ·39	N	+16 58 3·06	1·89	−1·44	−2·61	+ ·01	− ·05
23	21	HA	1	11 13 3·96	...	+ ·27	...	N	+ 9 33 7·46	...	−3·84	...	+ ·01	− ·05
30	2	HB	2	16 11 16·24	16·10	+ ·48	+ ·34	S	−17 29 13·84	13·93	−2·04	−2·13	+ ·02	− ·06
May 3	5	GR	2	19 12 6·47	6·45	+ ·50	+ ·48	N	−22 14 12·40	12·99	−0·60	−1·19	+ ·02	+ ·01
May 20	19	W	1	10 54 11·27	11·31	+ ·39	+ ·43	N	+11 26 33·85	34·71	−3·85	−2·99	+ ·01	− ·07
22	20	LS	1	12 27 26·65	26·58	+ ·43	+ ·36	N	+ 2 30 15·15	14·99	−3·85	−4·01	+ ·01	− ·08
25	23	RC	1	14 54 18·92	...	+ ·37	...	N	−11 52 40·79	...	−1·99	...	+ ·01	− ·07
26	23	W	1	15 48 33·74	33·79	+ ·46	+ ·51	N	−16 3 33·10	33·64	−1·90	−2·44	+ ·02	− ·08
June 1	4	W	2	20 57 33·89	34·04	+ ·41	+ ·56	N	−19 27 43·89	44·81	+1·41	+0·49	+ ·02	+ ·06

Jan. 2. Barely visible; through cloud; of little value.
Jan. 25. S.L. rugged.
Jan. 30. S.L. very rugged.
Mar. 1. Badly defined through cloud.
Mar. 3. Extremely faint; cloudy.
Mar. 4. Limbs tremulous; clouds passing.
Mar. 7. Clouds passing.
Mar. 8. Very indistinct.
Mar. 21. Clouds passing.
Apr. 8. Extremely faint.
Apr. 21. Limbs unsteady; through cloud.
Apr. 23. Through cloud.
Apr. 30. Thin cloud passing throughout.
May 25. Faint; no detail on surface.
May 26. Extremely faint; through cloud.

John G. Wolbach Library, Harvard-Smithsonian Center for Astrophysics • Provided by the NASA Astrophysics Data System

1928GOAM....2A..39D

MOON—*continued.*

G.M.T. from Midnight.		Observer.	Limb.	Observed R.A. From Limb.	Observed R.A. From Mösting A.	O–C. Limb.	O–C. Mösting A.	Limb.	Observed Dec. From Limb.	Observed Dec. From Mösting A.	O–C. Limb.	O–C. Mösting A.	Correction for Motion. R.A.	Correction for Motion. Dec.
1926. d	h			h m s	s	s	s		° ′ ″	″	″	″	s	″
June 18	18	RC	1	12 8 11·43	...	+ ·47	...	N	+ 4 36 37·37	...	−2·43	...	+ ·01	− ·09
21	21	LS	1	14 30 46·81	46·82	+ ·44	+ ·45	N	− 9 42 39·29	40·09	−3·19	−3·99	+ ·02	− ·09
22	21	HA	1	15 23 3·52	3·74	+ ·34	+ ·56	N	−14 8 33·75	33·94	−2·95	−3·14	+ ·02	− ·08
24	23	HA	1	17 19 15·71	15·66	+ ·53	+ ·48	N	−20 48 7·80	6·77	−1·00	+0·03	+ ·02	− ·05
26	0	W	1, 2	18 22 51·53	51·52	+ ·59	+ ·58	N, S	−22 19 27·01	27·48	−0·21	−0·68	+ ·03	− ·02
27	1	LS	2	19 28 22·60	...	+ ·51	...	N, S	−22 15 57·96	...	−1·46	...	+ ·02	+ ·02
28	2	RC	2	20 33 42·65	42·73	+ ·47	+ ·55	N	−20 33 51·31	52·12	+0·29	−0·52	+ ·02	+ ·06
29	3	HB	2	21 36 59·42	59·47	+ ·41	+ ·46	N	−17 23 0·46	2·40	+2·34	+0·40	+ ·02	+ ·07
30	4	RC	2	22 37 13·10	13·00	+ ·51	+ ·41	N	−13 3 14·93	15·42	+2·27	+1·78	+ ·02	+ ·09
July 1	5	W	2	23 34 21·18	(20·94)	+ ·42	(+ ·18)	N	− 7 58 15·30	15·62	+1·70	+1·38	+ ·02	+ ·09
2	6	GR	2	0 29 1·54	1·56	+ ·36	+ ·38	N	− 2 30 59·98	59·16	+1·42	+2·24	+ ·01	+ ·09
July 16	17	RC	1	12 36 0·32	...	+ ·44	...	N	+ 1 47 48·25	...	−2·65	...	+ ·01	− ·09
17	18	HB	1	13 21 55·22	...	+ ·57	...	N	− 2 56 46·14	...	−2·14	...	+ ·02	− ·11
20	20	GR	1	15 52 4·19	4·21	+ ·49	+ ·51	N	−16 14 26·15	25·29	−4·15	−3·29	+ ·02	− ·08
21	21	LS	1	16 49 18·88	19·13	+ ·45	+ ·70	N	−19 32 52·66	53·20	−2·26	−3·16	+ ·02	− ·07
23	23	HB	1	18 55 41·20	41·22	+ ·51	+ ·53	S	−22 29 57·39	55·56	−1·49	+0·34	+ ·02	·00
28	3	HA	2	23 11 54·73	54·71	+ ·41	+ ·39	N	−10 2 34·10	34·42	+2·80	+2·48	+ ·02	+ ·09
Aug. 2	7	LS	2	3 45 12·03	...	+ ·43	...	N	+15 47 38·06	...	+1·36	...	+ ·02	+ ·07
4	9	HB	2	5 34 41·36	...	+ ·36	...	...	+21 19 (47)	...	...	...	+ ·01	...
Aug. 16	18	HB	1	15 29 25·87	...	+ ·43	...	N	−14 43 53·29	...	−2·69	...	+ ·02	− ·07
17	19	HA	1	16 23 19·32	19·42	+ ·45	+ ·55	N	−18 17 54·63	54·30	−2·63	−2·30	+ ·02	− ·07
18	20	GW	1	17 21 15·26	15·13	+ ·74	+ ·61	N	−20 57 47·89	47·90	−2·89	−2·90	+ ·03	− ·06
21	23	HA	1	20 33 49·82	49·90	+ ·51	+ ·59	S	−20 34 26·47	25·74	+0·03	+0·76	+ ·02	+ ·06
22	23	LS	1	21 38 58·57	...	+ ·64	...	S	−17 14 9·03	...	+0·77	...	+ ·03	+ ·11
24	1	RC	2	22 41 55·27	55·38	+ ·45	+ ·56	S	−12 35 59·10	60·70	+2·10	+0·50	+ ·02	+ ·11
25	2	GR	2	23 42 10·50	10·64	+ ·41	+ ·55	N	− 7 6 23·06	23·23	+0·94	+0·77	+ ·02	+ ·12
27	3	HA	2	1 36 8·15	8·10	+ ·58	+ ·53	N	+ 4 34 3·91	4·79	+0·71	+1·59	+ ·02	+ ·13
28	4	LS	2	2 31 21·73	21·61	+ ·52	+ ·40	N	+ 9 56 6·44	6·56	+1·34	+1·46	+ ·02	+ ·10
29	5	RC	2	3 26 23·66	23·65	+ ·49	+ ·48	N	+14 34 38·46	38·28	+1·96	+1·78	+ ·02	+ ·09
30	6	GW	2	4 21 39·89	39·87	+ ·44	+ ·42	N	+18 16 44·63	45·10	+2·03	+2·50	+ ·02	+ ·06
Sept. 12	16	GR	1	15 11 48·02	...	+ ·66	...	N	−13 34 2·39	...	−2·59	...	+ ·02	− ·11
13	17	LS	1	16 3 24·98	...	+ ·39	...	N	−17 19 0·62	...	−1·12	...	+ ·01	− ·06
16	19	RC	1	18 58 33·80	33·92	+ ·33	+ ·45	S	−22 44 24·24	23·05	−2·14	−0·95	+ ·01	·00
17	20	GW	1	20 2 (8·45)	...	(+ ·91)	...	S	−21 46 22·85	...	−1·45	...	...	+ ·03
18	21	GR	1	21 6 7·30	7·29	+ ·62	+ ·61	S	−19 13 24·42	25·63	+2·48	+1·27	+ ·03	+ ·08
19	22	LS	1	22 9 8·08	7·99	+ ·65	+ ·56	S	−15 13 52·87	52·76	+1·03	+1·14	+ ·03	+ ·11
22	0	HB	2	0 9 43·39	43·53	+ ·34	+ ·48	S	− 4 17 3·31	4·22	+3·39	+2·48	+ ·02	+ ·10

June 18. Cloudy.
June 21. 1 L mountainous.
June 26. 2 L rugged.
June 27. 2 L and S.L. mountainous.
June 29. Through cloud.
June 30. Only prominent markings discernable; hazy.

July 1 2 L faint; hazy. N.L. barely visible; hazy.
July 17. Limbs very faint.
July 23. Limbs very unsteady and diffused; poor observation; S.L. mountainous.
July 28. Clouds passing.

Aug. 2. 2 L faint; N.L. barely visible.
Aug. 4. Faint.
Aug. 16. N.L. faint.
Aug. 22. Faint and misty; cloud.
Aug. 24. Clouds passing.
Aug. 25. Faint at times; clouds passing.
Sept. 13. N.L. barely visible.
Sept. 22. Definition extremely bad.

Mösting A.—July 1. Extremely faint; poor observation.

John G. Wolbach Library, Harvard-Smithsonian Center for Astrophysics • Provided by the NASA Astrophysics Data System

1928GOAM....2A..39D

MOON—*continued.*

G.M.T. from Midnight.	Observer.	Limb.	Observed R.A. From Limb.	Observed R.A. From Mösting A.	O–C. Limb.	O–C. Mösting A.	Limb.	Observed Dec. From Limb.	Observed Dec. From Mösting A.	O–C. Limb.	O–C. Mösting A.	Correction for Motion. R.A.	Correction for Motion. Dec.
1926. d h			h m s	s	s	s		° ′ ″	″	″	″	s	″
Sept. 23 1	W	2	1 7 37·07	36·99	+ ·55	+ ·47	N	+ 1 45 59·50	57·59	+3·30	+1·39	+ ·02	+ ·13
25 3	LS	2	3 1 32·25	...	+ ·29	...	N	+12 48 11·96	...	+1·56	...	+ ·01	+ ·06
26 4	HA	2	3 58 34·09	34·05	+ ·55	+ ·51	N	+17 5 49·86	50·41	+0·36	+0·91	+ ·02	+ ·08
28 5	RC	2	5 52 53·84	53·84	+ ·50	+ ·50	N	+22 11 25·10	23·07	+0·80	−1·23	+ ·02	+ ·03
30 7	GR	2	7 44 14·06	...	+ ·46	...	...	+22 17 (57)	...	...	...	+ ·02	...
Oct. 2 9	HA	2	9 28 12·94	...	+ ·39	...	...	+18 3 (33)	...	...	...	+ ·01	...
Oct. 17 21	W	1	22 41 24·05	24·08	+ ·54	+ ·57	S	−12 49 11·51	9·64	−0·01	+1·86	+ ·02	+ ·11
18 22	GR	1	23 39 58·42	58·37	+ ·50	+ ·45	S	− 7 22 19·31	19·86	+2·49	+1·94	+ ·02	+ ·12
20 23	HA	1, 2	1 34 33·32	...	+ ·45	...	S	+ 4 37 9·40	...	+1·00	...	+ ·02	+ ·11
24 2	GR	2	4 28 24·47	24·33	+ ·50	+ ·36	N	+19 7 9·39	8·41	−0·41	−1·39	+ ·02	+ ·06
27 5	HB	2	7 22 50·60	50·70	+ ·47	+ ·57	S	+22 55 18·30	17·38	−0·60	−1·52	+ ·02	− ·02
Nov. 11 17	GR	1	20 21 2·10	...	+ ·68	...	S	−21 40 15·29	...	−2·69	...	+ ·03	+ ·06
12 18	LS	1	21 21 19·91	...	+ ·48	...	S	−18 50 51·42	...	−0·22	...	+ ·02	+ ·07
14 20	HB	1	23 17 5·43	5·43	+ ·40	+ ·40	S	− 9 47 50·03	50·15	+2·07	+1·95	+ ·02	+ ·09
20 0	HA	2	3 58 37·23	37·27	+ ·47	+ ·51	S	+17 22 36·11	36·31	−0·39	−0·19	+ ·02	+ ·09
21 1	HB	2	4 57 55·81	55·82	+ ·51	+ ·52	S	+20 42 55·57	55·91	−1·43	−1·09	+ ·02	+ ·06
22 2	RC	2	5 57 41·86	41·90	+ ·47	+ ·51	S	+22 42 34·49	33·82	−1·21	−1·88	+ ·02	+ ·03
Dec. 15 21	RC	1	2 37 19·58	19·70	+ ·32	+ ·44	S	+10 44 0·63	1·61	+0·03	+1·01	+ ·01	+ ·08
18 23	LS	1, 2	5 29 53·26	53·32	+ ·46	+ ·52	S	+21 58 31·98	31·08	+0·08	−0·82	+ ·02	+ ·04
20 1	W	2	6 29 19·17	19·15	+ ·46	+ ·44	N, S	+23 14 22·28	21·63	+0·28	−0·37	+ ·02	+ ·01
21 2	HB	2	7 27 51·66	51·73	+ ·39	+ ·46	S	+23 6 55·53	54·95	−0·77	−1·35	+ ·02	− ·01
22 2	HA	2	8 24 18·07	18·00	+ ·44	+ ·37	S	+21 42 37·10	35·75	−1·50	−2·85	+ ·02	− ·03
25 5	HA	2	10 56 31·81	31·79	+ ·36	+ ·34	S	+11 53 37·68	36·12	−2·02	−3·58	+ ·01	− ·06
29 8	GR	2	13 58 36·38	...	+ ·38	...	S	− 6 54 53·38	...	−2·38	...	+ ·01	− ·08

Sept. 23. Limb indistinct.
Sept. 25. Very diffused and unsteady; 2 L mountainous.
Sept. 30. Through cloud.
Oct. 2. Faint.
Oct. 17. Unsteady; clouds passing.
Oct. 20. Limbs badly defined.
Oct. 24. Through cloud.
Nov. 11. Through thin cloud.
Nov. 20. S.L. mountainous.
Nov. 21. S.L. mountainous.
Nov. 22. Light cloud.
Dec. 18. Clouds passing throughout; 2 L very defective; S.L very mountainous.
Dec. 22. Cloudy; S.L. rugged.
Dec. 25. S.L. rugged.
Dec. 29. Faint; cloudy.

Mosting A.—Dec. 22 Very faint; cloudy.

John G. Wolbach Library, Harvard-Smithsonian Center for Astrophysics • Provided by the NASA Astrophysics Data System

1928GAM....2A..39D

MOON—*continued.*

DEDUCED CORRECTIONS TO BROWN'S TABLES OF THE MOON IN LONGITUDE AND LATITUDE.

From the observed corrections to right ascension and declination given in the preceding pages, those in longitude and latitude have been deduced. They are in the sense "Observed—Computed," the computed places being derived from Brown's "*Tables of the Motion of the Moon.*"

The mean correction to the tables, obtained from complete lunations ending in the year, is + 6″·54 in longitude and − ″·79 in latitude.

The observations indicate that +6″·54 should be added to the mean longitude of the tables and −″·79 to the latitude. If we assume that the eccentricity of the orbit and the position of the perigee are correct an additional correction of $2\,e\,\triangle l \cos l$ or +″·73 $\cos l$ should be added to the true longitude of the tables (e being the eccentricity and l the anomaly). Also if we assume the correctness of the inclination of the orbit to the ecliptic and the position of the node, the latitude of the tables should be corrected by $\triangle l \sin i \cos F$ or +″·59 $\cos F$ where F is the distance of the moon from the ascending node and i the inclination of the orbit of the moon to the ecliptic.

If the corrections are applied, the accordance between theory and observation is improved.

The above corrections have not been applied to the observed corrections given in the following tables.

The time of new moon (●) is G.M.T. from midnight.

Date (from Midnight).	Lunar Day.	Observed *minus* Computed. Longitude. Limb.	Longitude. Mösting A.	Latitude. Limb.	Latitude. Mösting A.
1925–26		″	″	″	″
Dec. 23	61850	+5·74	...	−0·67	...
24	851	+6·38	+6·64	−0·38	−1·01
Jan. 1	858	+6·12	...	−0·91	...
2	859	+6·48	...	−0·76	...
4	861	+5·16	+6·26	+0·59	−0·16
8	865	+6·56	...	−0·44	...
14	7^h ●				
19	61876	+6·12	...	−1·37	...
20	877	+9·09	...	−1·41	...
23	880	+5·92	+7·43	−1·07	−0·74
25	882	+5·16	+5·87	+0·48	+0·34
27	884	+6·54	+6·00	−1·95	+0·05
30	886	+5·14	+6·92	−0·34	−0·20
Feb. 12	17^h ●				
24	61911	+5·30	+6·08	−0·24	+0·72
25	912	+5·14	+6·44	+0·50	−0·81
Mar. 1	915	+4·92	+3·88	+0·69	+0·08
3	917	+5·98	+5·65	−0·74	−1·52
4	918	+3·50	+2·84	−0·47	−1·71
7	921	+5·81	...	+0·48	...
8	922	+7·22	...	−2·98	...
14	3^h ●				
21	61935	+6·64	...	+0·96	...
23	937	+6·39	+6·42	−0·27	−0·41
25	939	+5·77	+7·52	+0·23	−0·36
26	940	+6·21	+6·32	−0·03	+0·07
28	942	+9·19	+7·38	+0·40	+0·78
31	944	+5·59	+5·69	+1·29	−0·26
Apr. 1	945	+6·01	+5·37	+2·07	+0·66
8	952	+5·29	...	−0·07	...
12	13^h ●				
19	61963	+6·26	...	+0·01	...
21	965	...	+5·99	...	−0·66
23	967	+5·04	...	−1·99	...
30	973	+6·84	+4·89	−0·75	−1·19
May 3	976	+6·53	+6·19	−1·43	−1·98
11	23^h ●				

Date (from Midnight).	Lunar Day.	Observed *minus* Computed. Longitude. Limb.	Longitude. Mösting A.	Latitude. Limb.	Latitude. Mösting A.
1926		″	″	″	″
May 20	61993	+6·63	+6·84	−1·35	−0·34
22	995	+7·32	+6·41	−0·99	−1·54
25	998	+5·63	...	−0·31	...
26	999	+6·60	+7·42	−0·41	−0·77
June 1	62004	+5·68	+7·45	−0·24	−1·72
10	10^h ●				
18	62021	+7·29	...	+0·60	...
21	024	+6·90	+7·29	−0·98	−1·69
22	025	+5·25	+8·40	−1·60	−0·97
24	027	+7·21	+6·44	−0·44	+0·54
26	028	+7·75	+7·59	−0·53	−0·99
27	029	+6·50	...	−2·47	...
28	030	+6·19	+7·08	−1·35	−2·40
29	031	+6·03	+6·08	+0·34	−1·73
30	032	+7·48	+5·94	−0·66	−0·56
July 1	033	+6·11	...	−0·88	...
2	034	+5·37	+5·98	−0·86	−0·23
9	23^h ●				
16	62048	+6·99	...	+0·19	...
17	049	+8·44	...	+1·21	...
20	052	+7·50	+7·60	−2·55	−1·65
21	053	+6·31	+9·93	−1·43	−1·90
23	055	+6·62	+7·06	−2·14	−0·34
28	059	+6·39	+5·99	+0·24	+0·07
Aug. 2	064	+6·08	...	−0·05	...
8	14^h ●				
16	62078	+6·42	...	−1·09	...
17	079	+6·47	+7·83	−1·52	−0·96
18	080	+10·12	+8·30	−2·13	−2·27
21	083	+6·66	+7·93	−1·74	−1·31
22	084	+8·40	...	−2·22	...
24	085	+6·59	+7·49	−0·53	−2·62
25	086	+5·68	+7·53	−1·56	−2·54
27	088	+8·03	+7·66	−2·52	−1·42
28	089	+7·42	+5·77	−1·16	−0·48
29	090	+7·09	+6·90	+0·11	−0·02
30	091	+6·24	+6·04	+0·95	+1·47

John G. Wolbach Library, Harvard-Smithsonian Center for Astrophysics • Provided by the NASA Astrophysics Data System

1928GOAM....2A..39D

MOON—*continued.*

Date (from Midnight).	Lunar Day.	Observed *minus* Computed. Longitude. Limb.	Longitude. Mösting A.	Latitude. Limb.	Latitude. Mösting A.
1926		″	″	″	
Sept. 7	6h ●				
12	62104	+9·69	...	+0·11	...
13	105	+5·56	...	+0·02	...
16	108	+4·18	+5·95	−2·58	−1·57
18	110	+8·71	+8·22	−0·13	−1·24
19	111	+8·74	+7·56	−2·30	−1·74
22	113	+5·72	+7·28	+1·11	−0·57
23	114	+8·59	+6·74	−0·11	−1·42
25	116	+4·36	...	+0·29	...
26	117	+7·52	+7·06	−1·26	−0·60
28	119	+6·68	+6·65	+0·68	−1·35
Oct. 6	22h ●				
17	62138	+7·01	+8·13	−2·96	−1·40
18	139	+7·53	+6·62	−0·66	−0·88
20	141	+6·34	...	−1·52	...
24	144	+6·65	+4·53	−1·52	−2·18
27	147	+6·23	+7·73	+0·31	−0·41

Date (from Midnight).	Lunar Day.	Observed *minus* Computed. Longitude. Limb.	Longitude. Mösting A.	Latitude. Limb.	Latitude. Mösting A.
1926		″	″	″	″
Nov. 5	15h ●				
11	62162	+8·20	...	−4·76	...
12	163	+6·13	...	−2·29	...
14	165	+5·96	+5·91	−0·38	−0·49
20	170	+6·22	+6·82	−1·76	−1·68
21	171	+6·68	+6·86	−2·21	−1·88
22	172	+6·23	+6·77	−1·26	−1·93
Dec. 5	6h ●				
15	62195	+4·34	+6·33	−1·46	−1·08
18	198	+6·11	+6·90	−0·28	−1·22
20	199	+6·04	+5·80	+0·57	−0·09
21	200	+5·16	+6·20	+0·01	−0·43
22	201	+6·05	+5·41	−0·06	−1·60
25	204	+5·52	+5·85	+0·16	−1·39
29	62208	+5·98	...	−0·25	...

John G. Wolbach Library, Harvard-Smithsonian Center for Astrophysics • Provided by the NASA Astrophysics Data System

1928GOAM....2A..39D

MOON—*continued.*

CORRECTIONS TO THE MOON'S CENTRE IN R.A., DECLINATION, LONGITUDE AND LATITUDE FROM OBSERVATIONS OF THE LIMB AND THE CRATER MÖSTING A.
(Means for each complete lunation ending in the year 1926.)

Extent of Lunation (ending in 1926).	No. of Obs.		Observed *minus* Computed.							
			R.A.		Declination.		Longitude.		Latitude.	
	Limb.	Mösting A.	Limb.	Mösting A.	Limb.	Mösting A.	Limb.	Mösting A.	Limb.	Mösting A.
			s	s	″	″	″	″	″	″
Dec. 23 to Jan. 8 ...	6	2	+·39	+·42	−0·94	−0·60	+6·07	+6·45	−0·43	−0·58
Jan. 19 to Jan. 30 ...	6	4	+·43	+·45	−0·32	−0·72	+6·33	+6·56	−0·94	−0·14
Feb. 24 to Mar. 8 ...	7	5	+·36	+·31	−1·71	−2·22	+5·45	+4·98	−0·39	−0·65
Mar. 21 to Apr. 8 ...	8	6	+·43	+·42	−0·92	−2·08	+6·39	+6·45	+0·57	+0·08
Apr. 19 to May 3 ...	4	3	+·41	+·39	−1·89	−1·94	+6·17	+5·69	−1·04	−1·28
May 20 to June 1 ...	5	4	+·40	+·45	−1·99	−2·20	+6·37	+7·03	−0·66	−1·09
June 18 to July 2 ...	11	8	+·44	+·46	−0·30	−0·33	+6·55	+6·85	−0·80	−1·00
July 16 to Aug. 2 ...	7	4	+·45	+·51	−1·19	−0·89	+6·90	+7·64	−0·65	−0·96
Aug. 16 to Aug. 30 ...	11	9	+·49	+·50	+0·10	+0·40	+7·21	+7·27	−1·22	−1·13
Sept. 12 to Sept. 28 ...	10	7	+·47	+·49	+0·66	+0·64	+6·98	+7·07	−0·42	−1·21
Oct. 17 to Oct. 27 ...	5	4	+·47	+·47	+0·42	+0·16	+6·75	+6·75	−1·27	−1·22
Nov. 11 to Nov. 22 ...	6	4	+·48	+·46	−0·71	−0·37	+6·57	+6·59	−2·11	−1·50
Dec. 15 to Dec. 29 ...	7	6	+·39	+·41	−0·89	−1·33	+5·60	+6·08	−0·19	−0·97
Mean for year ...	93	66	+·436	+·447	−0·61	−0·75	+6·47	+6·64	−0·70	−0·91

OBSERVED HORIZONTAL AND VERTICAL DIAMETERS.

Day from Midnight.			Observer.	Horizontal Diameter.		Vertical Diameter.	
				Observed.	O–C.	Observed.	O–C.
1926	d	h		m s	s	′ ″	″
June	26	0	W	2 26·84	− ·10	32 32·82	+1·54
	27	1	LS	...	...	32 47·72	+2·22
Oct.	20	23	HA	2 17·86	+ ·06	...	...
Dec.	18	23	LS	2 20·60	− ·10	...	...
	20	1	W	...	...	31 0·18	+0·52

John G. Wolbach Library, Harvard-Smithsonian Center for Astrophysics • Provided by the NASA Astrophysics Data System

1928GOAM....2A..39D

MOON—*continued.*

DEDUCTION of a Correction to the TABULAR HORIZONTAL DIAMETER from a comparison of the Observations of the First and Second Limb with those of the crater Mösting A.

Date.		Observer.	Observed *minus* Computed. Mösting A.	☽ 1 L.	Mösting A. *minus* ☽ 1 L.
1926.			s	s	s
Jan.	23	HA	+ ·54	+ ·44	+ ·10
	25	RC	+ ·43	+ ·38	+ ·05
	27	GR	+ ·44	+ ·45	− ·01
Feb.	24	RC	+ ·44	+ ·37	+ ·07
	25	W	+ ·42	+ ·38	+ ·04
Mar.	23	LS	+ ·46	+ ·46	·00
	25	HB	+ ·50	+ ·40	+ ·10
	26	RC	+ ·41	+ ·40	+ ·01
	28	GR	+ ·49	+ ·59	− ·10
May	20	W	+ ·43	+ ·39	+ ·04
	22	LS	+ ·36	+ ·43	− ·07
	26	W.	+ ·51	+ ·46	+ ·05
June	21	LS	+ ·45	+ ·44	+ ·01
	22	HA	+ ·56	+ ·34	+ ·22
	24	HA	+ ·48	+ ·53	− ·05
	26	W	+ ·58	+ ·64	− ·06
July	20	GR	+ ·51	+ ·49	+ ·02
	21	LS	+ ·70	+ ·45	+ ·25
	23	HB	+ ·53	+ ·51	+ ·02
Aug.	17	HA	+ ·55	+ ·45	+ ·10
	18	GW	+ ·61	+ ·74	− ·13
	21	HA	+ ·59	+ ·51	+ ·08
Sept.	16	RC	+ ·45	+ ·33	+ ·12
	18	GR	+ ·61	+ ·62	− ·01
	19	LS	+ ·56	+ ·65	− ·09
Oct.	17	W	+ ·57	+ ·54	+ ·03
	18	GR	+ ·45	+ ·50	− ·05
Nov.	14	HB	+ ·40	+ ·40	·00
Dec.	15	RC	+ ·44	+ ·32	+ ·12
	18	LS	+ ·52	+ ·52	·00
				Mean	+·029

Date.		Observer.	Observed *minus* Computed. ☽ 2 L.	Mösting A.	☽ 2 L. *minus* Mösting A.
1926.			s	s	s
Jan.	4	LS	+ ·35	+ ·40	− ·05
	30	HA	+ ·34	+ ·46	− ·12
Mar.	1	HA	+ ·33	+ ·25	+ ·08
	3	W	+ ·36	+ ·32	+ ·04
	4	GR	+ ·22	+ ·15	+ ·07
	31	HA	+ ·39	+ ·36	+ ·03
Apr.	1	RC	+ ·44	+ ·37	+ ·07
	30	HB	+ ·48	+ ·34	+ ·14
May	3	GR	+ ·50	+ ·48	+ ·02
June	1	W	+ ·41	+ ·56	− ·15
	26	W	+ ·54	+ ·58	− ·04
	28	RC	+ ·47	+ ·55	− ·08
	29	HB	+ ·41	+ ·46	− ·05
	30	RC	+ ·51	+ ·41	+ ·10
July	2	GR	+ ·36	+ ·38	− ·02
	28	HA	+ ·41	+ ·39	+ ·02
Aug.	24	RC	+ ·45	+ ·56	− ·11
	25	GR	+ ·41	+ ·55	− ·14
	27	HA	+ ·58	+ ·53	+ ·05
	28	LS	+ ·52	+ ·40	+ ·12
	29	RC	+ ·49	+ ·48	+ ·01
	30	GW	+ ·44	+ ·42	+ ·02
Sept.	22	HB	+ ·34	+ ·48	− ·14
	23	W	+ ·55	+ ·47	+ ·08
	26	HA	+ ·55	+ ·51	+ ·04
	28	RC	+ ·50	+ ·50	·00
Oct.	24	GR	+ ·50	+ ·36	+ ·14
	27	HB	+ ·47	+ ·57	− ·10
Nov.	20	HA	+ ·47	+ ·51	− ·04
	21	HB	+ ·51	+ ·52	− ·01
	22	RC	+ ·47	+ ·51	− ·04
Dec.	18	LS	+ ·39	+ ·52	− ·13
	20	W	+ ·46	+ ·44	+ ·02
	21	HB	+ ·39	+ ·46	− ·07
	22	HA	+ ·44	+ ·37	+ ·07
	25	HA	+ ·36	+ ·34	+ ·02
				Mean	−·004

Assuming that the effect of any error in the adopted Physical Libration of the Moon will disappear in the mean of these quantities, and allowing for the fact that the Tabular Diameter has been increased by $+^{s}\cdot160$, the correction to the Moon's tabular Horizontal Diameter $=+^{s}\cdot160+^{s}\cdot029-^{s}\cdot004=+^{s}\cdot185$. This result is independent of any error in the assumed selenographical position of the crater. The observations indicate that the Tabular R.A. of the crater, relatively to the Moon's centre, requires to be increased by $\frac{1}{2}\,(+^{s}\cdot029+^{s}\cdot004)=+^{s}\cdot016$.

John G. Wolbach Library, Harvard-Smithsonian Center for Astrophysics • Provided by the NASA Astrophysics Data System

1928GOAM...2A..39D

MOON—*continued.*

DEDUCTION of a Correction to the TABULAR VERTICAL DIAMETER from a comparison of the Observations of the North and South Limb with those of the crater Mösting A.

Date.		Observer.	Observed *minus* Computed. Mösting A.	☽ N L.	☽ N L. *minus* Mösting A.
1926.			″	″	″
Jan.	27	GR	−1·16	−3·22	−2·06
Feb.	24	RC	−0·83	−1·57	−0·74
	25	W	−2·80	−1·24	+1·56
Mar.	23	LS	−1·86	−1·71	+0·15
	25	HB	−2·96	−1·80	+1·16
	26	RC	−2·39	−2·44	−0·05
	28	GR	−2·29	−3·36	−1·07
Apr.	21	GR	−2·61	−1·44	+1·17
May	3	GR	−1·19	−0·60	+0·59
	20	W	−2·99	−3·85	−0·86
	22	LS	−4·01	−3·85	+0·16
	26	W	−2·44	−1·90	+0·54
June	1	W	+0·49	+1·41	+0·92
	21	LS	−3·99	−3·19	+0·80
	22	HA	−3·14	−2·95	+0·19
	24	HA	+0·03	−1·00	−1·03
	26	W	−0·68	+0·56	+1·24
	28	RC	−0·52	+0·29	+0·81
	29	HB	+0·40	+2·34	+1·94
	30	RC	+1·78	+2·27	+0·49
July	1	W	+1·38	+1·70	+0·32
	2	GR	+2·24	+1·42	−0·80
	20	GR	−3·29	−4·15	−0·86
	21	LS	−3·16	−2·26	+0·90
	28	HA	+2·48	+2·80	+0·32
Aug.	17	HA	−2·30	−2·63	−0·33
	18	GW	−2·90	−2·89	+0·01
	25	GR	+0·77	+0·94	+0·17
	27	HA	+1·59	+0·71	−0·88
	28	LS	+1·46	+1·34	−0·12
	29	RC	+1·78	+1·96	+0·18
	30	GW	+2·50	+2·03	−0·47
Sept.	23	W	+1·39	+3·30	+1·91
	26	HA	+0·91	+0·36	−0·55
	28	RC	−1·23	+0·80	+2·03
Oct.	24	GR	−1·39	−0·41	+0·98
Dec.	20	W	−0·37	+0·54	+0·91
				Mean	+0·26

Date.		Observer.	Observed *minus* Computed. ☽ S L.	Mösting A.	Mösting A. *minus* ☽ S L.
1926.			″	″	″
Jan.	4	LS	−1·47	−2·57	−1·10
	23	HA	−0·04	+0·53	+0·57
	25	RC	+0·38	+0·23	−0·15
	30	HA	−2·04	−2·48	−0·44
Mar.	1	HA	−1·37	−1·52	−0·15
	3	W	−2·99	−3·59	−0·60
	4	GR	−1·66	−2·59	−0·93
	31	HA	−0·84	−2·32	−1·48
Apr.	1	RC	+0·09	−1·07	−1·16
	30	HB	−2·04	−2·13	−0·09
June	26	W	−0·98	−0·68	+0·30
July	23	HB	−1·49	+0·34	+1·83
Aug.	21	HA	+0·03	+0·76	+0·73
	24	RC	+2·10	+0·50	−1·60
Sept.	16	RC	−2·14	−0·95	+1·19
	18	GR	+2·48	+1·27	−1·21
	19	LS	+1·03	+1·14	+0·11
	22	HB	+3·39	+2·48	−0·91
Oct.	17	W	−0·01	+1·86	+1·87
	18	GR	+2·49	+1·94	−0·55
	27	HB	−0·60	−1·52	−0·92
Nov.	14	HB	+2·07	+1·95	−0·12
	20	HA	−0·39	−0·19	+0·20
	21	HB	−1·43	−1·09	+0·34
	22	RC	−1·21	−1·88	−0·67
Dec.	15	RC	+0·03	+1·01	+0·98
	18	LS	+0·08	−0·82	−0·90
	20	W	+0·02	−0·37	−0·39
	21	HB	−0·77	−1·35	−0·58
	22	HA	−1·50	−2·85	−1·35
	25	HA	−2·02	−3·58	−1·56
				Mean	−0·28

Assuming that the effect of any error in the adopted Physical Libration of the Moon will disappear in the mean of these quantities, and allowing for the fact that the Tabular Diameter has been increased by +2″·40, the Correction to the Moon's tabular Vertical Diameter = +2″·40+″·26 −″·28 = +2″·38. This result is independent of any error in the assumed selenographical position of the crater. The observations indicate that the Tabular Declination of the crater, relatively to the Moon's centre, requires to be increased by $\frac{1}{2}$ (− ″·26− ″·28) = − ″·27.

John G. Wolbach Library, Harvard-Smithsonian Center for Astrophysics • Provided by the NASA Astrophysics Data System

1928GOAM....2A..39D

PLANETS.

G.M.T. from Midnight.	Observer.	Limb.	Right Ascension. Observed.	Right Ascension. O–C.	Horizontal Diameter. Observed.	Horizontal Diameter. O–C.	Limb.	Declination. Observed.	Declination. O–C.	Vertical Diameter. Observed.	Vertical Diameter. O–C.
					MERCURY.						
d h			h m s	s	s	s		° ′ ″	″	″	″
1926.											
Mar. 10 13	GR	C	0 23 1·10	− ·02	...	...	C	+ 3 54 16·86	−0·35	...	...
ay 13 11	RC	2	1 55 17·30	+ ·17	...	...	N, S	+ 9 0 42·82	−0·01	6·46	+0·30
July 1 14	W	C	8 23 46·68	+ ·13	...	...	C	+20 32 23·30	−1·11	...	...
9 14	LS	C	9 1 23·60	− ·11	...	...	C	+16 48 49·16	−1·03	...	...
13 14	W	C	9 14 48·83	− ·17	...	...	N, S	+14 59 9·32	+0·44	7·08	−1·28
Sept. 10 11	RC	1, 2	10 43 56·50	+ ·21	0·40	+ ·06	N, S	+ 9 58 36·23	−1·87	5·79	+0·63
					VENUS.						
Jan. 6 15	LS	1	21 42 24·29	− ·07	...	...	S	−12 35 8·86	−1·16	...	...
11 14	HA	1	21 47 18·79	− ·06	...	...		−11 4 38·16	−0·26	47·59	+0·45
13 14	RC	1	21 48 17·96	− ·03	...	...		−10 31 20·89	−2·29	52·56	+3·94
20 14	GW	1	21 46 55·43	− ·09	...	...	S	− 8 52 55·43	−1·83	...	...
29 13	HA	1	21 34 0·10	− ·08	...	...	S	− 7 43 8·03	−1·23	...	...
Feb. 18 11	RC	2	20 49 35·53	+ ·01	...	...		− 9 10 14·05	−0·95	60·38	+2·58
22 11	HA	2	20 45 1·99	+ ·03	...	...		− 9 46 (44)	...	...	...
25 10	W	2	20 43 20·22	+ ·07	...	...		−10 13 8·46	−0·46	55·69	+2·93
Mar. 5 10	HB	2	20 45 59·28	+ ·13	...	...		−11 11 4·15	+0·35	46·76	+0·26
8 10	HA	2	20 49 27·06	+ ·08	...	...		−11 26 (6)	...	...	...
10 10	GR	2	20 52 25·05	+ ·04	...	...		−11 33 42·02	−0·22	40·32	−2·52
11 10	LS	2	20 54 5·07	+ ·05	...	...	N	−11 36 43·75	+0·75	...	...
17 9	LS	2	21 6 21·52	+ ·14	...	...		−11 43 56·77	−0·67	39·22	+0·98
24 9	HA	2	21 24 42·59	+ ·07	...	...	N	−11 27 34·85	+0·85	...	...
Apr. 1 9	HA	2	21 49 33·61	+ ·19	...	...	N	−10 36 7·67	−0·37	...	...
May 3 9	GR	2	23 48 53·21	+ ·15	...	...		− 2 15 16·53	+0·27	19·49	−1·45
12 9	HB	2	0 25 5·24	+ ·13	...	...		+ 1 3 29·02	+0·32	19·29	+0·05
26 9	W	2	1 22 58·80	+ ·13	...	...		+ 6 31 20·96	+1·26	17·75	+0·61
June 1 9	GW	2	1 48 30·45	+ ·24	...	...	N	+ 8 52 17·14	+0·64	...	...
7 9	GW		2 14 (33)	...	...	...		+11 9 57·82	+0·92	14·97	−0·73
16 9	HA	2	2 54 45·25	+ ·23	...	...		+14 24 39·73	−0·07	14·41	−0·41
18 9	RC	2	3 3 52·81	+ ·11	...	...		+15 5 15·42	−0·58	14·65	+0·03
19 9	W	2	3 8 28·36	+ ·14	...	...		+15 25 9·02	+1·02	14·05	−0·47
25 9	W	2	3 36 25·82	+ ·26	...	...		+17 17 31·67	−0·43	14·63	+0·61
26 9	JJ	2	3 41 9·41	+ ·19	...	...		+17 35 1·43	−0·27	14·67	+0·71
29 9	LS	2	3 55 27·43	+ ·08	...	...		+18 25 9·55	−0·05	14·04	+0·32
30 9	HA	2	4 0 15·91	+ ·15	...	...		+18 41 3·47	+0·37	13·16	−0·48

MERCURY.—July 1. Faint and extremely ill-defined.
July 9. Faint diffused and unsteady; just visible as faint patch of light; poor observation.
Sept. 10. Poorly defined.

VENUS.—Jan. 13. Clouds passing.
Feb. 22. Cloudy.
Mar. 5. Definition poor.
Mar. 8. Cloudy.
Mar. 10. Clouds passing.
Mar. 11. Faint at times; cloudy.
Mar. 17. Very unsteady.
May 26. Faint; hazy sky.
June 7. Cloudy.
June 16. Cloudy.
June 18. Through cloud.
June 19. Faint; hazy.

John G. Wolbach Library, Harvard-Smithsonian Center for Astrophysics • Provided by the NASA Astrophysics Data System

1926GOTM....2A..39D

PLANETS—*continued.*

G.M.T. from Midnight.	Observer.	Limb.	Right Ascension. Observed.	Right Ascension. O–C.	Horizontal Diameter. Observed.	Horizontal Diameter. O–C.	Limb.	Declination. Observed.	Declination. O–C.	Vertical Diameter. Observed.	Vertical Diameter. O–C.
					VENUS—*continued.*						
d h			h m s	s	s	s		° ′ ″	″	″	″
1926											
July 1 10	GW	2	4 5 5·57	+ ·23	...	...		+18 56 31·36	+0·46	13·83	+0·25
8 10	GR	2	4 39 24·35	+ ·17	...	...		+20 31 50·03	−0·67	11·15	−1·95
12 10	RC	2	4 59 23·95	+ ·16	...	...		+21 15 16·43	−0·57	14·32	+1·48
14 10	GR	2	5 9 29·42	+ ·20	...	...		+21 33 43·96	−0·84	10·21	−2·51
17 10	HB	2	5 24 43·80	+ ·13	...	...		+21 57 10·81	−0·59	12·08	−0·48
22 10	RC	2	5 50 22·20	+ ·16	...	...		+22 24 27·53	−0·17	13·03	+0·73
23 10	HB	2	5 55 31·74	+ ·24	...	...		+22 28 4·60	−0·80	13·39	+1·15
Aug. 4 10	HB	2	6 57 50·93	+ ·21	...	...		+22 22 22·12	−1·38	12·51	+0·83
5 10	HA	2	7 3 3·14	+ ·20	...	...		+22 17 45·12	−0·18	11·63	−0·01
11 10	HA	2	7 34 11·67	+ ·20	...	...		+21 36 31·71	−0·89	12·11	+0·69
12 10	W	2	7 39 21·86	+ ·21	...	...		+21 27 26·86	−1·24	12·77	+1·39
14 10	LS	2	7 49 40·77	+ ·22	...	...		+21 7 27·49	−0·21	11·68	+0·38
27 11	RC	2	8 55 38·83	+ ·20	...	...		+18 0 10·06	−1·64	10·10	−0·78
28 11	LS	1, 2	9 0 37·87	+ ·28	0·79	+ ·03		+17 41 56·44	−0·76	12·94	+2·10
30 11	GW	2	9 10 33·08	+ ·17	...	...		+17 3 57·70	−0·10	12·01	+1·23
31 11	GR	2	9 15 29·29	+ ·03	...	...		+16 44 13·68	−0·32	10·29	−0·47
Sept. 4 11	RC		9 35 (6)	...	...	...		+15 20 38·10	−1·10	9·74	−0·92
10 11	RC	1, 2	10 4 4·25	+ ·21	0·79	+ ·07		+13 2 27·90	−0·50	10·63	+0·09
13 11	LS	2	10 18 21·96	+ ·21	...	...		+11 48 14·07	−1·93	11·59	+1·13
16 11	RC	1, 2	10 32 32·68	+ ·27	0·70	·00		+10 31 3·02	−0·78	11·20	+0·80
18 11	GR	2	10 41 56·08	+ ·19	...	...		+ 9 38 4·47	−0·73	10·68	+0·32
19 11	HA	1, 2	10 46 36·86	+ ·24	0·76	+ ·06		+ 9 11 10·55	−0·25	10·99	+0·65
20 11	HA	1, 2	10 51 16·83	+ ·11	0·76	+ ·06		+ 8 43 58·93	−1·77	11·86	+1·54
22 11	RC	1, 2	11 0 35·38	+ ·22	0·80	+ ·10		+ 7 48 54·58	−1·12	11·38	+1·10
23 11	GW	2	11 5 13·82	+ ·26	...	...		+ 7 21 1·91	−0·49	12·66	+2·40
28 11	HA	1, 2	11 28 18·84	+ ·11	0·56	− ·12		+ 4 58 33·70	−1·10	10·19	+0·01
30 11	GR	2	11 37 30·34	+ ·10	...	...		+ 4 0 23·62	−1·18	8·21	−1·95
Oct. 2 11	HA	1, 2	11 46 40·88	+ ·15	0·66	− ·02		+ 3 1 41·97	−0·93	10·14	0·00
6 11	GR		12 5 (0)	...	...	...		+ 1 3 6·33	−0·87	7·55	−2·53
8 11	HA	1, 2	12 14 9·09	+ ·19	0·72	+ ·04		+ 0 3 23·99	−1·21	11·09	+1·03
13 11	LS	1, 2	12 37 3·38	+ ·25	0·70	+ ·04		− 2 26 13·72	−1·62	9·60	−0·40
14 11	HA	1, 2	12 41 38·70	+ ·18	0·63	− ·03		− 2 56 6·70	−1·30	10·20	+0·20
18 11	GR	2	13 0 3·33	+ ·06	...	...		− 4 55 7·55	−1·65	9·23	−0·73
Nov. 1 11	HA	1, 2	14 5 42·67	+ ·07	0·63	− ·05		−21 34 45·74	−2·04	9·35	−0·51
Dec. 4 12	W	1, 2	16 53 49·89	+ ·23	0·68	− ·04		−22 39 17·65	−1·15	10·22	+0·38
9 12	RC	1, 2	17 21 0·29	+ ·22	0·62	− ·10		−23 25 21·48	−0·18	8·28	−1·58
15 12	RC		17 53 (56)	...	...	...		−23 57 0·69	+0·91	10·23	+0·33
16 12	W	1, 2	17 59 26·43	+ ·10	0·72	·00		−23 59 44·62	−0·82	9·32	−0·58
29 13	GR	2	19 10 56·12	+ ·01	...	...		−23 27 2·92	−0·22	7·73	−2·27

July 14. Very unsteady.
July 17. Diffused and very unsteady.
July 22. Very unsteady.
July 23. Very unsteady.
Aug. 11. Very faint and cloudy.
Aug. 14. Clouds passing.
Aug. 28. Unsteady.
Aug. 30. Definition very poor.
Sept. 13. Clouds passing.
Sept. 23. Clouds passing.
Sept. 28. Badly defined.
Sept. 30. Hazy.
Oct. 2. Faint; cloudy.
Oct. 6. Very poor object; through thin cloud.
Oct. 13. Cloudy at times; diffused.
Dec. 4. Extremely faint in a very bright field.
Dec. 9. Badly defined.
Dec. 15. Badly defined.
Dec. 29. Very poor object.

John G. Wolbach Library, Harvard-Smithsonian Center for Astrophysics • Provided by the NASA Astrophysics Data System

1928GOAM....2A..39D

PLANETS—*continued.*

G.M.T. from Midnight.		Observer.	Limb.	Right Ascension. Observed.	Right Ascension. O–C.	Horizontal Diameter. Observed.	Horizontal Diameter. O–C.	Limb.	Declination. Observed.	Declination. O–C.	Vertical Diameter. Observed.	Vertical Diameter. O–C.
						MARS.						
d	h			h m s	s	s	s		° ′ ″	″	″	″
1926.												
Aug. 28	4	LS		2 44 58·77	− ·02	1·02	+ ·06		+12 53 0·07	−0·23	15·49	+1·31
Sept. 25	3	LS		3 10 24·92	− ·05	1·17	− ·05		+15 5 14·41	+0·11	20·50	+2·86
Nov. 9	23	RC		2 28 16·35	− ·09	1·46	+ ·10		+14 10 8·31	−1·69	21·78	+2·10
12	23	LS		2 24 22·73	− ·12	1·23	− ·11		+14 1 53·39	−0·81	21·56	+2·20
20	22	HB		2 15 41·67	− ·03	1·31	+ ·05		+13 45 30·77	−1·33	18·96	+0·70
Dec. 2	21	HB		2 8 32·75	− ·10	1·16	+ ·04		+13 42 44·27	−0·63	17·44	+1·14
3	21	HA		2 8 17·93	− ·05	1·28	+ ·18		+13 43 51·64	−1·06	18·55	+2·43
4	21	W		2 8 6·34	− ·02	1·14	+ ·04		+13 45 12·56	−0·94	17·96	+2·00
6	21	LS		2 7 52·75	− ·03	1·18	+ ·10		+13 48 32·73	−1·37	17·19	+1·57
8	21	HB		2 7 51·95	− ·03	1·08	+ ·02		+13 52 45·54	−1·06	17·05	+1·77
11	21	GR		2 8 14·12	− ·05	1·03	+ ·01		+14 0 39·28	−1·02	15·04	+0·26
20	20	HB		2 11 57·58	− ·02	1·01	+ ·09		+14 34 53·38	−0·12	14·21	+0·85
29	20	GR		2 19 7·88	− ·06	0·90	+ ·06		+15 22 19·92	−0·48	13·63	+1·53
						VESTA.						
Jan. 6	22	LS		5 29 49·28	− ·27*	...	...		+20 53 10·31	−2·29*	...	...
9	22	GR		5 27 9·26	− ·29	...	...		+21 0 26·60	−2·25	...	...
						JUPITER.						
Aug. 18	23	GW		21 38 11·41	− ·11	3·41	+ ·03		−15 17 45·52	+1·18	50·04	+4·42
24	23	GW		21 35 10·39	− ·05	3·46	+ ·10		−15 33 8·60	+0·70	49·23	+3·75
27	23	RC		21 33 41·91	− ·17	3·44	+ ·08		−15 40 31·86	−0·36	48·08	+2·70
Sept. 4	23	RC		21 29 58·72	− ·06	3·36	+ ·02		−15 58 44·75	+0·55	47·69	+2·71
8	22	HA		21 28 16·28	− ·11	3·32	·00		−16 6 54·23	+0·47	46·28	+1·58
13	22	LS		21 26 19·48	− ·07	3·41	+ ·11		−16 16 2·10	+0·60	46·83	+2·53
18	22	GR		21 24 36·94	− ·08	3·25	− ·01		−16 23 52·37	+0·53	44·26	+0·40
22	21	RC		21 23 26·32	− ·08	3·28	+ ·04		−16 29 8·60	+0·50	44·63	+1·17
25	21	HB		21 22 40·32	− ·20	3·28	+ ·06		−16 32 29·13	+0·77	44·23	+1·09
27	21	LS		21 22 13·43	− ·03	3·23	+ ·03		−16 34 26·37	−0·27	45·16	+2·24
28	21	HA		21 22 0·93	− ·08	3·22	+ ·02		−16 35 19·45	−0·65	44·17	+1·35
30	21	GR		21 21 38·25	− ·07	3·09	− ·09		−16 36 53·73	−0·43	43·60	+1·02
Oct. 2	21	HA		21 21 18·53	− ·09	3·06	− ·10		−16 38 13·31	−0·21	44·48	+2·12
6	20	GR		21 20 48·32	− ·11	3·08	− ·04		−16 40 9·37	−0·97	42·35	+0·47
9	20	HB		21 20 33·92	− ·07	3·17	+ ·07		−16 40 55·05	+0·55	43·67	+2·17
18	20	GR		21 20 33·52	− ·02	2·71	− ·29		−16 39 54·39	+0·11	40·59	+0·23
19	20	LS		21 20 37·37	− ·08	2·90	− ·10		−16 39 30·97	−1·87	41·54	+1·32
23	19	GW		21 21 0·98	+ ·06	2·78	− ·18		−16 37 11·30	−0·50	42·94	+3·24
Nov. 1	19	HA		21 22 38·76	− ·01	3·02	+ ·14		−16 28 28·69	−0·79	41·81	+3·25
5	18	GR		21 23 41·76	− ·04	2·85	+ ·01		−16 23 2·09	+1·11	38·33	+0·25
12	18	LS		21 25 59·67	− ·10	2·80	+ ·02		−16 11 22·68	−0·48	38·77	+1·51
Dec. 8	17	HB		21 39 2·35	− ·03	2·46	− ·10		−15 5 11·35	+0·35	34·35	−0·17
15	16	RC		21 43 34·40	− ·06	2·49	− ·01		−14 41 48·29	−0·59	35·10	+1·20
16	16	W		22 44 15·16	+ ·07	2·58	+ ·10		−14 38 17·43	−0·83	34·04	+0·22

MARS.—Sept. 25. Very diffused and unsteady.

JUPITER.—Sept. 8. Badly defined.
Sept. 27. Definition bad.

* The computed place and log distance from Earth used in the parallax computation of Vesta are based on *Leveau's Tables* as printed in the *British Astronomical Association Handbook* for 1926, pp. 16–17.

John G. Wolbach Library, Harvard-Smithsonian Center for Astrophysics • Provided by the NASA Astrophysics Data System

1926GGAM....2A..39D

PLANETS—*continued.*

G.M.T. from Midnight.	Observer.	Limb.	Right Ascension. Observed.	Right Ascension. O–C.	Horizontal Diameter. Observed.	Horizontal Diameter. O–C.	Limb.	Declination. Observed.	Declination. O–C.	Vertical Diameter. Observed.	Vertical Diameter. O–C.
					SATURN.						
d h			h m s	s	s	s		° ′ ″	″	″	″
1926.											
May 31 23	HA		15 18 51·34	− ·19	1·27	− ·01		−15 50 35·22	−0·02	16·89	+0·25
June 7 22	W		15 16 58·43	− ·13	1·34	+ ·06		−15 44 19·11	−0·31	18·07	+1·49
10 22	HA		15 16 12·92	− ·18	1·20	− ·08	N	−15 41 49·62	+1·88	...	...
19 21	GW	1	15 14 9·81	− ·15	...	...	N	−15 35 27·36	+2·04	...	...
21 21	LS		15 13 45·44	− ·18	1·33	+ ·07		−15 34 18·86	−0·86	18·10	+1·76
22 21	HA		15 13 33·69	− ·21	1·23	− ·03		−15 33 (44)	...	...	...
24 21	HA		15 13 11·22	− ·13	1·16	− ·10	N	−15 32 37·69	+3·11	...	...
25 21	W		15 13 0·47	− ·07	1·28	+ ·02		−15 32 9·80	+1·30	16·86	+0·60
					URANUS.						
Oct. 7 23	LS		23 49 30·02	+ ·11	...	...		− 1 59 44·81	+1·19	...	...
9 23	HB		23 49 13·48	+ ·10	...	...		− 2 1 30·23	+1·07	...	...
18 22	GR		23 48 2·78	+ ·01	...	...		− 2 8 57·21	+1·09	...	...
26 21	RC		23 47 6·67	+ ·10	...	...		− 2 14 48·13	+1·87	...	...
Nov. 2 21	HB		23 46 23·88	+ ·19	...	...		− 2 19 15·05	−0·25	...	...
5 21	GR		23 46 7·49	+ ·12	...	...		− 2 20 53·56	+0·94	...	...
12 20	LS		23 45 34·70	+ ·09	...	...		− 2 24 10·56	+0·84	...	...
19 20	HA		23 45 9·98	+ ·15	...	...		− 2 26 34·19	+1·31	...	...
20 20	HB		23 45 7·09	+ ·13	...	...		− 2 26 51·40	+0·10	...	...
Dec. 3 19	HA		23 44 46·25	+ ·15	...	...		− 2 28 32·97	+0·33	...	...
					NEPTUNE.						
Feb. 25 23	W		9 42 5·90	− ·18	...	...		+14 12 56·12	+0·92	...	...
Mar. 9 23	W		9 40 53·05	− ·24	...	...		+14 19 8·29	+1·19	...	...
10 22	GR		9 40 47·41	− ·16	...	...		+14 19 37·40	+1·20	...	...
15 22	W		9 40 19·76	− ·18	...	...		+14 21 58·91	+2·51	...	...
23 22	LS		9 39 39·54	− ·21	...	...		+14 25 20·00	+0·70	...	...
Apr. 10 20	LS		9 38 31·35	− ·16	...	...		+14 31 1·51	+0·71	...	...
12 20	HB		9 38 25·91	− ·19	...	...		+14 31 28·02	+0·42	...	...
13 20	RC		9 38 23·37	− ·19	...	...		+14 31 39·89	−0·31	...	...
17 20	HA		9 38 14·50	− ·15	...	...		+14 32 23·39	−0·91	...	...

SATURN.—June 7. S.L. only just visible behind ring.
June 24. Bad definition.

URANUS.—Oct. 26. Extremely faint; foggy.

NEPTUNE.—Apr. 10. Faint and diffused.

John G. Wolbach Library, Harvard-Smithsonian Center for Astrophysics • Provided by the NASA Astrophysics Data System

1928GOAM....2A..39D

COOKSON FLOATING ZENITH TELESCOPE. 1926.

During the year 226 plates were obtained ; each plate was measured in both direct and reversed positions.

From a preliminary investigation of the measures, the following values of the latitude variation (mean latitude *minus* observed) were obtained :—

Date.	Variation.	Number of Plates.
	″	
1926·026	+·066	27
·176	—·045	21
·276	+·017	19½
·355	+·095	11
·438	+·042	15½
·496	+·056	26
·566	+·050	17
·669	—·022	25½
·752	—·026	16
·845	+·047	5½
·912	—·022	15
1927·050	—·060	26½

From a smooth curve drawn to represent the observed results as closely as possible, the following corrections, applicable to observed North Polar Distances, were derived :—

		″			″
1926.0	...	+·06	1926.6	...	+·02
26.1	...	+·01	26.7	...	·00
26.2	...	—·02	26.8	...	—·02
26.3	...	+·04	26.9	...	—·04
26.4	...	+·07	1927.0	...	—·06
26.5	...	+·05			

From a discussion of the observations from 1919 to 1926, the following results for 1926 were obtained :—

		″			″
1926.0	...	+·01	1926.6	...	—·04
26.1	...	+·03	26.7	...	—·07
26.2	...	+·04	26.8	...	—·08
26.3	...	+·05	26.9	...	—·09
26.4	...	+·03	1927.0	...	—·09
26.5	...	·00			

The results, as given in the last table, have been used in the Transit Circle reductions.

John G. Wolbach Library, Harvard-Smithsonian Center for Astrophysics • Provided by the NASA Astrophysics Data System