Taller 2: contenerización de una aplicación completa

con Docker

Fase 1:

7: Evidencia 1(docker ps.)

```
PS C:\Users\APRENDIZ> docker ps
CONTAINER ID   IMAGE     COMMAND                  CREATED          STATUS          PORTS                                     NAMES
100455d929ff   nginx     "/docker-entrypoint.…"   47 seconds ago   Up 42 seconds   0.0.0.0:8080->80/tcp, [::]:8080->80/tcp   prueba-web
```

Fase 2:

11: Evidencia 2 (naming to ...)

```
Problemas 2   Salida   Terminal   Puertos   DevDb   Consola de depuración

PS C:\Users\APRENDIZ\Downloads\app-respaldo> cd api
PS C:\Users\APRENDIZ\Downloads\app-respaldo\api> docker build -t tareas-api:1.0 .
[+] Building 107.3s (10/10) FINISHED
 => [internal] load build definition from Dockerfile
 => => transferring dockerfile: 200B
 => [internal] load metadata for docker.io/library/python:3.12-slim
 => [internal] load .dockerignore
 => => transferring context: 74B
 => [1/5] FROM docker.io/library/python:3.12-slim@sha256:05cda9777409a9c3ffddd94a4c476b79f0769a0b4857f0c7ed9226b6800b0d6f
 => => resolve docker.io/library/python:3.12-slim@sha256:05cda9777409a9c3ffddd94a4c476b79f0769a0b4857f0c7ed9226b6800b0d6f
 => [internal] load build context
 => => transferring context: 2.42kB
 => CACHED [2/5] WORKDIR /app
 => [3/5] COPY requirements.txt .
 => [4/5] RUN pip install --no-cache-dir -r requirements.txt
 => [5/5] COPY . .
 => exporting to image
 => => exporting layers
 => => exporting manifest sha256:4373bb11b20d2575b480a5d3b36e63444d88c69a1fd537f966069fc8dc3a12cd
 => => exporting config sha256:d6e5c07bafcfcc20d36b42b111f802ece67a80de53a6d42ea198828661e191e3
 => => exporting attestation manifest sha256:4586a0570b522dbefe59be801ca71b1910bf7978ccb760fbdad286d70a5c5883
 => => exporting manifest list sha256:bee15f07d55dacae3d2769c058b1793c341edfb3d221447f95fa2953db1490de
 => => naming to docker.io/library/tareas-api:1.0
 => => unpacking to docker.io/library/tareas-api:1.0
```


docker logs api-prueba.


```
PS C:\Users\APRENDIZ\Downloads\app-respaldo\api> docker logs api-prueba
 * Serving Flask app 'app'
 * Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
 * Running on all addresses (0.0.0.0)
 * Running on http://127.0.0.1:5000
 * Running on http://172.17.0.2:5000
Press CTRL+C to quit
PS C:\Users\APRENDIZ\Downloads\app-respaldo\api>
```

Fase 3:

6: Evidencia 3 (docker images tareas-api)


```
PS C:\Users\APRENDIZ\Downloads\app-respaldo\api> docker images tareas-api
                                                  i Info →  U  In Use
IMAGE              ID             DISK USAGE   CONTENT SIZE   EXTRA
tareas-api:1.0     bee15f07d55d       217MB         53.1MB
tareas-api:1.1     27ce27d8b541       217MB         53.1MB
```






Fase 4:

8: Evidencia 4 (Registros después de crear el contenedor)



Fase 5:

13: Evidencia 5 (docker compose ps)



(3 tareas registradas)



(después de apagar y reiniciar)

