pefindo.tbl_account_type / 💠 s_account_type_id : varchar(25) [] s_account_type_name : varchar(150) #b_allow_select_company : tinyint(1) #i_role_level : int(3) #i_role_level_from : int(3) #i_role_level_to:int(3) #b_active : tinyint(1) #b_switch_role : tinyint(1) #b_smart_search : tinyint(1) s_actualrole_create : varchar(200) []s_passname_create : varchar(200) ■ dt_create : datetime ⊚s_actualrole_update : varchar(200) [s_passname_update : varchar(200) dt_update : datetime pefindo.tbl_company

V 🛑 @s_customer_code : varchar(255) s_contract_code : varchar(255) s_role_of_customer : varchar(255) s_company_name : varchar(255) []s_company_alias : varchar(255) s_group_name : varchar(255) d_establishment : varchar(50) ⑤ s_establishment_location : varchar(255) []s_category : varchar(255) s_market_listed : varchar(255) [s_economic_sector : varchar(255) ⊚s_registration_number : varchar(255) ≣s_latest_deed_number : varchar(255) d_latest_date_of_deed : varchar(50) s_npwp : varchar(255) ⑤ s_street : varchar(255) ⑤ s_city : varchar(255) []s_postal_code : varchar(255) s_district : varchar(255) [s_parish : varchar(255)] @s_address_line : varchar(255) @s_mobile_phone : varchar(255) []s_fixed_line : varchar(255) dt_transfer : datetime dt_slik : datetime #b_slik : tinyint(4) s_trx_id : bigint(20)

§s_file_transfer_id : varchar(32) s_api_id : varchar(32) s_subscriber_id : varchar(32) []s_file_zip_name : varchar(100) s_file_zip_path_remote : varchar(100) s_file_zip_path_local : varchar(100) n_year : varchar(10) n_month : varchar(10) #b_status : tinyint(4) [s_actualrole_create : varchar(32)] []s_passname_create : varchar(32) ⑤ s_actualrole_update : varchar(32) [s_passname_update : varchar(32) □dt_create : datetime dt_update : datetime pefindo.tbl_file_zip

pefindo.tbl_file_transfer

V 🕛

s_file_zip_id : varchar(32) ⑤ s_api_id : varchar(32) s_subscriber_id : varchar(32) gs_file_zip_year : varchar(50) §s_file_zip_month : varchar(50) n_file_zip_version : tinyint(4) []s_file_zip_name : varchar(50) []s_file_zip_size : varchar(50) d_file_zip_create : date □ dt create : datetime ⊚s_actualrole_create : varchar(50) s_passname_create : varchar(50) dt_update : datetime ⊚s_actualrole_update : varchar(50) []s_passname_update : varchar(50) pefindo.tbl_slik_v2 V 🚺 s_slik_id : varchar(32) []s_file_zip_id : varchar(32) []s_file_csv_id : varchar(32)

#n_sort : int(11) #n_batch : int(11) #n_batch_offset : bigint(20) #n_batch_size : bigint(20) []s_batch_file_name : varchar(50) #b_export : tinyint(4) #b_upload : tinyint(4) #b_import : tinyint(4) ≣s_import_response : varchar(200) ≣s_actualrole_create : varchar(50) ⊚s_passname_create : varchar(50 dt_create : datetime s_actualrole_update : varchar(50) s_passname_update : varchar(50) dt_update : datetime pefindo.tbl_user

V 😛 @s_user_id : varchar(25) §s_passname : varchar(200) []s_account_type_id : varchar(25) @s_user_group_id : varchar(25) []s_user_company_type : varchar(10) [s_user_company_id : varchar(200) []s_password : varchar(200) @s_first_name : varchar(200) s_last_name : varchar(200) [s_mobile_no : varchar(200)] [s_email : varchar(200)] [s_email_alternative : varchar(200) []s_user_picture_path : varchar(200) []s_lock_ip : varchar(25) #b_blacklist : tinyint(1) #b_active : tinyint(1) []s_actualrole_create : varchar(200) ⑤ s_passname_create : varchar(200) □dt create : datetime []s_actualrole_update : varchar(200) []s_passname_update : varchar(200) ■dt_update : datetime dt_login : datetime

v opefindo.tbl_account_type_menu s_account_type_id : varchar(25) @i_menu_id : bigint(20) #b_module : tinyint(1) #b_add : tinyint(1) #b_delete : tinyint(1) #b_edit : tinyint(1)

0

#b_sftp_status : tinyint(4)

≣s_actualrole_create : varchar(50)

[s_passname_create : varchar(50)]

[]s_actualrole_update : varchar(50)

[]s_passname_update : varchar(50)

s_collateral_code : varchar(255)

as_contract_code : varchar(255)

s_collateral_type : varchar(255)

⑤ s_collateral_description : varchar(255)

⑤ s_branch : varchar(255)

pefindo.tbl_collateral

⑤ s_sftp_response : text

ਗdt_create : datetime

dt_update : datetime

V 💮

v pefindo.tbl_company_category s_mf_value : varchar(20) s_slik_value : varchar(20) s_item_value : varchar(150)

√ 🐞 pefindo.tbl_company_status []s_mf_value : varchar(20) s_slik_value : varchar(20) s_item_value : varchar(150)

§s_country_id : varchar(50)

V 💠

pefindo.tbl_country

[]s_country_desc : varchar(150) #b_status : tinyint(1) v opefindo.tbl_error_trx §s_error_trx_id : varchar(32) s_file_zip_id : varchar(32) s_file_csv_id : varchar(32) []s_error_id : varchar(255) s_raw_data : text

dt_create : datetime pefindo.**tbl_error** s_error_id : int(11) s_error_desc : varchar(100) pefindo.tbl_external_db

§s_db_id : varchar(20) []s_hostname : varchar(50) []s_database : varchar(50) []s_username : varchar(50) ≣s_password : varchar(50) actualrole_create : varchar(50) ⑤ passname_create : varchar(50) dt_create : datetime []s_actualrole_update : varchar(50) []s_passname_update : varchar(50) dt_update : datetime

pefindo.tbl_file_csv @s_file_csv_id : varchar(32) ⑤ s_file_zip_id : varchar(32) ⑤ s_file_csv_name : varchar(50) s_line_db : varchar(50) ⑤ s_line : varchar(50) []s_line_error : varchar(50) dt_transfer_start : datetime dt_transfer_end : datetime #b_slik: tinyint(4) dt_slik_start : datetime dt_slik_end : datetime []s_actualrole_slik : varchar(50) []s_passname_slik : varchar(50) #b_id_joint : tinyint(4) □dt_id_joint_start : datetime dt_id_joint_end : datetime []s_actualrole_id_joint : varchar(50) []s_passname_id_joint : varchar(50)

pefindo.tbl_individual [s_customer_code : varchar(255)] ⑤ s_contract_code : varchar(255) [s_role_of_customer : varchar(255) []s_full_name : varchar(255) []s_alias : varchar(255) []s_mothers_maiden_name : varchar(255) s_classification_of_individual : varchar(255) [s_gender : varchar(255)] ad_birth : varchar(50) @s_place_of_birth : varchar(255) @s_social_status : varchar(255) ≣s_default_reason_description : varchar(255) ⑤ s_citizenship : varchar(255) s_employment : varchar(255) @s_employer_name : varchar(255) [s_employer_sector : varchar(255) ⑤ s_education : varchar(255) as_npwp : varchar(255) [s_ktp : varchar(255)] [s_passport_number : varchar(255)] []s_passport_issuer_country : varchar(255) []s_street : varchar(255) s_city : varchar(255) s_postal_code : varchar(255) a district : varchar(255) s_parish : varchar(255) []s_country : varchar(255) []s_address_line : varchar(255) [s_mobile_phone : varchar(255)]

v 💠 pefindo.**tbl_subject_relation_gende**i s_mf_value : varchar(20) s_slik_value : varchar(20) s_item_value : varchar(150)

[s_fixed_line : varchar(255)]

dt_transfer : datetime

dt_id_joint : datetime

[]s_id_joint : varchar(32)

dt_slik : datetime

#b_slik : tinyint(4)

s_trx_id : bigint(20)

pefindo.tbl_user_company s_user_company_id : varchar(25) [s_user_company_name : varchar(200) ≣s_user_company_id_parent : varchar(25) #i_left : bigint(20) #i_right : bigint(20) #i_level : bigint(20) s_id : varchar(50) [s_address1 : varchar(200)] ⑤s_address2 : varchar(100) [s_address3 : varchar(200)] is_state : varchar(50) s_region : varchar(50) s_region_other : varchar(50) s_country_id : varchar(10) s_phone_no : varchar(50) d_expiry : date s_base_url : varchar(200) ⊚s_support_number : varchar(50) ≣s_support_email : varchar(50) s_url_website : varchar(200) s_title_1 : varchar(200) s_title_2 : varchar(200) [s_company_logo_path : varchar(200) ⑤s_copyright : varchar(200) # b_blacklist : tinyint(1) #b_active : tinyint(1)

pefindo.tbl_api v 👩 pefindo.tbl_collateral_collateral_insurance §s_api_id : varchar(32) s_mf_value : varchar(20) #n_year : int(11) []s_slik_value : varchar(20) #n_month : int(11) []s_item_value : varchar(150) #n_version : int(11) s_api_mode : varchar(20)

s_mf_value : varchar(20) s_slik_value : varchar(20) s_item_value : varchar(150) 🗸 👝 pefindo.tbl_contract_data_purpose_of_financing v • pefindo.tbl_collateral_collateral_type ⑤ s_mf_value : varchar(20) []s_mf_value : varchar(20) s_slik_value : varchar(20) []s_slik_value : varchar(20)

[]s_item_value : varchar(150) []s_item_value : varchar(150) / 💍 pefindo.tbl_contract_data_syndicated_loan s_mf_value : varchar(20) [s_mf_value : varchar(20)] []s_slik_value : varchar(20) []s_slik_value : varchar(20) []s_item_value : varchar(150) []s_item_value : varchar(150)

√ 💠 pefindo.**tbl_company_country_codes**

⑤ s_slik_value : varchar(20) [] s_item_value : varchar(150) 🗸 🔥 pefindo.tbl_company_economic_sector 🛛 🗸 🔥 pefindo.tbl_contract_data_type_of_interest_rate [s_mf_value : varchar(20)] s_slik_value : varchar(20)

s_mf_value : varchar(20)

[]s_mf_value : varchar(20)

[]s_slik_value : varchar(20)

[]s_item_value : varchar(150)

s_mf_value : varchar(20)

s_slik_value : varchar(20)

[]s_slik_value : varchar(20)

s_mf_value : varchar(20)

[s_slik_value : varchar(20)]

s_smtp_id : int(11)

[]s_item_value : varchar(150)

[s_smtp_host : varchar(200)]

s_smtp_port : varchar(50)

v 🔥 pefindo.tbl_mailer_setting

⊚s_smtp_username : varchar(200)

[s_smtp_password : varchar(200)

⑤ s_support_email : varchar(200)

[]s_smtp_secure : varchar(50)

§s_slik_id : varchar(32)

#n_sort : int(11)

#n_batch : int(11)

#b_insert : tinyint(4)

╗dt_create : datetime

dt_update : datetime

[]s_mf_value : varchar(20)

[]s_slik_value : varchar(20)

⑤s_item_value : varchar(150)

pefindo.tbl_user_forget

pefindo.tbl_subject_relation_category

s_file_zip_id : varchar(32)

s_file_csv_id : varchar(32)

#n_batch_offset : bigint(20)

#n_batch_size : bigint(20)

s_company_name : varchar(200)

pefindo.tbl_slik_v3

s_collateral_tax_value : varchar(255) s_item_value : varchar(150) [s_collateral_bank_value : varchar(255) [s_collateral_appraisal_value : varchar(255) 🗸 💍 pefindo.**tbl_company_market_listed** ad_valuation : varchar(50) s_mf_value : varchar(20) []s_collateral_owner_name : varchar(255) s_slik_value : varchar(20) []s_proof_of_ownership : varchar(255) []s_item_value : varchar(150)

s_security_assignment_type : varchar(255) []s_proportion : varchar(255) [s_collateral_insurance : varchar(255)
dt_transfer : datetime dt_slik : datetime #b_slik : tinyint(4) §s_trx_id : bigint(20)

pefindo.tbl_contractdata

s_contract_code : varchar(255) s_branch : varchar(255) s_phase_of_contract : varchar(255) s_contract_status : varchar(255) s_type_of_contract : varchar(255) s_credit_classification : varchar(255) s_purpose_of_financing : varchar(255) [s_name_of_insured : varchar(255) [s_economic_sector : varchar(255)] s_currency_of_contract : varchar(255) s interest rate: varchar(255) s_type_of_interest_rate : varchar(255) s_total_facility_amount : varchar(255) s_total_amount : varchar(255) s_initial_total_amount : varchar(255) [s_total_taken_amount : varchar(255) s_outstanding_amount : varchar(255) [s_principal_balance : varchar(255)] [s_past_due_amount : varchar(255)] s_past_due_days : varchar(255)

s_past_due_interest : varchar(255) [s_interest_arrears : varchar(255)] s_interest_arrears_frequency : varchar(255) [s_principal_arrears : varchar(255) ⑤ s_principal_arrears_frequency : varchar(255) as_penalty : varchar(255) s_initial_agreement_number : varchar(255) d_initial_agreement : varchar(50) [s_last_agreement_number : varchar(255)

 d_last_agreement : varchar(50) d_disbursement : varchar(50) ad_start : varchar(50) ad_restructuring : varchar(50) d_maturity : varchar(50) ad_real_end : varchar(50) ad_condition : varchar(50) ≣s_negative_status_of_the_contract : varchar(255) gd_delinguency : varchar(50) ad_default : varchar(50) s_default_reason : varchar(255)

#b_active : tinyint(1) [s_syndicated_loan : varchar(255) [s_actualrole_create : varchar(100)] dt_transfer : datetime []s_passname_create : varchar(100) dt_slik : datetime dt_create : datetime #b_slik : tinyint(4) [s_actualrole_update : varchar(100)] @s_trx_id : bigint(20) []s_passname_update : varchar(100) dt_update : datetime pefindo.tbl_subjectrelation [s_customer_code_of_primary_subject : varchar(255) s_relation_type : varchar(255) ⑤s_customer_code_of_secondary_subject : varchar(255) s_subject_type : varchar(255)

s_npwp : varchar(255) s_ktp : varchar(255) s_full_name : varchar(255) gs_gender : varchar(255) ⑤ s_parts_of_guaranteed : varchar(255) ⑤ s_ownership_share : varchar(255) ⑤ s_category : varchar(255) s_street : varchar(255) s_city : varchar(255) ⑤ s_district : varchar(255) s_parish : varchar(255) s_address_line : varchar(255) dt_transfer : datetime dt_slik : datetime

#b_slik : tinyint(4) s_trx_id : bigint(20)

■ dt_update : datetime

pefindo.tbl_subscriber V 🐽 [s_user_id : varchar(25)] §s_subscriber_id : varchar(32) s_passname : varchar(200) s_subscriber_code : varchar(50) s_subscriber_name : varchar(100) §s_subscriber_directory : varchar(100) as_subscriber_directory_replace : varchar(100) #b_status : tinyint(4) actualrole_create : varchar(100) []s_passname_create : varchar(100) dt_create : datetime s_actualrole_update : varchar(100) s_passname_update : varchar(100)

d_create : date ☐d_valid_till : date s_msg : text []s_forget_password_code : varchar(50) dt_create : datetime dt_reset : datetime []s_ip_reset : varchar(50) ⑤ s_ip_create : varchar(50) s_new_password : varchar(50) #b_active : tinyint(1)

pefindo.tbl_user_group V 🚺 §s_user_group_id : varchar(25) @s_user_group_name : varchar(150) s_user_company_id : varchar(25) s_account_type_id : varchar(25) #b_allow_edit : tinyint(1) #b_auto_update_permission : tinyint(1) #b_active : tinyint(1) s_actualrole_create : varchar(200) s_passname_create : varchar(200) dt_create : datetime ⑤s_actualrole_update : varchar(200) [s_passname_update : varchar(200)] dt_update : datetime

[]s_mf_value : varchar(20)

[]s_slik_value : varchar(20)

[]s_item_value : varchar(150)

@s_language : varchar(25) s_title : varchar(100) V 💠 v 👸 pefindo.**tbl_running_no** §s_slik_id : varchar(32) #i_id_run : bigint(20) @d_run : date §s_type : varchar(50) #n_sort : int(11) pefindo.tbl_server ' **•** #n_batch : int(11) §s_server_id : varchar(32) s_server_ip : varchar(50) #n_batch_size : bigint(20) []s_server_port : varchar(50) s_server_user : varchar(50) #b_insert : tinyint(4) as_server_password : varchar(50) #b_status : tinyint(4) @s_actualrole_create : varchar(50) ndt_create : datetime []s_passname_create : varchar(50) dt_create : datetime []s_passname_update : varchar(50) ⊚s_actualrole_update : varchar(50) dt_update : datetime ⑤s_passname_update : varchar(50) dt_update : datetime v 💠 pefindo.**tbl_menu** @ i_menu_id : bigint(20) dt_start : datetime s_route : varchar(100) v 😛 pefindo.tbl_slik_curl []s_icon_class : varchar(100) §s_slik_curl_id : varchar(32) #b_active : tinyint(1) s_file_zip_id : varchar(32) #i_menu_id_parent : bigint(20 §s_file_csv_id : varchar(32) #n seq:bigint(20) n_batch : int(11) s_batch_file_name : varchar(50) 🗸 💠 pefindo.**tbl_sessions** #b_status : tinyint(4) session_id : varchar(40) s_actualrole_create : varchar(50) dt_create : datetime ip_address : varchar(16) s_passname_create : varchar(50) dt_update : datetime ョuser_agent : varchar(120) #last_activity : int(10) unsigned s_actualrole_update : varchar(50) s_mf_value : varchar(20) guser_data : text s_passname_update : varchar(50)

s_mf_value : varchar(20) s_slik_value : varchar(20) s_item_value : varchar(150) 🔥 pefindo.tbl_individual_classification_of_individual ⑤s_mf_value : varchar(20) ⑤s_slik_value : varchar(20)

pefindo.tbl_contract_data_type_of_contract

s mf value: varchar(20)

[s_slik_value : varchar(20)]

[]s_item_value : varchar(150)

🗤 👝 pefindo.tbl_contract_data_phase_of_contract

⊚s_item_value : varchar(150) pefindo.tbl_company_role_of_customer pefindo.tbl_individual_country_codes s_mf_value : varchar(20) s_slik_value : varchar(20)

s_item_value : varchar(150) pefindo.tbl_individual_economic_sector √ 💠 pefindo.tbl_contract_data_closed_contract_status s_mf_value : varchar(20) s_slik_value : varchar(20) s_item_value : varchar(150)

s_item_value : varchar(150) pefindo.tbl_individual_education_level v 💍 pefindo.tbl_contract_data_credit_classification s_mf_value : varchar(20) s_mf_value : varchar(20) s_slik_value : varchar(20) s_slik_value : varchar(20) []s_item_value : varchar(150) as_item_value : varchar(150)

v 🍅 pefindo.tbl_contract_data_currency pefindo.tbl_individual_employment s mf value : varchar(20) s_mf_value : varchar(20) s_slik_value : varchar(20) s_slik_value : varchar(20)

@s_item_value : varchar(150) [s_item_value : varchar(150)] v 🐧 pefindo.tbl_individual_gender y ★ pefindo.tbl_contract_data_default_reason s_mf_value : varchar(20) s_slik_value : varchar(20)

s_mf_value : varchar(20) ⑤ s_slik_value : varchar(20) []s_item_value : varchar(150) s_item_value : varchar(150) pefindo.tbl_contract_data_economic_sector s_mf_value : varchar(20)

pefindo.tbl_individual_role_of_customer s_mf_value : varchar(20) ≣s_slik_value : varchar(20) ⊚s_item_value : varchar(150)

[]s_item_value : varchar(150) pefindo.tbl_contract_data_negative_status_of_contract 🗸 🔥 pefindo.tbl_individual_social_status [s_mf_value : varchar(20)] s_mf_value : varchar(20) ⑤ s_slik_value : varchar(20) ≣s_slik_value : varchar(20) [s_item_value : varchar(150)] [s_item_value : varchar(150)]

v 🏠 pefindo.tbl_menu_desc y ★ pefindo.tbl_contract_data_open_contract_status @i_menu_id : bigint(20)

pefindo.tbl_slik s_file_zip_id : varchar(32) s_file_csv_id : varchar(32) s_slik_batch_id : varchar(32)

#n_batch_offset : bigint(20) ⑤s_batch_file_name : varchar(50) []s_actualrole_create : varchar(50) []s_passname_create : varchar(50) []s_actualrole_update : varchar(50)

√ 🏠 pefindo.tbl_slik_batch []s_slik_batch_id : varchar(32)

pefindo.tbl_subject_relation_subject_type []s_slik_value : varchar(20) []s_item_value : varchar(150) v openindo.tbl_subject_relation_relation_type

> / 💠 pefindo.tbl_user_group_menu @s_user_group_id : varchar(25) gs_user_company_id : varchar(25) @i_menu_id : bigint(20) #b_module : tinyint(1) #b_add : tinyint(1) #b_edit : tinyint(1) #b_delete : tinyint(1)