```
Comandos utilizados para tarea Git – Prueba DevOps 28/04/2022
César Caraballo
git init
Initialized empty Git repository in C:/tareas-git-utec/prueba-devops/.git/
C:\tareas-git-utec\prueba-devops(master)
λ git config --get user.name
Cesar Caraballo
C:\tareas-git-utec\prueba-devops(master)
λ git config user.email "cesar.caraballo@estudiantes.utec.edu.uy"
C:\tareas-git-utec\prueba-devops(master)
λ git config --get user.email
cesar.caraballo@estudiantes.utec.edu.uy
C:\tareas-git-utec\prueba-devops(master)
λ touch README.md
C:\tareas-git-utec\prueba-devops(master)
\lambda git add.
C:\tareas-git-utec\prueba-devops(master)
\lambda git commit -m "initial commit"
[master (root-commit) 17eee0d] initial commit
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 README.md
```

```
C:\tareas-git-utec\prueba-devops(master)
λ git branch Rama-1
C:\tareas-git-utec\prueba-devops(master)
λ git branch
 Rama-1
* master
C:\tareas-git-utec\prueba-devops(master)
λ git checkout Rama-1
Switched to branch 'Rama-1'
C:\tareas-git-utec\prueba-devops(Rama-1)
λ touch doc.txt
C:\tareas-git-utec\prueba-devops(Rama-1)
λ git status
On branch Rama-1
Untracked files:
 (use "git add <file>..." to include in what will be committed)
    doc.txt
nothing added to commit but untracked files present (use "git add" to track)
C:\tareas-git-utec\prueba-devops(Rama-1)
λ git add doc.txt
C:\tareas-git-utec\prueba-devops(Rama-1)
λ git commit -m "Se sube doc Rama-1"
[Rama-1 b518391] Se sube doc Rama-1
1 file changed, 14 insertions(+)
create mode 100644 doc.txt
```

```
C:\tareas-git-utec\prueba-devops(Rama-1)
λ git checkout master
Switched to branch 'master'
C:\tareas-git-utec\prueba-devops(master)
λ git branch Rama-2
C:\tareas-git-utec\prueba-devops(master)
λ git checkout Rama-2
Switched to branch 'Rama-2'
C:\tareas-git-utec\prueba-devops(Rama-2)
λ git branch
 Rama-1
* Rama-2
 master
C:\tareas-git-utec\prueba-devops(Rama-2)
λ touch doc2.txt
C:\tareas-git-utec\prueba-devops(Rama-2)
λ git status
On branch Rama-2
Untracked files:
(use "git add <file>..." to include in what will be committed)
    doc2.txt
nothing added to commit but untracked files present (use "git add" to track)
```

```
C:\tareas-git-utec\prueba-devops(Rama-2)
\lambda git add doc2.txt
C:\tareas-git-utec\prueba-devops(Rama-2)
\lambda git commit -m "Segundo commit de archivo Rama-2"
[Rama-2 5414037] Segundo commit de archivo Rama-2
1 file changed, 23 insertions(+)
create mode 100644 doc2.txt
C:\tareas-git-utec\prueba-devops(Rama-2)
λ git checkout master
Switched to branch 'master'
C:\tareas-git-utec\prueba-devops(master)
λ git fetch && git merge Rama-1
Updating 17eee0d..b518391
Fast-forward
doc.txt | 14 ++++++++++
1 file changed, 14 insertions(+)
create mode 100644 doc.txt
C:\tareas-git-utec\prueba-devops(master)
λ
C:\tareas-git-utec\prueba-devops(master)
λ git fetch && git merge Rama-2
Merge made by the 'ort' strategy.
1 file changed, 23 insertions(+)
create mode 100644 doc2.txt
```

C:\tareas-git-utec\prueba-devops(master)
$\lambda$ git branch
Rama-1
Rama-2
* master
C:\tareas-git-utec\prueba-devops(master)
λ git branch -D Rama-1
Deleted branch Rama-1 (was b518391).
C:\tareas-git-utec\prueba-devops(master)
λ git branch -D Rama-2
Deleted branch Rama-2 (was 5414037).
C:\tareas-git-utec\prueba-devops(master)
$\lambda$ git branch
* master