Code documentation

César Garro-Marín*

June 27, 2022

1 New approach (v2):

1.1 Model equations

At the job level it holds that:

$$\Delta \overline{\ln S_{iJet}^e} - \Delta \overline{\ln S_{kJet}^e} = \frac{\sigma_J}{\sigma_j - 1} \left(\Delta \ln A_{kJt} - \Delta \ln A_{iJt} \right) \tag{1}$$

$$1 = \sum_{k} \theta_k^e \overline{S_{keJt}} \tag{2}$$

$$\Delta \left[\ln \frac{q_{eJt}}{q_{e'Jt}} \right] = \sum_{k}^{\kappa} \left(\theta_{k}^{e} \overline{S_{kJet}} - \theta_{k}^{e'} \overline{S_{kJe't}} \right) \Delta \ln A_{kjt} + const_{e,e't}$$
 (3)

Note: in equation (3) there is always a redundant pairwise comparison. Note that $\Delta \left[\ln \frac{q_{eJt}}{q_{e'Jt}} \right] - \Delta \left[\ln \frac{q_{e'Jt}}{q_{e^*Jt}} \right] = \Delta \left[\ln \frac{q_{eJt}}{q_{e^*Jt}} \right]$

1.2 Building GMM

In our data we have 3 education levels, 4 skills, J jobs and T periods.

• Equation (1): Let x_{ejt} be the row vector $(S_{1ejt} \ S_{2ejt} \ S_{3ejt} \ S_{4ejt})$. Define the matrix X_{ejt} as the 4×4 matrix containing the skill indexes by education. For simplicity, I have ignored the bars in the notation.

$$X_{ejt} = \begin{pmatrix} S_{1ejt} & S_{2ejt} & S_{3ejt} & S_{4ejt} \\ S_{1ejt} & S_{2ejt} & S_{3ejt} & S_{4ejt} \\ S_{1ejt} & S_{2ejt} & S_{3ejt} & S_{4ejt} \\ S_{1ejt} & S_{2ejt} & S_{3ejt} & S_{4ejt} \end{pmatrix} = \begin{pmatrix} x_{ejt} \\ x_{ejt} \\ x_{ejt} \\ x_{ejt} \end{pmatrix}$$

Let X be the matrix stacking all the X_{ejt} in some order that for now is irrelevant. The only thing that matters is that I use the same order across all definitions. This matrix

^{*}Boston University, email: cesarlgm@bu.edu

is of dimension $N \times 4$.

$$X = \begin{pmatrix} X_{111} \\ \vdots \\ X_{3JT} \end{pmatrix}$$

Let I_e be the $N \times 4$ matrix with columns given by education level e dummies:

$$I_e = \begin{pmatrix} \iota_e & \iota_e & \iota_e \end{pmatrix}$$

The set of instruments for equation 1 is then:

$$Z_1 = \begin{pmatrix} I_1 \odot X & I_2 \odot X & I_3 \odot X \end{pmatrix} \tag{4}$$

- Equation (1): set of instruments are a set of occupation by year doumnies Z_2 .
- Equation (2): let \tilde{X}_e be the $N_e \times 4$ matrix stacking all the x_{ejt} for education level e. The instruments for equation 2 are the block diagonal matrix with elements \tilde{X}_e :

$$Z_3 = \begin{pmatrix} \tilde{X}_1 & 0 & 0 \\ 0 & \tilde{X}_2 & 0 \\ 0 & 0 & \tilde{X}_3 \end{pmatrix}$$

• Equation (3) let \bar{X} be the matrix stacking the row vectors $(x_{1jt} \ x_{2jt} \ x_{3jt})$. Let C be the matrix containing education-pair×T dummies. Instruments for equation 3 are:

$$Z_4 = (\bar{X} \quad C) \tag{5}$$

• Putting it all together: let u_l be the stacked (in the appropriate order) vector of equation l errors. Define:

$$Z' = \begin{pmatrix} Z'_1 & 0 & 0 & 0 \\ 0 & Z'_2 & 0 & 0 \\ 0 & 0 & Z'_3 & 0 \\ 0 & 0 & 0 & Z'_4 \end{pmatrix}$$

$$u = \begin{pmatrix} u_1 \\ u_2 \\ u_3 \\ u_4 \end{pmatrix}$$

the moment equations form the model are given by $\mathbb{E}(Z'u) = 0$.

2 How did I write the code?

2.1 Basic definitions

$$\Lambda = \begin{pmatrix}
\Delta \ln A_{111} \\
\Delta \ln A_{121} \\
\Delta \ln A_{131} \\
\vdots \\
\Delta \ln A_{4JT-2} \\
\Delta \ln A_{4JT-1} \\
\Delta \ln A_{4JT}
\end{pmatrix}
\Theta = \begin{pmatrix}
\theta_1^1 \\
\theta_2^1 \\
\theta_3^1 \\
\theta_4^1 \\
\vdots \\
\theta_3^3 \\
\theta_4^3
\end{pmatrix}
\Sigma = \begin{pmatrix}
\sigma_1 \\
\vdots \\
\sigma_J
\end{pmatrix}
\Xi = \begin{pmatrix}
\xi_{11} \\
\vdots \\
\xi_{3T}
\end{pmatrix}$$

I defined the model parameter vector as

$$\Pi = \begin{pmatrix} \Lambda \\ \Theta \\ \Sigma \\ \Xi \end{pmatrix}$$

2.2 Equation (1)

- 1. Order observations by skill, education, occupation, and year.
- 2. I reorder Λ by skill, as follows:

$$\Lambda_{1} = \begin{pmatrix} \Delta \ln A_{111} \\ \Delta \ln A_{121} \\ \vdots \\ \Delta \ln A_{1JT} \end{pmatrix}$$

indexes loop over year, job and education. The reordered Λ is given by:

$$\Lambda^r = egin{pmatrix} \Lambda_1 \ \Lambda_2 \ \Lambda_3 \end{pmatrix}$$

3. Create vector $\tilde{\Sigma}$

$$\tilde{\Sigma} = \begin{pmatrix} \sigma_1 \\ \sigma_2 \\ \vdots \\ \sigma_J \end{pmatrix}$$

this vector of is has the same dimensions as Λ^r . It places all elements of Σ in the "right" order I should say what the right order is here.

3

4. Define D as a matrix of dimensions $(E \times J \times T) \times (J \times T)$. Define Z_1 as:

$$Z_1 = \begin{pmatrix} D & 0 & 0 \\ 0 & D & 0 \\ 0 & 0 & D \end{pmatrix}$$

This matrix contains occupation by year dummies. Equation (1) can be written as:

$$y_1 = Z_1 \times (\Lambda^r \odot \tilde{\Sigma})$$

where y_1 was defined in the appropriate order.