

BankWebApp

Generated by Doxygen 1.7.1

Thu Aug 26 2010 14:57:31

Contents

1	Data Structure Index	1
1.1	Data Structures	1
2	File Index	
2.1	File List	1
3	Data Structure Documentation	4
3.1	Account Class Reference	4
3.1.1	Detailed Description	4
3.1.2	Member Function Documentation	4
3.2	AccountType Class Reference	5
3.2.1	Detailed Description	6
3.2.2	Member Function Documentation	6
3.3	Address Class Reference	7
3.3.1	Detailed Description	8
3.3.2	Constructor & Destructor Documentation	8
3.3.3	Member Function Documentation	8
3.4	BankingPlans Class Reference	17
3.4.1	Detailed Description	17
3.4.2	Constructor & Destructor Documentation	17
3.4.3	Member Function Documentation	17
3.5	BorrowingPlans Class Reference	22
3.5.1	Detailed Description	22
3.5.2	Member Function Documentation	22
3.6	Branch Class Reference	25
3.6.1	Detailed Description	26
3.6.2	Constructor & Destructor Documentation	26
3.6.3	Member Function Documentation	26
3.7	Client Class Reference	32
3.7.1	Detailed Description	33
3.7.2	Constructor & Destructor Documentation	33
3.7.3	Member Function Documentation	34
3.7.4	Field Documentation	48
3.8	ClientAccount Class Reference	49
3.8.1	Detailed Description	50
3.8.2	Constructor & Destructor Documentation	50

3.8.3	Member Function Documentation	50
3.8.4	Field Documentation	64
3.9	Database Class Reference	65
3.9.1	Detailed Description	66
3.9.2	Constructor & Destructor Documentation	66
3.9.3	Member Function Documentation	66
3.9.4	Field Documentation	68
3.10	Employee Class Reference	69
3.10.1	Detailed Description	70
3.10.2	Constructor & Destructor Documentation	71
3.10.3	Member Function Documentation	71
3.11	EmployeeLogin Class Reference	86
3.11.1	Detailed Description	86
3.11.2	Member Function Documentation	86
3.12	EmployeeTimeOffPlan Class Reference	88
3.12.1	Detailed Description	88
3.12.2	Member Function Documentation	88
3.13	EmployeeTitle Class Reference	97
3.13.1	Detailed Description	98
3.13.2	Member Function Documentation	98
3.14	EmployeeWorkHistory Class Reference	102
3.14.1	Detailed Description	102
3.14.2	Member Function Documentation	102
3.15	InvestmentPlans Class Reference	109
3.15.1	Detailed Description	109
3.15.2	Member Function Documentation	110
3.16	PostalCodes Class Reference	110
3.16.1	Detailed Description	111
3.16.2	Constructor & Destructor Documentation	111
3.16.3	Member Function Documentation	111
3.17	Transaction Class Reference	115
3.17.1	Detailed Description	116
3.17.2	Constructor & Destructor Documentation	116
3.17.3	Member Function Documentation	116
3.18	User Class Reference	129
3.18.1	Detailed Description	130

3.18.2	Constructor & Destructor Documentation	130
3.18.3	Member Function Documentation	130
4	File Documentation	131
4.1	/Users/gina/Documents/workspace2/openbankwebapp/configMySQL.php File Reference	131
4.1.1	Enumeration Type Documentation	132
4.2	/Users/gina/Documents/workspace2/openbankwebapp/includes/controller/Database.Class.php File Reference	134
4.3	/Users/gina/Documents/workspace2/openbankwebapp/includes/controller/SQLQuery.Class.php File Reference	135
4.4	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/AccountType.php File Reference	135
4.5	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/AccountType.php File Reference	135
4.6	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/Address.Class.php File Reference	135
4.7	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/BankingPlans.php File Reference	135
4.8	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/BorrowingPlans.php File Reference	135
4.9	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/Branch.Class.php File Reference	135
4.10	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/Client.Class.php File Reference	135
4.11	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/ClientAccount.Class.php File Reference	136
4.12	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/ClientPlan.Class.php File Reference	136
4.13	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/Employee.Class.php File Reference	136
4.14	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/EmployeeLogin.Class.php File Reference	136
4.15	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/EmployeeTimeOffPlan.Cl File Reference	136
4.16	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/EmployeeTitle.Class.php File Reference	136
4.17	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/EmployeeWorkHistory.Cl File Reference	136
4.18	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/InvestmentPlans.php File Reference	137
4.19	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/PostalCodes.Class.php File Reference	137

4.20	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/Service.Class.php	
	File Reference	137
4.21	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/ServiceType.php	
	File Reference	137
4.22	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/Statement.Class.php	
	File Reference	137
4.23	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/Transaction.Class.php	
	File Reference	137
4.24	/Users/gina/Documents/workspace2/openbankwebapp/includes/model/User.Class.php	
	File Reference	137
4.25	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/AboutTheBank.php	
	File Reference	138
4.26	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/AddClient.php	File
	Reference	138
4.26.1	Variable Documentation	138
4.27	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/AddEmployee.php	
	File Reference	138
4.27.1	Variable Documentation	138
4.28	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/BranchLocator.php	
	File Reference	139
4.28.1	Variable Documentation	139
4.29	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/BranchReport.php	
	File Reference	140
4.30	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/branchtopmenu_	
	anshu.php File Reference	140
4.31	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/BranchTransactions.php	
	File Reference	140
4.32	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/BusinesSideMenu.php	
	File Reference	140
4.33	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/ClientPlan.php	File
	Reference	140
4.34	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/ClientSideMenu.php	
	File Reference	140
4.35	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/clienttopmenu.php	
	File Reference	140
4.36	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/DeactivateEmployee.php	
	File Reference	140
4.36.1	Variable Documentation	141
4.37	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/DisplayAddCllientResults.	
	File Reference	141
4.37.1	Variable Documentation	141
4.38	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/EmployeeInfo.php	
	File Reference	141

4.39	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/EmployeeLogin.php File Reference	141
4.40	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/EmployeeSideMenu.php File Reference	141
4.41	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/employeetopmenu.php File Reference	141
4.42	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/footer.php File Ref- erence	141
4.42.1	Variable Documentation	142
4.43	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/header.php File Ref- erence	142
4.43.1	Variable Documentation	142
4.44	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/header_anshu.php File Reference	142
4.44.1	Variable Documentation	142
4.45	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/HumanResources.php File Reference	143
4.46	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/Login.php File Ref- erence	143
4.47	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/LoginAsClient.php File Reference	143
4.48	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/menu.php File Ref- erence	143
4.49	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/menu_anshu.php File Reference	143
4.50	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/ModifyEmployee.php File Reference	143
4.50.1	Variable Documentation	143
4.51	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/MyEmployeeInfo.php File Reference	144
4.52	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/OpenNewAccount.php File Reference	144
4.52.1	Variable Documentation	144
4.53	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/RecentActivity.php File Reference	144
4.54	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/Services.php File Reference	144
4.55	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/sidemenu.php File Reference	144
4.56	/Users/gina/Documents/workspace2/openbankwebapp/includes/view/Statements.php File Reference	144
4.56.1	Variable Documentation	145

4.57

[/Users/gina/Documents/workspace2/openbankwebapp/includes/view/Summary.php](#)

File Reference

4.58

[/Users/gina/Documents/workspace2/openbankwebapp/includes/view/TestClientAccount.php](#)

File Reference

4.58.1

Variable Documentation

4.59

[/Users/gina/Documents/workspace2/openbankwebapp/includes/view/testclientclass.php](#)

File Reference

4.59.1

Variable Documentation

4.60

[/Users/gina/Documents/workspace2/openbankwebapp/includes/view/TestModel.php](#)

File Reference

4.60.1

Variable Documentation

4.61

[/Users/gina/Documents/workspace2/openbankwebapp/includes/view/topmenu.php](#)

File Reference

4.62

[/Users/gina/Documents/workspace2/openbankwebapp/includes/view/Transfer.php](#)

File Reference

4.63

[/Users/gina/Documents/workspace2/openbankwebapp/includes/view/ViewAccounts.php](#)

File Reference

4.63.1

Variable Documentation

4.64

[/Users/gina/Documents/workspace2/openbankwebapp/includes/view/ViewEmployeeInfo.php](#)

File Reference

4.64.1

Variable Documentation

4.65

[/Users/gina/Documents/workspace2/openbankwebapp/includes/view/Welcome.php](#)

File Reference

4.66

[/Users/gina/Documents/workspace2/openbankwebapp/includes/view/ZViewEmployeeInfo.php](#)

File Reference

4.66.1

Variable Documentation

4.67

[/Users/gina/Documents/workspace2/openbankwebapp/index.php](#)

File Reference

4.67.1

Variable Documentation

4.68

[/Users/gina/Documents/workspace2/openbankwebapp/index_anshu.php](#)

File Reference

4.68.1

Variable Documentation

Data Structure Index

Data Structures

Here are the data structures with brief descriptions:

Account

4

AccountType

5

Address

7

BankingPlans	17
BorrowingPlans	22
Branch	25
Client	32
ClientAccount	49
Database	65
Employee	69
EmployeeLogin	86
EmployeeTimeOffPlan	88
EmployeeTitle	97
EmployeeWorkHistory	102
InvestmentPlans	109
PostalCodes	110
Transaction	115
User	129

2 File Index

2.1 File List

Here is a list of all files with brief descriptions:

/Users/gina/Documents/workspace2/openbankwebapp/configMySQL.php	131
/Users/gina/Documents/workspace2/openbankwebapp/index.php	152
/Users/gina/Documents/workspace2/openbankwebapp/index_anshu.php	152
/Users/gina/Documents/workspace2/openbankwebapp/includes/controller/Database.Class.php	134
/Users/gina/Documents/workspace2/openbankwebapp/includes/controller/SQLQuery.Class.php	135
/Users/gina/Documents/workspace2/openbankwebapp/includes/model/AccountType.php	135
/Users/gina/Documents/workspace2/openbankwebapp/includes/model/Address.Class.php	135
/Users/gina/Documents/workspace2/openbankwebapp/includes/model/BankingPlans.php	135
/Users/gina/Documents/workspace2/openbankwebapp/includes/model/BorrowingPlans.php	135

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/	Branch.Class.php	135
/Users/gina/Documents/workspace2/openbankwebapp/includes/model/	Client.Class.php	135
/Users/gina/Documents/workspace2/openbankwebapp/includes/model/	ClientAccount.Class.php	136
/Users/gina/Documents/workspace2/openbankwebapp/includes/model/	ClientPlan.Class.php	136
/Users/gina/Documents/workspace2/openbankwebapp/includes/model/	Employee.Class.php	136
/Users/gina/Documents/workspace2/openbankwebapp/includes/model/	EmployeeLogin.Class.php	136
/Users/gina/Documents/workspace2/openbankwebapp/includes/model/	EmployeeTimeOffPlan.Cl	136
/Users/gina/Documents/workspace2/openbankwebapp/includes/model/	EmployeeTitle.Class.php	136
/Users/gina/Documents/workspace2/openbankwebapp/includes/model/	EmployeeWorkHistory.Cl	136
/Users/gina/Documents/workspace2/openbankwebapp/includes/model/	InvestmentPlans.php	137
/Users/gina/Documents/workspace2/openbankwebapp/includes/model/	PostalCodes.Class.php	137
/Users/gina/Documents/workspace2/openbankwebapp/includes/model/	Service.Class.php	137
/Users/gina/Documents/workspace2/openbankwebapp/includes/model/	ServiceType.php	137
/Users/gina/Documents/workspace2/openbankwebapp/includes/model/	Statement.Class.php	137
/Users/gina/Documents/workspace2/openbankwebapp/includes/model/	Transaction.Class.php	137
/Users/gina/Documents/workspace2/openbankwebapp/includes/model/	User.Class.php	137
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/	AboutTheBank.php	138
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/	AccountType.php	135
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/	AddClient.php	138
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/	AddEmployee.php	138
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/	BranchLocator.php	139
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/	BranchReport.php	140
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/	branchtopmenu_- anshu.php	140
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/	BranchTransactions.php	140

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/BusinesSideMenu.php	140
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/ClientPlan.php	140
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/ClientSideMenu.php	140
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/clienttopmenu.php	140
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/DeactivateEmployee.php	140
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/DisplayAddClientResults.p	141
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/EmployeeInfo.php	141
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/EmployeeLogin.php	141
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/EmployeeSideMenu.php	141
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/employeetopmenu.php	141
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/footer.php	141
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/header.php	142
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/header_anshu.php	142
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/HumanResources.php	143
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/Login.php	143
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/LoginAsClient.php	143
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/menu.php	143
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/menu_anshu.php	143
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/ModifyEmployee.php	143
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/MyEmployeeInfo.php	144
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/OpenNewAccount.php	144
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/RecentActivity.php	144
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/Services.php	144
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/sidemenu.php	144
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/Statements.php	144
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/Summary.php	148
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/TestClientAccount.php	148
/Users/gina/Documents/workspace2/openbankwebapp/includes/view/testclientclass.php	148

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/TestModel.php149

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/topmenu.php149

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/Transfer.php149

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/ViewAccounts.php149

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/ViewEmployeeInfo.php150

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/Welcome.php151

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/ZViewEmployeeInfo.php151

3 Data Structure Documentation

3.1 Account Class Reference

Public Member Functions

- [getserviceTypeId \(\)](#)
- [getserviceId \(\)](#)
- [getClientId \(\)](#)
- [setserviceTypeId \(\\$serviceTypeId\)](#)
- [setclientId \(\\$clientId\)](#)
- [setAccountTypeId \(\\$accountTypeId\)](#)

3.1.1 Detailed Description

Definition at line 3 of file ServiceType.php.

3.1.2 Member Function Documentation

3.1.2.1 getClientId ()

Definition at line 14 of file ServiceType.php.

3.1.2.2 getserviceId ()

Definition at line 11 of file ServiceType.php.

3.1.2.3 getserviceTypeId ()

Definition at line 8 of file ServiceType.php.

3.1.2.4 setAccountTypeId (\$ *accountTypeId*)

Definition at line 23 of file ServiceType.php.

3.1.2.5 setclientId (\$ *clientId*)

Definition at line 20 of file ServiceType.php.

3.1.2.6 setserviceTypeId (\$ *serviceTypeId*)

Definition at line 17 of file ServiceType.php.

The documentation for this class was generated from the following file:

- /Users/gina/Documents/workspace2/openbankwebapp/includes/model/[ServiceType.php](#)

3.2 AccountType Class Reference

Public Member Functions

- [getAccountTypeId](#) ()
- [getServiceCategoryId](#) ()
- [getServiceTypeId](#) ()
- [getAccountName](#) ()
- [setAccountTypeId](#) (\$accountTypeId)
- [setServiceCategoryId](#) (\$serviceCategoryId)
- [setServiceTypeId](#) (\$serviceTypeId)
- [setAccountName](#) (\$accountName)
- [bankingPlans](#) ()
- [insurancePlans](#) ()
- [borrowingPlans](#) ()
- [investPlans](#) ()

3.2.1 Detailed Description

Definition at line 4 of file AccountType.php.

3.2.2 Member Function Documentation

3.2.2.1 bankingPlans ()

Definition at line 37 of file AccountType.php.

3.2.2.2 borrowingPlans ()

Definition at line 93 of file AccountType.php.

3.2.2.3 getAccountName ()

Definition at line 19 of file AccountType.php.

3.2.2.4 getAccountTypeId ()

Definition at line 10 of file AccountType.php.

3.2.2.5 getServiceCategoryId ()

Definition at line 13 of file AccountType.php.

3.2.2.6 getServiceTypeId ()

Definition at line 16 of file AccountType.php.

3.2.2.7 insurancePlans ()

Definition at line 64 of file AccountType.php.

3.2.2.8 investPlans ()

Definition at line 122 of file AccountType.php.

3.2.2.9 setAccountName (\$ *accountName*)

Definition at line 31 of file AccountType.php.

3.2.2.10 setAccountTypeId (\$ *accountTypeId*)

Definition at line 22 of file AccountType.php.

3.2.2.11 `setServiceCategoryId ($ serviceCategoryId)`

Definition at line 25 of file AccountType.php.

3.2.2.12 `setServiceTypeId ($ serviceTypeId)`

Definition at line 28 of file AccountType.php.

The documentation for this class was generated from the following file:

- [/Users/gina/Documents/workspace2/openbankwebapp/includes/model/AccountType.php](#)

3.3 Address Class Reference

Public Member Functions

- [getAddressID \(\)](#)
- [getStreetNumber \(\)](#)
- [getStreet \(\)](#)
- [getPostalCodeObject \(\)](#)
- [getPostalCode \(\)](#)
- [getCity \(\)](#)
- [getProvince \(\)](#)
- [setAddressID \(\\$addressIDIn\)](#)
- [setStreetNumber \(\\$streetNumberIn\)](#)
- [setStreet \(\\$streetIn\)](#)
- [setCity \(\\$cityIn\)](#)
- [setProvince \(\\$provinceIn\)](#)
- [setPostalCodeString \(\\$postalcodestring\)](#)
- [setPostalCode \(\\$row\)](#)
- [setPostalCodeFromObject \(\\$postalCodeObject\)](#)
- [initializeAddress \(\\$addressIdIn\)](#)
- [initializeAddressFromRow \(\\$row\)](#)
- [saveToDatabase \(\)](#)
- [emptyIt \(\)](#)
- [displayAddress \(\)](#)
- [displayAddressInARow \(\)](#)
- [__construct \(\)](#)
- [PostalCodesList \(\)](#)

3.3.1 Detailed Description


Definition at line 3 of file Address.Class.php.

3.3.2 Constructor & Destructor Documentation

3.3.2.1 __construct ()

Definition at line 161 of file Address.Class.php.

Here is the call graph for this function:




3.3.3 Member Function Documentation

3.3.3.1 displayAddress ()

Definition at line 144 of file Address.Class.php.


Here is the call graph for this function:



3.3.3.2 displayAddressInARow ()


Definition at line 151 of file Address.Class.php.

Here is the call graph for this function:



3.3.3.3 emptyIt ()

Definition at line 133 of file Address.Class.php.
Here is the call graph for this function:




3.3.3.4 getAddressID ()

Definition at line 12 of file Address.Class.php.

3.3.3.5 getCity ()

Definition at line 30 of file Address.Class.php.


Here is the caller graph for this function:



3.3.3.6 `getPostalCode ()`

Definition at line 27 of file `Address.Class.php`.

Here is the caller graph for this function:




3.3.3.7 `getPostalCodeObject ()`

Definition at line 24 of file `Address.Class.php`.

3.3.3.8 `getProvince ()`

Definition at line 33 of file `Address.Class.php`.


Here is the caller graph for this function:



3.3.3.9 `getStreet ()`

Definition at line 18 of file `Address.Class.php`.

Here is the caller graph for this function:




3.3.3.10 `getStreetNumber ()`

Definition at line 15 of file `Address.Class.php`.

3.3.3.11 `initializeAddress ($ addressIdIn)`

Definition at line 76 of file `Address.Class.php`.


Here is the call graph for this function:




3.3.3.12 initializeAddressFromRow (\$ row)

Definition at line 90 of file Address.Class.php.

Here is the call graph for this function:



Here is the caller graph for this function:



3.3.3.13 `PostalCodesList ()`

Definition at line 174 of file `Address.Class.php`.

3.3.3.14 `saveToDatabase ()`

Definition at line 110 of file `Address.Class.php`.


3.3.3.15 `setAddressID ($ addressIDIn)`

Definition at line 38 of file `Address.Class.php`.

3.3.3.16 `setCity ($ cityIn)`

Definition at line 51 of file `Address.Class.php`.

Here is the caller graph for this function:



3.3.3.17 `setPostalCode ($ row)`

Definition at line 60 of file Address.Class.php.


3.3.3.18 `setPostalCodeFromObject ($ postalCodeObject)`

Definition at line 64 of file Address.Class.php.

3.3.3.19 `setPostalCodeString ($ postalcodestring)`

Definition at line 57 of file Address.Class.php.


Here is the caller graph for this function:



3.3.3.20 `setProvince ($ provinceIn)`

Definition at line 54 of file Address.Class.php.


Here is the caller graph for this function:



3.3.3.21 `setStreet ($ streetIn)`

Definition at line 44 of file `Address.Class.php`.

Here is the caller graph for this function:



3.3.3.22 `setStreetNumber ($ streetNumberIn)`

Definition at line 41 of file `Address.Class.php`.

The documentation for this class was generated from the following file:

- `/Users/gina/Documents/workspace2/openbankwebapp/includes/model/Address.Class.php`

3.4 BankingPlans Class Reference

Public Member Functions

- [__construct](#) ()
- [getAccountTypeId](#) ()
- [getMonthlyFee](#) ()
- [getFreeTransactions](#) ()
- [getTransactionFee](#) ()
- [getOverdraftAmount](#) ()
- [getOverdraftProtectionFee](#) ()
- [getMinimumBalance](#) ()
- [getInterestRate](#) ()
- [setAccountTypeId](#) (\$accountTypeId)
- [initializeBankingPlan](#) (\$row)
- [setMonthlyFee](#) (\$monthlyFee)
- [setFreeTransactions](#) (\$freeTransactions)
- [setTransactionFee](#) (\$transactionFee)
- [setOverdraftAmount](#) (\$overdraftAmount)
- [setOverdraftProtectionFee](#) (\$overdraftProtectionFee)
- [setMinimumBalance](#) (\$minimumBalance)
- [setInterestRate](#) (\$interestRate)

3.4.1 Detailed Description

Definition at line 2 of file BankingPlans.php.

3.4.2 Constructor & Destructor Documentation

3.4.2.1 __construct ()

Definition at line 13 of file BankingPlans.php.

3.4.3 Member Function Documentation

3.4.3.1 getAccountTypeId ()

Definition at line 17 of file BankingPlans.php.

3.4.3.2 getFreeTransactions ()

Definition at line 27 of file BankingPlans.php.

3.4.3.3 `getInterestRate ()`

Definition at line 52 of file BankingPlans.php.

3.4.3.4 `getMinimumBalance ()`

Definition at line 47 of file BankingPlans.php.

3.4.3.5 `getMonthlyFee ()`

Definition at line 22 of file BankingPlans.php.

3.4.3.6 `getOverdraftAmount ()`

Definition at line 37 of file BankingPlans.php.

3.4.3.7 `getOverdraftProtectionFee ()`

Definition at line 42 of file BankingPlans.php.


3.4.3.8 `getTransactionFee ()`

Definition at line 32 of file BankingPlans.php.

3.4.3.9 `initializeBankingPlan ($ row)`

Definition at line 72 of file BankingPlans.php.

Here is the call graph for this function:




Here is the caller graph for this function:



3.4.3.10 `setAccountTypeId ($ accountTypeId)`

Definition at line 57 of file `BankingPlans.php`.

Here is the call graph for this function:



3.4.3.11 `setFreeTransactions ($ freeTransactions)`

Definition at line 85 of file `BankingPlans.php`.

Here is the caller graph for this function:



3.4.3.12 `setInterestRate ($ interestRate)`

Definition at line 110 of file `BankingPlans.php`.

3.4.3.13 `setMinimumBalance ($ minimumBalance)`

Definition at line 105 of file `BankingPlans.php`.


3.4.3.14 `setMonthlyFee ($ monthlyFee)`

Definition at line 80 of file BankingPlans.php.
Here is the caller graph for this function:



3.4.3.15 `setOverdraftAmount ($ overdraftAmount)`

Definition at line 95 of file BankingPlans.php.
Here is the caller graph for this function:




3.4.3.16 `setOverdraftProtectionFee ($ overdraftProtectionFee)`

Definition at line 100 of file BankingPlans.php.

3.4.3.17 `setTransactionFee ($ transactionFee)`

Definition at line 90 of file BankingPlans.php.
Here is the caller graph for this function:



The documentation for this class was generated from the following file:

- [/Users/gina/Documents/workspace2/openbankwebapp/includes/model/BankingPlans.php](#)

3.5 BorrowingPlans Class Reference

Public Member Functions

- [getAccountTypeId \(\)](#)
- [getMonthlyFee \(\)](#)
- [getCreditLimit \(\)](#)
- [getGracePeriod \(\)](#)
- [getInterestRate \(\)](#)
- [setAccountTypeId \(\\$accountTypeId\)](#)
- [initializeBorrowingPlan \(\\$row\)](#)
- [setMonthlyFee \(\\$monthlyFee\)](#)
- [setCreditLimit \(\\$creditLimit\)](#)
- [setGracePeriod \(\\$gracePeriod\)](#)
- [setInterestRate \(\\$interestRate\)](#)

3.5.1 Detailed Description

Definition at line 3 of file BorrowingPlans.php.

3.5.2 Member Function Documentation

3.5.2.1 getAccountTypeId ()

Definition at line 11 of file BorrowingPlans.php.

3.5.2.2 getCreditLimit ()

Definition at line 21 of file BorrowingPlans.php.

3.5.2.3 getGracePeriod ()

Definition at line 26 of file BorrowingPlans.php.

3.5.2.4 getInterestRate ()

Definition at line 31 of file BorrowingPlans.php.


3.5.2.5 `getMonthlyFee ()`

Definition at line 16 of file BorrowingPlans.php.

3.5.2.6 `initializeBorrowingPlan ($ row)`

Definition at line 50 of file BorrowingPlans.php.

Here is the call graph for this function:




Here is the caller graph for this function:



3.5.2.7 `setAccountTypeId ($ accountId)`

Definition at line 36 of file BorrowingPlans.php.


Here is the call graph for this function:



3.5.2.8 `setCreditLimit ($ creditLimit)`

Definition at line 63 of file `BorrowingPlans.php`.


Here is the caller graph for this function:



3.5.2.9 `setGracePeriod ($ gracePeriod)`


Definition at line 68 of file `BorrowingPlans.php`.

Here is the caller graph for this function:




3.5.2.10 `setInterestRate ($ interestRate)`

Definition at line 73 of file `BorrowingPlans.php`.
Here is the caller graph for this function:



3.5.2.11 `setMonthlyFee ($ monthlyFee)`

Definition at line 58 of file `BorrowingPlans.php`.
Here is the caller graph for this function:



The documentation for this class was generated from the following file:

- `/Users/gina/Documents/workspace2/openbankwebapp/includes/model/BorrowingPlans.php`

3.6 Branch Class Reference

Public Member Functions

- [getTable_name \(\)](#)
- [getBranchName \(\)](#)
- [getOpeningHours \(\)](#)
- [getManagerName \(\)](#)
- [getManagerId \(\)](#)
- [getOpeningDate \(\)](#)
- [setSqlTableName \(\\$sqlTNameIn\)](#)
- [setBranchName \(\\$branchNameIn\)](#)
- [setOpeningHours \(\\$openingHoursIn\)](#)
- [setManagerName \(\\$managerNameIn\)](#)

- [setManagerNameFromId](#) (\$manageridIn)
- [setManagerId](#) (\$managerIdIn)
- [setOpeningDate](#) (\$openingDateIn)
- [initializeBranch](#) (\$row)
- [test](#) ()
- [displayBranch](#) ()
- [__construct](#) ()
- [__destruct](#) ()
- [displayBranchMap](#) ()
- [BranchList](#) ()

3.6.1 Detailed Description

Definition at line 3 of file Branch.Class.php.

3.6.2 Constructor & Destructor Documentation

3.6.2.1 __construct ()

Definition at line 121 of file Branch.Class.php.

3.6.2.2 __destruct ()

Definition at line 124 of file Branch.Class.php.

3.6.3 Member Function Documentation

3.6.3.1 BranchList ()

Definition at line 138 of file Branch.Class.php.

3.6.3.2 displayBranch ()

Definition at line 114 of file Branch.Class.php.

Here is the caller graph for this function:



3.6.3.3 displayBranchMap ()

Definition at line 127 of file Branch.Class.php.

3.6.3.4 getBranchName ()

Definition at line 18 of file Branch.Class.php.

3.6.3.5 getManagerId ()

Definition at line 27 of file Branch.Class.php.

3.6.3.6 getManagerName ()

Definition at line 24 of file Branch.Class.php.

3.6.3.7 getOpeningDate ()

Definition at line 30 of file Branch.Class.php.

3.6.3.8 getOpeningHours ()

Definition at line 21 of file Branch.Class.php.


3.6.3.9 `getTableName ()`

Definition at line 15 of file Branch.Class.php.

3.6.3.10 `initializeBranch ($ row)`

Definition at line 70 of file Branch.Class.php.


Here is the call graph for this function:



3.6.3.11 `setBranchName ($ branchNameIn)`

Definition at line 36 of file Branch.Class.php.


Here is the caller graph for this function:



3.6.3.12 setManagerId (\$ *managerIdIn*)

Definition at line 64 of file Branch.Class.php.


Here is the caller graph for this function:



3.6.3.13 setManagerName (\$ *managerNameIn*)

Definition at line 42 of file Branch.Class.php.


Here is the caller graph for this function:



3.6.3.14 setManagerNameFromId (\$ *manageridIn*)

Definition at line 45 of file Branch.Class.php.


Here is the caller graph for this function:



3.6.3.15 `setOpeningDate ($ openingDateIn)`

Definition at line 67 of file Branch.Class.php.


Here is the caller graph for this function:



3.6.3.16 `setOpeningHours ($ openingHoursIn)`

Definition at line 39 of file Branch.Class.php.

Here is the caller graph for this function:




3.6.3.17 `setSqlTableName ($ sqlTNameIn)`

Definition at line 33 of file `Branch.Class.php`.

3.6.3.18 `test ()`

Definition at line 93 of file `Branch.Class.php`.

Here is the call graph for this function:



The documentation for this class was generated from the following file:

- /Users/gina/Documents/workspace2/openbankwebapp/includes/model/[Branch.Class.php](#)

3.7 Client Class Reference

Public Member Functions

- [getTableName](#) ()
- [getClientID](#) ()
- [getFirstName](#) ()
- [getLastName](#) ()
- [getSocialInsuranceNumber](#) ()
- [getDateOfBirth](#) ()
- [getStartDate](#) ()
- [getStatus](#) ()
- [getStatusString](#) ()
- [getAddress](#) ()
- [getAddressId](#) ()

- [getBranchID \(\)](#)
- [getClientAccountsArray \(\)](#)
- [setSqlTableName \(\\$sqlTName\)](#)
- [setClientID \(\\$clientID\)](#)
- [setFirstName \(\\$firstName\)](#)
- [setLastName \(\\$lastName\)](#)
- [setSocialInsuranceNumber \(\\$socialInsuranceNumber\)](#)
- [setDateOfBirth \(\\$dateOfBirth\)](#)
- [setStartDate \(\\$startDate\)](#)
- [setStatus \(\\$status\)](#)
- [setStatusString \(\\$status\)](#)
- [setAddress \(\\$addressid\)](#)
- [setAddressId \(\\$addressid\)](#)
- [setAddressObject \(\\$addressobject\)](#)
- [setBranchID \(\\$branchID\)](#)
- [setClientAccountsArray \(\\$clientid\)](#)
- [test \(\)](#)
- [displayClientDetails \(\)](#)
- [__construct \(\)](#)
- [initializeClient \(\\$clientid\)](#)
- [initializeClientFromRow \(\\$row\)](#)
- [saveToDatabase \(\)](#)
- [addClient \(\)](#)
- [displaySelectClientAccount \(\)](#)
- [displaySelectAccountWithChooseSelect \(\\$selectvariablename\)](#)
- [displaySelectAccountForFromSelect \(\\$selectvariablename\)](#)
- [displaySelectAccountForToSelect \(\\$selectvariablename\)](#)

Data Fields

- [\\$clientAccountsArray](#)
- [\\$clientBusinessBankingAccountsArray](#)
- [\\$clientPersonalBankingAccountsArray](#)
- [\\$clientPersonalInvestingAccountsArray](#)
- [\\$clientPersonalBorrowingAccountsArray](#)
- [\\$clientPersonalInsuranceAccountsArray](#)

3.7.1 Detailed Description


Definition at line 3 of file Client.Class.php.

3.7.2 Constructor & Destructor Documentation

3.7.2.1 __construct ()

Definition at line 196 of file Client.Class.php.

Here is the call graph for this function:




3.7.3 Member Function Documentation

3.7.3.1 addClient ()

Definition at line 252 of file Client.Class.php.

Here is the call graph for this function:



3.7.3.2 displayClientDetails ()


Definition at line 182 of file Client.Class.php.

Here is the call graph for this function:




3.7.3.3 displaySelectAccountForFromSelect (\$ selectvariablename)

Definition at line 286 of file Client.Class.php.
Here is the call graph for this function:



3.7.3.4 displaySelectAccountForToSelect (\$ selectvariablename)

Definition at line 314 of file Client.Class.php.
Here is the call graph for this function:



3.7.3.5 displaySelectAccountWithChooseSelect (\$ selectvariablename)

Definition at line 268 of file Client.Class.php.
Here is the call graph for this function:




Here is the caller graph for this function:




3.7.3.6 displaySelectClientAccount ()

Definition at line 264 of file Client.Class.php.

Here is the call graph for this function:



Here is the caller graph for this function:



3.7.3.7 getAddress ()

Definition at line 52 of file Client.Class.php.

3.7.3.8 getAddressId ()

Definition at line 55 of file Client.Class.php.

3.7.3.9 getBranchID ()

Definition at line 58 of file Client.Class.php.

3.7.3.10 getClientAccountsArray ()

Definition at line 61 of file Client.Class.php.

3.7.3.11 getClientID ()

Definition at line 28 of file Client.Class.php.

3.7.3.12 getDateOfBirth ()

Definition at line 40 of file Client.Class.php.

3.7.3.13 getFirstName ()

Definition at line 31 of file Client.Class.php.

3.7.3.14 getLastName ()

Definition at line 34 of file Client.Class.php.

3.7.3.15 getSocialInsuranceNumber ()

Definition at line 37 of file Client.Class.php.

3.7.3.16 getStartDate ()

Definition at line 43 of file Client.Class.php.

3.7.3.17 getStatus ()

Definition at line 46 of file Client.Class.php.

3.7.3.18 getStatusString ()

Definition at line 49 of file Client.Class.php.


3.7.3.19 getTableName ()

Definition at line 25 of file Client.Class.php.

3.7.3.20 initializeClient (\$ clientid)

Definition at line 211 of file Client.Class.php.


Here is the call graph for this function:



3.7.3.21 initializeClientFromRow (\$ row)

Definition at line 220 of file Client.Class.php.

Here is the call graph for this function:




Here is the caller graph for this function:



3.7.3.22 saveToDatabase ()

Definition at line 233 of file Client.Class.php.


Here is the call graph for this function:



3.7.3.23 setAddress (\$ addressid)

Definition at line 97 of file Client.Class.php.

Here is the caller graph for this function:




3.7.3.24 setAddressId (\$ addressid)

Definition at line 101 of file Client.Class.php.

Here is the call graph for this function:



Here is the caller graph for this function:




3.7.3.25 setAddressObject (\$ addressobject)

Definition at line 105 of file Client.Class.php.

3.7.3.26 setBranchID (\$ branchID)

Definition at line 108 of file Client.Class.php.


Here is the caller graph for this function:



3.7.3.27 setClientAccountsArray (\$ clientid)

Definition at line 111 of file Client.Class.php.


Here is the caller graph for this function:



3.7.3.28 `setClientID ($ clientID)`

Definition at line 69 of file `Client.Class.php`.


Here is the caller graph for this function:



3.7.3.29 `setDateOfBirth ($ dateOfBirth)`

Definition at line 81 of file `Client.Class.php`.


Here is the caller graph for this function:



3.7.3.30 `setFirstName ($ firstName)`

Definition at line 72 of file `Client.Class.php`.


Here is the caller graph for this function:



3.7.3.31 `setLastName ($ lastName)`

Definition at line 75 of file `Client.Class.php`.


Here is the caller graph for this function:



3.7.3.32 `setSocialInsuranceNumber ($ socialInsuranceNumber)`

Definition at line 78 of file `Client.Class.php`.

Here is the caller graph for this function:




3.7.3.33 `setSqlTableName ($ sqlTName)`

Definition at line 66 of file `Client.Class.php`.


3.7.3.34 `setStartDate ($ startDate)`

Definition at line 84 of file Client.Class.php.
Here is the caller graph for this function:



3.7.3.35 `setStatus ($ status)`


Definition at line 87 of file Client.Class.php.
Here is the caller graph for this function:



3.7.3.36 setStatusString (\$ status)

Definition at line 90 of file Client.Class.php.


Here is the caller graph for this function:



3.7.3.37 test ()

Definition at line 168 of file Client.Class.php.

Here is the call graph for this function:



3.7.4 Field Documentation

3.7.4.1 \$clientAccountsArray

Definition at line 15 of file Client.Class.php.

3.7.4.2 \$clientBusinessBankingAccountsArray

Definition at line 17 of file Client.Class.php.

3.7.4.3 \$clientPersonalBankingAccountsArray

Definition at line 19 of file Client.Class.php.

3.7.4.4 \$clientPersonalBorrowingAccountsArray

Definition at line 21 of file Client.Class.php.

3.7.4.5 \$clientPersonalInsuranceAccountsArray

Definition at line 22 of file Client.Class.php.

3.7.4.6 \$clientPersonalInvestingAccountsArray

Definition at line 20 of file Client.Class.php.

The documentation for this class was generated from the following file:

- /Users/gina/Documents/workspace2/openbankwebapp/includes/model/Client.Class.php

3.8 ClientAccount Class Reference

Public Member Functions

- getClientAccountId ()
- getBranchId ()
- getClientId ()
- getAccountTypeId ()
- getAccountTypeName ()
- getAccountName ()
- getCurrentBalance ()
- getAvailableBalance ()
- getStatus (\$status)
- getOpeningDate ()
- getClosingDate (\$closingDate)
- getAutoIncAccID ()
- setClientAccountId (\$clientAccountId)
- setBranchId (\$branchId)
- setclientId (\$clientId)
- setAccountTypeId (\$accountTypeId)
- setAccountName (\$accountName)
- setCurrentBalance (\$currentBalance)
- setAvailableBalance (\$availableBalance)
- setStatus (\$status)
- setOpeningDate (\$openingDate)
- setClosingDate (\$closingDate)
- setAutoIncAccID ()

- [test \(\)](#)
- [chargeMonthlyFees \(\)](#)
- [__construct \(\)](#)
- [initializeAccountFromID \(\\$accountid\)](#)
- [initializeAccFrom \(\\$clientAccountId, \\$userBranch, \\$clientId, \\$userAccountChoice, \\$curDate, \\$currentBal="0", \\$availBal="0", \\$status="1", \\$endDate='Null'\)](#)
- [saveToDatabase \(\)](#)
- [DisplayAccountDetailsInRow \(\)](#)
- [InsertAccountIntoDatabase \(\)](#)
- [initializeClientAccount \(\\$row\)](#)
- [setAccountTypeName \(\\$accountTypeId\)](#)
- [displayAccountInRow \(\)](#)

Data Fields

- [\\$currentBalance](#)
- [\\$availableBalance](#)
- [\\$accountTypeName](#)
- [\\$serviceCategoryId](#)
- [\\$serviceTypeId](#)
- [\\$serviceId](#)

3.8.1 Detailed Description

Definition at line 2 of file ClientAccount.Class.php.

3.8.2 Constructor & Destructor Documentation

3.8.2.1 __construct ()

Definition at line 134 of file ClientAccount.Class.php.

3.8.3 Member Function Documentation


3.8.3.1 chargeMonthlyFees ()

Definition at line 110 of file ClientAccount.Class.php.

3.8.3.2 displayAccountInRow ()

Definition at line 230 of file ClientAccount.Class.php.

Here is the caller graph for this function:



3.8.3.3 DisplayAccountDetailsInRow ()

Definition at line 183 of file ClientAccount.Class.php.

Here is the call graph for this function:




3.8.3.4 getAccountName ()

Definition at line 39 of file ClientAccount.Class.php.

3.8.3.5 getAccountTypeId ()

Definition at line 33 of file ClientAccount.Class.php.

Here is the caller graph for this function:



3.8.3.6 getAccountTypeName ()

Definition at line 36 of file ClientAccount.Class.php.

3.8.3.7 getAutoIncAccID ()

Definition at line 57 of file ClientAccount.Class.php.

Here is the call graph for this function:



3.8.3.8 getAvailableBalance ()

Definition at line 45 of file ClientAccount.Class.php.


Here is the caller graph for this function:



3.8.3.9 getBranchId ()

Definition at line 27 of file ClientAccount.Class.php.

Here is the caller graph for this function:




3.8.3.10 getClientAccountId ()

Definition at line 24 of file ClientAccount.Class.php.

3.8.3.11 getClientId ()

Definition at line 30 of file ClientAccount.Class.php.

Here is the caller graph for this function:




3.8.3.12 getClosingDate (\$ closingDate)

Definition at line 54 of file ClientAccount.Class.php.

3.8.3.13 getCurrentBalance ()

Definition at line 42 of file ClientAccount.Class.php.


Here is the caller graph for this function:



3.8.3.14 getOpeningDate ()

Definition at line 51 of file ClientAccount.Class.php.


Here is the caller graph for this function:



3.8.3.15 getStatus (\$ status)

Definition at line 48 of file ClientAccount.Class.php.


Here is the caller graph for this function:



3.8.3.16 initializeAccFrom (\$ clientAccountId, \$ userBranch, \$ clientId, \$ userAccountChoice, \$ curDate, \$ curentBal = "0", \$ availBal = "0", \$ status = "1", \$ endDate = 'Null')

Definition at line 154 of file ClientAccount.Class.php.


Here is the call graph for this function:



3.8.3.17 initializeAccountFromID (\$ accountid)

Definition at line 145 of file ClientAccount.Class.php.


Here is the call graph for this function:



3.8.3.18 initializeClientAccount (\$ row)

Definition at line 204 of file ClientAccount.Class.php.

Here is the call graph for this function:




Here is the caller graph for this function:



3.8.3.19 InsertAccountIntoDatabase ()

Definition at line 191 of file ClientAccount.Class.php.

Here is the call graph for this function:



3.8.3.20 saveToDatabase ()

Definition at line 165 of file ClientAccount.Class.php.


3.8.3.21 setAccountName (\$ accountName)

Definition at line 73 of file ClientAccount.Class.php.

3.8.3.22 setAccountTypeId (\$ accountId)

Definition at line 70 of file ClientAccount.Class.php.


Here is the caller graph for this function:



3.8.3.23 setAccountTypeName (\$ accountId)

Definition at line 218 of file ClientAccount.Class.php.


Here is the caller graph for this function:



3.8.3.24 setAutoIncAccID ()

Definition at line 94 of file ClientAccount.Class.php.


Here is the caller graph for this function:



3.8.3.25 `setAvailableBalance ($ availableBalance)`

Definition at line 79 of file `ClientAccount.Class.php`.


Here is the caller graph for this function:



3.8.3.26 `setBranchId ($ branchId)`


Definition at line 64 of file `ClientAccount.Class.php`.

Here is the caller graph for this function:




3.8.3.27 `setClientAccountId ($ clientAccountId)`

Definition at line 61 of file ClientAccount.Class.php.
Here is the caller graph for this function:




3.8.3.28 `setclientId ($ clientId)`

Definition at line 67 of file ClientAccount.Class.php.
Here is the caller graph for this function:




3.8.3.29 `setClosingDate ($ closingDate)`

Definition at line 88 of file ClientAccount.Class.php.
Here is the caller graph for this function:




3.8.3.30 `setCurrentBalance ($ currentBalance)`

Definition at line 76 of file ClientAccount.Class.php.
Here is the caller graph for this function:



3.8.3.31 `setOpeningDate ($ openingDate)`


Definition at line 85 of file ClientAccount.Class.php.
Here is the caller graph for this function:



3.8.3.32 `setStatus ($ status)`

Definition at line 82 of file ClientAccount.Class.php.


Here is the caller graph for this function:



3.8.3.33 test ()

Definition at line 105 of file ClientAccount.Class.php.

Here is the call graph for this function:



3.8.4 Field Documentation

3.8.4.1 \$accountTypeName

Definition at line 16 of file ClientAccount.Class.php.

3.8.4.2 \$availableBalance

Definition at line 8 of file ClientAccount.Class.php.

3.8.4.3 \$currentBalance

Definition at line 7 of file ClientAccount.Class.php.

3.8.4.4 \$serviceCategoryId

Definition at line 19 of file ClientAccount.Class.php.

3.8.4.5 \$serviceId

Definition at line 21 of file ClientAccount.Class.php.

3.8.4.6 \$serviceTypeId

Definition at line 20 of file ClientAccount.Class.php.

The documentation for this class was generated from the following file:

- /Users/gina/Documents/workspace2/openbankwebapp/includes/model/ClientAccount.Class.php

3.9 Database Class Reference

Public Member Functions

- [__construct](#) ()
- [query](#) (\$querystring)
- [transactionSafeInsertUpdate](#) (\$queryArray)
- [insert](#) (\$querystring)
- [update](#) (\$querystring)
- [updateInsert](#) (\$querystring)
- [close](#) ()
- [connect](#) (\$new_link=false)
- [oops](#) (\$mesg)

Data Fields

- [\\$server](#) = ""
- [\\$user](#) = ""
- [\\$pass](#) = ""
- [\\$database](#) = ""
- [\\$pre](#) = ""
- [\\$queryResultsResource](#)
- [\\$queryFirstResult](#)
- [\\$queryResultsCount](#)
- [\\$link_id](#)
- [\\$error](#) = ""
- [\\$errno](#) = 0

3.9.1 Detailed Description

Definition at line 9 of file Database.Class.php.

3.9.2 Constructor & Destructor Documentation

3.9.2.1 __construct ()

Definition at line 28 of file Database.Class.php.

3.9.3 Member Function Documentation

3.9.3.1 close ()

Definition at line 124 of file Database.Class.php.

Here is the call graph for this function:



3.9.3.2 connect (\$ new_link = false)

Definition at line 130 of file Database.Class.php.


Here is the call graph for this function:



3.9.3.3 insert (\$ *querystring*)

Definition at line 76 of file Database.Class.php.


Here is the caller graph for this function:



3.9.3.4 oops (\$ *mesg*)

Definition at line 151 of file Database.Class.php.

Here is the caller graph for this function:



3.9.3.5 query (\$ *querystring*)

Definition at line 38 of file Database.Class.php.

3.9.3.6 transactionSafeInsertUpdate (\$ *queryArray*)

Definition at line 61 of file Database.Class.php.

Here is the call graph for this function:



3.9.3.7 update (\$ *querystring*)

Definition at line 87 of file Database.Class.php.

3.9.3.8 updateInsert (\$ *querystring*)

Definition at line 97 of file Database.Class.php.

3.9.4 Field Documentation

3.9.4.1 \$database = ''

Definition at line 14 of file Database.Class.php.

3.9.4.2 \$errno = 0

Definition at line 25 of file Database.Class.php.

3.9.4.3 \$error = ''

Definition at line 24 of file Database.Class.php.

3.9.4.4 \$link_id

Definition at line 22 of file Database.Class.php.

3.9.4.5 \$pass = ''

Definition at line 13 of file Database.Class.php.

3.9.4.6 \$pre = ''

Definition at line 15 of file Database.Class.php.

3.9.4.7 \$queryFirstResult

Definition at line 18 of file Database.Class.php.

3.9.4.8 \$queryResultsCount

Definition at line 19 of file Database.Class.php.

3.9.4.9 \$queryResultsResource

Definition at line 17 of file Database.Class.php.

3.9.4.10 \$server = ''

Definition at line 11 of file Database.Class.php.

3.9.4.11 \$user = ''

Definition at line 12 of file Database.Class.php.

The documentation for this class was generated from the following file:

- /Users/gina/Documents/workspace2/openbankwebapp/includes/controller/[Database.Class.php](#)

3.10 Employee Class Reference

Public Member Functions

- [canEditHR](#) ()
- [getEmployeeID](#) ()

- [getSalary \(\)](#)
- [getFirstName \(\)](#)
- [getLastName \(\)](#)
- [getTimeOffID \(\)](#)
- [getStatus \(\)](#)
- [getAddress \(\)](#)
- [getAddressId \(\)](#)
- [getBranchID \(\)](#)
- [getTitleID \(\)](#)
- [setEmployeeID \(\\$employeeID\)](#)
- [setSalary \(\\$salary\)](#)
- [setFirstName \(\\$firstName\)](#)
- [setLastName \(\\$lastName\)](#)
- [setTimeOffID \(\\$timeOffID\)](#)
- [setStatus \(\\$status\)](#)
- [setBranchID \(\\$branchID\)](#)
- [setTitleID \(\\$titleID\)](#)
- [setTitleName \(\\$titleID\)](#)
- [setAddress \(\\$addressid\)](#)
- [setAddressId \(\\$addressid\)](#)
- [setAddressFromObject \(\\$addressIn\)](#)
- [__construct \(\)](#)
- [initializeEmployee \(\\$employeeid\)](#)
- [changeStatus \(\\$selectedEmployee\)](#)
- [initializeEmployeeFromRow \(\\$row\)](#)
- [initializeEmployeeSalary \(\\$row\)](#)
- [initializeEmployeeFirstName \(\\$row\)](#)
- [saveToDatabase \(\)](#)
- [displayEmployeeInRowFormatted \(\)](#)
- [initializeEmployeeIDFirstLastName \(\\$row\)](#)
- [displayEmployeePersonalInfo \(\)](#)
- [EmployeeList \(\)](#)
- [EmployeeListAll \(\)](#)
- [saveHistoryToDatabase \(\\$selectedEmployee, \\$employeeBranch, \\$employeeTitleID, \\$employeeBaseSalary\)](#)
- [saveLoginToDatabase \(\\$selectedEmployee, \\$employeeLogin\)](#)
- [EmployeeDeactivatedAll \(\)](#)
- [EmployeeCurrentSalary \(\\$selectedEmployee\)](#)
- [EmployeeCurrentFirstName \(\\$selectedEmployee\)](#)
- [updateFirstName \(\\$selectedEmployee, \\$firstNameNew\)](#)

3.10.1 Detailed Description

Definition at line 4 of file Employee.Class.php.

3.10.2 Constructor & Destructor Documentation

3.10.2.1 __construct ()

Definition at line 105 of file Employee.Class.php.

Here is the call graph for this function:



3.10.3 Member Function Documentation

3.10.3.1 canEditHR ()

Definition at line 17 of file Employee.Class.php.


3.10.3.2 changeStatus (\$ *selectedEmployee*)

Definition at line 130 of file Employee.Class.php.

3.10.3.3 displayEmployeeInRowFormatted ()

Definition at line 212 of file Employee.Class.php.

Here is the caller graph for this function:



3.10.3.4 displayEmployeePersonalInfo ()

Definition at line 246 of file Employee.Class.php.

3.10.3.5 EmployeeCurrentFirstName (\$ selectedEmployee)

Definition at line 486 of file Employee.Class.php.


Here is the call graph for this function:



3.10.3.6 EmployeeCurrentSalary (\$ selectedEmployee)

Definition at line 464 of file Employee.Class.php.


Here is the call graph for this function:



3.10.3.7 EmployeeDeactevatedAll ()

Definition at line 393 of file Employee.Class.php.

Here is the call graph for this function:



3.10.3.8 EmployeeList ()

Definition at line 259 of file Employee.Class.php.

3.10.3.9 EmployeeListAll ()

Definition at line 303 of file Employee.Class.php.

3.10.3.10 getAddress ()

Definition at line 38 of file Employee.Class.php.

3.10.3.11 getAddressId ()

Definition at line 41 of file Employee.Class.php.

3.10.3.12 **getBranchID ()**

Definition at line 44 of file Employee.Class.php.

3.10.3.13 **getEmployeeID ()**

Definition at line 20 of file Employee.Class.php.

3.10.3.14 **getFirstName ()**

Definition at line 26 of file Employee.Class.php.

3.10.3.15 **getLastName ()**

Definition at line 29 of file Employee.Class.php.

3.10.3.16 **getSalary ()**

Definition at line 23 of file Employee.Class.php.

3.10.3.17 **getStatus ()**

Definition at line 35 of file Employee.Class.php.

3.10.3.18 **getTimeOffID ()**


Definition at line 32 of file Employee.Class.php.

3.10.3.19 **getTitleID ()**

Definition at line 47 of file Employee.Class.php.

3.10.3.20 initializeEmployee (\$ employeeid)

Definition at line 118 of file Employee.Class.php.
Here is the call graph for this function:



3.10.3.21 initializeEmployeeFirstName (\$ row)

Definition at line 185 of file Employee.Class.php.

Here is the call graph for this function:




Here is the caller graph for this function:




3.10.3.22 initializeEmployeeFromRow (\$ row)

Definition at line 165 of file Employee.Class.php.

Here is the call graph for this function:




Here is the caller graph for this function:



3.10.3.23 initializeEmployeeIDFirstLastName (\$ row)

Definition at line 231 of file Employee.Class.php.


Here is the call graph for this function:



3.10.3.24 initializeEmployeeSalary (\$ row)

Definition at line 180 of file Employee.Class.php.

Here is the call graph for this function:



Here is the caller graph for this function:



3.10.3.25 `saveHistoryToDatabase ($ selectedEmployee, $ employeeBranch, $ employeeTitleID, $ employeeBaseSalary)`

Definition at line 347 of file Employee.Class.php.


3.10.3.26 `saveLoginToDatabase ($ selectedEmployee, $ employeeLogin)`

Definition at line 370 of file Employee.Class.php.

3.10.3.27 `saveToDatabase ()`

Definition at line 190 of file Employee.Class.php.


Here is the call graph for this function:



3.10.3.28 setAddress (\$ addressid)

Definition at line 90 of file Employee.Class.php.

Here is the caller graph for this function:



3.10.3.29 setAddressFromObject (\$ addressIn)

Definition at line 100 of file Employee.Class.php.


3.10.3.30 setAddressId (\$ addressid)

Definition at line 93 of file Employee.Class.php.

Here is the call graph for this function:




Here is the caller graph for this function:



3.10.3.31 `setBranchID ($ branchID)`

Definition at line 70 of file Employee.Class.php.


Here is the caller graph for this function:



3.10.3.32 `setEmployeeID ($ employeeID)`

Definition at line 52 of file Employee.Class.php.


Here is the caller graph for this function:



3.10.3.33 `setFirstName ($ firstName)`

Definition at line 58 of file `Employee.Class.php`.


Here is the caller graph for this function:



3.10.3.34 `setLastName ($ lastName)`

Definition at line 61 of file `Employee.Class.php`.


Here is the caller graph for this function:



3.10.3.35 `setSalary ($ salary)`

Definition at line 55 of file Employee.Class.php.


Here is the caller graph for this function:



3.10.3.36 `setStatus ($ status)`

Definition at line 67 of file Employee.Class.php.


Here is the caller graph for this function:



3.10.3.37 `setTimeOffID ($ timeOffID)`

Definition at line 64 of file Employee.Class.php.


Here is the caller graph for this function:



3.10.3.38 setTitleID (\$ titleID)

Definition at line 73 of file Employee.Class.php.


Here is the caller graph for this function:



3.10.3.39 setTitleName (\$ titleID)

Definition at line 76 of file Employee.Class.php.

Here is the caller graph for this function:



3.10.3.40 updateFirstName (\$ *selectedEmployee*, \$ *firstNameNew*)

Definition at line 507 of file Employee.Class.php.

The documentation for this class was generated from the following file:

- /Users/gina/Documents/workspace2/openbankwebapp/includes/model/[Employee.Class.php](#)

3.11 EmployeeLogin Class Reference

Public Member Functions

- [getID](#) ()
- [getLogin](#) ()
- [setID](#) (\$IDIn)
- [setLogin](#) (\$loginIn)
- [displayEmployeeLoginFormatted](#) ()
- [initializeEmployeeLogin](#) (\$row)

3.11.1 Detailed Description

Definition at line 3 of file EmployeeLogin.Class.php.

3.11.2 Member Function Documentation

3.11.2.1 displayEmployeeLoginFormatted ()

Definition at line 31 of file EmployeeLogin.Class.php.

3.11.2.2 getID ()

Definition at line 8 of file EmployeeLogin.Class.php.


3.11.2.3 getLogin ()

Definition at line 13 of file EmployeeLogin.Class.php.

3.11.2.4 initializeEmployeeLogin (\$ *row*)

Definition at line 41 of file EmployeeLogin.Class.php.


Here is the call graph for this function:



3.11.2.5 `setID ($ IDIn)`

Definition at line 19 of file `EmployeeLogin.Class.php`.


Here is the caller graph for this function:



3.11.2.6 `setLogin ($ loginIn)`

Definition at line 24 of file `EmployeeLogin.Class.php`.

Here is the caller graph for this function:



The documentation for this class was generated from the following file:

- [/Users/gina/Documents/workspace2/openbankwebapp/includes/model/EmployeeLogin.Class.php](#)

3.12 EmployeeTimeOffPlan Class Reference

Public Member Functions

- [getTimeOffID \(\)](#)
- [getTimeOffName \(\)](#)
- [getNumberOfDays \(\)](#)
- [getEmployeeID \(\)](#)
- [getReason \(\)](#)
- [getStartDate \(\)](#)
- [getReturnDate \(\)](#)
- [setTimeOffID \(\\$timeOffIDIn\)](#)
- [setTimeOffName \(\\$timeOffNameIn\)](#)
- [setNumberOfDays \(\\$numberOfDaysIn\)](#)
- [setEmployeeID \(\\$employeeIDIn\)](#)
- [setReason \(\\$reasonIn\)](#)
- [setStartDate \(\\$startDateIn\)](#)
- [setRerurnDate \(\\$returnDateIn\)](#)
- [displayEmployeeTimeOffPlanInRowFormatted \(\)](#)
- [displayEmployeeTimeOffPlan \(\)](#)
- [initializeEmployeeTimeOffPlan \(\\$row\)](#)
- [initializeEmployeeTimeOffPlanID \(\\$row\)](#)
- [initializeEmployeeTimeOff \(\\$row\)](#)
- [displayEmployeeTimeOffName \(\)](#)
- [displayEmployeeTimeOff \(\)](#)
- [displayEmployeeTimeOffPlanList \(\)](#)
- [findEmployeeTimeOff \(\\$selectedEmployee\)](#)
- [findEmployeeTimeOffPlan \(\\$selectedEmployee\)](#)
- [findTimeOffPlanID \(\\$employeeTimeOffPlan\)](#)
- [findTimeOffPlanID2 \(\\$employeeTimeOffPlan\)](#)
- [findNumberOfDays \(\\$employeeTimeOffPlanID\)](#)

3.12.1 Detailed Description


Definition at line 4 of file EmployeeTimeOffPlan.Class.php.

3.12.2 Member Function Documentation

3.12.2.1 displayEmployeeTimeOff ()

Definition at line 140 of file EmployeeTimeOffPlan.Class.php.

Here is the caller graph for this function:



3.12.2.2 displayEmployeeTimeOffName ()

Definition at line 135 of file EmployeeTimeOffPlan.Class.php.

3.12.2.3 displayEmployeeTimeOffPlan ()

Definition at line 105 of file EmployeeTimeOffPlan.Class.php.

3.12.2.4 displayEmployeeTimeOffPlanInRowFormatted ()

Definition at line 93 of file EmployeeTimeOffPlan.Class.php.


3.12.2.5 displayEmployeeTimeOffPlanList ()

Definition at line 150 of file EmployeeTimeOffPlan.Class.php.

3.12.2.6 findEmployeeTimeOff (\$ *selectedEmployee*)

Definition at line 190 of file EmployeeTimeOffPlan.Class.php.


Here is the call graph for this function:



3.12.2.7 findEmployeeTimeOffPlan (\$ selectedEmployee)

Definition at line 241 of file EmployeeTimeOffPlan.Class.php.

Here is the call graph for this function:



3.12.2.8 findNumberOfDays (\$ employeeTimeOffPlanID)

Definition at line 337 of file EmployeeTimeOffPlan.Class.php.

Here is the call graph for this function:



3.12.2.9 findTimeOffPlanID (\$ employeeTimeOffPlan)

Definition at line 272 of file EmployeeTimeOffPlan.Class.php.

Here is the call graph for this function:



3.12.2.10 findTimeOffPlanID2 (\$ employeeTimeOffPlan)

Definition at line 314 of file EmployeeTimeOffPlan.Class.php.

Here is the call graph for this function:



3.12.2.11 getEmployeeID ()

Definition at line 33 of file EmployeeTimeOffPlan.Class.php.

3.12.2.12 getNumberOfDays ()

Definition at line 26 of file EmployeeTimeOffPlan.Class.php.

3.12.2.13 getReason ()

Definition at line 38 of file EmployeeTimeOffPlan.Class.php.

3.12.2.14 getReturnDate ()

Definition at line 48 of file EmployeeTimeOffPlan.Class.php.

3.12.2.15 getStartDate ()

Definition at line 43 of file EmployeeTimeOffPlan.Class.php.

3.12.2.16 getTimeOffID ()

Definition at line 16 of file EmployeeTimeOffPlan.Class.php.


3.12.2.17 getTimeOffName ()

Definition at line 21 of file EmployeeTimeOffPlan.Class.php.

3.12.2.18 initializeEmployeeTimeOff (\$ *row*)

Definition at line 126 of file EmployeeTimeOffPlan.Class.php.

Here is the call graph for this function:




Here is the caller graph for this function:




3.12.2.19 initializeEmployeeTimeOffPlan (\$ row)

Definition at line 112 of file EmployeeTimeOffPlan.Class.php.

Here is the call graph for this function:




Here is the caller graph for this function:




3.12.2.20 initializeEmployeeTimeOffPlanID (\$ row)

Definition at line 120 of file EmployeeTimeOffPlan.Class.php.

Here is the call graph for this function:




Here is the caller graph for this function:



3.12.2.21 `setEmployeeID ($ employeeIDIn)`

Definition at line 72 of file `EmployeeTimeOffPlan.Class.php`.


Here is the caller graph for this function:



3.12.2.22 `setNumberOfDays ($ numberOfDaysIn)`

Definition at line 66 of file `EmployeeTimeOffPlan.Class.php`.


Here is the caller graph for this function:



3.12.2.23 `setReason ($ reasonIn)`

Definition at line 77 of file `EmployeeTimeOffPlan.Class.php`.


Here is the caller graph for this function:



3.12.2.24 `setRerurnDate ($ returnDateIn)`

Definition at line 87 of file `EmployeeTimeOffPlan.Class.php`.


Here is the caller graph for this function:



3.12.2.25 `setStartDate ($ startDateIn)`

Definition at line 82 of file `EmployeeTimeOffPlan.Class.php`.


Here is the caller graph for this function:



3.12.2.26 `setTimeOffID ($ timeOffIDIn)`

Definition at line 55 of file `EmployeeTimeOffPlan.Class.php`.


Here is the caller graph for this function:



3.12.2.27 setTimeOffName (\$ timeOffNameIn)

Definition at line 61 of file EmployeeTimeOffPlan.Class.php.

Here is the caller graph for this function:



The documentation for this class was generated from the following file:

- /Users/gina/Documents/workspace2/openbankwebapp/includes/model/[EmployeeTimeOffPlan.Class](#)

3.13 EmployeeTitle Class Reference

Public Member Functions

- [getTitleID](#) ()
- [getTitleName](#) ()
- [getBaseSalary](#) ()
- [setTitleID](#) (\$titleIDIn)
- [setTitleName](#) (\$titleNameIn)
- [setBaseSalary](#) (\$baseSalaryIn)
- [displayEmployeeTitleInRowFormatted](#) ()
- [initializeEmployeeTitle](#) (\$row)
- [initializeEmployeeTitleID](#) (\$row)
- [displayEmployeeTitleName](#) ()

- [displayEmployeeTitleList](#) ()
- [findTitleID](#) (\$titleNameNew)
- [EmployeeTitleBaseSalary](#) (\$employeeTitle)

3.13.1 Detailed Description

Definition at line 3 of file EmployeeTitle.Class.php.

3.13.2 Member Function Documentation

3.13.2.1 displayEmployeeTitleInRowFormatted ()

Definition at line 40 of file EmployeeTitle.Class.php.

3.13.2.2 displayEmployeeTitleList ()

Definition at line 72 of file EmployeeTitle.Class.php.


3.13.2.3 displayEmployeeTitleName ()

Definition at line 67 of file EmployeeTitle.Class.php.

3.13.2.4 EmployeeTitleBaseSalary (\$ employeeTitle)

Definition at line 139 of file EmployeeTitle.Class.php.


Here is the call graph for this function:



3.13.2.5 findTitleID (\$ *titleNameNew*)

Definition at line 112 of file EmployeeTitle.Class.php.

Here is the call graph for this function:



3.13.2.6 getBaseSalary ()

Definition at line 18 of file EmployeeTitle.Class.php.

3.13.2.7 getTitleID ()

Definition at line 8 of file EmployeeTitle.Class.php.


3.13.2.8 getTitleName ()

Definition at line 13 of file EmployeeTitle.Class.php.

3.13.2.9 initializeEmployeeTitle (\$ *row*)

Definition at line 51 of file EmployeeTitle.Class.php.

Here is the call graph for this function:




Here is the caller graph for this function:




3.13.2.10 initializeEmployeeTitleID (\$ row)

Definition at line 60 of file EmployeeTitle.Class.php.

Here is the call graph for this function:




Here is the caller graph for this function:



3.13.2.11 `setBaseSalary ($ baseSalaryIn)`

Definition at line 34 of file `EmployeeTitle.Class.php`.


Here is the caller graph for this function:



3.13.2.12 `setTitleID ($ titleIDIn)`


Definition at line 24 of file `EmployeeTitle.Class.php`.

Here is the caller graph for this function:



3.13.2.13 `setTitleName ($ titleNameIn)`

Definition at line 29 of file EmployeeTitle.Class.php.
Here is the caller graph for this function:



The documentation for this class was generated from the following file:

- /Users/gina/Documents/workspace2/openbankwebapp/includes/model/EmployeeTitle.Class.php

3.14 EmployeeWorkHistory Class Reference

Public Member Functions

- [getEmployeeID \(\)](#)
- [getBranchID \(\)](#)
- [getStartDate \(\)](#)
- [getLastName \(\)](#)
- [getTitleID \(\)](#)
- [gettittlename \(\)](#)
- [getSalary \(\)](#)
- [setEmployeeID \(\\$employeeIDIn\)](#)
- [setBranchID \(\\$branchIDIn\)](#)
- [setStartDate \(\\$startDateIn\)](#)
- [setLastName \(\\$lastNameIn\)](#)
- [setTitleID \(\\$titleIDIn\)](#)
- [settittlename \(\\$tittlenameIn\)](#)
- [setSalary \(\\$salaryIn\)](#)
- [displayEmployeeWorkHistoryInRowFormatted \(\)](#)
- [displayEmployeeWorkHistoryInRowFormattedNew \(\)](#)
- [initializeEmployeeWorkHistory \(\\$row\)](#)
- [initializeEmployeeWorkHistoryNew \(\\$row\)](#)
- [employeeHistory \(\\$selectedEmployee\)](#)
- [employeeHistoryCurrent \(\\$selectedEmployee\)](#)

3.14.1 Detailed Description

Definition at line 4 of file EmployeeWorkHistory.Class.php.

3.14.2 Member Function Documentation


3.14.2.1 displayEmployeeWorkHistoryInRowFormatted ()

Definition at line 83 of file EmployeeWorkHistory.Class.php.

3.14.2.2 displayEmployeeWorkHistoryInRowFormattedNew ()

Definition at line 98 of file EmployeeWorkHistory.Class.php.


Here is the caller graph for this function:



3.14.2.3 employeeHistory (\$ selectedEmployee)

Definition at line 138 of file EmployeeWorkHistory.Class.php.


Here is the call graph for this function:



3.14.2.4 employeeHistoryCurrent (\$ selectedEmployee)

Definition at line 198 of file EmployeeWorkHistory.Class.php.

Here is the call graph for this function:



3.14.2.5 `getBranchID ()`

Definition at line 18 of file `EmployeeWorkHistory.Class.php`.

3.14.2.6 `getEmployeeID ()`

Definition at line 13 of file `EmployeeWorkHistory.Class.php`.

3.14.2.7 `getLastDate ()`

Definition at line 28 of file `EmployeeWorkHistory.Class.php`.

3.14.2.8 `getSalary ()`

Definition at line 43 of file `EmployeeWorkHistory.Class.php`.

3.14.2.9 `getStartDate ()`

Definition at line 23 of file `EmployeeWorkHistory.Class.php`.

3.14.2.10 getTitleID ()

Definition at line 33 of file EmployeeWorkHistory.Class.php.


3.14.2.11 gettitlename ()

Definition at line 38 of file EmployeeWorkHistory.Class.php.

3.14.2.12 initializeEmployeeWorkHistory (\$ row)

Definition at line 113 of file EmployeeWorkHistory.Class.php.


Here is the call graph for this function:




3.14.2.13 initializeEmployeeWorkHistoryNew (\$ row)

Definition at line 125 of file EmployeeWorkHistory.Class.php.

Here is the call graph for this function:




Here is the caller graph for this function:



3.14.2.14 setBranchID (\$ branchIDIn)

Definition at line 53 of file EmployeeWorkHistory.Class.php.


Here is the caller graph for this function:



3.14.2.15 `setEmployeeID ($ employeeIDIn)`

Definition at line 48 of file `EmployeeWorkHistory.Class.php`.


Here is the caller graph for this function:



3.14.2.16 `setLastDate ($ lastDateIn)`


Definition at line 63 of file `EmployeeWorkHistory.Class.php`.

Here is the caller graph for this function:




3.14.2.17 setSalary (\$ salaryIn)

Definition at line 78 of file EmployeeWorkHistory.Class.php.
Here is the caller graph for this function:



3.14.2.18 setStartDate (\$ startDateIn)


Definition at line 58 of file EmployeeWorkHistory.Class.php.
Here is the caller graph for this function:



3.14.2.19 setTitleID (\$ titleIDIn)

Definition at line 68 of file EmployeeWorkHistory.Class.php.


Here is the caller graph for this function:



3.14.2.20 settitlename (\$ titlenameIn)

Definition at line 73 of file EmployeeWorkHistory.Class.php.

Here is the caller graph for this function:



The documentation for this class was generated from the following file:

- /Users/gina/Documents/workspace2/openbankwebapp/includes/model/[EmployeeWorkHistory.Class](#)

3.15 InvestmentPlans Class Reference

Public Member Functions

- [getAccountTypeId](#) ()
- [getInvestmentTerm](#) ()
- [getInterestRate](#) ()
- [setAccountTypeId](#) (\$accountTypeId)
- [setGracePeriod](#) (\$investmentTerm)
- [setInterestRate](#) (\$interestRate)

3.15.1 Detailed Description

Definition at line 2 of file InvestmentPlans.php.

3.15.2 Member Function Documentation

3.15.2.1 getAccountId ()

Definition at line 8 of file InvestmentPlans.php.

3.15.2.2 getInterestRate ()

Definition at line 18 of file InvestmentPlans.php.

3.15.2.3 getInvestmentTerm ()

Definition at line 13 of file InvestmentPlans.php.

3.15.2.4 setAccountId (\$ accountId)

Definition at line 23 of file InvestmentPlans.php.

3.15.2.5 setGracePeriod (\$ investmentTerm)

Definition at line 28 of file InvestmentPlans.php.

3.15.2.6 setInterestRate (\$ interestRate)

Definition at line 33 of file InvestmentPlans.php.

The documentation for this class was generated from the following file:

- /Users/gina/Documents/workspace2/openbankwebapp/includes/model/[InvestmentPlans.php](#)

3.16 PostalCodes Class Reference

Public Member Functions

- [getPostalCodes](#) ()
- [getCity](#) ()
- [getProvince](#) ()
- [setPostalCodes](#) (\$postalCodesIn)
- [setCity](#) (\$cityIn)
- [setProvince](#) (\$provinceIn)

- [__construct](#) ()
- [initializePostalCodes](#) (\$row)
- [saveToDatabase](#) ()
- [displayPostalCodeInfo](#) ()
- [initializeProvinceCityStreet2](#) (\$row)
- [initializeProvinceCity](#) (\$row)
- [displayInRowFormatted](#) ()
- [displayCodeProvinceCity](#) ()
- [findProvinceCity](#) (\$employeePostalCode)

3.16.1 Detailed Description

Definition at line 3 of file PostalCodes.Class.php.

3.16.2 Constructor & Destructor Documentation

3.16.2.1 __construct ()

Definition at line 32 of file PostalCodes.Class.php.

3.16.3 Member Function Documentation

3.16.3.1 displayCodeProvinceCity ()

Definition at line 81 of file PostalCodes.Class.php.

3.16.3.2 displayInRowFormatted ()

Definition at line 74 of file PostalCodes.Class.php.

3.16.3.3 displayPostalCodeInfo ()

Definition at line 55 of file PostalCodes.Class.php.

3.16.3.4 findProvinceCity (\$ *employeePostalCode*)

Definition at line 89 of file PostalCodes.Class.php.

Here is the call graph for this function:



3.16.3.5 `getCity ()`

Definition at line 12 of file `PostalCodes.Class.php`.

3.16.3.6 `getPostalCodes ()`

Definition at line 8 of file `PostalCodes.Class.php`.


3.16.3.7 `getProvince ()`

Definition at line 16 of file `PostalCodes.Class.php`.

3.16.3.8 `initializePostalCodes ($ row)`

Definition at line 36 of file `PostalCodes.Class.php`.


Here is the call graph for this function:




3.16.3.9 initializeProvinceCity (\$ row)

Definition at line 68 of file PostalCodes.Class.php.

Here is the call graph for this function:




Here is the caller graph for this function:



3.16.3.10 initializeProvinceCityStreet2 (\$ row)

Definition at line 60 of file PostalCodes.Class.php.
Here is the call graph for this function:




3.16.3.11 saveToDatabase ()

Definition at line 43 of file PostalCodes.Class.php.

3.16.3.12 setCity (\$ cityIn)


Definition at line 24 of file PostalCodes.Class.php.
Here is the caller graph for this function:



3.16.3.13 setPostalCodes (\$ postalCodesIn)

Definition at line 20 of file PostalCodes.Class.php.


Here is the caller graph for this function:



3.16.3.14 setProvince (\$ provinceIn)

Definition at line 28 of file PostalCodes.Class.php.

Here is the caller graph for this function:



The documentation for this class was generated from the following file:

- /Users/gina/Documents/workspace2/openbankwebapp/includes/model/PostalCodes.Class.php

3.17 Transaction Class Reference

Public Member Functions

- [getTransactionID \(\)](#)
- [getClientID \(\)](#)
- [getAccountId \(\)](#)
- [getDate \(\)](#)

- [getTransactionFeeCharged \(\)](#)
- [getTransactionFeeType \(\)](#)
- [getDepositAmount \(\)](#)
- [getWithdrawalAmount \(\)](#)
- [getBalance \(\)](#)
- [getBranchId \(\)](#)
- [getTransactionDescription \(\)](#)
- [getTransactionPerformedBy \(\)](#)
- [setTransactionID \(\\$transactionID\)](#)
- [setClientID \(\\$clientID\)](#)
- [setAccountID \(\\$accountId\)](#)
- [setDate \(\\$date\)](#)
- [setTransactionFeeCharged \(\\$transactionFeeCharged\)](#)
- [setTransactionFeeType \(\\$transactionFeeType\)](#)
- [setDepositAmount \(\\$depositAmount\)](#)
- [setWithdrawalAmount \(\\$withdrawalAmount\)](#)
- [setBalance \(\\$balance\)](#)
- [setBranchId \(\\$branchid\)](#)
- [setTransactionPerformedBy \(\\$transperformedby\)](#)
- [setTransactionDescription \(\\$transactionDescription\)](#)
- [test \(\)](#)
- [buildInsertTransactionQuery \(\)](#)
- [saveToDatabase \(\)](#)
- [displayTransaction \(\)](#)
- [__construct \(\)](#)
- [displayTransactionInRow \(\\$count\)](#)
- [displayTransactionInRowFormatted \(\)](#)
- [initializeTransaction \(\\$row\)](#)

3.17.1 Detailed Description

Definition at line 2 of file Transaction.Class.php.

3.17.2 Constructor & Destructor Documentation

3.17.2.1 __construct ()


Definition at line 141 of file Transaction.Class.php.

3.17.3 Member Function Documentation


3.17.3.1 buildInsertTransactionQuery ()

Definition at line 106 of file Transaction.Class.php.

Here is the call graph for this function:



Here is the caller graph for this function:




3.17.3.2 displayTransaction ()

Definition at line 127 of file Transaction.Class.php.


3.17.3.3 displayTransactionInRow (\$ count)

Definition at line 157 of file Transaction.Class.php.

Here is the call graph for this function:




Here is the caller graph for this function:



3.17.3.4 displayTransactionInRowFormatted ()

Definition at line 171 of file Transaction.Class.php.


Here is the call graph for this function:



3.17.3.5 `getAccountId ()`

Definition at line 23 of file `Transaction.Class.php`.


Here is the caller graph for this function:



3.17.3.6 `getBalance ()`

Definition at line 41 of file `Transaction.Class.php`.

Here is the caller graph for this function:



3.17.3.7 `getBranchId ()`

Definition at line 44 of file Transaction.Class.php.


3.17.3.8 `getClientID ()`

Definition at line 20 of file Transaction.Class.php.

3.17.3.9 `getDate ()`

Definition at line 26 of file Transaction.Class.php.


Here is the caller graph for this function:



3.17.3.10 `getDepositAmount ()`


Definition at line 35 of file Transaction.Class.php.

Here is the caller graph for this function:




3.17.3.11 `getTransactionDescription ()`

Definition at line 47 of file Transaction.Class.php.
Here is the caller graph for this function:



3.17.3.12 `getTransactionFeeCharged ()`

Definition at line 29 of file Transaction.Class.php.
Here is the caller graph for this function:



3.17.3.13 `getTransactionFeeType ()`

Definition at line 32 of file Transaction.Class.php.
Here is the caller graph for this function:




3.17.3.14 `getTransactionID ()`

Definition at line 17 of file Transaction.Class.php.


3.17.3.15 `getTransactionPerformedBy ()`

Definition at line 50 of file Transaction.Class.php.
Here is the caller graph for this function:



3.17.3.16 `getWithdrawalAmount ()`


Definition at line 38 of file Transaction.Class.php.
Here is the caller graph for this function:



3.17.3.17 `initializeTransaction ($ row)`

Definition at line 176 of file Transaction.Class.php.


Here is the call graph for this function:



3.17.3.18 `saveToDatabase ()`

Definition at line 118 of file `Transaction.Class.php`.

Here is the call graph for this function:



3.17.3.19 `setAccountId ($ accountId)`

Definition at line 61 of file `Transaction.Class.php`.


Here is the caller graph for this function:



3.17.3.20 `setBalance ($ balance)`

Definition at line 79 of file `Transaction.Class.php`.

Here is the caller graph for this function:




3.17.3.21 `setBranchId ($ branchid)`

Definition at line 82 of file `Transaction.Class.php`.

3.17.3.22 `setClientID ($ clientID)`

Definition at line 58 of file `Transaction.Class.php`.


Here is the caller graph for this function:



3.17.3.23 `setDate ($ date)`

Definition at line 64 of file `Transaction.Class.php`.


Here is the caller graph for this function:



3.17.3.24 `setDepositAmount ($ depositAmount)`

Definition at line 73 of file Transaction.Class.php.


Here is the caller graph for this function:



3.17.3.25 `setTransactionDescription ($ transactionDescription)`

Definition at line 88 of file Transaction.Class.php.


Here is the caller graph for this function:



3.17.3.26 `setTransactionFeeCharged ($ transactionFeeCharged)`

Definition at line 67 of file Transaction.Class.php.


Here is the caller graph for this function:



3.17.3.27 `setTransactionFeeType ($ transactionFeeType)`


Definition at line 70 of file Transaction.Class.php.

Here is the caller graph for this function:



3.17.3.28 **setTransactionID** (\$ *transactionID*)

Definition at line 55 of file Transaction.Class.php.
Here is the caller graph for this function:




3.17.3.29 **setTransactionPerformedBy** (\$ *transperformedby*)

Definition at line 85 of file Transaction.Class.php.

3.17.3.30 **setWithdrawalAmount** (\$ *withdrawalAmount*)


Definition at line 76 of file Transaction.Class.php.
Here is the caller graph for this function:



3.17.3.31 **test** ()

Definition at line 92 of file Transaction.Class.php.

Here is the call graph for this function:



The documentation for this class was generated from the following file:

- /Users/gina/Documents/workspace2/openbankwebapp/includes/model/[Transaction.Class.php](#)

3.18 User Class Reference

Public Member Functions

- [isEmployee\(\)](#)
- [isClient\(\)](#)

- [__construct](#) (\$userIdIn, \$passwordIn)


3.18.1 Detailed Description

Definition at line 3 of file User.Class.php.

3.18.2 Constructor & Destructor Documentation

3.18.2.1 __construct (\$ *userIdIn*, \$ *passwordIn*)

Definition at line 18 of file User.Class.php.
Here is the call graph for this function:



3.18.3 Member Function Documentation

3.18.3.1 isClient ()

Definition at line 14 of file User.Class.php.
Here is the caller graph for this function:



3.18.3.2 isEmployee ()

Definition at line 11 of file User.Class.php.

Here is the caller graph for this function:



The documentation for this class was generated from the following file:

- /Users/gina/Documents/workspace2/openbankwebapp/includes/model/[User.Class.php](#)

4 File Documentation

4.1 /Users/gina/Documents/workspace2/openbankwebapp/configMySQL.php File Reference

Enumerations

- enum [DB_SERVER](#)
- enum [DB_USER](#)
- enum [DB_PASS](#)
- enum [DB_DATABASE](#)
- enum [TABLE_ACCOUNTTYPE](#)
- enum [TABLE_ADDRESS](#)
- enum [TABLE_BANKINGPLANS](#)
- enum [TABLE_BORROWINGPLANS](#)
- enum [TABLE_BRANCH](#)
- enum [TABLE_CLIENT](#)
- enum [TABLE_CLIENTACCOUNT](#)
- enum [TABLE_CLIENTLOGIN](#)
- enum [TABLE_EMPLOYEE](#)
- enum [TABLE_EMPLOYEELOGIN](#)
- enum [TABLE_EMPLOYEETIMEOFFHISTORY](#)
- enum [TABLE_EMPLOYEEETITLE](#)
- enum [TABLE_EMPLOYEEWORKHISTORY](#)
- enum [TABLE_INSURANCEPLANS](#)
- enum [TABLE_INVESTMENTPLANS](#)
- enum [TABLE_SERVICE](#)
- enum [TABLE_SERVICECATEGORY](#)
- enum [TABLE_SERVICETYPE](#)
- enum [TABLE_TRANSACTION](#)

4.1.1

Enumeration Type Documentation

4.1.1.1

enum DB_DATABASE

Definition at line 6 of file configMySQL.php.

4.1.1.2

enum DB_PASS

Definition at line 5 of file configMySQL.php.

4.1.1.3

enum DB_SERVER

Definition at line 3 of file configMySQL.php.

4.1.1.4

enum DB_USER

Definition at line 4 of file configMySQL.php.

4.1.1.5

enum TABLE_ACCOUNTTYPE

Definition at line 14 of file configMySQL.php.

4.1.1.6

enum TABLE_ADDRESS

Definition at line 15 of file configMySQL.php.

4.1.1.7

enum TABLE_BANKINGPLANS

Definition at line 16 of file configMySQL.php.

4.1.1.8

enum TABLE_BORROWINGPLANS

Definition at line 17 of file configMySQL.php.

4.1.1.9 enum TABLE_BRANCH

Definition at line 18 of file configMySQL.php.

4.1.1.10 enum TABLE_CLIENT

Definition at line 19 of file configMySQL.php.

4.1.1.11 enum TABLE_CLIENTACCOUNT

Definition at line 20 of file configMySQL.php.

4.1.1.12 enum TABLE_CLIENTLOGIN

Definition at line 21 of file configMySQL.php.

4.1.1.13 enum TABLE_EMPLOYEE

Definition at line 22 of file configMySQL.php.

4.1.1.14 enum TABLE_EMPLOYEELOGIN

Definition at line 23 of file configMySQL.php.

4.1.1.15 enum TABLE_EMPLOYEETIMEOFFHISTORY

Definition at line 24 of file configMySQL.php.

4.1.1.16 enum TABLE_EMPLOYEETITLE

Definition at line 25 of file configMySQL.php.

4.1.1.17 enum TABLE_EMPLOYEEWORKHISTORY

Definition at line 26 of file configMySQL.php.

4.1.1.18 enum TABLE_INSURANCEPLANS

Definition at line 27 of file configMySQL.php.

4.1.1.19 enum TABLE_INVESTMENTPLANS

Definition at line 28 of file configMySQL.php.

4.1.1.20 enum TABLE_SERVICE

Definition at line 29 of file configMySQL.php.

4.1.1.21 enum TABLE_SERVICECATEGORY

Definition at line 30 of file configMySQL.php.

4.1.1.22 enum TABLE_SERVICETYPE

Definition at line 31 of file configMySQL.php.

4.1.1.23 enum TABLE_TRANSACTION

Definition at line 32 of file configMySQL.php.

4.2 /Users/gina/Documents/workspace2/openbankwebapp/includes/controller/Data
File Reference

Data Structures

- class [Database](#)

4.3

/Users/gina/Documents/workspace2/openbankwebapp/includes/controller/SQLQuery.Class.php

File Reference

4.4

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/AccountType.php

File Reference

Data Structures

- class [AccountType](#)

4.5

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/AccountTypeView.php

File Reference

4.6

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/Address.php

File Reference

Data Structures

- class [Address](#)

4.7

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/BankingPlans.php

File Reference

Data Structures

- class [BankingPlans](#)

4.8

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/BorrowingPlans.php

File Reference

Data Structures

- class [BorrowingPlans](#)

4.9

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/Branch.php

File Reference

Data Structures

- class [Branch](#)

4.10

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/Client.php

File Reference

Data Structures

- class [Client](#)

4.11

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/ClientAccount.Class.php

File Reference

Data Structures

- class [ClientAccount](#)

4.12

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/ClientAccount.Class.php

File Reference

4.13

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/Employee.Class.php

File Reference

Data Structures

- class [Employee](#)

4.14

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/Employee.Login.php

File Reference

Data Structures

- class [EmployeeLogin](#)

4.15

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/EmployeeTimeOffPlan.php

File Reference

Data Structures

- class [EmployeeTimeOffPlan](#)

4.16

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/EmployeeTitle.php

File Reference

Data Structures

- class [EmployeeTitle](#)

4.17

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/EmployeeWorkHistory.php

File Reference

Data Structures

- class [EmployeeWorkHistory](#)

4.18

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/InvestmentPlans.php

File Reference

Data Structures

- class [InvestmentPlans](#)

4.19

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/PostalCodes.php

File Reference

Data Structures

- class [PostalCodes](#)

4.20

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/ServiceAccounts.php

File Reference

4.21

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/ServiceAccounts.php

File Reference

Data Structures

- class [Account](#)

4.22

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/Statements.php

File Reference

4.23

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/Transactions.php

File Reference

Data Structures

- class [Transaction](#)

4.24

/Users/gina/Documents/workspace2/openbankwebapp/includes/model/UserCredentials.php

File Reference

Data Structures

- class [User](#)

4.25

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/AboutTheBank.php

File Reference

4.26

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/AddClient.php

File Reference

Variables

- `$branchToDisplay` = new `Client()`

4.26.1 Variable Documentation

4.26.1.1 `$branchToDisplay` = new `Client()`

Definition at line 4 of file `AddClient.php`.

4.27

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/AddEmployee.php

File Reference

Variables

- `if(isset($_POST['choiceFirstName'])) if(isset($_POST['choiceLastName'])) $branch = new Branch()`
- `$title` = new `EmployeeTitle()`
- `$workHistory` = new `EmployeeWorkHistory()`
- `$timeOffPlan` = new `EmployeeTimeOffPlan()`
- `$address` = new `Address()`
- `$postalCode` = new `PostalCodes()`
- `$employee` = new `Employee()`
- `$login` = new `EmployeeLogin()`

4.27.1 Variable Documentation

4.27.1.1 `$address` = new `Address()`

Definition at line 47 of file `AddEmployee.php`.

4.27.1.2 `if (isset($_POST['choiceFirstName'])) if (isset($_POST['choiceLastName'])) $branch = new Branch()`

Definition at line 43 of file `AddEmployee.php`.

4.27.1.3 \$employee = new Employee()

Definition at line 49 of file AddEmployee.php.

4.27.1.4 \$login = new EmployeeLogin()

Definition at line 50 of file AddEmployee.php.

4.27.1.5 \$postalCode = new PostalCodes()

Definition at line 48 of file AddEmployee.php.

4.27.1.6 \$timeOffPlan = new EmployeeTimeOffPlan()

Definition at line 46 of file AddEmployee.php.

4.27.1.7 \$title = new EmployeeTitle()

Definition at line 44 of file AddEmployee.php.

4.27.1.8 \$workHistory = new EmployeeWorkHistory()

Definition at line 45 of file AddEmployee.php.

4.28 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/BranchLocator.php

File Reference

Variables

- \$dbToGetAllBranches = new Database()
- \$search = "search"]
- \$searchCity = \$_POST['\$FormCity']
- for (\$count=0;\$count<\$dbToGetAllBranches->queryResultsCount;\$count=\$count+1)

4.28.1 Variable Documentation

4.28.1.1 \$dbToGetAllBranches = new Database()

Definition at line 31 of file BranchLocator.php.

4.28.1.2 \$search = "search"]

Definition at line 33 of file BranchLocator.php.

4.28.1.3 \$searchCity = \$_POST['\$FormCity']

Definition at line 34 of file BranchLocator.php.

4.28.1.4 for(\$count=0;\$count<\$dbToGetAllBranches->queryResultsCount;\$count=\$count+1)

Definition at line 63 of file BranchLocator.php.

4.29 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/BranchReport.php
File Reference

4.30 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/branchReport.php
anshu.php File Reference

4.31 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/BranchReport.php
File Reference

4.32 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/BusinessReport.php
File Reference

4.33 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/ClientReport.php
File Reference

4.34 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/ClientReport.php
File Reference

4.35 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/clientReport.php
File Reference

4.36 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/DeactivationReport.php
File Reference

Variables

- \$employee = new Employee()
- \$selectedEmployee = "choiceEmployee"]

4.36.1 Variable Documentation

4.36.1.1 \$employee = new Employee()

Definition at line 9 of file DeactivateEmployee.php.

4.36.1.2 \$selectedEmployee = "choiceEmployee"]

Definition at line 36 of file DeactivateEmployee.php.

4.37

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/DisplayAddClientResults.php

File Reference

Variables

- \$addedClient = new Client()

4.37.1 Variable Documentation

4.37.1.1 \$addedClient = new Client()

Definition at line 2 of file DisplayAddClientResults.php.

4.38

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/EmployeeDetails.php

File Reference

4.39

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/EmployeeDetails.php

File Reference

4.40

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/EmployeeDetails.php

File Reference

4.41

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/employeeDetails.php

File Reference

4.42

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/footer.php

File Reference

Variables

- if (isset(\$_POST['amountofdays']))

4.42.1 Variable Documentation

4.42.1.1 if(isset(\$_POST['amountofdays']))

Definition at line 2 of file footer.php.

4.43 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/header.p

File Reference

Variables

- if (!isset(\$_SESSION['DayOfTheMonth']))

4.43.1 Variable Documentation

4.43.1.1 if(!isset(\$_SESSION['DayOfTheMonth']))

Definition at line 3 of file header.php.

4.44 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/header_

anshu.php File Reference

Variables

- if (!isset(\$_SESSION['DayOfTheMonth']))

4.44.1 Variable Documentation

4.44.1.1 if(!isset(\$_SESSION['DayOfTheMonth']))

Definition at line 3 of file header_anshu.php.

- 4.45 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/HumanResources.php
File Reference
- 4.46 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/Login.php
File Reference
- 4.47 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/Login.php
File Reference
- 4.48 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/menu.php
File Reference
- 4.49 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/menu_anshu.php
File Reference
- 4.50 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/ModifyEmployee.php
File Reference

Variables

- `$employee` = new `Employee()`
- `$branch` = new `Branch()`
- `$employeeTitle` = new `EmployeeTitle()`
- `$employeeWorkHistory` = new `EmployeeWorkHistory()`
- `$selectedInfo` = "choiceInfo"]

4.50.1 Variable Documentation

4.50.1.1 `$branch = new Branch()`

Definition at line 20 of file ModifyEmployee.php.

4.50.1.2 `$employee = new Employee()`

Definition at line 19 of file ModifyEmployee.php.

4.50.1.3 `$employeeTitle = new EmployeeTitle()`

Definition at line 21 of file ModifyEmployee.php.

4.50.1.4 `$employeeWorkHistory = new EmployeeWorkHistory()`

Definition at line 22 of file ModifyEmployee.php.

4.50.1.5 \$selectedInfo = "choiceInfo"]

Definition at line 45 of file ModifyEmployee.php.

4.51

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/MyEmp

File Reference

4.52

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/OpenNe

File Reference

Variables

- `if (isset($_SESSION['Client']))`
- `$clientName`

4.52.1 Variable Documentation

4.52.1.1 \$clientName

Definition at line 12 of file OpenNewAccount.php.

4.52.1.2 if(isset(\$_SESSION['Client']))

Definition at line 12 of file OpenNewAccount.php.

4.53

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/RecentA

File Reference

4.54

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/Services

File Reference

4.55

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/sidemen

File Reference

4.56

/Users/gina/Documents/workspace2/openbankwebapp/includes/view/Stateme

File Reference

Variables

- `$transactionToDisplay = new Transaction()`
- `$dbSelectionListClientAccounts = new Database()`
- `$querySelectClientAccounts`
- `$result = $dbSelectionListClientAccounts->query($querySelectClientAccounts)`
- `for ($count=0;$count<$dbSelectionListClientAccounts->queryResultsCount;$count=$count+1)`

- `$today = time()`
- `$f_today = date("M-d-Y",$today)`
- `$startYr1 = date("Y",$today)`
- `$startYr = $startYr1-20`
- `$monthName`
- `$todayMO = date("n",$today)`
- `$todayDay = date("d",$today)`
- `$selectedAccount = "clientaccountid"]`
- `$selectedYear = "dateYear"]`
- `$selectedMonth = "dateMonth"]`
- `$selectedDay = "dateDay"]`
- `switch($selectedMonth) switch($selectedDay) $s = "-"`
- `$selectedDate = $selectedYear.$s.$selectedMonth.$s.$selectedDay`
- `$date = strtotime($selectedDate)`
- `$dateSince = date('y-m-d', $date)`
- `$dbClientAccountTransactions = new Database()`
- `$queryClientAccountTransactions`

4.56.1 Variable Documentation

4.56.1.1 `$date = strtotime($selectedDate)`

Definition at line 202 of file Statements.php.

4.56.1.2 `$dateSince = date('y-m-d', $date)`

Definition at line 203 of file Statements.php.

4.56.1.3 `$dbClientAccountTransactions = new Database()`

Definition at line 234 of file Statements.php.

4.56.1.4 `$dbSelectionListClientAccounts = new Database()`

Definition at line 24 of file Statements.php.

4.56.1.5 `$f_today = date("M-d-Y",$today)`

Definition at line 63 of file Statements.php.

4.56.1.6 \$monthName

Initial value:

```
array(1=> "January", "February", "March",
        t",
        ebruary")
        "April", "May", "June", "July", "August",
        "September", "October", "November", "December")
```

Definition at line 85 of file Statements.php.

4.56.1.7 \$queryClientAccountTransactions

Initial value:

```
"SELECT date, transactiondescription,depositamount,withdrawalamount, balance
FROM transaction
WHERE clientid = 54010001 AND accountid=$selectedAccount AND date>='$dateSince'"
```

Definition at line 238 of file Statements.php.

4.56.1.8 \$querySelectClientAccounts

Initial value:

```
"SELECT DISTINCT clientaccountid
FROM clientaccount
WHERE clientid = 54010001"
```

Definition at line 27 of file Statements.php.

4.56.1.9 \$result = \$dbSelectionListClientAccounts->query(\$querySelectClientAccounts)

Definition at line 32 of file Statements.php.

4.56.1.10 switch (\$selectedMonth) switch (\$selectedDay) \$s = "-"

Definition at line 194 of file Statements.php.

4.56.1.11 \$selectedAccount = "clientaccountid"]

Definition at line 119 of file Statements.php.

4.56.1.12 \$selectedDate = \$selectedYear.\$s.\$selectedMonth.\$s.\$selectedDay

Definition at line 195 of file Statements.php.

4.56.1.13 \$selectedDay = "dateDay"]

Definition at line 122 of file Statements.php.

4.56.1.14 \$selectedMonth = "dateMonth"]

Definition at line 121 of file Statements.php.

4.56.1.15 \$selectedYear = "dateYear"]

Definition at line 120 of file Statements.php.

4.56.1.16 \$startYr = \$startYr1-20

Definition at line 73 of file Statements.php.

4.56.1.17 \$startYr1 = date("Y",\$today)

Definition at line 72 of file Statements.php.

4.56.1.18 \$today = time()

Definition at line 62 of file Statements.php.

4.56.1.19 \$todayDay = date("d",\$today)

Definition at line 101 of file Statements.php.

4.56.1.20 \$todayMO = date("n",\$today)

Definition at line 89 of file Statements.php.

4.56.1.21 \$transactionToDisplay = new Transaction()

Definition at line 12 of file Statements.php.

4.56.1.22 for(\$n=1;\$n<=31;\$n++)

Definition at line 43 of file Statements.php.

4.57 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/Summary.php File Reference

4.58 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/TestClientAccount.php File Reference

Variables

- if(isset(\$_SESSION['Client'])) \$curDate = date("Y,m,d")
- \$newAccount = new ClientAccount()

4.58.1 Variable Documentation

4.58.1.1 if (isset(\$_SESSION['Client'])) \$curDate = date("Y,m,d")

Definition at line 22 of file TestClientAccount.php.

4.58.1.2 \$newAccount = new ClientAccount()

Definition at line 23 of file TestClientAccount.php.

4.59 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/testclientclass.php File Reference

Variables

- \$myClient = new Client()

4.59.1 Variable Documentation

4.59.1.1 \$myClient = new Client()

Definition at line 8 of file testclientclass.php.

4.60 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/TestModel.php File Reference

Variables

- `$p` = new `PostalCodes()`
- `$address` = new `Address()`
- this case its the Id of the address that was just `inserted`
- this case its the Id of the address that was just or `if` the address already `existed`

4.60.1 Variable Documentation

4.60.1.1 `$address = new Address()`

Definition at line 24 of file TestModel.php.

4.60.1.2 `$p = new PostalCodes()`

Definition at line 10 of file TestModel.php.

4.60.1.3 this case its the Id of the address that was just or if the address already existed

Definition at line 36 of file TestModel.php.

4.60.1.4 this case its the Id of the address that was just inserted

Definition at line 36 of file TestModel.php.

4.61 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/topmenu.php File Reference

4.62 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/Transfer.php File Reference

4.63 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/ViewAccount.php File Reference

Variables

- `$accountNo1` = new `ClientAccount()`

4.63.1 Variable Documentation

4.63.1.1 \$accountNo1 = new ClientAccount()

Definition at line 4 of file ViewAccounts.php.

4.64 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/ViewEmployeeInfo.php

File Reference

Variables

- \$address = new Address()
- \$postalCodes = new PostalCodes()
- \$selectedInfo = "choiceInfo"]
- \$selectedEmployee = "choiceEmployee"]
- \$employee = new Employee()

4.64.1 Variable Documentation

4.64.1.1 \$address = new Address()

Definition at line 18 of file ViewEmployeeInfo.php.

4.64.1.2 \$employee = new Employee()

Definition at line 58 of file ViewEmployeeInfo.php.

4.64.1.3 \$postalCodes = new PostalCodes()

Definition at line 19 of file ViewEmployeeInfo.php.

4.64.1.4 \$selectedEmployee = "choiceEmployee"]

Definition at line 56 of file ViewEmployeeInfo.php.

4.64.1.5 \$selectedInfo = "choiceInfo"]

Definition at line 55 of file ViewEmployeeInfo.php.

4.65 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/Welcome.php File Reference

4.66 /Users/gina/Documents/workspace2/openbankwebapp/includes/view/ZViewEmployeeInfo.php File Reference

Variables

- `$dbSelectEmployee` = new Database()
- `$querySelectEmployee`
- `$result` = `$dbSelectEmployee->query($querySelectEmployee)`
- `for` (`$count=0;$count<$dbSelectEmployee->queryResultsCount;$count=$count+1`)
- `$selectedInfo` = "choice1"]
- `$selectedEmployee` = "choice2"]

4.66.1 Variable Documentation

4.66.1.1 `$dbSelectEmployee` = new Database()

Definition at line 90 of file ZViewEmployeeInfo.php.

4.66.1.2 `$querySelectEmployee`

	Initial value:
<pre>"SELECT DISTINCT employeeid FROM employee"</pre>	

Definition at line 93 of file ZViewEmployeeInfo.php.

4.66.1.3 `$result` = `$dbSelectEmployee->query($querySelectEmployee)`

Definition at line 97 of file ZViewEmployeeInfo.php.

4.66.1.4 `$selectedEmployee` = "choice2"]

Definition at line 126 of file ZViewEmployeeInfo.php.

4.66.1.5 `$selectedInfo` = "choice1"]

Definition at line 125 of file ZViewEmployeeInfo.php.

4.66.1.6 for(\$count=0;\$count<\$dbSelectEmployee->queryResultsCount;\$count=\$count+1)

Definition at line 100 of file ZViewEmployeeInfo.php.

4.67 /Users/gina/Documents/workspace2/openbankwebapp/index.php File Reference

Variables

- [\\$topMenu](#) = "topMenu"]
- [\\$userIsEmployee](#) = false
- [\\$userIsClient](#) = false

4.67.1 Variable Documentation

4.67.1.1 \$topMenu = "topMenu"]

Definition at line 12 of file index.php.

4.67.1.2 \$userIsClient = false

Definition at line 14 of file index.php.

4.67.1.3 \$userIsEmployee = false

Definition at line 13 of file index.php.

4.68 /Users/gina/Documents/workspace2/openbankwebapp/index_anshu.php File Reference

Variables

- [\\$topMenu](#) = "topMenu"]
- [\\$userIsEmployee](#) = false
- [\\$userIsClient](#) = false

4.68.1 Variable Documentation

4.68.1.1 \$topMenu = "topMenu"]

Definition at line 7 of file index_anshu.php.

4.68.1.2 \$userIsClient = false

Definition at line 9 of file index_anshu.php.

4.68.1.3 \$userIsEmployee = false

Definition at line 8 of file index_anshu.php.