1	Encoding Guide Edition 2.3.5 Request for:				
ļ '					
	an addition (e.g. new picture, new coding instruction or new real world entity, which is encoded by already existing object classes, attributes and attribute values, but requires no alteration of existing				
	elements)				
	l - '	placing a picture, illustration o	r an already e	existing text)	
		inge that affects the Fe			
2	Sections A and B	Sections C to U	arai o oara	Section V to Z and Annexes AA to	
_	Occions / and B	Sections & to &		AF	
	This is a request	This is a request		This is a request	
	referring to	referring to page(s)	<mark>).1.3</mark>	referring to section	
	lit.	(e.g.: C.1.5) of the Er	ncoding	(Continue with 4 on this	
	for a new	Guide (Continue with	1 3 on	page)	
	lit.	this page)		for a new Annex	
		for a new page in sec		(Continue with 6 on this	
	(Continue with 4 on	(e.g.: E.1) of t		page and add the proposal	
	this page)	Encoding Guide (Col		on page 2 after removing form	
		with 6 on this page a		protection)	
		the proposal on page 2 removing form protection			
3	Definition	Terrioving form protection)		
٦	Picture: real	world paper chart	☐ IENC		
	Coding instruction				
		f object class SEAARE			
	Illustration				
4	Proposed addition/cha	ange:			
	Add CATSEA = 5 (ba	y)			
	·				
5	Proposed picture/illus				
		orm, please. Name of file:			
6		amendment/change is nee			
	There are geographic locations along the river which are called bays, e.g. "Benton Bay" on the				
	Upper Mississippi River. It should be possible to encode this SEAARE as a Bay (CATSEA = 5)				
7	rather than leaving the value as "null'. Proposed amendments to the Feature Catalogue: Attribute Bindings: Add CATSEA = 5 as a valid				
l ′	enumerate. Add:	its to the realtife Catalogue	. Allibule L	Billulings. Add CATSEA = 3 as a valid	
		nary (DD) Reference			
	5 DD Name: H	• , ,	SEA 5 Dat	te Accepted: 2000-11-01	
	Name: bay				
	Definition: an indental	tion in the coastline.			
8		its to the Inland ENC domai	n in the S-1	00 registry:	
9	•				
			andation Che	ecks for IENCs: Add CATSEA =5 as	
40	•	te for SEAARE / CATSEA.			
10	ı <u> </u>	y: mark all applicable boxes	•		
	│⊠ US │⊠ Europe (without	Dunnin)			
	Europe (without) Russia	Russia)			
	South America Asia				
		an other area of applicabilit	v e a a con	intry)	
11	Name of sender: Den			or comments 20131104 (6 weeks)	
		company: US Army Corps		, ,	
	-	company. Oo Anny Corps		d in by a member of the Core Group: al adopted/ ☐ Proposal rejected	
	of Engineers			ne part of edition 2.4 of the EG.	
	e-mail address: denis	e.r.ladue@usace.army.mil		•	
	Date (YYYYMMDD)::	20130923			

1	Encoding Guide Edition 2.3.5 Request for:				
	an addition (e.g. new picture, new coding instruction or new real world entity, which is encoded by				
	already existing object classes, attributes and attribute values, but requires no alteration of existing				
	elements) a change (e.g. replacing a picture, illustration or an already existing text)				
			-		
2	Sections A and B	ange that affects the Fea	ature Cata	Section V to Z and A	nnavaa AA ta
-	Sections A and b	Sections C to 0		AF	illexes AA to
				/ N	
	This is a request	This is a request		This is a request	
	referring to	referring to page(s)	3.3. <mark>5</mark>	referring to sect	ion
	lit.	(e.g.: C.1.5) of the Er	ncoding	(Continue with	4 on this
	for a new	Guide (Continue with	1 3 on	page)	
	lit.	this page)		for a new Annex	
	(Continuo with 1 on	for a new page in sec		(Continue with t	
	(Continue with 4 on this page)	(e.g.: E.1) of the Encoding Guide (Control		page and add the	removing form
	uns page)	with 6 on this page a		protection)	removing form
		the proposal on page 2		protoction	
		removing form protection			
3	Definition	_			
	Picture: real		IENC		
	Coding instruction				
	Object coding of	f object class SLCONS			
4	Proposed addition/ch	ande.			
•	Add WATLEV = 7 (floating) to the list of available attributes for Dock/Wharf.				
	,	3 /			
5	Proposed picture/illus				
_		orm, please. Name of file:	-ll.		
6		amendment/change is nee instances in the US where to		read as docks. In the	ea instances it
		define the WATLEV as "Alv			
		E underneath. If it is a bar			
		as a dock (or pier, etc.) whi	•	0.	5 ,
7	Proposed amendmen	its to the Feature Catalogue	: Add WAT	LEV = 7 (floating) to the	ne list of
	available attribute bin	dings for SLCONS			
8	·	its to the Inland ENC domai			
9	Proposed amendmen	its to the Recommended Va	lidation Che	ecks for IENCs: Allow	WATLEV = 7
10	(floating) for SLCONS with CATSLC = 4 (pier), 5 (promenade pier), 6 (wharf)				
10	Proposed applicability	y: mark all applicable boxes			
	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	Russia)			
	Russia	raddiaj			
	South America				
	(description of	an other area of applicabilit	y, e.g. a coι	untry)	
11	Name of sender: Den	ise LaDue	Deadline for	or comments 2013110	4 (6 weeks)
	Name of authority or	company: US Army Corps	To be filled	d in by a member of th	e Core Group:
	of Engineers			al adopted/ Propos	
		o r laduo@ucasa army mil	Will becom	ne part of edition	of the EG.
	Date (YYYYMMDD):	e.r.ladue@usace.army.mil 20130923			

1	Encoding Guide Edition 2.3.5 Request for:				
	an addition (e.g. new picture, new coding instruction or new real world entity, which is encoded by				
	already existing object classes, attributes and attribute values, but requires no alteration of existing				
	elements) a change (e.g. replacing a picture, illustration or an already existing text)				
		ange that affects the Fe			
2	Sections A and B	Sections C to U		ection V to Z and Annexes AA to	
				F	
			_		
	This is a request	This is a request	_	his is a request	
	referring to	referring to page(s) (e.g.: C.1.5) of the Er		referring to section (Continue with 4 on this	
	for a new	Guide (Continue with		page)	
	lit.	this page)		for a new Annex	
	(0 " " 1" 1	for a new page in sec		(Continue with 6 on this	
	(Continue with 4 on this page)		ncoding ith 6 on	page and add the proposal on page 2 after removing form	
	uns page)	this page and add the		rotection)	
		proposal on page 2		. 5:55:19	
		removing form protection,)		
3		world Danor short	IENC		
	⊠ Picture: ⊠ real⊠ Coding instruction		IENC		
	Object coding of object class				
4	Proposed addition/ch		turos with a 'c	atslc' = 20 (water intake structure).	
				aterways in the US. In most	
				There is presently no way to	
				be builidings, however in the	
	majority of cases, the	structures are not buildings	s, but are sign	ificant in size and structure.	
5	Proposed picture/illus				
		orm, please. Name of file:	1. 1		
6		amendment/change is nee		construction objects and to give	
				leaving the value as "unknown'.	
7				tslc = 20 (water intake structure)	
8	Proposed amendmen	nts to the Inland ENC domai	n in the S-100	registry: Add new catslc = 20	
	(water intake structure	•			
9		its to the Recommended Va e) to the list of acceptable v		ks for IENCs: Add catslc = 20	
10		y: mark all applicable boxes		10.	
	⊠ us				
	Europe (without	Russia)			
	Russia South America				
	South America Asia				
		an other area of applicability	y, e.g. a count	try)	
11	Name of sender: Den	ise LaDue	Deadline for	comments 20131104 (6 weeks)	
1	Maine of Sender. Den	iii3C LaDuC			
		company: US Army Corps		n by a member of the Core Group:	
			☐ Proposal	n by a member of the Core Group: adopted/ ☐ Proposal rejected	
	Name of authority or of Engineers		☐ Proposal	n by a member of the Core Group:	

G - Ports, Waterways

G.3 Installations

G.3.25 Water Intake Structure (O)

Water intake structures divert water from a river or channel for the purposes of water supply, hydroelectric power and irrigation.

Graphics	Encoding Instructions	Object Encoding
Real World Real World (Aerial View)	A) Multiple NATCON values can be used, if applicable. B) Place OBJNAM, if known, on each water intake structure.	Object Class = \$lcoos (A) (M) catsic = [20 (intake structure)] (O) NATCON = [1 (masonry), 2 (concreted), 3 (loose boulder), 4 (hard surfaced), 5 (unsurfaced), 6 (wooden), 7 (metal)] (O) OBJNAM = ["Facility Name"] (O) NOBJNM = (Refer to Section B, General Guidance) (O) WATLEV = [1 (partly submerged at high water), 2 (always dry)] (M) SCAMIN = [EU: 22000, US: 45000] (C) SORDAT = [YYYYMMDD] (C) SORIND = (Refer to Section B, General Guidance)

1	Encoding Guide Edition 2.3.5 Request for:				
	an addition (e.g. new picture, new coding instruction or new real world entity, which is encoded by already existing object classes, attributes and attribute values, but requires no alteration of existing				
	elements) a change (e.g. replacing a picture, illustration or an already existing text)				
		ange that affects the Fea			
2	Sections A and B	Sections C to U		Section V to Z and Annexes AA to AF	
	This is a request referring to lit. for a new lit. (Continue with 4 on this page)	This is a request referring to page(s) Ge.g.: C.1.5) of the Er Guide (Continue with this page) for a new page in sec (e.g.: E.1) of the Encoding Guide (Corwith 6 on this page at the proposal on page 2 aremoving form protection)	ncoding a 3 on ction he ntinue nd add after	This is a request referring to section (Continue with 4 on this page) for a new Annex (Continue with 6 on this page and add the proposal on page 2 after removing form protection)	
3	Illustration	on lit. f object class slcons	☐ IENC		
4	Proposed addition/characteristics Remove catslc = 2 (g wall.		of available o	options for the encoding of a lock	
5	Proposed picture/illus Attach the file to the f	stration: form, please. Name of file:			
6	Explanation, why this This is an error in the	amendment/change is need Encoding Guide that was p	reviously ov	verlooking during Quality Control. It oneously added in Encoding Guide	
7	Proposed amendmen	nts to the Feature Catalogue	: :		
8	Proposed amendmen	nts to the Inland ENC domai	n in the S-1	00 registry:	
9	Proposed amendmen	nts to the Recommended Va	lidation Che	ecks for IENCs:	
10	✓ US✓ Europe (without✓ Russia✓ South America✓ Asia	y: mark all applicable boxes Russia) an other area of applicability		untry)	
11	Name of sender: Den	ise LaDue	Deadline fo	or comments 20131104 (6 weeks)	
	of Engineers	company: US Army Corps se.r.ladue@usace.army.mil 20130921	☐ Propos	I in by a member of the Core Group: al adopted/ Proposal rejected ne part of edition of the EG.	

1	Encoding Guide Request for:				
	an addition (e.g. new picture, new coding instruction or new real world entity, which is encoded by				
	already existing object classes, attributes and attribute values, but requires no alteration of existing				
	elements) a change (e.g. replacing a picture, illustration or an already existing text)				
		ddition/change affects			
2	Sections A and B	Sections C to U	Se Al	ection V to Z and Annexes AA to F	
	This is a request referring to lit. for a new lit. (Continue with 4 on this page)	This is a request referring to page(s) L (e.g.: C.1.5) of the Er Guide (Continue with this page) for a new page in sec (e.g.: E.1) of th Encoding Guide (Conwith 6 on this page a the proposal on page 2 oremoving form protection)	a.1.2 Incoding In 3 on Inction Inction Inctinue Inctinue Indicate and Incoding Incod	nis is a request referring to section (Continue with 4 on this page) for a new Annex (Continue with 6 on this page and add the proposal on page 2 after removing form rotection)	
3	☐ Definition ☐ Picture: ☐ real ☐ Coding instruction ☐ Object coding of Illustration	on lit. G f object class	□ IENC		
4		tion G) "EU: If a recommen	ded track exist	ts, it must be encoded."	
5	Proposed picture/illus Attach the file to the f	stration: orm, please. Name of file:			
6		amendment/change is nee are relevant for the safety		of navigation	
7	Proposed amendmen	its to the Feature Catalogue) :	-	
8	Proposed amendmen	its to the Inland ENC domai	n in the S-100	registry:	
9	Proposed amendmen	its to the Recommended Va	lidation Check	s for IENCs:	
10	US Europe (without Russia South America Asia	y: mark all applicable boxes Russia) an other area of applicabilit			
11	Name of sender: Piet	a Kluvtenaar	Deadline for o	comments 20130528 (6 weeks)	
		company: Serendipity @serendipity.nl	□ Proposal a	by a member of the Core Group: adopted/ Proposal rejected part of edition 2.3.6 of the EG.	

1	Encoding Guide Request for:				
	an addition (e.g. new picture, new coding instruction or new real world entity, which is encoded by				
	already existing object classes, attributes and attribute values, but requires no alteration of existing				
	elements)			svisting tout	
		placing a picture, illustration or ddition/change affects			
2	Sections A and B	Sections C to U	ine realui	Section V to Z and Annexes AA to	
2	Sections A and B	Sections C to U		AF	
	This is a request referring to lit. for a new lit. (Continue with 4 on this page)	This is a request referring to page(s) L (e.g.: C.1.5) of the Er Guide (Continue with this page) for a new page in sec (e.g.: E.1) of th Encoding Guide (Con with 6 on this page a the proposal on page 2 a removing form protection)	ncoding a 3 on ction he ntinue nd add after	This is a request referring to section (Continue with 4 on this page) for a new Annex (Continue with 6 on this page and add the proposal on page 2 after removing form protection)	
3	☐ Definition ☐ Picture: ☐ real ☐ Coding instruction ☐ Object coding of ☐ Illustration	on lit. F f object class	☐ IENC		
4		tion F) "EU: Distance Marks	s along the \	Waterway Axis must be encoded."	
5	Proposed picture/illus Attach the file to the f	stration: orm, please. Name of file:			
6		amendment/change is nee		isionay of povigation	
7		g Waterway Axis are relevants to the Feature Catalogue		iciency of flavigation	
8		its to the Inland ENC domai		00 registry:	
9	-	its to the Recommended Va			
10	Proposed applicability US Europe (without Russia South America Asia	y: mark all applicable boxes	\$		
11	Name of sender: Piet	a Kluytenaar	Deadline for	or comments 20130528 (6 weeks)	
	Name of authority or of UnLtd e-mail address: pietal Date (YYYYMMDD):	company: Serendipity @serendipity.nl	□ Proposa	d in by a member of the Core Group: al adopted/ Proposal rejected ne part of edition 2.3.6 of the EG.	

1	Encoding Guide Edition 2.3.5 Request for:				
	an addition (e.g. new picture, new coding instruction or new real world entity, which is encoded by				
	already existing object classes, attributes and attribute values, but requires no alteration of existing elements)				
	· ·	placing a picture, illustration or an already	existing text)		
	an addition/cha	inge that affects the Feature Cat	alogue (edition 2.3)		
2	Sections A and B	Sections C to U	Section V to Z and Annexes AA to		
			AF		
	This is a request	This is a request	This is a request		
	referring to	referring to page(s)	referring to section		
	lit.	(e.g.: C.1.5) of the Encoding	(Continue with 4 on this		
	for a new	Guide (Continue with 3 on	page)		
	lit.	this page) for a new page in section L.3	for a new Annex (Continue with 6 on this		
	(Continue with 4 on	(e.g.: E.1) of the Encoding	page and add the proposal		
	this page)	Guide (Continue with 6 on	on page 2 after removing form		
		this page and add the	protection)		
		proposal on page 2 after			
3	Definition	removing form protection)			
	Picture: real	world paper chart IENC			
	Coding instruction	on lit.			
	ı <u> </u>	object class hismar			
4	☑ IllustrationProposed addition/ch	ande.			
'		ismar' for "Historic Mark"			
5	Proposed picture/illus				
		orm, please. Name of file:			
6		amendment/change is needed: have dismar features, however these '	'CATDIS – 1" objects are actually		
		do not in any way reflect a true mile (s			
	established back in th	ne 1960s or earlier and although may h	have been approximate miles at that		
			river and channelization, etc. Because		
		e of the rivers, some of these river mile -bow lakes or were removed during ch	es are on land or may even be missing,		
		packward (upstream to downstream ra			
	been some discussion	n within the US Army Corps of Engine	ers re-calculate the river miles so that		
			anning, and transshipment estimating,		
		vith calculating statistical information ir on, however, is still necessary as it is u			
		s, regulatory offices, and others as a re			
7	,	ts to the Feature Catalogue: Add a ne			
	Historic Distance Mar	k (see included support documentatio	n.)		
8	Proposed amendmen	ts to the Inland ENC domain in the S-	100 registry: Add a new Feature		
	'hismar' and attributes	s for Historic Distance Mark (see includ	ded support documentation).		
9	Proposed amendmen	ts to the Recommended Validation Ch	necks for IENCs: Allow the use of the		
	feature 'hismar' for Hi				
10	l — '	y: mark all applicable boxes			
	│⊠ US │⊠ Europe (without	Russial			
		rassia)			
	Russia South America Asia				

	(description of an other area of applicability, e.g. a country)			
11	Name of sender: Denise LaDue	Deadline for comments 20131105 (6 weeks)		
	Name of authority or company: US Army Corps	To be filled in by a member of the Core Group:		
	of Engineers	☐ Proposal adopted/ ☐ Proposal rejected		
	e-mail address: denise.r.ladue@usace.army.mil	Will become part of edition of the EG.		
	Date (YYYYMMDD): 20130924			

L - Tracks, Routes L.3 Supplemental Navigation References L.3.4 Historic Distance Mark (C) A historic mark indicates the distance measured from an origin along the waterway which, although no longer accurate for route planning, still serves as a navigational reference due to its historic nature. Graphics **Encoding Instructions** Object Encoding A) US: hismar must be used to encode Object Encoding historically located river miles. Object Class = hismar (P) (M) CATDIS = [1 (distance mark not physically installed), 2 (visible mark, pole), 3 B) Encode the value of the historic (visible mark, board), 4 (visible mark, distance using the 'hisdis' attribute. unknown shape)] (M) hisdis = [xxx (value of historic distance mark)] (M) SCAMIN = [EU: 8000, US: 120000] (C) SORDAT = [YYYYMMDD] (C) SORIND = (Refer to Section B, General Guidance)

bernd birklhuber on 9/25/13 1:59

Dear Denise, is it necessary to make a distinction between a "normal" distance mark and a historic distance mark? Do you have both types on the same waterway? All the distance marks on the Danube are currently encoded as dismar, but a big part of them are "historic". The distance marks have been fixed a long time ago and some of the hydroelectric power stations have changed the real length of the waterway in the meantime. Now there are a few hectometers missing. E.g. at the lock of Ottensheim the last hectometer below the axis of the power station is 2146.7 and the next one (within a real distance of about 70 m) is 2147.0. Therefore all distance marks above the first of these changes would have to be changed to "historic". This would cause a lot of work and the question is whether there is a real benefit for the user.

Best regards Bernd

gertM on 9/25/13 4:24

We have the same problem as on the Danube. We even have one canal with two different types of (historical) distance marks. A distance mark is in my point of view a mark on which the skipper can orientate, it's not a real geographic point in miles or kilometers. In Flanders, the distance marks are used as 'landmarks'. If we have to place distance marks on the true miles, we'll have to change all the existing marks. Maybe it's a solution to create something like a 'true distance mark' rather then a 'historical distance mark'?

Pieta Kluytenaar on 9/25/13 5:06

I would suggest that we add STATUS as an allowed attribute. STATUS has an entry for historic.

Best regards, Pieta

1	Encoding Guide Edition 2.3.5 Request for:				
	an addition (e.g. new picture, new coding instruction or new real world entity, which is encoded by already existing object classes, attributes and attribute values, but requires no alteration of existing				
	elements) a change (e.g. replacing a picture, illustration or an already existing text)				
		inge that affects the Fe			
2	Sections A and B	Sections C to U		Section V to Z and A AF	
	This is a request referring to lit. for a new lit. (Continue with 4 on this page)	This is a request ☐ referring to page(s) Note of the Ender (Continue with this page) ☐ for a new page in section (e.g.: E.1) of the Encoding Guide (Conwith 6 on this page at the proposal on page 2 fremoving form protection)	ncoding a 3 on etion he ntinue nd add after	This is a request referring to sect (Continue with a page) for a new Annex (Continue with a page and add to on page 2 after protection)	4 on this x 6 on this
3	☐ Illustration	on lit. N object class LIGHTS	□ IENC		
4	Proposed addition/chadd CATLIT = 6 (air of Encoding Instruction: N) For an air obstruct CATLIT = 6 (air obstruction)	obstruction light) ion light which may also be	used as a n	avigational reference	, encode
5	Proposed picture/illus Attach the file to the f	tration: orm, please. Name of file:			
6	Explanation, why this amendment/change is needed: There are instances along the Atchafalya River where air obstruction lights have been placed on PYLONS along the river bank. These lights are used as a locational reference by skippers.				
7	Proposed amendmen	ts to the Feature Catalogue	: Add CATL	IT = 6 (air obstruction	light) and add
	value 6 to the list of a	cceptable attributes for LIG	HTS.		
8	Proposed amendmen	ts to the Inland ENC domai	n in the S-10	00 registry:	
9	•	ts to the Recommended Va	alidation Che	cks for IENCs: Add C	ATLIT =6 as
	· ·	e for LIGHTS / CATLIT.			
10	USEurope (withoutRussiaSouth AmericaAsia				
4.4	, ,	an other area of applicabilit		• /)4 (6 wooks)
11	Name of sender: Den	ise LaDue	Deadline fo	or comments 2013110	14 (6 Weeks)
	Name of authority or of Engineers	company: US Army Corps		in by a member of thal adopted/ ☐ Propos	
		e.r.ladue@usace.army.mil 20130923	Will becom	e part of edition	of the EG.

1	Encoding Guide Edition 2.3.5 Request for:				
-	an addition (e.g. new picture, new coding instruction or new real world entity, which is encoded by				
	already existing object classes, attributes and attribute values, but requires no alteration of existing				
	elements)				
	🔯 a change (e.g. re	placing a picture, illustration of	r an already existi	ng text)	
	an addition/cha	ange that affects the Fea	ature Catalog	ue (edition)
2	Sections A and B	Sections C to U		ction V to Z and Ar	nnexes AA to
			AF		
	· · .				
	This is a request	This is a request		s is a request	· <mark>A E</mark>
	referring to	referring to page(s)		referring to secti	
	lit.	(e.g.: C.1.5) of the Er		(Continue with 4	4 ON THIS
	│	Guide (Continue with this page)		page) for a new Annex	,
	III.	for a new page in sec		(Continue with 6	
	(Continue with 4 on	(e.g.: E.1) of the		page and add th	
	this page)	Encoding Guide (Con		on page 2 after	
	3.7	with 6 on this page a		tection)	3
		the proposal on page 2		,	
		removing form protection)		
3	Definition		_		
	Picture: real		IENC		
	Coding instruction lit.				
	☐ Object coding of ☐ Illustration	r object class			
4		ango:			
-	Proposed addition/change: Page 227 "element facility/type - facets"- Add the following facility enumeration types:				nes:
	 Navigation author 		c ronowing raom	ty chambradion typ	500.
	Port authority	o,			
	Other authority				
	 Water police 				
	Berth				
	Bunker Station				
	Waste Receptio	n			
	Cargo TerminalPassenger Term	oin al			
	Passenger rem	IIIIai			
5	Proposed picture/illus	stration:			
		orm, please. Name of file:			
6		amendment/change is nee	ded:		
		are existing facility files whe	ere the suitable t	acility enumeration	n type is not
_	possible to be selected				
8		nts to the Feature Catalogue			
9	•	nts to the Inland ENC domai			
	•	its to the Recommended Va		for IENCs:	
10	l — '	y: mark all applicable boxes			
	│⊠ US │⊠ Europe (without	Puggio)			
	Russia	Russia)			
	South America				
	Asia				
		an other area of applicabilit	y, e.g. a country	<i>'</i>)	
11	Name of sender: Joha	annes Nemeth	Deadline for co	omments <mark>2013100</mark>	(6 weeks)
	Name of authority or	company: via donau -		by a member of the	
	Österreichische Wass	serstraßen-Gesellschaft		opted/ 🗌 Proposa	•
	mbH		Will become pa	art of edition	of the EG.

e-mail address: johannes.nemeth@via-	
donau.org	
Date (YYYYMMDD): 20130821	

The file name should start with "CR_", followed by a reference to a page of the EG or the content and include the year. (Examples: CR_H_1_2_2010.doc or CR_bridges_2010.doc)

1	Encoding Guide Edition 2.3.4 Request for:						
	an addition (e.g. new picture, new coding instruction or new real world entity, which is encoded by						
	already existing object classes, attributes and attribute values, but requires no alteration of existing elements)						
	a change (e.g. replacing a picture, illustration or an already existing text)						
	an addition/change that affects the Feature Catalogue (edition 2.3)						
2	Sections A and B	Sections C to U		Section V to Z and Annexes AA to			
				AF			
	This is a request	This is a request		This is a request			
	referring to	referring to page(s)		referring to section			
	lit.	(e.g.: C.1.5) of the E		(Continue with 4 on this			
	│	Guide (Continue with this page)	1 3 on	page) for a new Annex			
	III.	for a new page in sec	ction	(Continue with 6 on this			
	(Continue with 4 on	(e.g.: E.1) of t		page and add the proposal			
	this page)	Encoding Guide (Co.		on page 2 after removing form			
		with 6 on this page a the proposal on page 2		protection)			
		removing form protection					
3	Definition						
	Picture: real world paper chart IENC						
		Coding instruction lit. Object coding of object class					
	☐ Illustration						
4	Proposed addition/cha	ange:					
_		(- C					
5	Proposed picture/illus Attach the file to the fi	orm, please. Name of file:					
6	Explanation, why this	amendment/change is nee					
				ver the proposal did not include a			
		change to the Feature Catalogue and the Inland domain S-100 registry. Because 'termnl' is an Inland feature, it is possible to change both the FC and the Inland domain so that they are					
	consistent.						
7	Proposed amendmen	its to the <mark>Feature Catalogue</mark>	<mark>:</mark> : Change d	efinition to: "A terminal covers that			
	area on shore that pro	ovides buildings and constr	uctions for t	he transfer of cargo or passengers			
	from and to ships."	from and to ships."					
8	•			00 registry: Change definition to: "A			
	terminal covers that area on shore that provides buildings and constructions for the transfer of						
9	cargo or passengers from and to ships."						
	Proposed amendments to the Recommended Validation Checks for IENCs:						
10	Proposed applicability: mark all applicable boxes US						
	☑ US Europe (without Russia)						
	□ Russia						
	South AmericaAsia						
	Asia (description of an other area of applicability, e.g. a country)						
11	Name of sender: Den			or comments 20130413 (6 weeks)			
		company: US Army Corps	To be file:	d in by a mambar of the Core Cream			
	-	osmpany. Oo Anny Ooips		d in by a member of the Core Group: al adopted/ ☐ Proposal rejected			
	of Engineers		Will become part of edition 2.4 of the EG.				
	e-mail address: denis Date (YYYYMMDD):	e.r.ladue@usace.army.mil 20130220					

1	Encoding Guide Edition 2.3.5 Request for:					
	an addition (e.g. new picture, new coding instruction or new real world entity, which is encoded by already existing object classes, attributes and attribute values, but requires no alteration of existing					
	elements)					
	 □ a change (e.g. replacing a picture, illustration or an already existing text) □ an addition/change that affects the Feature Catalogue (edition 2.3) 					
2	Sections A and B	Sections C to U	3	Section V to Z and Annexes AA to AF		
	This is a request referring to lit. for a new lit. (Continue with 4 on this page)	This is a request referring to page(s) (e.g.: C.1.5) of the Er Guide (Continue with this page) for a new page in sec (e.g.: E.1) of th Encoding Guide (Cor with 6 on this page a the proposal on page 2 or	ncoding of 3 on [ction he ntinue nd add pafter	This is a request referring to section (Continue with 4 on this page) for a new Annex (Continue with 6 on this page and add the proposal on page 2 after removing form protection)		
3	 □ Definition □ Picture: □ real world □ paper chart □ IENC □ Coding instruction lit. □ Object coding of object class □ Illustration 					
4	Proposed addition/change:					
5		Proposed picture/illustration:				
6		orm, please. Name of file:				
	Explanation, why this amendment/change is needed: According to B in the General Guidance section of the Encoding Guide the attributes INFORM and NINFOM should be available for all Geo Object Classes. In Edition 2.3 of the Feature Catalogue the two attributes are not listed for the Object Class UNSARE. In S-57 the two attributes are listed for UNSARE. The chart producer might need INFORM and NINFOM to provide information about an unsure area, e.g. why there is no detailed depth data or which type of uncertainties there are in this area. It would therefore be beneficial to align the Inland ENC Fetaure Catalogue with the S-57 Feature Catalogue.					
7	Proposed amendments to the Feature Catalogue: Add the attributes INFORM and NINFOM to					
L	the feature UNSARE	in edition 2.4 of the Feature	Catalogue			
8	Proposed amendments to the Inland ENC domain in the S-100 registry:					
9	Proposed amendments to the Recommended Validation Checks for IENCs: Add the attributes					
	INFORM and NINFOM to the feature UNSARE in edition 2.4 of the Recommended Validation					
	Checks for Inland ENCs					
10	Proposed applicability: mark all applicable boxes US Europe (without Russia) Russia South America Asia (description of an other area of applicability, e.g. a country)					
11	Name of sender: Berr			r comments 20130927 (6 weeks)		
	Name of authority or	company: MoT, AT	To be filled i	in by a member of the Core Group: adopted/ Proposal rejected		
	e-mail address: berno Date (YYYYMMDD):	l.birklhuber@bmvit.gv.at 20130816		e part of edition of the EG.		