

Unit/Branch: _____ Patient ID#: _____

PHYSICAL THERAPY ASSESSMENT

(Without OASIS)

Adm/Eps #: _____

Patient Name: _____

Start Travel	Start Visit	End Visit	Employee #	Supervisor Approval	Service Code			Premium Code	Visit Date
							A		

BP: _____ Pulse: _____ RR: _____ Weight: _____ Temp: _____ O2 Sat: (at rest) _____ (w/exertion) _____

Diagnosis: _____ Onset: _____

Prior Level of Function: ☐ I with Ambulation ☐ Sup. or Assist to Ambulate ☐ Assistive Device Used: _____☐ I with ADL's ☐ Sup. or Assist with ADL's ☐ Other: _____

Pertinent Hx: _____

Cognitive Status: ☐ Patient is alert and oriented x3 ☐ Patient is confused/forgetful but able to follow directions☐ Patient has dementia requiring constant caregiver assistancePain: ☐ None ☐ Present Location: _____ Intensity: _____ 0-10 scale

Precipitating Factors: _____ Alleviating Measures: _____

Patient is Homebound? ☐ Yes ☐ No Taxing effort to leave home due to ☐ SOB with min exertion ☐ Pain with Ambulation☐ Unsteady gait, requires assist to ambulate ☐ Contraindicated to leave home ☐ Other: _____Social Situation: ☐ Lives alone ☐ Lives with caregiver/spouse _____ ☐ Has non-residing caregiver☐ Other: _____

Architectural Barriers: _____

FUNCTIONAL ASSESSMENT**BED MOBILITY/TRANSFERS:**Patient rolls in bed ☐ I ☐ Sup ☐ SBA ☐ CGA ☐ Min A ☐ Mod A ☐ Max A ☐ DPatient transfers supine to sit ☐ I ☐ Sup ☐ SBA ☐ CGA ☐ Min A ☐ Mod A ☐ Max A ☐ DPatient transfers sit to stand ☐ I ☐ Sup ☐ SBA ☐ CGA ☐ Min A ☐ Mod A ☐ Max A ☐ DPatient transfers stand to sit ☐ I ☐ Sup ☐ SBA ☐ CGA ☐ Min A ☐ Mod A ☐ Max A ☐ DPatient transfers on/off commode ☐ I ☐ Sup ☐ SBA ☐ CGA ☐ Min A ☐ Mod A ☐ Max A ☐ DPatient transfers in/out of shower/tub ☐ I ☐ Sup ☐ SBA ☐ CGA ☐ Min A ☐ Mod A ☐ Max A ☐ DPatient transfers into/out of car ☐ I ☐ Sup ☐ SBA ☐ CGA ☐ Min A ☐ Mod A ☐ Max A ☐ D

*Transfer quality/comments: _____

AMBULATION: SOB with Ambulation: ☐ Yes ☐ No Increased Pain with Ambulation: ☐ Yes ☐ NoWB Restriction: ☐ No ☐ Yes Location: _____ ☐ NWB ☐ PWB % _____ ☐ WBAT ☐ FWBPatient ambulates with: ☐ No A.D. ☐ Walker (std/rw) ☐ Cane (std/quad) ☐ Crutches ☐ Other: _____indoor/level surfaces ☐ I ☐ Sup ☐ SBA ☐ CGA ☐ Min A ☐ Mod A ☐ Max A for _____ feet ☐ N/Auneven surfaces ☐ I ☐ Sup ☐ SBA ☐ CGA ☐ Min A ☐ Mod A ☐ Max A for _____ feet ☐ N/Aoutdoors ☐ I ☐ Sup ☐ SBA ☐ CGA ☐ Min A ☐ Mod A ☐ Max A for _____ feet ☐ N/APatient ascends/descends step/stairs ☐ I ☐ Sup ☐ SBA ☐ CGA ☐ Min A ☐ Mod A ☐ Max A ☐ N/A

*Gait Quality/Deficits: _____

BALANCE: ☐ Balance is WFL or Fall Risk is: ☐ Low Risk ☐ Moderate Risk ☐ High RiskHistory of falls? ☐ Yes ☐ No Frequency of Falls: _____ Most Recent Fall: _____Reported cause of fall: ☐ Dizziness ☐ Loss of Balance Ambulating ☐ Slip/Trip/Fall Over Object ☐ UnknownTUG Test: Performed in _____ seconds (>20 Indicates Fall Risk) ☐ Not TestedTinetti Test: _____ Balance and _____ Gait Score (Balance <10 or Gait <9 indicates Fall Risk) ☐ Not Tested**STRENGTH / ROM ASSESSMENT**

Key: Strength 0/5 to 5/5 ROM in Degrees	ROM Left	Strength Left	ROM Right	Strength Right	Key: Strength 0/5 to 5/5 ROM in Degrees	ROM Left	Strength Left	ROM Right	Strength Right
Shoulder: Flexion					Hip: Flexion				
Extension					Extension				
Abduction					Abduction				
Int. Rotation					Int. Rotation				
Ext. Rotation					Ext. Rotation				
Elbow: Flexion					Knee: Flexion				
Extension					Extension				
Supination					Ankle: Dorsiflexion				
Wrist: Flexion					Plantarflexion				
Extension					Inversion				
Hand: Grasp					Eversion				

Unit/Branch: _____ Patient ID#: _____

PHYSICAL THERAPY ASSESSMENT

(Without OASIS)

Adm/Eps #: _____

Patient Name: _____

OTHER LIMITATIONS: ☐ Paralysis ☐ Paresis ☐ Amputation ☐ Contractures ☐ Deformities ☐ Tremors ☐ Ataxia
☐ Loss of sensation ☐ Neuropathy ☐ Edema ☐ Altered Tone ☐ Altered Skin Integrity ☐ Incontinence

Describe: _____

DME: Assistive devices in use: ☐ Wheelchair ☐ Bedside Commode ☐ Raised Toilet Seat ☐ Shower Chair/Bench
☐ Rolling Walker ☐ Standard Walker ☐ Quad Cane ☐ Standard Cane ☐ Crutches ☐ Other: _____

Assistive devices recommended: _____

Home Safety Recommendations: _____

INITIAL TREATMENT RENDERED (Mark all that apply): ☐ Transfer Training ☐ Gait Training ☐ Ther. Ex.

☐ Balance Training ☐ Instruction in Pain Management ☐ Instruction in Safety/Precautions ☐ Instruction in HEP

☐ Patient/Caregiver Training: Falls and Safety education, HEP

☐ Other: _____

CLINICAL SUMMARY: _____

Communicated with Physician: ☐ **Yes Physician's Name:** _____ **Date:** _____

Case Manager Communication: ☐ **Yes Comments:** _____

Other: _____

PLAN OF CARE:

☐ Evaluation

☐ Patient Education

☐ Other: _____

☐ Transfer Training

☐ Coordination/Balance Training

☐ Home Exercise Program Instruction

☐ Gait Training

☐ Muscle Re-Education

☐ Pain Management: _____

☐ Therapeutic Exercises

☐ Prosthetic Training

☐ Anodyne Therapy: _____

☐ Ultrasound: _____

GOALS:

☐ 1. PT to evaluate to determine current physical and functional status, therapy needs and rehab potential.

☐ 2. Patient and/or caregiver will demonstrate knowledge of safety instructions and perform HEP by ____/____/____ (date).

☐ 3. Patient will perform bed mobility ☐ rolling ☐ scooting ☐ supine to sit with _____ assist by ____/____/____ (date).

☐ 4. Patient will perform transfers ☐ sit to stand ☐ bed to commode/chair ☐ shower/tub ☐ Other: _____
with _____ assist by ____/____/____ (date).

☐ 5. Patient will ambulate ☐ level surfaces ☐ uneven surfaces ☐ up/down step/stairs/curbs with _____ device
with _____ assist for _____ feet by ____/____/____ (date).

☐ 6. Patient's ROM of _____ will increase from _____ to WFL to enhance patient's mobility by ____/____/____ (date).

☐ 7. Patient's strength of _____ will increase from _____ to _____ to enhance patient's mobility by ____/____/____ (date).

☐ 8. Patient's sitting/standing balance will improve from _____ to _____ to reduce fall risk and enhance patient's mobility by
____/____/____ (date). Evidenced by improved balance scores of: ☐ Tinetti _____ balance _____ gait ☐ TUG _____ or
☐ Other: _____

☐ 9. Patient will be able to perform ADL's with _____ assist by ____/____/____ (date).

☐ 10. Patient's pain level in _____ will decrease from ____/10 to ____/10 by ____/____/____ (date) to enhance patient's
functional mobility. PT to provide pain management techniques to _____ including: ☐ Massage

☐ Ultrasound at _____ W/cm for _____ mins ☐ Electrotherapy ☐ Anodyne Therapy ☐ Other: _____

☐ 11. Patient/caregiver will be educated on and demonstrate knowledge of _____ by ____/____/____ (date).

☐ 12. Refer to: ☐ SN ☐ OT ☐ ST ☐ MSW for: _____

☐ Other: _____

Rehab Potential: ☐ Excellent ☐ Good ☐ Fair ☐ Poor ☐ Limited due to: _____

Discharge Plan: Patient to be discharged from physical therapy when: ☐ Goals Met ☐ Able to go to out patient therapy

☐ PLOF restored ☐ Maximum Potential achieved ☐ Independent with HEP ☐ Caregiver Training Complete

Patient will be discharged to care of: _____ with ☐ HEP ☐ Equipment: _____

☐ **Plan of Care and Goals** were discussed with, and understood by patient/caregiver.

Level of Care(frequency/duration): 2x/w 4w

Effective Date: _____

Reassessment Due: _____

Supervisory Visit Due: _____

PT Signature: _____

Printed Last Name: _____

Patient Signature: _____

Date: _____

My signature below certifies this Plan of Care to be medically necessary.

Physician Signature: _____ **Date:** _____

Print Name: _____

Name:

Date:

Time in:

Dx:

PMH:

MD and Phone:

Recent Hx:

DME:

Goals:

MMT:

ROM:

Bed mob:

Transfers

Gait:

BP:

Pulse:

O2:

Temp:

HOME EXERCISE PROGRAM

Sitting

2 sets x 10 reps
each side

If exercise causes pain, dizziness or shortness of breath - **STOP**

Do Exercises 1-2 times a day.
Do Not Hold Breath!

Patient Name


CHRIS

PT Name

CASE MANAGER:


ID#

Date




Bring ___ arm forward and overhead toward ceiling. Touch top of head. Reach up again to ceiling. Lower arm down to side.

___ Alternate arms
___ Repetitions ___ Sets.




Reach forward, palms facing each other. Spread arms apart, bring together.

___ Repetitions ___ Sets.
___ Try with palms turned up.



Holding wand with hands underneath, slowly reach up overhead. Then lower.

___ Repetitions ___ Sets.




Cross arms in front of body. Then twist from side to side.

___ Repetitions ___ Sets.
Try same exercise with arms at eye level.



Arms at side. Palms forward. Reach up and out to side bringing arm overhead toward ceiling. Touch top of head. Reach up again toward ceiling, then lower arm.

___ Arm. ___ Both arms ___ Repetitions ___ Sets.



Tap foot on floor slowly.
2 Repetitions 10 Sets.
Move foot forward for more stretch.
Circle ankles clockwise and counter clockwise.



Lift heel off floor slowly, then lower. Move foot back for better stretch.

2 Repetitions 10 Sets.



Slowly lift knee up toward ceiling. Lift toes at same time. Lower to floor, heel first.

2 Repetitions 10 Sets



Slowly kick foot up toward ceiling straightening knee. Pull toes toward you, then lower.

2 Repetitions 10 Sets

Both legs

PATIENT NAME: _____ ID#: _____ AGENCY: _____ MONTH: _____ YEAR: _____

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐

NURSE	AIDE	PHYSICAL THERAPIST	OCCUPATIONAL THERAPIST	SPEECH THERAPIST
NAME:	NAME:	NAME: Chris	NAME:	NAME:
PHONE:	PHONE:	PHONE: 773-618-6592	PHONE:	PHONE:

)

7

HOME EXERCISE PROGRAM

Lying Down

If exercise causes pain, dizziness or shortness of breath - **STOP**

Do Exercises 2 times a day.
Do Not Hold Breath!

Patient Name

10th

PT Name


CASE MANAGER:

Date


Quad Sets: Tighten thigh muscle to make knee as stiff and straight as possible. HOLD ___ seconds. Relax. ___ Repetitions ___ Sets.

Glut Sets: Tighten buttock muscle and squeeze together. HOLD ___ seconds. Relax. ___ Repetitions ___ Sets.


Ankle Pumps: Slowly move foot up toward head, then point foot down as much as possible. ___ Repetitions ___ Sets.
Then move foot in circle ___ times one direction ___ times other direction ___ Repetitions ___ Sets.




Grasp ___ wrist with ___ hand, then bring both arms up overhead as far as comfortably possible. HOLD ___ seconds, then lower. ___ Repetitions ___ Sets.
___ Try with hands clasped




Do Quad Set, then lift leg 2 inches off bed, HOLD 2 seconds, then lower down. Relax, repeat. Pull toes toward head on lifting. 1 Leg ___ Both legs
10 Repetitions 2 Sets.




Place blanket/towel roll under knee straighten knee to lift foot off bed. Hold ___ seconds. Pull toes toward head. ___ Repetitions ___ Sets.



Legs flat on bed. Slide both foot up toward buttock as far as comfortably possible. HOLD 2 seconds, then slide back down straight. ___ Repeat with other leg.
10 Repetitions 2 Sets.




Legs bent, feet flat on bed. Lift buttock up off bed as much as possible. HOLD ___ seconds, then lower back down. ___ Help with arms on bed if necessary.
10 Repetitions 2 Sets.




Legs flat, slide ___ leg out to side. keep foot pointed to ceiling. HOLD ___ seconds, pull back in. ___ Alternate other leg 10 Repetitions 2 Sets.



Pull ___ leg up toward chest, help with hands if necessary, then straighten out knee as much as comfortably possible. HOLD ___ seconds. ___ Alternate with other leg. ___ Repetitions ___ Sets.



Legs bent, then bring knees over to one side as far as comfortably possible, then back to other side. 10 Repetitions 2 Sets.
Try with hands clasped and arms outstretched toward ceiling, bring arms one direction and



Legs bent, tighten stomach. Lift head shoulders off mattress reaching toward with arms, then lower back down. **DO NOT HOLD BREATH!**
10 Repetitions 2 Sets.