

THERAPY EVALUATION INITIAL VISIT

PHYSICAL THERAPY

Date of Visit: _____ Time In: _____ Time Out: _____

Patient Name: _____ ID #: _____ Age: _____

Primary Diagnosis: _____

Reason for Referral: _____

I. HISTORY / PRIOR STATUS AND FUNCTION:

Past Medical / Surgical History: _____

Precautions / Contraindications: Falls/safety

Mental Status: Alert and Oriented to ☐ Person ☐ Place ☐ Date ☐ Patient is able to self-direct HHA/Caregiver

Comments: _____

☐ Patient requires considerable and taxing effort to leave the home due to: ☐ Dyspnea ☐ Cardiac Limitations ☐ Weakness

Home Setting: ☐ Private House ☐ Apartment ☐ Other: _____

☐ Outdoor Steps: _____ step(s) Rail on: ☐ Right Side ☐ Left Side

☐ Indoor Steps: _____ step(s) Rail on: ☐ Right Side ☐ Left Side

☐ Elevator Distance to curb: _____

Lives with: ☐ Alone ☐ Spouse ☐ Son/daughter ☐ Friend ☐ HHA/Aide ☐ Other: _____

Sensation/Pain (Level): ☐ 0 ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10

Location: _____

II. Findings

Vital Signs: Pre-Tx: BP _____ HR _____ RR _____ SpO₂ _____ Post-Tx: BP _____ HR _____ RR _____ SpO₂ _____

Present Functional Level:

Bed mobility	Ind	Sup	CG	Min	Mod	Max	Dep	Comments
Rolling (Left ↔ Right)								
Supine ↔ Sit								
Bridging								

Bed Mobility (continued):

Type of Bed: ☐ hospital bed ☐ standard bed ☐ couch ☐ other: _____

Height of Bed: ☐ standard height ☐ low ☐ high

Adaptive Device Used: ☐ Trapeze ☐ Mechanical lift ☐ Other: _____

Does the member require the use of a bedrail in order to perform activity? ☐ Yes ☐ No

If yes, how much assistance is needed to safely complete activity? _____



COBBLE HILL LIFECARE™

YourChoice
at home

Patient Name: _____ ID #: _____ Date: _____

Balance: Sitting
Static: ☐ Normal ☐ Good ☐ Fair ☐ Poor
Dynamic: ☐ Normal ☐ Good ☐ Fair ☐ Poor

Balance: Standing
Static: ☐ Normal ☐ Good ☐ Fair ☐ Poor
Dynamic: ☐ Normal ☐ Good ☐ Fair ☐ Poor

Endurance: ☐ Normal ☐ Good ☐ Fair ☐ Poor

Skin Integrity: _____

AROM/PROM/TONE/STRENGTH:

Transfers	Ind	Sup	CGa-Min	Mod	Max	Dep	N/A	Comments
Sit ↔ Stand								
Stand Pivot bed ↔ chair/commode								

Ass. Dev. Used for Transfers: ☐ Cane ☐ Walker ☐ Rollator ☐ Mechanical Lift ☐ Other: _____

Approximate number of times member transfers in a day: _____

Does member get out of bed at night: ☐ Yes ☐ No

If yes, how many times on average: _____

If yes, does member need assistance? _____

ADL's	Ind	Sup	CGA-Min	Mod	Max	Dep	N/A	Comments
Toilet/Tub Transfer								
Dressing								
Bathing								
Other ADL's _____								

Ambulation	Distance	Assistive Device	Ind	Sup	CGA- Min	Mod	Max	Dep	N/A	Comments
Indoors										
Outdoor										
Stair Climbing	# OF STAIRS									
Wheelchair										

Ambulation (continued):

Device Used: ☐ Cane ☐ Walker ☐ Rollator ☐ Mechanical Lift ☐ Other: _____

Weight Bearing Status: ☐ FWB ☐ WBAT ☐ PWB ☐ TTWB ☐ NWB

Gait Pattern: ☐ Normal ☐ L/R Antalgic ☐ Cautious Gait ☐ L/R Foot Drop ☐ L/R Decrease Stride

☐ Wide/Narrow Base ☐ Hemiparetic gait ☐ Shuffling Gait ☐ Festinating/Spastic ☐ Ataxic

☐ Scissoring ☐ L/R Knee Hyperextension

Other/Comments: _____



COBBLE HILL LIFECARE™

YourChoice
at home

Patient Name: _____ ID #: _____ Date: _____

Member ambulates with: ☐ AFO ☐ KAFO ☐ Shoe lift ☐ Prosthesis ☐ Other: _____

III. Therapeutic Measurable Goals (Short/Long Term):

Functional Impairments (Check all that apply)

Functional Goals: To be achieved in 8 weeks

- ☐ Decreased Bed Mobility (Rolling/Sup ↔ Sit) → Improve Bed Mobility to _____
- ☐ Decreased Transfers (Sit ↔ Stand) → Improve transfers to _____
- ☐ Decreased Transfers (Bed ↔ Chair) → Improve Transfers to _____
- ☐ Decreased Transfers (Toilet ↔ Tub) → Improve Transfers to _____
- ☐ Decreased Ambulation/Gait → Increase ambulation to _____ feet with _____ assist
- ☐ Decreased stair climbing → Increase stair climb to _____ steps with _____ assist
- ☐ Decreased ADLs → Improve ADLs to _____
- ☐ Decrease Sit/Stand Balance → Improve Balance to _____
- ☐ Decreased Strength → Increase Strength to _____
- ☐ Decreased ROM → Increase ROM to _____

Other: _____ Increase/Improve to _____

IV. PLAN OF TREATMENT:

Visit Frequency/Anticipated Duration: 2 visits per week for 4 weeks for a total of 8 visits

INSTRUCTION(S)

Given to: ☒ Patient ☐ Family ☐ Caregiver ☐ Home Health Aide

Other: _____

Instructed in: ☒ Safety ☒ Activity Precautions ☐ Cardiac Precautions ☐ Energy Conservation ☒ Home Hazards

☒ Use of Assisted Devices

HEP was left at home: ☒ Yes ☐ No

If No, state reason: _____

Other: _____

Response to Instructions: ☐ Verbalized Understanding and Agreed to Comply ☐ Need Continuous Instructional Training

Other: _____



COBBLE HILL LIFECARE™

YourChoice
at home

Patient Name: _____ ID #: _____ Date: _____

Equipment Needed: _____

DME:											
Height: _____ Weight: _____ lbs.											
Equipment	Has	Need	Equipment	Has	Need	Equipment	Has	Need	Equipment	Has	Need
Rolling Walker*	☐	☐	Axillary Crutches*	☐	☐	Removable W/C Arms	☐	☐	Grab Bar(s)	☐	☐
Standard Walker*	☐	☐	Forearm Crutches*	☐	☐	Removable W/C Legs	☐	☐	Commode	☐	☐
Straight cane*	☐	☐	Hospital Bed*	☐	☐	Shower Chair	☐	☐	Raised Toilet Seat	☐	☐
Quad Cane*	☐	☐	Wheelchair*	☐	☐	Transfer Bench	☐	☐	Hemi Walker*	☐	☐
Rollator*	☐	☐	Power Chair*	☐	☐	Hoyer Lift*	☐	☐	Trapeze*	☐	☐

*Require RX

Tinetti Assessment Tool Balance and Gait Score _____ Below 19 = High Risk

Treatments: (Circle as applicable)

- ☐ B1 Evaluation
 ☐ B2 Therapeutic Exercise
 ☐ B3 Transfer Training
 ☐ B4 Home Program
 ☐ B5 Gait Training
 ☐ B6 Chest Physiotherapy
- ☐ B7 Ultra Sound
 ☐ B8 Electra Therapy
 ☐ B9 Prosthetic Training
 ☐ B18 Other (Specify) _____
- ☐ L1 Develop Maintenance Program

COORDINATION DONE WITH:
☐ Coordinator
 ☐ Case Manager
 ☐ RN
 ☐ MD
 ☐ Other: _____

Narrative: _____

Therapist Name (Print): _____ Date: ____/____/____	
x _____ Therapist Signature Title: _____	Patient's Name (PRINT): _____ Patient's Signature: x _____



COBBLE HILL LIFECARE™

YourChoice
at home

Patient Name: _____ ID #: _____ Date: _____

TINETTI BALANCE ASSESSMENT TOOL

Tinetti ME, Williams TF, Mayewski R, Fall Risk Index for elderly patients based on number of chronic disabilities. Am J Med 1986;80:429-434

PATIENTS NAME _____ D.O.B. _____

BALANCE SECTION

Patient is seated in hard, armless chair;

		Date		
Sitting Balance	Leans or slides in chair Steady, safe	= 0 = 1		
Rises from chair	Unable to without help Able, uses arms to help Able without use of arms	= 0 = 1 = 2		
Attempts to rise	Unable to without help Able, requires > 1 attempt Able to rise, 1 attempt	= 0 = 1 = 2		
Immediate standing Balance (first 5 seconds)	Unsteady (staggers, moves feet, trunk sway) Steady but uses walker or other support Steady without walker or other support	= 0 = 1 = 2		
Standing balance	Unsteady Steady but wide stance and uses support Narrow stance without support	= 0 = 1 = 2		
Nudged	Begins to fall Staggers, grabs, catches self Steady	= 0 = 1 = 2		
Eyes closed	Unsteady Steady	= 0 = 1		
Turning 360 degrees	Discontinuous steps Continuous	= 0 = 1		
	Unsteady (grabs, staggers) Steady	= 0 = 1		
Sitting down	Unsafe (misjudged distance, falls into chair) Uses arms or not a smooth motion Safe, smooth motion	= 0 = 1 = 2		
	Balance score		/16	



COBBLE HILL LIFECARE™

YourChoice
at home

Patient Name: _____ ID #: _____ Date: _____

TINETTI BALANCE ASSESSMENT TOOL

GAIT SECTION

Patient stands with therapist, walks across room (+/- aids), first at usual pace, then at rapid pace.

		Date		
Indication of gait (Immediately after told to 'go'.)	Any hesitancy or multiple attempts = 0 No hesitancy = 1			
Step length and height	Step to = 0 Step through R = 1 Step through L = 1			
Foot clearance	Foot drop = 0 L foot clears floor = 1 R foot clears floor = 1			
Step symmetry	Right and left step length not equal = 0 Right and left step length appear equal = 1			
Step continuity	Stopping or discontinuity between steps = 0 Steps appear continuous = 1			
Path	Marked deviation = 0 Mild/moderate deviation or uses w. aid = 1 Straight without w. aid = 2			
Trunk	Marked sway or uses w. aid = 0 No sway but flex. knees or back or uses arms for stability = 1 No sway, flex., use of arms or w. aid = 2			
Walking time	Heels apart = 0 Heels almost touching while walking = 1			
	Gait score	/12		
	Balance score carried forward	/16		
	Total Score = Balance + Gait score	/28		

Risk Indicators:

Tinetti Tool Score

≤ 18
19 – 23
≥ 24

Risk of Falls

High
Moderate
Low

Name:	BP:
Date:	Pulse:
	O2:
	Temp:
Time in:	
Dx:	
PMH:	
MD and Phone:	
Recent Hx:	
DME:	
Goals:	
MMT:	
ROM:	
Bed mob:	
Transfers	
Gait:	

HOME EXERCISE PROGRAM

Sitting

2 sets x 10 reps
each side

If exercise causes pain, dizziness or shortness of breath - **STOP**

Do Exercises 1-2 times a day.
Do Not Hold Breath!

Patient Name


CHRIS

PT Name

CASE MANAGER:


ID#

Date




Bring ___ arm forward and overhead toward ceiling. Touch top of head. Reach up again to ceiling. Lower arm down to side.

___ Alternate arms
___ Repetitions ___ Sets.




Reach forward, palms facing each other. Spread arms apart, bring together.

___ Repetitions ___ Sets.
___ Try with palms turned up.



Holding wand with hands underneath, slowly reach up overhead. Then lower.

___ Repetitions ___ Sets.




Cross arms in front of body. Then twist from side to side.

___ Repetitions ___ Sets.
Try same exercise with arms at eye level.



Arms at side. Palms forward. Reach up and out to side bringing arm overhead toward ceiling. Touch top of head. Reach up again toward ceiling, then lower arm.

___ Arm. ___ Both arms ___ Repetitions ___ Sets.



Tap foot on floor slowly.
2 Repetitions 10 Sets.
Move foot forward for more stretch.
Circle ankles clockwise and counter-clockwise.



Lift heel off floor slowly, then lower. Move foot back for better stretch.

2 Repetitions 10 Sets.



Slowly lift knee up toward ceiling. Lift toes at same time. Lower to floor, heel first.

2 Repetitions 10 Sets



Slowly kick foot up toward ceiling straightening knee. Pull toes toward you, then lower.

2 Repetitions 10 Sets

Both legs

PATIENT NAME: _____ ID#: _____ AGENCY: _____ MONTH: _____ YEAR: _____

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐

NURSE	AIDE	PHYSICAL THERAPIST	OCCUPATIONAL THERAPIST	SPEECH THERAPIST
NAME:	NAME:	NAME: Chris	NAME:	NAME:
PHONE:	PHONE:	PHONE: 773-618-6592	PHONE:	PHONE:

)

7

HOME EXERCISE PROGRAM

Lying Down

If exercise causes pain, dizziness or shortness of breath - **STOP**

Do Exercises 2 times a day.
Do Not Hold Breath!

Patient Name

10th

PT Name




CASE MANAGER:

Date

Quad Sets: Tighten thigh muscle to make knee as stiff and straight as possible. HOLD ___ seconds. Relax. ___ Repetitions ___ Sets.

Glut Sets: Tighten buttock muscle and squeeze together. HOLD ___ seconds. Relax. ___ Repetitions ___ Sets.




Ankle Pumps: Slowly move foot up toward head, then point foot down as much as possible. ___ Repetitions ___ Sets.
Then move foot in circle ___ times one direction ___ times other direction ___ Repetitions ___ Sets.



Grasp ___ wrist with ___ hand, then bring both arms up overhead as far as comfortably possible. HOLD ___ seconds, then lower. ___ Repetitions ___ Sets.
___ Try with hands clasped

Do Quad Set, then lift leg 2 inches off bed, HOLD 2 seconds, then lower down. Relax, repeat. Pull toes toward head on lifting. 1 Leg ___ Both legs
10 Repetitions 2 Sets.



Place blanket/towel roll under knee straighten knee to lift foot off bed. Hold ___ seconds. Pull toes toward head. ___ Repetitions ___ Sets.



Legs flat on bed. Slide both foot up toward buttock as far as comfortably possible. HOLD 2 seconds, then slide back down straight. ___ Repeat with other leg. 10 Repetitions 2 Sets.

Legs bent, feet flat on bed. Lift buttock up off bed as much as possible. HOLD ___ seconds, then lower back down. ___ Help with arms on bed if necessary. 10 Repetitions 2 Sets.

Legs flat, slide ___ leg out to side. keep foot pointed to ceiling. HOLD ___ seconds, pull back in. ___ Alternate other leg 10 Repetitions 2 Sets.



Pull ___ leg up toward chest, help with hands if necessary, then straighten out knee as much as comfortably possible. HOLD ___ seconds. ___ Alternate with other leg. ___ Repetitions ___ Sets.

Legs bent, then bring knees over to one side as far as comfortably possible, then back to other side. 10 Repetitions 2 Sets.
Try with hands clasped and arms outstretched toward ceiling, bring arms one direction and

Legs bent, tighten stomach. Lift head shoulders off mattress reaching toward with arms, then lower back down. **DO NOT HOLD BREATH!**
10 Repetitions 2 Sets.