

INITIAL PHYSICAL THERAPY VISIT

Name: _____	10	Acct. #:	
Last	First	Age	
Pt. Signature: _____		COC: _____	
Visit Date: _____	Arrival Time: _____	Departure Time: _____	

Therapy Diagnosis: _____ Secondary Diagnosis/PMH: _____

Physician Name: _____ Tel. #: _____

Functional Status Prior to Adm. (includes assistive devices, distance, stairs and ADL): _____

Precautions or Contraindications: Falls and safety

Vital Signs: BP _____ Pulse _____ Respiration 18 / BP _____ Pulse _____ Respiration 19

Architectural Barriers (identify stairs, bathroom location, etc., distance to curb): _____

Equipment in Home: (list all):

- ☐ SW ☐ RW ☐ WBQC ☐ NBQC ☐ Str. Cane ☐ WC ☐ Commode ☐ RTS ☐ Transfer tub/bench ☐ Shower Seat ☐ Other
☐ Patient ☐ Caregiver: Instructed in use of _____
☐ Returned Demo ☐ Verbalization: ☐ Appropriate ☐ Inappropriate ☐ Follow-up indicated

DOE/SOB (dyspnea/shortness of breath):

- ☐ Never ☐ Amb. greater than 20' ↑↓ stairs ☐ Moderate exertion (amb. less than 20' or dressing, using commode/bedpan)
☐ Minimum exertion (e.g., while eating, talking, during ADL, with agitation) ☐ At rest during day or night
 On Oxygen: ☐ Yes ☐ No ☐ Continuous ☐ PRN

Pain Level:

- ☐ No pain or pain does not interfere with activity or movement
☐ Less often than daily
☐ Daily but not constantly
☐ All the time

Pain Site: _____

Intensity: (no pain) 0 1 2 3 4 5 6 7 8 9 10 (severe pain)

Control measures: _____

Sensation: WFL

Tone: WFL

Mentation/Speech/Cognition/Perception (ability to follow instructions): ☐ alert ☐ oriented ☐ forgetful ☐ impaired judgment ☐ Other

Coordination: WFL

Vision/Hearing: WFL

Strength	Range of Motion
RUE	
LUE	
RLE	
LLE	

Strength: Normal= 5/5 Good = 4/5 Fair = 3/5 Poor = 2/5 Trace = 1/5 Zero = 0/5

Comments: _____

Patient Name (last): _____ (first): _____ Acct. #: 10 _____

	Ind.	Supervision	Contact Guard	Min. Asst.	Mod Asst.	Max. Asst.	Dep.	Comments
Dressing Upper								
Dressing Lower								
Bathing Ability								
Transfers: Bed ↔ Chair								
Toilet								
Bath/Shower								
Bed Mobility								
Supine ↔ Sit								
Sit ↔ Stand								
W/C Mobility								
Ambulation (include assistive device & distance):								
Level Surface								
Uneven Surface								
Stairs								
Curb/Ramp								
Other								

I = Independent – patient requires no assist

VC = Verbal Cues

S = Supervision – therapist stands close but no hands on

CG = Contact Guard – hands-on patient or gait belt

Min. Assist – 25% of another person

Mod. Assist – 50% of another person

Max. Assist – 75% of another person

BALANCE

☐ NT Document Reason:

Static Sit: _____	Static Stand: _____	Dynamic Sit: _____	Dynamic Stand: _____
Static Key: 0-Unable 1-Requires external support 2-Uses UEs	3-Maintains without U.E. support 4-Accepts challenges 5.Normal	Dynamic Key: 0-Unable to reach out of BOS 1-Reach out of BOS to recover 2.Reach out of BOS to recover indep.	3-. Turns, changes direction safely 4. Accepts challenges 5. Normal

Subjective Findings: _____

Objective Findings: _____

Gait (additional information i.e. deviation/sequencing, shuffling, BOS, antalgic) _____

Homebound Status: ☐ Bed bound ☐ Unable to leave home safely/independently ☐ SOB/DOE ☐ Poor vision
☐ Caregiver unable to assist pt. in & out of home ☐ Cannot ambulate functional distances ☐ Impaired mental status
☐ Medically contraindicated _____

Skilled Intervention Provided: Treatment/education: ☐ Home safety teaching ☐ Initiated HEP ☐ Initiated DME Training

Safety: ☐ Discussed ☐ Performed ☐ Re instruct With: ☐ Patient ☐ HHA _____ ☐ Caregiver _____

Safety instruction given: (specify) Falls and safety

Level of understanding: ☐ None ☐ Partial ☐ Complete ☐ Verbalized ☐ Return Demo

HEP ☐ Verbalized understanding

☐ Return Demo

By: ☐ Patient ☐ Family/Caregiver _____

☐ Unable ☐ Partial ☐ Complete

☐ Unable ☐ Partial ☐ Complete

☐ Revised & Instructed ☐ Copy left with pt.

Comments: _____

Patient Name (last): _____ (first): _____ Acct. #: 10 _____

PROBLEMS: (check all that apply)

- | | |
|--|--|
| ☐ 1. ROM | ☐ 7. Pain |
| ☐ 2. Muscle Strength | ☐ 8. Limited Ambulation |
| ☐ 3. Balance | ☐ 9. Transfers |
| ☐ 4. Endurance | ☐ 10. Stair Negotiation |
| ☐ 5. Coordination | ☐ 11. ADL |
| ☐ 6. DME related (specify): _____ | ☐ 12. Other (explain; i.e., DOE): _____ |

TREATMENT PLAN: (check all that apply)

- | | |
|--|---|
| ☐ Ther Ex | ☐ Stair Instruction |
| ☐ Transfer Training | ☐ ADL |
| ☐ Gait Training | ☐ Establish or Upgrade HEP |
| ☐ Prosthetic Training | ☐ Equipment Assessment |
| ☐ Pain Control | ☐ Other _____ |
| ☐ Balance Activities | |

GOALS: (place a "✓" next to the applicable goals)

- ☐ 1. Patient will demonstrate appropriate/safe use of the following equipment:
☐ Walker: standard _____ rolling _____ ☐ Crutches ☐ Cane: _____ quad _____ straight ☐ Commode ☐ W/C
☐ Stairglide ☐ Tub seat/bench, ☐ Hoyer Lift ☐ Other: _____
- ☐ 2. Patient will demonstrate increased endurance with treatment program to enable patient to meet functional goals.
- ☐ 3. Patient will demonstrate adequate balance to enable patient to meet functional and ambulatory goals w/without device.
- ☐ 4. Patient will be able to perform HEP with _____ Indep _____ assistance.
- ☐ 5. Patient will demonstrate effective level of pain management, allowing ↑ functional activity
- ☐ 6. ROM will be: _____ WFL _____ to allow for Improved transfers and ambulation (activity)
- ☐ 7. Muscle strength will be: _____ to allow for Improved transfers and ambulation (activity)
- ☐ 8. Other: _____

TRANSFER GOALS:

Description / Assistance / WB Status	Assistive Device
☐ Bed Mobility	
☐ Supine ↔ Sit	
☐ Sit ↔ Stand	
☐ Bed to Chair	
☐ W/C to _____	
☐ Stall Shower	
☐ Tub	
☐ Toilet	
☐ Car	

AMBULATION GOALS:

	Assistive Device	Distance / # Steps	WB Status	Assistance
☐ Level Surfaces				
☐ Level Surfaces				
☐ Stairs/Handrail ☐ Y ☐ N				
☐ Stairs/Handrail ☐ Y ☐ N				
☐ Curbs				
☐ Uneven Surfaces				

KEY: I = Independent – patient requires no assist
VC = Verbal Cues
S = Supervision – therapist stands close but no hands on
CG = Contact Guard – hands-on patient or gait belt

Min. Assist – 25% of another person
Mod. Assist – 50% of another person
Max. Assist – 75% of another person

Anticipated Frequency & Duration: 2x/w 4w

Recommendations (include equipment & services beneficial to patient): _____

Goal for next home visit/Instruction: ☐ NA (No Additional Skilled PT) and ☐ MD Notified

Communication:

Plan discussed with ☐ COC ☐ MD Name: _____
☐ Patient/SO Participated in establishing Tx Plan, Goals, & Discharge Plan and was instructed in benefits & risks of the treatment & Verbalized understanding with same.

☐ FAXED TO REHAB

☐ FAXED TO MANAGED CARE

PT Name(print) _____ **Signature:** _____, **PT Date:** ____/____/____

Name:

Date:

Time in:

Dx:

PMH:

MD and Phone:

Recent Hx:

DME:

Goals:

MMT:

ROM:

Bed mob:

Transfers

Gait:

BP:

Pulse:

O2:

Temp:

HOME EXERCISE PROGRAM

Sitting

2 sets x 10 reps
each side

If exercise causes pain, dizziness or shortness of breath - **STOP**

Do Exercises 1-2 times a day.
Do Not Hold Breath!

Patient Name


CHRIS

PT Name

CASE MANAGER:


ID#

Date




Bring ___ arm forward and overhead toward ceiling. Touch top of head. Reach up again to ceiling. Lower arm down to side.

___ Alternate arms
___ Repetitions ___ Sets.




Reach forward, palms facing each other. Spread arms apart, bring together.

___ Repetitions ___ Sets.
___ Try with palms turned up.



Holding wand with hands underneath, slowly reach up overhead. Then lower.

___ Repetitions ___ Sets.




Cross arms in front of body. Then twist from side to side.

___ Repetitions ___ Sets.
Try same exercise with arms at eye level.




Arms at side. Palms forward. Reach up and out to side bringing arm overhead toward ceiling. Touch top of head. Reach up again toward ceiling, then lower arm.

___ Arm. ___ Both arms ___ Repetitions ___ Sets.



Tap foot on floor slowly.
2 Repetitions 0 Sets.
Move foot forward for more stretch.
Circle ankles clockwise and counter clockwise.



Lift heel off floor slowly, then lower. Move foot back for better stretch.
2 Repetitions 0 Sets.



Slowly lift knee up toward ceiling. Lift toes at same time. Lower to floor, heel first.
2 Repetitions 10 Sets



Slowly kick foot up toward ceiling straightening knee. Pull toes toward you, then lower.
2 Repetitions 0 Sets
Both legs

PATIENT NAME: _____ ID#: _____ AGENCY: _____ MONTH: _____ YEAR: _____

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐

NURSE	AIDE	PHYSICAL THERAPIST	OCCUPATIONAL THERAPIST	SPEECH THERAPIST
NAME:	NAME:	NAME: Chris	NAME:	NAME:
PHONE:	PHONE:	PHONE: 773-618-6592	PHONE:	PHONE:

)

7

HOME EXERCISE PROGRAM

Lying Down

If exercise causes pain, dizziness or shortness of breath - **STOP**

Do Exercises 2 times a day.
Do Not Hold Breath!

Patient Name

10th

PT Name




CASE MANAGER:

Date

Quad Sets: Tighten thigh muscle to make knee as stiff and straight as possible. HOLD ___ seconds. Relax. ___ Repetitions ___ Sets.

Glut Sets: Tighten buttock muscle and squeeze together. HOLD ___ seconds. Relax. ___ Repetitions ___ Sets.




Ankle Pumps: Slowly move foot up toward head, then point foot down as much as possible. ___ Repetitions ___ Sets.
Then move foot in circle ___ times one direction ___ times other direction ___ Repetitions ___ Sets.



Grasp ___ wrist with ___ hand, then bring both arms up overhead as far as comfortably possible. HOLD ___ seconds, then lower. ___ Repetitions ___ Sets.
___ Try with hands clasped

Do Quad Set, then lift leg 2 inches off bed, HOLD 2 seconds, then lower down. Relax, repeat. Pull toes toward head on lifting. 1 Leg ___ Both legs
10 Repetitions 2 Sets.



Place blanket/towel roll under knee straighten knee to lift foot off bed. Hold ___ seconds. Pull toes toward head. ___ Repetitions ___ Sets.



Legs flat on bed. Slide both foot up toward buttock as far as comfortably possible. HOLD 2 seconds, then slide back down straight. ___ Repeat with other leg.
10 Repetitions 2 Sets.

Legs bent, feet flat on bed. Lift buttock up off bed as much as possible. HOLD ___ seconds, then lower back down. ___ Help with arms on bed if necessary.
10 Repetitions 2 Sets.

Legs flat, slide ___ leg out to side. keep foot pointed to ceiling. HOLD ___ seconds, pull back in. ___ Alternate other leg 10 Repetitions 2 Sets.



Pull ___ leg up toward chest, help with hands if necessary, then straighten out knee as much as comfortably possible. HOLD ___ seconds. ___ Alternate with other leg. ___ Repetitions ___ Sets.

Legs bent, then bring knees over to one side as far as comfortably possible, then back to other side. 10 Repetitions 2 Sets.
Try with hands clasped and arms outstretched toward ceiling, bring arms one direction and

Legs bent, tighten stomach. Lift head/shoulders off mattress reaching toward ceiling with arms, then lower back down. **DO NOT HOLD BREATH!**
10 Repetitions 2 Sets.