


1.

## Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Required fields are marked with an asterisk (\*).

Owner \*



Repository name \*

/ examenFeirid

✓ examenFeirid is available.

Great repository names are short and memorable. Need inspiration? How about [fictional-octo-umbrella](#) ?

Description (optional)

Este es la ad examen feirid

☒  **Public**

Anyone on the internet can see this repository. You choose who can commit.

☐  **Private**

You choose who can see and commit to this repository.

Initialize this repository with:

☒ **Add a README file**

This is where you can write a long description for your project. [Learn more about READMEs.](#)

Add .gitignore

.gitignore template: **None**

Choose which files not to track from a list of templates. [Learn more about ignoring files.](#)

Choose a license


License: **None**

A license tells others what they can and can't do with your code. [Learn more about licenses.](#)

This will set  **main** as the default branch. Change the default name in your [settings](#).

 You are creating a public repository in your personal account.

Create repository



2.

```
AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~ (master)
$ git clone https://github.com/cevix/examenFeirid.git
Cloning into 'examenFeirid'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~ (master)
$ ls
```

```
AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~ (master)
$ ls
'3D Objects'/
AppData/
'Configuración local'@
Contacts/
Cookies@
'Datos de programa'@
Desktop/
Documents/
Downloads/
'Entorno de red'@
Favorites/
Impresoras@
Links/
'Menú Inicio'@
'Mis documentos'@
Music/
NTUSER.DAT
NTUSER.DAT{0899c64f-b041-11ec-9d69-50ebf62c3937}.TM.blf
NTUSER.DAT{0899c64f-b041-11ec-9d69-50ebf62c3937}.TMContainer0000
0000000000000001.regtrans-ms
NTUSER.DAT{0899c64f-b041-11ec-9d69-50ebf62c3937}.TMContainer0000
0000000000000002.regtrans-ms
OneDrive/
'PS CS5 Español Portable'/
'PS CS5 Español Portable.rar'
Pictures/
Plantillas@
Reciente@
'Saved Games'/
Searches/
SendTo@
Videos/
'VirtualBox VMs'/
aburrido/
ejercicioFerid/
examenFeirid/
git-clase/
lapiz.jpg
merge-conflic/
ntuser.dat.LOG1
ntuser.dat.LOG2
ntuser.ini
papelera.png
practica2/
prueba1/
pruebaBranch/
pruebaFeirid/
pruebasGit/
```

```
AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~ (master)
$ cd examenFeirid

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (
main)
$
```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~ (master)
$ cd examenFeirid

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (
main)
$ touch index.html

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main
)
$ git add index.html

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main
)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   index.html

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main
)
$ git commit -m "Second commit"
[main a82f0d9] Second commit
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 index.html

```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main
)
$ git log --graph --all
* commit a82f0d9fb36ec7f3e8bb7278860b05124872f0b6 (HEAD -> main)
| Author: cevichito <yamirlopez2001@gmail.com>
| Date:   Tue Feb 6 08:43:20 2024 +0100
|
|     Second commit
|
| * commit f9f40af7004310abfaeb3f578e6ca3988ecccc00 (origin/main, origi
n/HEAD)
|   Author: cevix <131450849+cevix@users.noreply.github.com>
|   Date:   Tue Feb 6 08:35:24 2024 +0100
|
|     Initial commit
|
AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main
)
$

```

```
AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main)
$ git commit --amend
[main 159d8f3] Second commit- Release
Date: Tue Feb 6 08:43:20 2024 +0100
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 index.html
```

```
..ers/AlexanderYamirLopezA/examenFeirid/.git/COMMIT_EDITMSG Modified
Second commit- Release

# Please enter the commit message for your changes. Lines starting
# with '#' will be ignored, and an empty message aborts the commit.
#
# Date:      Tue Feb 6 08:43:20 2024 +0100
#
# On branch main
# Your branch is ahead of 'origin/main' by 1 commit.
#   (use "git push" to publish your local commits)
#
# Changes to be committed:
#   new file:   index.html
#

^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execute
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify
```

```
$ git show
commit 159d8f3130012f3cc96b973b72586d00824f8615 (HEAD -> main, tag: v
1.0.0)
Author: cevichito <yamirlopez2001@gmail.com>
Date: Tue Feb 6 08:43:20 2024 +0100

    Second commit- Release

diff --git a/index.html b/index.html
new file mode 100644
index 0000000..e69de29
```

```

$ git checkout HEAD~1
Note: switching to 'HEAD~1'.

You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and you can discard any commits you make in this
state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may
do so (now or later) by using -c with the switch command. Example:

    git switch -c <new-branch-name>

Or undo this operation with:

    git switch -

Turn off this advice by setting config variable advice.detachedHead to false

HEAD is now at f9f40af Initial commit

```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid ((f9f40af...))
$ git log --graph --all
* commit 159d8f3130012f3cc96b973b72586d00824f8615 (tag: v1.0.0, main)
| Author: cevichito <yamirlopez2001@gmail.com>
| Date: Tue Feb 6 08:43:20 2024 +0100
|
| Second commit- Release
|
* commit f9f40af7004310abfaeb3f578e6ca3988ecccc00 (HEAD, origin/main, origin/HEAD)
| Author: cevix <131450849+cevix@users.noreply.github.com>
| Date: Tue Feb 6 08:35:24 2024 +0100
|
| Initial commit
|
AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid ((f9f40af...))
$ git
usage: git [-v | --version] [-h | --help] [-C <path>] [-c <name>=<value>]
           [--exec-path[=<path>]] [--html-path] [--man-path] [--info-

```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid ((f9f40af...))
$ git checkout -b section
Switched to a new branch 'section'

```

```
AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid ((f9f40af...))
$ git checkout -b section
Switched to a new branch 'section'

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ ls
README.md
```

```
AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ touch index.html

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ ls
README.md  index.html
```

```
AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ git log --graph --all
* commit 159d8f3130012f3cc96b973b72586d00824f8615 (tag: v1.0.0, main)
| Author: cevichito <yamirlopez2001@gmail.com>
| Date: Tue Feb 6 08:43:20 2024 +0100
|
| Second commit- Release
|
* commit f9f40af7004310abfaeb3f578e6ca3988ecccc00 (HEAD -> section, origin/main, origin/HEAD)
| Author: cevix <131450849+cevix@users.noreply.github.com>
| Date: Tue Feb 6 08:35:24 2024 +0100
|
| Initial commit
|

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ git add index.html

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ git status
On branch section
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   index.html

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ git commit -m "section 1"
[section e243b5a] section 1
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 index.html
```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ git commit -m "section 1"
[section e243b5a] section 1
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 index.html

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ git log --graph --all
* commit e243b5af83c5a7f79bbbd4fc4a5ed2a1300824e3 (HEAD -> section)
| Author: cevichito <yamirlopez2001@gmail.com>
| Date: Tue Feb 6 08:57:38 2024 +0100
|
| section 1
|
| * commit 159d8f3130012f3cc96b973b72586d00824f8615 (tag: v1.0.0, main)
|/ Author: cevichito <yamirlopez2001@gmail.com>
| Date: Tue Feb 6 08:43:20 2024 +0100
|
| Second commit- Release
|
| * commit f9f40af7004310abfaeb3f578e6ca3988ecccc00 (origin/main, origin/HEAD)
| Author: cevix <131450849+cevix@users.noreply.github.com>
| Date: Tue Feb 6 08:35:24 2024 +0100
|
| Initial commit
|

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$

```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ nano index.html

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$

```



```
GNU nano 7.2          index.html          Modified
hola mundo

[ Read 0 lines ]
^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execute
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify
```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ git status
On branch section
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   index.html

no changes added to commit (use "git add" and/or "git commit -a")

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ git add index.html
warning: in the working copy of 'index.html', LF will be replaced by CRLF the next time Git touches it

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ git commit -m "section2"
[section 1bc7174] section2
1 file changed, 1 insertion(+)

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ git log --graph --all

```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ git log --graph --all
* commit 1bc7174f794d378d2ea2de31e71cf2a568afa388 (HEAD -> section)
| Author: cevichito <yamirlopez2001@gmail.com>
| Date: Tue Feb 6 09:00:30 2024 +0100
|
| section2
|
* commit e243b5af83c5a7f79bbbd4fc4a5ed2a1300824e3
| Author: cevichito <yamirlopez2001@gmail.com>
| Date: Tue Feb 6 08:57:38 2024 +0100
|
| section 1
|
* commit 159d8f3130012f3cc96b973b72586d00824f8615 (tag: v1.0.0, main)
| / Author: cevichito <yamirlopez2001@gmail.com>
| Date: Tue Feb 6 08:43:20 2024 +0100
|
| Second commit- Release
|
* commit f9f40af7004310abfaeb3f578e6ca3988ecccc00 (origin/main, origin/HEAD)
| Author: cevix <131450849+cevix@users.noreply.github.com>
| Date: Tue Feb 6 08:35:24 2024 +0100
|
| Initial commit
|
AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$

```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ ls
README.md  index.html

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ touch style.css

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ nano style.css

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ ls
README.md  index.html  style.css

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ git add style.css
warning: in the working copy of 'style.css', LF will be replaced by CRLF
the next time Git touches it

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ git status
On branch section
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   style.css

```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ git commit -m "section 3"
[section 30bc581] section 3
 1 file changed, 1 insertion(+)
 create mode 100644 style.css

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ git log --graph --all
* commit 30bc5812e0812cd3172b975687890f8c4ce0c27f (HEAD -> section)
   Author: cevichito <yamirlopez2001@gmail.com>
   Date:   Tue Feb 6 09:04:11 2024 +0100

```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ git log --graph --all
* commit 30bc5812e0812cd3172b975687890f8c4ce0c27f (HEAD -> section)
  Author: cevichito <yamirlopez2001@gmail.com>
  Date: Tue Feb 6 09:04:11 2024 +0100

    section 3

* commit 1bc7174f794d378d2ea2de31e71cf2a568afa388
  Author: cevichito <yamirlopez2001@gmail.com>
  Date: Tue Feb 6 09:00:30 2024 +0100

    section2

* commit e243b5af83c5a7f79bbbd4fc4a5ed2a1300824e3
  Author: cevichito <yamirlopez2001@gmail.com>
  Date: Tue Feb 6 08:57:38 2024 +0100

    section 1

* commit 159d8f3130012f3cc96b973b72586d00824f8615 (tag: v1.0.0, main)
  Author: cevichito <yamirlopez2001@gmail.com>
  Date: Tue Feb 6 08:43:20 2024 +0100

    Second commit- Release

* commit f9f40af7004310abfaeb3f578e6ca3988ecccc00 (origin/main, origin/HEAD)
  Author: cevix <131450849+cevix@users.noreply.github.com>
  Date: Tue Feb 6 08:35:24 2024 +0100

    Initial commit

```

```

* commit f9f40af7004310abfaeb3f578e6ca3988ecccc00 (origin/main, origin/HEAD)
  Author: cevix <131450849+cevix@users.noreply.github.com>
  Date: Tue Feb 6 08:35:24 2024 +0100

    Initial commit

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (section)
$ git checkout HEAD~1
Note: switching to 'HEAD~1'.

You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and you can discard any commits you make in this
state without impacting any branches by switching back to a branch.

```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid ((1bc7174...))
$ git log --graph --all
* commit 30bc5812e0812cd3172b975687890f8c4ce0c27f (section)
  Author: cevichito <yamirlopez2001@gmail.com>
  Date: Tue Feb 6 09:04:11 2024 +0100

    section 3

* commit 1bc7174f794d378d2ea2de31e71cf2a568afa388 (HEAD)
  Author: cevichito <yamirlopez2001@gmail.com>
  Date: Tue Feb 6 09:00:30 2024 +0100

    section2

* commit e243b5af83c5a7f79bbbd4fc4a5ed2a1300824e3
  Author: cevichito <yamirlopez2001@gmail.com>
  Date: Tue Feb 6 08:57:38 2024 +0100

    section 1

* commit 159d8f3130012f3cc96b973b72586d00824f8615 (tag: v1.0.0, main)
  Author: cevichito <yamirlopez2001@gmail.com>
  Date: Tue Feb 6 08:43:20 2024 +0100

    Second commit- Release

* commit f9f40af7004310abfaeb3f578e6ca3988ecccc00 (origin/main, origin/HEAD)
  Author: cevix <131450849+cevix@users.noreply.github.com>
  Date: Tue Feb 6 08:35:24 2024 +0100

    Initial commit

```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid ((1bc7174...))
$ git checkout -b homepage
Switched to a new branch 'homepage'

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (homepage)
$ touch script.js

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (homepage)
$ nano script.js

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (homepage)
$ ls
README.md  index.html  script.js

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (homepage)

```

```
MINGW64:/c/Users/AlexanderYamirLopezA/examenFeirid
GNU nano 7.2 script.js
hola mundo

[ Read 1 line ]
^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execute
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify
```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (home
page)
$ git status
On branch homepage
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    script.js

nothing added to commit but untracked files present (use "git add" to
track)

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (home
page)
$ git add script.js
warning: in the working copy of 'script.js', LF will be replaced by C
RLF the next time Git touches it

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (home
page)
$ git status
On branch homepage
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   script.js

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (home
page)
$

```

```

$ git status
On branch homepage
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   script.js

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (home
page)
$ git commit -m "homepage1"
[homepage 029aa3c] homepage1
1 file changed, 1 insertion(+)
create mode 100644 script.js

```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (home
page)
$ git log --graph --all
* commit 029aa3cd2cf02f8bf6f4aa384aafd97807e846c1 (HEAD -> homepage)
  Author: cevichito <yamirlopez2001@gmail.com>
  Date:   Tue Feb 6 09:09:47 2024 +0100

    homepage1

* commit 30bc5812e0812cd3172b975687890f8c4ce0c27f (section)
  / Author: cevichito <yamirlopez2001@gmail.com>
  / Date:   Tue Feb 6 09:04:11 2024 +0100

    section 3

* commit 1bc7174f794d378d2ea2de31e71cf2a568afa388
  Author: cevichito <yamirlopez2001@gmail.com>
  Date:   Tue Feb 6 09:00:30 2024 +0100

    section2

* commit e243b5af83c5a7f79bbbd4fc4a5ed2a1300824e3
  Author: cevichito <yamirlopez2001@gmail.com>
  Date:   Tue Feb 6 08:57:38 2024 +0100

    section 1

* commit 159d8f3130012f3cc96b973b72586d00824f8615 (tag: v1.0.0, mai
n)
  / Author: cevichito <yamirlopez2001@gmail.com>
  / Date:   Tue Feb 6 08:43:20 2024 +0100

    Second commit- Release

* commit f9f40af7004310abfaeb3f578e6ca3988ecccc00 (origin/main, origi
n/HEAD)
  Author: cevix <131450849+cevix@users.noreply.github.com>
  Date:   Tue Feb 6 08:35:24 2024 +0100

    Initial commit

```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (home
page)
$ git branch -d section
error: the branch 'section' is not fully merged.
If you are sure you want to delete it, run 'git branch -D section'

```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (home
page)
$ git branch -D section
Deleted branch section (was 30bc581).

```



```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (home
page)
$ git log --graph --all
* commit 029aa3cd2cf02f8bf6f4aa384aafd97807e846c1 (HEAD -> homepage)
  Author: cevichito <yamirlopez2001@gmail.com>
  Date:   Tue Feb 6 09:09:47 2024 +0100

    homepage1

* commit 1bc7174f794d378d2ea2de31e71cf2a568afa388
  Author: cevichito <yamirlopez2001@gmail.com>
  Date:   Tue Feb 6 09:00:30 2024 +0100

    section2

* commit e243b5af83c5a7f79bbbd4fc4a5ed2a1300824e3
  Author: cevichito <yamirlopez2001@gmail.com>
  Date:   Tue Feb 6 08:57:38 2024 +0100

    section 1

* commit 159d8f3130012f3cc96b973b72586d00824f8615 (tag: v1.0.0, mai
n)
  Author: cevichito <yamirlopez2001@gmail.com>
  Date:   Tue Feb 6 08:43:20 2024 +0100

    Second commit- Release

* commit f9f40af7004310abfaeb3f578e6ca3988ecccc00 (origin/main, origi
n/HEAD)
  Author: cevix <131450849+cevix@users.noreply.github.com>
  Date:   Tue Feb 6 08:35:24 2024 +0100

    Initial commit

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (home
page)
$

```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (home
page)
$ git branch -a
* homepage
  main
  remotes/origin/HEAD -> origin/main
  remotes/origin/main

```

```
AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (home
page)
$ git checkout main
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main
)
$ ls
README.md  index.html

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main
)
$ touch index.html

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main
)
$ nano index.html

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main
)
$ touch script.js

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main
)
$ nano script.js

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main
)
$ nano script.js

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main
)
$ ls
README.md  index.html  script.js

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main
)
$
```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   index.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        script.js

no changes added to commit (use "git add" and/or "git commit -a")

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main)
$ git add index.html script.js
warning: in the working copy of 'index.html', LF will be replaced by CRLF
the next time Git touches it
warning: in the working copy of 'script.js', LF will be replaced by CRLF
the next time Git touches it

```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   index.html
        new file:   script.js

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main)
$ git commit -m "antesMerge"
[main a29121d] antesMerge
 2 files changed, 2 insertions(+)
 create mode 100644 script.js

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main)

```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main)
$ git log --graph --all
* commit a29121d7dce28e242aacdc5b97c36e93eb50b760 (HEAD -> main)
  Author: cevichito <yamirlopez2001@gmail.com>
  Date: Tue Feb 6 09:32:57 2024 +0100

    antesMerge

* commit 159d8f3130012f3cc96b973b72586d00824f8615 (tag: v1.0.0)
  Author: cevichito <yamirlopez2001@gmail.com>
  Date: Tue Feb 6 08:43:20 2024 +0100

    Second commit- Release

* commit 029aa3cd2cf02f8bf6f4aa384aafd97807e846c1 (homepage)
  Author: cevichito <yamirlopez2001@gmail.com>
  Date: Tue Feb 6 09:09:47 2024 +0100

    homepage1

* commit 1bc7174f794d378d2ea2de31e71cf2a568afa388
  Author: cevichito <yamirlopez2001@gmail.com>
  Date: Tue Feb 6 09:00:30 2024 +0100

    section2

* commit e243b5af83c5a7f79bbbd4fc4a5ed2a1300824e3
  Author: cevichito <yamirlopez2001@gmail.com>
  Date: Tue Feb 6 08:57:38 2024 +0100

    section 1

* commit f9f40af7004310abfaeb3f578e6ca3988ecccc00 (origin/main, origin/HEAD)
  Author: cevix <131450849+cevix@users.noreply.github.com>
  Date: Tue Feb 6 08:35:24 2024 +0100

    Initial commit

```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (homepage)
$ git checkout main
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 2 commits.
  (use "git push" to publish your local commits)

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main)
$ git merge homepage
Auto-merging index.html
CONFLICT (add/add): Merge conflict in index.html
Auto-merging script.js
CONFLICT (add/add): Merge conflict in script.js
Automatic merge failed; fix conflicts and then commit the result.

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main|MERGING)
$

```


```
AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main  
|MERGING)  
$ nano index.html
```

```
AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main  
|MERGING)  
$ git commit -m "merge"  
[main 92e6bc3] merge
```

Modifique el archivo con hola pajarillo sin cola

```
GNU nano 7.2 index.html  
<<<<<<< HEAD  
hola pajarillo sin cola  
=====  
hola mundo  
>>>>>> homepage
```

Aquí me salió el conflicto pero me quede con ponme un diez feirid



The screenshot shows a terminal window with the title bar "MINGW64; c/Users/AlexanderYamirLopezA/examenFeirid". The window contains the GNU nano 7.2 editor interface. The top status bar is blue and displays "GNU nano 7.2", "script.js", and "Modified". The main editing area has a black background with white text. The first line of the file is "ponme un diez feirid". At the bottom of the editor, a message reads "File Name to Write [DOS Format]: script.js". Below this message, there are four columns of green text representing available merge options:   
^G Help            M-D DOS Format    M-A Append        M-B Backup File  
^C Cancel        M-M Mac Format    M-P Prepend       ^T Browse

```
AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main  
|MERGING)  
$ nano script.js
```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main
|MERGING)
$ git add index.html script.js

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main
|MERGING)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 2 commits.
  (use "git push" to publish your local commits)

All conflicts fixed but you are still merging.
  (use "git commit" to conclude merge)

Changes to be committed:
  modified:   index.html

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main
|MERGING)
$ git add script.js

```

```

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main
|MERGING)
$ git commit -m "merge"
[main 92e6bc3] merge

```

```

HELP -- PRESS RETURN for more, or q when done...skipping...
* commit 92e6bc372cc6f97abe1c358b4fee48fbaf17ca2f (HEAD -> main)
Merge: a29121d 029aa3c
Author: cevichito <yamirlopez2001@gmail.com>
Date: Tue Feb 6 09:40:29 2024 +0100

    merge

* commit 029aa3cd2cf02f8bf6f4aa384aafd97807e846c1 (homepage)
Author: cevichito <yamirlopez2001@gmail.com>
Date: Tue Feb 6 09:09:47 2024 +0100

    homepage1

* commit 1bc7174f794d378d2ea2de31e71cf2a568afa388
Author: cevichito <yamirlopez2001@gmail.com>
Date: Tue Feb 6 09:00:30 2024 +0100

    section2

* commit e243b5af83c5a7f79bbbd4fc4a5ed2a1300824e3
Author: cevichito <yamirlopez2001@gmail.com>
Date: Tue Feb 6 08:57:38 2024 +0100

    section 1

* commit a29121d7dce28e242aacdc5b97c36e93eb50b760
Author: cevichito <yamirlopez2001@gmail.com>
Date: Tue Feb 6 09:32:57 2024 +0100

    antesMerge

* commit 159d8f3130012f3cc96b973b72586d00824f8615 (tag: v1.0.0)
Author: cevichito <yamirlopez2001@gmail.com>
Date: Tue Feb 6 08:43:20 2024 +0100

    Second commit- Release

* commit f9f40af7004310abfaeb3f578e6ca3988ecccc00 (origin/main, origin/HEAD)
Author: cevix <131450849+cevix@users.noreply.github.com>
Date: Tue Feb 6 08:35:24 2024 +0100

```

```
AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid ((1bc
7174...))
$ git log --graph --all
*   commit 92e6bc372cc6f97abe1c358b4fee48fbaf17ca2f (main)
| \ Merge: a29121d 029aa3c
|  | Author: cevichito <yamirlopez2001@gmail.com>
|  | Date:   Tue Feb 6 09:40:29 2024 +0100
|  |
|  | merge
|  |
|  | *   commit 029aa3cd2cf02f8bf6f4aa384aafd97807e846c1 (homepage)
|  | | Author: cevichito <yamirlopez2001@gmail.com>
|  | | Date:   Tue Feb 6 09:09:47 2024 +0100
|  | |
|  | | homepage1
|  | |
|  | | *   commit 1bc7174f794d378d2ea2de31e71cf2a568afa388 (HEAD)
|  | | | Author: cevichito <yamirlopez2001@gmail.com>
|  | | | Date:   Tue Feb 6 09:00:30 2024 +0100
|  | | |
|  | | | section2
|  | | |
|  | | | *   commit e243b5af83c5a7f79bbbd4fc4a5ed2a1300824e3
|  | | | | Author: cevichito <yamirlopez2001@gmail.com>
|  | | | | Date:   Tue Feb 6 08:57:38 2024 +0100
|  | | | |
|  | | | | section 1
|  | | | |
|  | | | | *   commit a29121d7dce28e242aacdc5b97c36e93eb50b760
|  | | | | | Author: cevichito <yamirlopez2001@gmail.com>
|  | | | | | Date:   Tue Feb 6 09:32:57 2024 +0100
|  | | | | |
|  | | | | | antesMerge
|  | | | | |
|  | | | | | *   commit 159d8f3130012f3cc96b973b72586d00824f8615 (tag: v1.0.0)
|  | | | | | | Author: cevichito <yamirlopez2001@gmail.com>
|  | | | | | | Date:   Tue Feb 6 08:43:20 2024 +0100
|  | | | | | |
|  | | | | | | Second commit- Release
|  | | | | | |
|  | | | | | | *   commit f9f40af7004310abfaeb3f578e6ca3988ecccc00 (origin/main, origi
|  | | | | | | n/HEAD)
|  | | | | | | | Author: cevix <131450849+cevix@users.noreply.github.com>
```



```
AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main)
$ git cherry-pick 30bc5812e0812cd3172b975687890f8c4ce0c27f
[main 6424c61] section 3
Date: Tue Feb 6 09:04:11 2024 +0100
1 file changed, 1 insertion(+)
create mode 100644 style.css

AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid (main)
$ git log --graph --all
* commit 6424c61a007c69a8253132c5d685ad07a5c327eb (HEAD -> main)
| Author: cevichito <yamirlopez2001@gmail.com>
| Date: Tue Feb 6 09:04:11 2024 +0100
|
| section 3
|
| * commit 92e6bc372cc6f97abe1c358b4fee48fbaf17ca2f
| \ Merge: a29121d 029aa3c
| | Author: cevichito <yamirlopez2001@gmail.com>
| | Date: Tue Feb 6 09:40:29 2024 +0100
| |
| | merge
| |
| | * commit 029aa3cd2cf02f8bf6f4aa384aafd97807e846c1 (homepage)
| | | Author: cevichito <yamirlopez2001@gmail.com>
| | | Date: Tue Feb 6 09:09:47 2024 +0100
| | |
| | | homepage1
| | |
| | * commit a29121d7dce28e242aacdc5b97c36e93eb50b760
| | | Author: cevichito <yamirlopez2001@gmail.com>
| | | Date: Tue Feb 6 09:32:57 2024 +0100
| | |
| | | antesMerge
| | |
| | * commit 159d8f3130012f3cc96b973b72586d00824f8615 (tag: v1.0.0)
| | | Author: cevichito <yamirlopez2001@gmail.com>
| | | Date: Tue Feb 6 08:43:20 2024 +0100
| | |
| | | Second commit- Release
```

```
AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid ((1bc7174...))
```

```
$ git checkout 30bc5812e0812cd3172b975687890f8c4ce0c27f
Previous HEAD position was 1bc7174 section2
HEAD is now at 30bc581 section 3
```

```
AzureAD+AlexanderYamirLopezA@CEACFP10354 MINGW64 ~/examenFeirid ((30bc581...))
```

```
$ git log --graph --all
```

```
* commit 92e6bc372cc6f97abe1c358b4fee48fbaf17ca2f (main)
```

```
| \ Merge: a29121d 029aa3c
```

```
| | Author: cevichito <yamirlopez2001@gmail.com>
```

```
| | Date: Tue Feb 6 09:40:29 2024 +0100
```

```
| | merge
```

```
* commit 029aa3cd2cf02f8bf6f4aa384aafd97807e846c1 (homepage)
```

```
| | Author: cevichito <yamirlopez2001@gmail.com>
```

```
| | Date: Tue Feb 6 09:09:47 2024 +0100
```

```
| | homepage1
```

```
* commit a29121d7dce28e242aacdc5b97c36e93eb50b760
```

```
| | Author: cevichito <yamirlopez2001@gmail.com>
```

```
| | Date: Tue Feb 6 09:32:57 2024 +0100
```

```
| | antesMerge
```

```
* commit 159d8f3130012f3cc96b973b72586d00824f8615 (tag: v1.0.0)
```

```
| | Author: cevichito <yamirlopez2001@gmail.com>
```

```
| | Date: Tue Feb 6 08:43:20 2024 +0100
```

```
| | Second commit- Release
```

```
| * commit 30bc5812e0812cd3172b975687890f8c4ce0c27f (HEAD)
```

```
| / Author: cevichito <yamirlopez2001@gmail.com>
```

```
| | Date: Tue Feb 6 09:04:11 2024 +0100
```

```
| | section 3
```

```
| * commit 1bc7174f794d378d2ea2de31e71cf2a568afa388
```

