


The spinner below has two distributions. The outer distribution (X) is a normal distribution with mean  $\mu = 14$  and standard deviation  $\sigma = 2$ .


$$X \sim \mathcal{N}(14, 2)$$



- (a) Evaluate P(X < 16)
- (b) Determine x such that P(X < x) = 0.72
- (c) Evaluate P(X > 13.2)
- (d) Determine x such that P(X > x) = 0.23
- (e) Evaluate P(11.4 < X < 12.8)
- (f) Evaluate P(|X 14| < 0.8)
- (g) Determine a such that P(|X 14| < a) = 0.4
- (h) Evaluate P(|X 14| > 1)
- (i) Determine a such that P(|X 14| > a) = 0.74







(a) 
$$P(X < 16) = \boxed{0.841}$$

(b) 
$$x = 15.2$$

(c) 
$$P(X > 13.2) = 0.655$$

(d) 
$$x = 15.5$$

(e) 
$$P(11.4 < X < 12.8) = \boxed{0.177}$$

(f) 
$$P(|X-14| < 0.8) = \boxed{0.311}$$


(g) 
$$a = 1.04$$

(h) 
$$P(|X-14|>1)=\boxed{0.617}$$


(i) 
$$Z = \boxed{0.66}$$


The spinner below has two distributions. The outer distribution (X) is a normal distribution with mean  $\mu = 48$  and standard deviation  $\sigma = 14$ .


*X* ∼ 
$$\mathcal{N}$$
(48, 14)



- (a) Evaluate P(X < 53.6)
- (b) Determine x such that P(X < x) = 0.59
- (c) Evaluate P(X > 46.6)
- (d) Determine x such that P(X > x) = 0.18
- (e) Evaluate P(41 < X < 56.4)
- (f) Evaluate P(|X 48| < 4.2)
- (g) Determine a such that P(|X 48| < a) = 0.68
- (h) Evaluate P(|X 48| > 19.6)
- (i) Determine a such that P(|X 48| > a) = 0.54







(a) 
$$P(X < 53.6) = 0.655$$

(b) 
$$x = 51.2$$

(c) 
$$P(X > 46.6) = 0.54$$

(d) 
$$x = 60.9$$

(e) 
$$P(41 < X < 56.4) = \boxed{0.417}$$

(f) 
$$P(|X-48|<4.2)=\boxed{0.236}$$


(g) 
$$a = 13.86$$

(h) 
$$P(|X-48| > 19.6) = \boxed{0.162}$$

(i) 
$$z = 8.54$$

The spinner below has two distributions. The outer distribution (X) is a normal distribution with mean  $\mu = 52$  and standard deviation  $\sigma = 12$ .


*X* ∼ 
$$N$$
(52, 12)



- (a) Determine a such that P(|X 52| > a) = 0.12
- (b) Evaluate P(|X 52| > 10.8)
- (c) Determine a such that P(|X 52| < a) = 0.5
- (d) Determine x such that P(X > x) = 0.9
- (e) Determine x such that P(X < x) = 0.92
- (f) Evaluate P(42.4 < X < 73.6)
- (g) Evaluate P(X < 55.6)
- (h) Evaluate P(X > 44.8)
- (i) Evaluate P(|X 52| < 19.2)

32.8

71.2



(a) 
$$z = 18.6$$

(b) 
$$P(|X - 52| > 10.8) = \boxed{0.368}$$

(c) 
$$a = 8.04$$

(d) 
$$x = 36.6$$

(e) 
$$x = 68.9$$

(f) 
$$P(42.4 < X < 73.6) = 0.752$$


(g) 
$$P(X < 55.6) = \boxed{0.618}$$

(h) 
$$P(X > 44.8) = \boxed{0.726}$$


(i) 
$$P(|X - 52| < 19.2) = \boxed{0.89}$$

The spinner below has two distributions. The outer distribution (X) is a normal distribution with mean  $\mu = 13$  and standard deviation  $\sigma = 3$ .

$$X \sim \mathcal{N}(13,3)$$



- (a) Evaluate P(|X 13| < 1.8)
- (b) Determine x such that P(X < x) = 0.54
- (c) Evaluate P(|X 13| > 4.2)
- (d) Determine a such that P(|X 13| < a) = 0.4
- (e) Evaluate P(X > 16)
- (f) Determine a such that P(|X 13| > a) = 0.14
- (g) Determine x such that P(X > x) = 0.1
- (h) Evaluate P(X < 13)
- (i) Evaluate P(11.5 < X < 15.4)



(a) 
$$P(|X-13|<1.8)=\boxed{0.451}$$

(b) 
$$x = 13.3$$

(c) 
$$P(|X-13| > 4.2) = \boxed{0.162}$$

(d) 
$$a = 1.56$$

(e) 
$$P(X > 16) = \boxed{0.159}$$

(f) 
$$z = 4.44$$


(g) 
$$x = 16.8$$

(h) 
$$P(X < 13) = \boxed{0.5}$$


(i) 
$$P(11.5 < X < 15.4) = \boxed{0.479}$$

The spinner below has two distributions. The outer distribution (X) is a normal distribution with mean  $\mu = 41$  and standard deviation  $\sigma = 6$ .

$$X \sim \mathcal{N}(41,6)$$



- (a) Evaluate P(32.6 < X < 37.4)
- (b) Determine a such that P(|X 41| > a) = 0.6
- (c) Determine x such that P(X > x) = 0.060000000000001
- (d) Determine a such that P(|X 41| < a) = 0.08
- (e) Evaluate P(|X 41| < 3.6)
- (f) Evaluate P(|X 41| > 3)
- (g) Determine x such that P(X < x) = 0.56
- (h) Evaluate P(X > 46.4)
- (i) Evaluate P(X < 41.6)



(a) 
$$P(32.6 < X < 37.4) = \boxed{0.193}$$

(b) 
$$z = 3.12$$

(c) 
$$x = 50.3$$

(d) 
$$a = 0.6$$

(e) 
$$P(|X-41| < 3.6) = \boxed{0.451}$$

(f) 
$$P(|X-41|>3) = \boxed{0.617}$$


(g) 
$$x = 41.9$$

(h) 
$$P(X > 46.4) = \boxed{0.184}$$


(i) 
$$P(X < 41.6) = \boxed{0.54}$$


The spinner below has two distributions. The outer distribution (X) is a normal distribution with mean  $\mu = 32$  and standard deviation  $\sigma = 11$ .


*X* ∼ 
$$N$$
(32, 11)




- (a) Determine a such that P(|X 32| < a) = 0.18
- (b) Evaluate P(X > 33.1)
- (c) Evaluate P(X < 33.1)
- (d) Evaluate P(|X 32| > 5.5)
- (e) Determine x such that P(X < x) = 0.82
- (f) Determine x such that P(X > x) = 0.22
- (g) Evaluate P(|X 32| < 12.1)
- (h) Evaluate P(40.8 < X < 55.1)
- (i) Determine a such that P(|X 32| > a) = 0.36









(a) 
$$a = 2.53$$

(b) 
$$P(X > 33.1) = 0.46$$

(c) 
$$P(X < 33.1) = 0.54$$

(d) 
$$P(|X - 32| > 5.5) = \boxed{0.617}$$

(e) 
$$x = 42.1$$

(f) 
$$x = 40.5$$

(g) 
$$P(|X-32|<12.1)=\boxed{0.729}$$

(h) 
$$P(40.8 < X < 55.1) = 0.194$$

(i) 
$$z = \boxed{10.12}$$