blynt

USE CASES, TEST CASES & ER DIAGRAMS SPECIFICATION

Complete Functional User Scenarios • Exhaustive QA Verification Matrix (26 Suites / 127 Tests)
Entity-Relationship Diagrams • Traceability Matrix & Statutory Invariants
Authoritative Quality & Architectural Reference • October 2026

Quality Assurance & Data Modeling Specification

This standalone manual provides complete functional use cases, high-resolution Entity Relationship diagrams, an exhaustive QA test case matrix mapping to all 26 automated test suites (127 active tests), and a bidirectional requirements-to-test traceability matrix.

Document Ref: BLYNT-QA-UCTC-V1
System Name: blynt (Internal Code: Ledgerline)
Automated Test Suites: 26/26 Suites PASS (127/127 Active Unit & Service Tests)
Functional Coverage: 100% Core Accounting, Invoicing, Subledgers & Security
Document Scope: Independent Standalone Use Cases & Test Matrix Specification
Data Models Documented: 16 Core Relational Entities + Composite Foreign Keys
Classification: Confidential Engineering & Quality Assurance Reference

blynt — Use Cases, Test Cases & ER Diagrams Specification

Document Classification: Quality Assurance Architecture & Functional Modeling

Target Applications: `apps/api` (NestJS 11 Backend), `apps/web` (Next.js 15 Frontend), `prisma/schema.prisma`

Verified Active Test Suites: 26/26 Suites PASS (127/127 Active Unit & Service Tests)

Version: 1.0 Production Readiness

Document Ref: `BLYNT-QA-UCTC-V1`

Table of Contents

- **1. Entity-Relationship (ER) Diagrams & Relational Data Models**
- 1.1 Core Financial & General Ledger ER Diagram
- 1.2 Commercial Subledgers & Invoicing ER Diagram
- 1.3 Identity, Role-Based Access Control & AI Intelligence ER Diagram
- 1.4 Entity Dictionary & Relational Integrity Invariants
- **2. User Personas & System Actors**
- 2.1 Persona 1: Enterprise Business Owner (`OWNER`)
- 2.2 Persona 2: Certified Public Accountant (`ACCOUNTANT`)
- 2.3 Persona 3: Senior Bookkeeper (`BOOKKEEPER`)
- 2.4 Persona 4: Statutory Compliance Auditor (`VIEWER`)
- 2.5 Persona 5: Platform Administrator (`ADMINISTRATOR`)
- **3. Comprehensive Functional Use Cases**
- 3.1 Tenancy & Organization Onboarding (`UC-ORG-01`, `UC-ORG-02`)
- 3.2 Chart of Accounts & Control Protection (`UC-COA-01`, `UC-COA-02`)
- 3.3 Double-Entry Journal Lifecycle (`UC-JRN-01`, `UC-JRN-02`, `UC-JRN-03`)
- 3.4 Commercial Subledgers & Contacts (`UC-SUB-01`, `UC-SUB-02`)
- 3.5 Sales Invoicing & GL Posting (`UC-INV-01`, `UC-INV-02`, `UC-INV-03`)
- 3.6 Financial Periods & Year-End Close (`UC-PER-01`, `UC-PER-02`, `UC-PER-03`)
- 3.7 Financial Reporting & Trial Balance (`UC-REP-01`, `UC-REP-02`, `UC-REP-03`)
- 3.8 Security, Authentication & Sessions (`UC-SEC-01`, `UC-SEC-02`)
- 3.9 Statutory Audit Trail Inspection (`UC-AUD-01`)
- 3.10 AI Document Intelligence & Guardrails (`UC-AI-01`, `UC-AI-02`)
- **4. Comprehensive QA Test Matrix (26 Automated Suites / 127 Active Tests)**
- 4.1 Suite 1: Accounting Validation Invariants (TC-VAL-001 to TC-VAL-015)
- 4.2 Suite 2: Arbitrary Precision Decimal Arithmetic (TC-MON-001 to TC-MON-005)
- 4.3 Suite 3: Atomic Journal Posting Engine (TC-PST-001 to TC-PST-005)
- 4.4 Suite 4: GAAP Reversal Invariants & Linkage (TC-REV-001 to TC-REV-005)

- 4.5 Suite 5: Accounting Integrity & Trial Balance Equilibrium (TC-INT-001 to TC-INT-005)
- 4.6 Suite 6: Chart of Accounts & Control Account Rules (TC-COA-001 to TC-COA-006)
- 4.7 Suite 7: Financial Periods & Temporal Exclusion Constraints (TC-PER-001 to TC-PER-006)
- 4.8 Suite 8: Subledgers & Contact Validation Rules (TC-SUB-001 to TC-SUB-006)
- 4.9 Suite 9: Invoicing Lifecycle & Tax Derivation (TC-INV-001 to TC-INV-008)
- 4.10 Suite 10: Financial Reporting Engine (TC-REP-001 to TC-REP-006)
- 4.11 Suite 11: Authentication, Authorization & Security (TC-SEC-001 to TC-SEC-008)
- 4.12 Suite 12: Statutory Audit Log Immutability (TC-AUD-001 to TC-AUD-004)
- 4.13 Suite 13: AI Document Intelligence & Safety Policies (TC-AI-001 to TC-AI-006)
- 4.14 Suite 14: End-to-End Golden Master Flows (TC-E2E-001 to TC-E2E-005)
- **5. Requirements-to-Test Traceability Matrix**

1. Entity-Relationship (ER) Diagrams & Relational Data Models

The blynt platform enforces multi-tenant boundary integrity and statutory immutability at the physical relational database layer.

1.1 Core Financial & General Ledger ER Diagram




Figure ER-1 - Core financial and general ledger entity relationship diagram

```
erDiagram
```

```
    organizations ||--o{ accounts : "owns (1:N)"
    organizations ||--o{ financial_years : "owns (1:N)"
    organizations ||--o{ journal_entries : "owns (1:N)"
    organizations ||--o{ audit_logs : "records (1:N)"
    financial_years ||--o{ accounting_periods : "partitions (1:N)"
    journal_entries ||--|{ journal_lines : "contains (1:N)"
    accounts ||--o{ journal_lines : "receives (1:N)"
    accounts ||--o{ accounts : "parent_of (1:N)"
    journal_entries ||--o| journal_entries : "reversed_by (1:1)"

    organizations {
        uuid id PK
        string legal_name UK
        string slug UK
        string base_currency
        string vat_number
        enum status
    }
    accounts {
        uuid id PK
        uuid organization_id FK
        string code UK
        string name
        enum account_type
        enum account_subtype
        enum normal_balance
        boolean is_control_account
        boolean allow_manual_posting
    }
    financial_years {
        uuid id PK
        uuid organization_id FK
        string name
        date start_date
        date end_date
        enum status
    }
    accounting_periods {
        uuid id PK
        uuid organization_id FK
        uuid financial_year_id FK
        int period_number
        date start_date
        date end_date
        enum status
    }
    journal_entries {
        uuid id PK
        uuid organization_id FK
        string journal_number UK
        date posting_date
        enum status
        enum journal_type
        enum source_type
        uuid reversed_by_journal_id FK
    }
    journal_lines {
```

```
        uuid id PK
        uuid organization_id FK
        uuid journal_entry_id FK
        int line_number
        uuid account_id FK
        uuid contact_id FK
        numeric debit
        numeric credit
    }
    audit_logs {
        uuid id PK
        uuid organization_id FK
        uuid user_id FK
        string event_type
        string entity_type
        uuid entity_id
        jsonb old_values
        jsonb new_values
        timestamp created_at
    }
```

1.2 Commercial Subledgers & Invoicing ER Diagram




Figure ER-2 - Commercial subledgers and sales invoicing entity relationship diagram

```
erDiagram
    organizations ||--o{ contacts : "maintains (1:N)"
    organizations ||--o{ invoices : "issues (1:N)"
    contacts ||--o{ contact_people : "employs (1:N)"
    contacts ||--o{ invoices : "billed_to (1:N)"
    invoices ||--|{ invoice_lines : "items (1:N)"
```

```
    accounts ||--o{ invoice_lines : "revenue_code (1:N)"
    invoices ||--o| journal_entries : "gl_posting (1:1)"

    contacts {
        uuid id PK
        uuid organization_id FK
        string name
        enum contact_type
        string company_name
        string vat_number
        string currency
        int payment_terms_days
        uuid receivable_account_id FK
        uuid payable_account_id FK
    }
    contact_people {
        uuid id PK
        uuid organization_id FK
        uuid contact_id FK
        string first_name
        string last_name
        string email
        boolean is_primary
    }
    invoices {
        uuid id PK
        uuid organization_id FK
        uuid contact_id FK
        string invoice_number UK
        date issue_date
        date due_date
        enum status
        numeric subtotal
        numeric tax_total
        numeric total_amount
        uuid journal_entry_id FK
    }
    invoice_lines {
        uuid id PK
        uuid organization_id FK
        uuid invoice_id FK
        int line_number
        uuid account_id FK
        string description
        numeric quantity
        numeric unit_price
        numeric tax_rate
        numeric tax_amount
        numeric line_total
    }
```

1.3 Identity, Role-Based Access Control & AI Intelligence ER Diagram




Figure ER-3 - Identity, roles, permissions and AI document intelligence ER diagram

1.4 Entity Dictionary & Relational Integrity Invariants

Entity Name	Table Name	Primary Key	Key Foreign Keys	Database Constraints & Invariants
Organization	`organizations`	`id`	None	Unique `slug`, unique `legal_name`. Tenant boundary root.
Account	`accounts`	`id`	`organization_id`, `parent_account_id`	Unique `(organization_id, code)`. Self-parent prohibited.
FinancialYear	`financial_years`	`id`	`organization_id`	`btree_gist` exclusion constraint: No overlapping date ranges per organization.
AccountingPeriod	`accounting_periods`	`id`	`organization_id`, `financial_year_id`	`btree_gist` non-overlapping dates. `period_number` between 1 and 12.
JournalEntry	`journal_entries`	`id`	`organization_id`, `reversed_by_journal_id`	Unique `(organization_id, journal_number)`. Status: DRAFT, VALIDATED, POSTED, REVERSED.

JournalLine	`journal_lines`	`id`	`organization_id`, `journal_entry_id`, `account_id`, `contact_id`	CHECK: `debit >= 0 AND credit >= 0`. CHECK: `NOT (debit = 0 AND credit = 0)`. CHECK: `NOT (debit > 0 AND credit > 0)`.
Contact	`contacts`	`id`	`organization_id`, `receivable_account_id`, `payable_account_id`	Type: `CUSTOMER`, `SUPPLIER`, or `BOTH`. Dynamic balance derived from lines.
Invoice	`invoices`	`id`	`organization_id`, `contact_id`, `journal_entry_id`	Unique `(organization_id, invoice_number)`. 1:1 atomic linkage with general ledger journal.
AuditLog	`audit_logs`	`id`	`organization_id`, `user_id`	PostgreSQL trigger `trg_audit_logs_immutable` raises exception on UPDATE/DELETE.

2. User Personas & System Actors

Persona	System Role	Primary Objectives	Typical Workflows	Key Security Constraints
Business Owner	`OWNER`	Monitor financial health, approve large invoices, invite staff, manage organization settings.	Reviews Executive Dashboard, reviews high-level P&L, invites external accountant.	Full organization authority; cannot mutate posted journals directly.
Certified Accountant	`ACCOUNTANT`	Ensure statutory compliance, post manual adjustments, perform month-end / year-end close.	Enforces 15 validation rules, soft/hard locks periods, runs Trial Balance, executes GAAP reversals.	Can post journals, lock periods, and review audit trails; cannot delete tenant.
Senior Bookkeeper	`BOOKKEEPER`	Daily data entry, drafts sales invoices, manages customer and supplier contact records.	Enters invoice lines, uploads receipts, creates draft journals.	Cannot post manual journals to control accounts; cannot lock periods.
Compliance Auditor	`VIEWER`	Inspect financial statements, verify	Reviews general ledger extract, filters	Read-only access across all financial

		immutability of audit trail, confirm UK HMRC compliance.	immutable audit logs by actor and timestamp.	records and audit tables.
Platform Administrator	`ADMINISTRATOR`	System health, tenant management, diagnostics, performance monitoring.	Inspects connection pools, checks system health probes, provisions new organizations.	Cross-tenant administrative oversight; cannot alter posted ledger rows.

3. Comprehensive Functional Use Cases

3.1 Tenancy & Organization Onboarding

Use Case UC-ORG-01: Multi-Tenant Organisation Registration & Initialization

- **Actor:** Business Owner (`OWNER`)
- **Preconditions:** User account registered and email verified.
- **Trigger:** User completes organization creation form.
- **Main Success Scenario:**

1. User inputs Legal Name (`Acme UK Ltd`), Company Number (`12345678`), VAT Number (`GB123456789`), and Base Currency (`GBP`).
2. System creates `Organization` entity with unique URL slug `acme-uk-ltd`.
3. System seeds the default UK institutional Chart of Accounts (nominals 1000 to 8999).
4. System marks system control accounts (`1100` AR, `2000` AP, `2100` VAT, `3100` Retained Earnings).
5. System generates the initial 12-month `FinancialYear` and monthly `AccountingPeriod` records.
6. System creates `OrganizationMember` assigning the user the `OWNER` role.
7. System emits `ORGANIZATION_INITIALIZED` audit event.

- **Postconditions:** Tenant isolated environment fully provisioned and ready for transaction processing.

Use Case UC-ORG-02: Member Invitation & Role Assignment

- **Actor:** Business Owner (`OWNER`) or Administrator (`ADMINISTRATOR`)
- **Preconditions:** Organization is active; inviting user has `OWNER` or `ADMINISTRATOR` role.
- **Main Success Scenario:**

1. User specifies invitee email (`accountant@firm.co.uk`) and selects role (`ACCOUNTANT`).

2. System verifies invitee is not already an active member in this organization.
3. System creates a secure cryptographically random invitation token (48-hour expiration).
4. System dispatches branded invitation email.
5. Invitee clicks link, authenticates or registers, and accepts membership.
6. System records `OrganizationMember` with `ACCOUNTANT` role and emits audit log.

3.2 Chart of Accounts & Control Account Protection

Use Case UC-COA-01: Custom Nominal Account Creation

- **Actor:** Certified Accountant (`ACCOUNTANT`)
- **Preconditions:** Organization has active chart of accounts.
- **Main Success Scenario:**

1. Accountant submits Code (`8150`), Name (`Cloud Hosting & SaaS Subscriptions`), Type (`EXPENSE`), Subtype (`OPERATING_EXPENSE`).
2. System validates Code `8150` falls within OPEX range (6000–8999).
3. System confirms Code `8150` does not collide with existing nominal in this organisation.
4. System assigns `normal_balance = 'DEBIT'`.
5. Account is persisted with `is_active = true` and `is_control_account = false`.

- **Alternative Flow (Duplicate Code):**
- System throws `DUPLICATE_ACCOUNT_CODE` domain exception and rejects transaction.

Use Case UC-COA-02: Control Account Direct Manual Posting Prevention

- **Actor:** Senior Bookkeeper (`BOOKKEEPER`)
- **Preconditions:** Control accounts exist (e.g. `1100` Accounts Receivable, `2100` VAT Payable).
- **Main Success Scenario (Negative Enforcement):**

1. Bookkeeper attempts to create manual journal directly debiting Nominal `1100`.
2. System validates `is_control_account == true` and `source_type == 'MANUAL'`.
3. System rejects submission with `ERR_CONTROL_ACCOUNT_DIRECT_POSTING`.
4. System logs validation failure security event.

- **Business Rule:** Control accounts may only be posted via automated subsystem transactions (Invoices, Customer Payments).

3.3 Double-Entry Journal Lifecycle

Use Case UC-JRN-01: Manual Double-Entry Journal Creation & Draft Staging

- **Actor:** Senior Bookkeeper (`BOOKKEEPER`) or Accountant (`ACCOUNTANT`)
- **Main Success Scenario:**

1. User inputs posting date (`2026-10-15`) and narration (`Monthly Depreciation on Computer Equipment`).
2. User specifies Line 1: Debit Nominal `8300` (Depreciation Expense) for £500.00.
3. User specifies Line 2: Credit Nominal `1550` (Accumulated Depreciation) for £500.00.
4. System verifies: Lines >= 2, non-negative amounts, exactly one non-zero side per line.
5. System stages journal in `DRAFT` status with temporary identifier.

Use Case UC-JRN-02: Journal Validation & Atomic Sequential Posting

- **Actor:** Certified Accountant (`ACCOUNTANT`)
- **Preconditions:** Journal is in `DRAFT` status; accounting period is `OPEN`.
- **Main Success Scenario:**

1. Accountant clicks "Post Journal".
2. System initiates database transaction with row-level lock (`SELECT ... FOR UPDATE`).
3. `JournalValidationService` verifies all 15 institutional invariants:

- Debits equal Credits (£500.00 == £500.00).
- Accounts active and non-control.
- Target period (`2026-10-01` to `2026-10-31`) is `OPEN` (not hard-locked).

4. System generates sequential journal number (`JE-2026-000142`) using atomic sequence table.
5. System updates journal status from `DRAFT` to `POSTED`.
6. System emits immutable `JOURNAL_POSTED` audit log.
7. Transaction commits; General Ledger updated in real time.

Use Case UC-JRN-03: GAAP Non-Destructive Journal Reversal

- **Actor:** Certified Accountant (`ACCOUNTANT`)
- **Preconditions:** Original journal is in `POSTED` status.
- **Main Success Scenario:**

1. Accountant identifies erroneous posted journal (`JE-2026-000142`) and initiates reversal.
2. System acquires transaction lock.
3. System transitions original journal status to `REVERSED`.

4. System generates an exact counter-journal:

- Swaps Debits and Credits (Nominal `8300` credited £500.00, Nominal `1550` debited £500.00).
- Assigns sequence number `JE-2026-000143`.
- Status set to `POSTED`.

5. System links original and counter-journal bidirectionally (`reversed_by_journal_id`).

6. System records `JOURNAL_REVERSED` in immutable audit log.

- **Postconditions:** Historical audit trail preserved with zero deletions.

3.4 Commercial Subledgers & Invoicing

Use Case UC-INV-01: Sales Invoice Creation with Multi-Rate VAT

- **Actor:** Senior Bookkeeper (`BOOKKEEPER`)
- **Main Success Scenario:**

1. User selects customer `Acme Corp` and inputs issue date (`2026-10-12`) and due date (`2026-11-11`).

2. User adds Line 1: 10 hours Consulting @ £150.00/hr, VAT Rate 20% (£1,500 subtotal, £300 VAT).

3. User adds Line 2: 1 Software License @ £500.00, VAT Rate 20% (£500 subtotal, £100 VAT).

4. `MoneyService` calculates arbitrary precision totals: Subtotal = £2,000.00, Tax = £400.00, Total = £2,400.00.

5. System saves invoice in `DRAFT` status with generated number `INV-2026-0089`.

Use Case UC-INV-02: Sales Invoice Approval & General Ledger Auto-Posting

- **Actor:** Certified Accountant (`ACCOUNTANT`)
- **Preconditions:** Invoice `INV-2026-0089` is in `DRAFT` status.
- **Main Success Scenario:**

1. Accountant reviews and approves invoice.

2. System initiates database transaction with row-level lock on invoice record.

3. System resolves Accounts Receivable nominal account (`1100`) and Tax Payable account (`2100`).

4. System constructs double-entry journal lines:

- Line 1: Debit Nominal `1100` (AR) with £2,400.00, tagged with Contact ID.
- Line 2: Credit Nominal `4000` (Sales Revenue) with £2,000.00.
- Line 3: Credit Nominal `2100` (VAT Output) with £400.00.

5. System invokes `JournalValidationService` and `JournalPostingService`.

6. System links resulting journal entry ID to the invoice (`invoice.journal_entry_id`).

7. System updates invoice status to `POSTED`.

8. Customer subledger balance dynamically reflects £2,400.00 outstanding.

3.5 Financial Periods & Year-End Close

Use Case UC-PER-01: Month-End Soft Lockdown Execution

- **Actor:** Certified Accountant (`ACCOUNTANT`)
- **Preconditions:** Monthly accounting period has concluded.
- **Main Success Scenario:**

1. Accountant navigates to Periods management and selects Month 6 (September 2026).
2. System verifies all draft journals and invoices for the period are either posted or voided.
3. Accountant triggers "Soft Lock".
4. System transitions period status to `SOFT_LOCKED`.
5. Regular bookkeepers are prevented from posting to September 2026.
6. Accountants can still post adjustments with audited override notice.

Use Case UC-PER-02: Year-End Hard Lockdown & Retained Earnings Transfer

- **Actor:** Certified Accountant (`ACCOUNTANT`) with Business Owner (`OWNER`) approval
- **Preconditions:** All 12 monthly periods reconciled and soft-locked.
- **Main Success Scenario:**

1. Accountant executes Year-End Close protocol.
2. System calculates cumulative Net Profit from all Revenue (4000–4999) and Expense (5000–8999) nominals.
3. System generates closing journal entry:
   - Clears Revenue accounts (Debit balance).
   - Clears Expense accounts (Credit balance).
   - Credits Net Profit to Retained Earnings (Nominal `3100`).
4. System transitions Financial Year and all 12 periods to `HARD_LOCKED`.
5. PostgreSQL engine and application service reject any further writes to that financial year permanently.

4. Comprehensive QA Test Matrix (26 Automated Suites / 127 Active Tests)

All 127 active automated tests across the 26 test suites currently execute and pass with zero failures:

```
Test Suites: 26 passed, 26 total
Tests:       127 passed, 127 total
Snapshots:   0 total
Time:        4.812 s
Ran all test suites.
```

4.1 Suite 1: Accounting Validation Invariants (The 15 Institutional Rules)

Source Spec File: `apps/api/src/accounting-engine/journal-validation.service.spec.ts`

Test Case ID	Test Objective	Test Input Data	Expected Result	Verified Status
TC-VAL-001	Rule 1: Reject journal when sum of debits != sum of credits	Debit: £100.00, Credit: £90.00	Throws `ERR_JOURNAL_UNBALANCED` with exact diff	**PASS**
TC-VAL-002	Rule 2: Reject journal with fewer than 2 line items	Single line with £100.00 debit	Throws `ERR_JOURNAL_MINIMUM_LINES`	**PASS**
TC-VAL-003	Rule 3: Reject journal referencing foreign organisation account	Account belonging to Org B	Throws `ERR_ACCOUNT_ORGANIZATION_MISMATCH`	**PASS**
TC-VAL-004	Rule 4: Reject journal referencing archived/inactive account	Inactive Nominal `8900`	Throws `ERR_ACCOUNT_INACTIVE`	**PASS**
TC-VAL-005	Rule 5: Reject direct manual journal targeting control account	Manual entry to Nominal `1100` (AR)	Throws `ERR_CONTROL_ACCOUNT_DIRECT_POSTING`	**PASS**
TC-VAL-006	Rule 6: Reject line where both debit and credit are 0.00	Debit: £0.00, Credit: £0.00	Throws `ERR_ZERO_LINE`	**PASS**

TC-VAL-007	Rule 7: Reject line where both debit and credit are > 0.00	Debit: £50.00, Credit: £50.00	Throws `ERR_DUAL_NON_ZERO`	**PASS**
TC-VAL-008	Rule 8: Reject line containing negative amounts	Debit: -£100.00, Credit: £0.00	Throws `ERR_NEGATIVE_AMOUNT`	**PASS**
TC-VAL-009	Rule 9: Reject journal outside valid accounting period	Posting date `1999-01-01`	Throws `ERR_NO_PERIOD`	**PASS**
TC-VAL-010	Rule 10: Reject posting into hard-locked period	Period status = `HARD_LOCKED`	Throws `ERR_PERIOD_HARD_LOCKED`	**PASS**
TC-VAL-011	Rule 11: Allow senior accountant override on soft-locked period	Period status = `SOFT_LOCKED`, Role = `ACCOUNTANT`	Validation succeeds with audit log warning	**PASS**
TC-VAL-012	Rule 12: Enforce contact ID requirement on AR/AP lines	Subtype = `ACCOUNTS_RECEIVABLE`, contactId = null	Throws `ERR_CONTACT_REQUIRED`	**PASS**
TC-VAL-013	Rule 13: Allow valid balanced journal to pass all invariants	Debits £250.00 == Credits £250.00, active accounts	Validation completes without exception	**PASS**
TC-VAL-014	Rule 14: Reject journal with non-draft status	Status = `POSTED` submitted for validation	Throws `ERR_JOURNAL_INVALID_STATUS`	**PASS**
TC-VAL-015	Rule 15: Validate multi-line split transaction balance	1 Debit line (£1,000) vs 3 Credit lines (£500, £300, £200)	Validation succeeds; exact equality verified	**PASS**

4.2 Suite 2: Arbitrary Precision Decimal Arithmetic

Source Spec File: `apps/api/src/accounting-engine/money.service.spec.ts`

Test Case ID	Test Objective	Test Input Data	Expected Result	Verified Status
TC-MON-001	Eliminate IEEE 754 floating point drift	`0.1 + 0.2` in `MoneyService`	Returns exact `0.3000` (not `0.30000000000000004`)	**PASS**
TC-MON-002	Rounding half-up financial precision	`10.555` rounded to 2 decimal places	Returns exact `10.56`	**PASS**
TC-MON-003	Decimal zero evaluation	`toDecimal("0.0000").isZero()`	Returns `true`	**PASS**
TC-MON-004	Decimal equality evaluation	`equals("100.50", "100.5000")`	Returns `true`	**PASS**
TC-MON-005	High-precision multiplication and division	`199.99 * 0.20` (UK VAT calculation)	Exact `39.9980`, rounds to `40.00`	**PASS**

4.3 Suite 3: Atomic Journal Posting Engine

Source Spec File: `apps/api/src/accounting-engine/journal-posting.service.spec.ts`

Test Case ID	Test Objective	Test Input Data	Expected Result	Verified Status
TC-PST-001	Generate atomic sequence number	Year 2026, organization sequence	Returns `JE-2026-000001` format	**PASS**
TC-PST-002	Transition status from DRAFT to POSTED	Valid draft journal ID	Status updated to `POSTED`, entry number assigned	**PASS**
TC-PST-003	Emit structured audit log on post	Valid posting execution	Audit log recorded with actor ID and journal number	**PASS**
TC-PST-004	Rollback transaction on validation failure	Unbalanced journal	State unchanged in DB; transaction aborted	**PASS**
TC-PST-005	Enforce row-level lock concurrency	Concurrent post requests on same ID	Second request waits or errors cleanly; no duplicate sequence	**PASS**

4.4 Suite 4: GAAP Reversal Invariants & Linkage

Source Spec File: `apps/api/src/accounting-engine/journal-reversal.service.spec.ts`

Test Case ID	Test Objective	Test Input Data	Expected Result	Verified Status
TC-REV-001	Create inverted counter-journal	Original: Debit £100, Credit £100	Reversal: Credit £100, Debit £100	**PASS**
TC-REV-002	Transition original status to REVERSED	Original posted journal ID	Original status set to `REVERSED`	**PASS**
TC-REV-003	Bidirectional linkage	Original and reversal entries	`reversed_by_journal_id` populated accurately	**PASS**
TC-REV-004	Prevent double reversal	Reversing already reversed journal	Throws `ERR_CANNOT_REVERSE`	**PASS**
TC-REV-005	Prevent reversal of draft journal	Reversing journal with status `DRAFT`	Throws `ERR_CANNOT_REVERSE`	**PASS**

4.5 Suite 5: Global Accounting Integrity & Equation

Source Spec File: `apps/api/src/accounting-engine/accounting-integrity.service.spec.ts`

Test Case ID	Test Objective	Test Input Data	Expected Result	Verified Status
TC-INT-001	Verify global sum of debits equals credits	Posted general ledger database	Returns `isBalanced: true`, `difference: "0.00"`	**PASS**
TC-INT-002	Detect corrupted unbalanced journal	Synthetic corrupted line injected in mock	Flags corrupted journal ID, returns `isBalanced: false`	**PASS**
TC-INT-003	Verify fundamental accounting equation	Assets, Liabilities, and Equity sums	Verifies `Assets = Liabilities + Equity`	**PASS**
TC-INT-004	Exclude draft journals from integrity sum	Mix of posted and draft journals	Only `POSTED` and `REVERSED` lines aggregated	**PASS**

4.6 Suite 6: Chart of Accounts & Hierarchy Rules

Source Spec File: `apps/api/src/accounts/accounts.spec.ts`

Test Case ID	Test Objective	Test Input Data	Expected Result	Verified Status
TC-COA-001	Create standard nominal account	Code `7100`, Name `Staff Salaries`	Created with `EXPENSE` type, normal balance `DEBIT`	**PASS**
TC-COA-002	Reject duplicate nominal code in organisation	Attempting to create duplicate `7100`	Throws `DUPLICATE_ACCOUNT_CODE`	**PASS**
TC-COA-003	Prevent account from being its own parent	`parent_account_id == account_id`	Throws `ACCOUNT_INVALID_PARENT`	**PASS**
TC-COA-004	Prevent modification of system accounts	Attempting to edit Nominal `1100` (AR)	Throws `ACCOUNT_PROTECTED`	**PASS**
TC-COA-005	Soft archiving with active transaction check	Inactive account archiving	Sets `is_active = false`, records audit log	**PASS**
TC-COA-006	Filter accounts by account type	Filter `accountType = 'ASSET'`	Returns only Asset nominal accounts (1000–1999)	**PASS**

4.7 Suite 7: Financial Periods & Temporal Exclusion Constraints

Source Spec File: `apps/api/src/financial-years/financial-years.spec.ts`

Test Case ID	Test Objective	Test Input Data	Expected Result	Verified Status
TC-PER-001	Auto-generate 12 monthly periods	FY `2026-04-01` to `2027-03-31`	Exactly 12 periods created with exact month end dates	**PASS**
TC-PER-002	Reject overlapping financial years	Overlapping date range in same org	Throws `FINANCIAL_YEAR_OVERLAP`	**PASS**
TC-PER-003	Transition period to SOFT_LOCKED	Open period ID	Status updated to `SOFT_LOCKED`, `locked_at` recorded	**PASS**
TC-PER-004	Transition period to HARD_LOCKED	Soft-locked period ID	Status updated to `HARD_LOCKED`	**PASS**

TC-PER-005	Prevent unlock of hard-locked period	Hard-locked period ID	Operation rejected; statutory lock permanent	**PASS**
TC-PER-006	Handle leap year period calculation	February in leap year (2028)	Generates period ending on `2028-02-29`	**PASS**

4.8 Suite 8: Subledgers & Dynamic Balance Rules

Source Spec Files: `apps/api/src/contacts/contact-subledger.service.spec.ts`, `apps/api/src/contacts/contact-account-validation.service.spec.ts`

Test Case ID	Test Objective	Test Input Data	Expected Result	Verified Status
TC-SUB-001	Dynamic AR balance derivation	Invoices of £1,000, payments of £400	Returns exact £600.00 outstanding (no column drift)	**PASS**
TC-SUB-002	Customer statement aging breakdown	Unpaid invoices aged 15d, 45d, 90d	Correctly buckets into Current, 30-Day, 60-Day brackets	**PASS**
TC-SUB-003	Validate contact account compatibility	Customer linked to AP account	Flags type mismatch error	**PASS**
TC-SUB-004	Exclude voided invoices from statement	Voided invoice in historical dataset	Excluded from running balance calculation	**PASS**

4.9 Suite 9: Financial Reporting Engine

Source Spec Files: `trial-balance.service.spec.ts`, `profit-and-loss.service.spec.ts`, `balance-sheet.service.spec.ts`

Test Case ID	Test Objective	Test Input Data	Expected Result	Verified Status
TC-REP-001	Trial Balance debit/credit column placement	Asset (Debit normal), Liability (Credit normal)	Positive Asset balance in Debit column; Liability in Credit	**PASS**
TC-REP-002	Trial Balance CSV RFC-4180 export	Standard trial balance report	Produces valid CSV with headers and balanced totals	**PASS**

TC-REP-003	Profit and Loss Net Profit calculation	Revenue £50,000, COS £20,000, OPEX £15,000	Gross Profit: £30,000; Net Profit: £15,000	**PASS**
TC-REP-004	Balance Sheet equation balance	Assets £100,000, Liabilities £40,000, Equity £60,000	`Assets = Liabilities + Equity` holds true	**PASS**
TC-REP-005	Retained Earnings dynamic incorporation	Prior year equity + current year net income	Equity reflects real-time net income without closing	**PASS**

4.10 Suite 10: Security, Authentication & Multi-Tenancy

Source Spec Files: `auth.guard.spec.ts`, `organization-access.guard.spec.ts`

Test Case ID	Test Objective	Test Input Data	Expected Result	Verified Status
TC-SEC-001	Constant-time password verification	Correct password vs wrong password	`crypto.timingSafeEqual` prevents timing side-channels	**PASS**
TC-SEC-002	Reject missing Bearer token in AuthGuard	HTTP request without `Authorization` header	Throws `UnauthorizedException`	**PASS**
TC-SEC-003	Reject expired session token	Token past `expires_at` timestamp	Throws `UnauthorizedException`	**PASS**
TC-SEC-004	Block cross-tenant access in OrgGuard	User belonging to Org A accessing Org B URL	Throws `ForbiddenException`	**PASS**
TC-SEC-005	Enforce RBAC permissions in RolesGuard	Bookkeeper accessing hard-lock endpoint	Throws `ForbiddenException` (Requires `ACCOUNTANT`)	**PASS**

4.11 Suite 11: AI Document Intelligence & Safety Policies

Source Spec Files: `accounting-classification.service.spec.ts`, `transaction-direction.service.spec.ts`, `accounting-safety.service.spec.ts`

Test Case ID	Test Objective	Test Input Data	Expected Result	Verified Status
TC-AI-001	Nominal classification from vendor text	"AWS Cloud Hosting eu-west-2"	Suggests Nominal `8000` (Software & Hosting)	**PASS**
TC-AI-002	Predict transaction direction for Sales Invoice	Document type = `SALES_INVOICE`	Predicts Debit AR (1100), Credit Revenue (4000)	**PASS**
TC-AI-003	Safety guardrail: Block automated control post	AI suggestions attempting auto-post to 1100	Intercepted and blocked by `AccountingSafetyService`	**PASS**
TC-AI-004	Flag low confidence predictions	Prediction confidence = 65% (below 85% gate)	Flags document for mandatory human accountant review	**PASS**

5. Requirements-to-Test Traceability Matrix

Requirement Ref	Requirement Description	Use Case ID	Test Suite	Automated Spec File	Status
REQ-ACC-01	Strict Double-Entry Balance ($Debits = Credits$)	`UC-JRN-01`, `UC-JRN-02`	`TC-VAL-001`, `TC-VAL-013`	`journal-validation.service.spec.ts`	**VERIFIED PASS**
REQ-ACC-02	Zero-Drift Fixed-Point Math (`NUMERIC(19,4)`)	`UC-JRN-01`, `UC-INV-01`	`TC-MON-001`, `TC-MON-002`	`money.service.spec.ts`	**VERIFIED PASS**
REQ-ACC-03	Control Account Direct Posting Prohibition	`UC-COA-02`	`TC-VAL-005`	`journal-validation.service.spec.ts`	**VERIFIED PASS**
REQ-ACC-04	GAAP Non-Destructive Balancing Reversals	`UC-JRN-03`, `UC-INV-03`	`TC-REV-001` to `TC-REV-005`	`journal-reversal.service.spec.ts`	**VERIFIED PASS**
REQ-ACC-05	Global Accounting Equation ($A = L + E$)	`UC-REP-03`	`TC-INT-001`, `TC-INT-003`	`accounting-integrity.service.spec.ts`	**VERIFIED PASS**

REQ-PER-01	Automated 12-Month Calendar Generation	UC-PER-01	TC-PER-001, TC-PER-006	financial-years.spec.ts	**VERIFIED PASS**
REQ-PER-02	Three-Tier Period Lockdown State Machine	UC-PER-01, UC-PER-02	TC-PER-003 to TC-PER-005	financial-years.spec.ts	**VERIFIED PASS**
REQ-SUB-01	Dynamic Subledger Balance Calculation	UC-SUB-02	TC-SUB-001, TC-SUB-002	contact-subledger.service.spec.ts	**VERIFIED PASS**
REQ-INV-01	Automated GL Posting on Invoice Approval	UC-INV-02	TC-INV-001 to TC-INV-004	general-ledger.service.spec.ts	**VERIFIED PASS**
REQ-REP-01	Real-Time Trial Balance with Normal Evaluation	UC-REP-01	TC-REP-001, TC-REP-002	trial-balance.service.spec.ts	**VERIFIED PASS**
REQ-SEC-01	Cryptographic scrypt Password Hashing	UC-SEC-01	TC-SEC-001	auth.guard.spec.ts	**VERIFIED PASS**
REQ-SEC-02	Multi-Tenant Database & URL Scoping	UC-ORG-01	TC-SEC-004, TC-SEC-005	organization-access.guard.spec.ts	**VERIFIED PASS**
REQ-AUD-01	Immutable Statutory Audit Trail Logging	UC-AUD-01	TC-AUD-001, TC-AUD-002	app-logger.spec.ts	**VERIFIED PASS**
REQ-AI-01	AI Suggestion Safety Policies & Review Gates	UC-AI-01, UC-AI-02	TC-AI-001 to TC-AI-004	accounting-safety.service.spec.ts	**VERIFIED PASS**

END OF BLYNT USE CASES, TEST CASES & ER DIAGRAMS SPECIFICATION