

Pre Trip

Form A

1. Clearance Lights or marker lights

- Properly mounted and secured
- Not broken, or cracked
- Proper color Amber

2. Hood and grill

- No dents, properly secured
- No damage

3. Mirror brackets

- No missing bolts
- Not bent, broken or cracked on both sides

4. Mirror

- Clean and secured
- Not broken or cracked
- No illegal stickers on both sides

5. Headlights and blinkers or turn signal lights

- Not bent, broken or cracked on both sides
- Proper color clear and proper color Amber

6. Underneath truck

- No leaks, no puddles
- No wires hanging

- Properly balanced
- Open the hood

Passenger Side

7. Hoses

- Properly mounted and secured
- Not bent, broken or cracked
- Not cut, bubbles
- No leaks

8. Clamps and fittings

- All tight and secured
- All my hoses, no bubbles, no cuts, no leaks
- All wires, not exposed, not frayed, no illegal tape
- No excess of leaks on the engine

9. Alternator

- Present and secured
- No missing bolts
- Not bent, broken or cracked
- It is belt driven
- Wires are not exposed nor frayed
- Belt tension no more than three quarters inch of play
- Belt no splits, no cuts, no damage

10. Water pump

- Properly mounted and secured
- No missing bolts
- Not broken or cracked
- No leaks
- Belt driven
- Belt tension no more than three quarters inch of play
- Belt no splits, no cuts, no damage

11. Coolant tank or reservoir

- Present and secured
- Not broken or cracked
- Cap is present and secured
- No leaks
- Proper level

Driver side

12. Hoses

- Properly mounted and secured
- Not bent, broken or cracked
- Not cut, bubbles
- No leaks

13. Clamps and fittings

- All tied and secured
- All my hoses no bubbles, no cuts, no leaks
- All wires, not exposed, not frayed, no illegal tape
- No excess of leaks on the engine

Engine components

14. Air compressor

- Properly mounted and secured
- Not bent, broken or cracked
- No leaks
- Gear driven

15. Steering pump (behind my frame)

- Properly mounted and secured
- No leaks
- Not bent, broken or cracked
- Gear driven

16. Power steering reservoir or tank

- Cap present and secured
- Not bent, broken cracked
- No leaks
- Proper level or between add and full

17. Oil filler

- Properly mounted and secured
- Cap and seal present

18. Engine oil dipsticks

- Straight, not bent, broken or cracked
- No leaks
- Proper level or between add and full

19. Steering Column

- Properly mounted and secured
- Straight or aligned
- Not bent, broken or cracked
- No illegal welds
- Not more than 2 inches of play

20. U-joints

- Present and secured
- No damage
- Properly greased on both sides

21. Steering gear box

- Properly mounted and secured
- No missing bolts
- No missing nuts
- Not cracked or broken
- No leaks
- Secured to the frame

22. Steering linkage

(three pieces)

- Not bent, broken or cracked
- No illegal welds
- Castle nuts are present tight and secured with cutter pins on both sides
- Bushings not damage, properly greased on both sides

23. Lower tie rod

- Present and secured
- Not bent, broken or cracked
- No illegal welds
- Properly aligned

24. Spring mount, bracket or hanger

- Properly mounted and secured
- Not bent
- No missing bolts
- Secured to the frame on both sides or front and rear

25. Bushing

- Present and secured
- No damage
- And properly greased

26. Leaf spring

- Present and secured
- No illegal welds
- Not bent, broken or cracked
- Properly Aligned
- Not shifted or twisted
- No missing hardware

27. U-bolts

- Present and secured

- Not bent, broken or cracked
- No missing nuts at the bottom
- Nuts at the bottom tight and secured

28. Air bag

- Properly mounted and secured
- Not bent, broken or cracked
- No leaks

29. Shock absorber

- Straight, not bent, broken or cracked (no damage)
- No missing bolts
- No missing nuts
- No leaks

30. Brake hose

- Properly mounted and secured to the fittings
- No bubbles, no cuts, no leaks
- Not swollen

31. Brake chamber

- Properly mounted and secured
- No leaks
- Not bent, broken or cracked
- Clamps or straps present tight and secured around the brake chamber

32. Push Rod

- Not broken or cracked, no damage
- No more than 1 inch of play when brakes are applied

33. Slack adjuster

- Straight, not bent, broken or cracked
- Secured to the pin and cutter pin

34. Brake lining or brake shoes

- Properly mounted and secured
- Not bent, broken or cracked
- No debris, no grease, no oil in between
- At least a quarter inch of life

35. Brake drums

- Properly mounted and secured
- Smooth on the inside
- No debris, no grease, no oil in between
- No illegal welds
- Not bent, broken or cracked

36. Tire

inside tire and outside

- No bubbles, no cuts, no leaks
- Should be 4 32nd thread depth
- No flats spots
- Evenly worn
- No recaps (should be brand new tire)

37. Valve stem

- Present and secured
- No leaks
- Not broken or cracked
- No missing cap (if missing report to maintenance)
- Check air with pressure gauge

38. Rim

- Properly mounted and secured
- Not bent, broken or cracked
- No illegal welds
- Even with tires

39. Lug nuts

- Present, tight and secured
- Not bent, broken or cracked
- No shining metal, no rust indicating that one of the lug nuts are loose

40. Hub cap seal

- Properly mounted and secured
- Not bent broken or cracked

41. Axle seal or center seal

- Properly mounted and secured
- No missing bolts
- No leaks
- Proper level

I concluded with form A

Form B

42. Cabin door

- No dents, no damage

43. Door handle

- Open and close properly

44. Hinges

- No missing bolts
- Not broken, not cracked
- And rubber seal not ripped or torn, no splits

45. Mirror Bracket

- Properly mounted and secured
- No missing bolts

- Not bent, broken or cracked

46. Mirror

- Clean and secured
- Not broken, not cracked
- No illegal stickers

47. Blinker or turn signal lights

- Present and secured
- Not broken or cracked
- And proper color Amber

48. DEF tank

- Properly mounted and secured
- No leaks on top or bottom
- Blue cap present and secured with seal inside

49. Strap or clamp

- Present and secured
- No missing bolts
- Secured to frame
- No damage

50. Rubber seal

- Present and secured
- Not ripped or torn
- No metal contact

51. Fuel tank or diesel

- Properly mounted and secured
- Not cracked or broken
- No illegal welds

52. Fuel cap

- Present, tight and secure with the chain and seal inside secured
- No leaks on top or bottom

53. Steps

- No missing bolts
- Not bent broken or cracked
- No debris, no grease, no oil (can be slippery and make you fall)

54. Catwalk

- No missing bolts
- Not bent broken cracked
- Secured to the frame
- No debris, no grease, and no oil (slippery can make you fall)

55. Frame or chassis

- Properly mounted and secured
 - Not bent, broken or cracked
 - No illegal welds
 - Not twisted
- Last axle tire

56. Cross members

- All my cross members present and secured
- No missing nuts
- No missing bolts
- Not bent broken or cracked
- Secured to my frame or chassis

57. Carrier bearings

- Present and secured
- No damage
- Properly greased

58. All Universal U joints

- Properly mounted and secured
- No damage
- Properly greased

59. Drive shaft

- Properly secured
- Not bent, broken or cracked
- No illegal welds
- Aligned

60. Torque bar

- Present and secured
- No missing bolts or nuts
- Not bent, broken or cracked
- Secured to the frame
- No illegal welds

61. Brake hoses

- Properly mounted and secured to fittings
- No bubbles, no cuts, no leaks

62. Brake chamber

- No leaks
- Properly mounted and secured
- Not broken or cracked
- Double brake chamber

63. Push rod

- No more than 1 inch of play when I release my brake
- Not cracked, broken or damaged

64. Slack adjuster

- Straight

- Not bent, broken or cracked
- Secured to pin and cutter pin

65. Brake lining /shoes / pads

- Properly mounted and secured
- Not broken or cracked
- At least a quarter inch of life
- No debris, no grease and no oil in between

66. Brake drum

- Smooth on the inside
- No illegal welds
- Not bent, broken or cracked
- No debris, no grease and no oil in between

67. Spring mount or hanger

- Properly mounted and secured
- Not bent, broke or cracked
- No missing bolts
- Secured to the frame
- No illegal welds

68. Leaf spring

- Straight in line
- Not bent broken or cracked
- No illegal welds
- Not shifted or no missing leafs or hardware
- Bushings are not ripped, torned or damage

69. U-bolts

- Present and secured
- Not bent, broken or cracked
- No missing nuts on the bottom
- Nuts at the bottom tight and secured

70. Air bag

- No splits, no cuts, no leaks.
- No weather damage
- No missing nuts
- Secured to frame

71. Shock absorber

- Straight
- Not bent, broken or cracked
- No missing bolts and nuts
- Secured to frame
- No leaks

72. Dual tire or double tire

- Properly mounted and secured
- Inside and outside, no bubbles, no cuts and no leaks
- In between, no debris, flushed together or buddy buddy
- Should be 2 32nd thread depth
- Can be recap (front can't be recap)
- Same size, no flat spots

73. Double Valve stem

- Straight
- Not bent, broken or cracked
- No leaks
- Check air with pressure gauge
- Cap present and secured (if not report to maintenance)

74. Rim

- Properly mounted and secured
- Not bent, broken or cracked
- No illegal welds
- Even with the tire or flushed with the tire

75. Lug nuts

- Present, tight and secured
- No shining metal around, no rust indicating that one of them is loose

76. Hub Cap seal (outside) Axle Seal (inside)

- No missing bolts
- No damage
- Proper level
- No leaks

77. Mud flop bracket

- No missing bolts
- No missing nuts
- Not bent, broken or cracked
- Secured to the frame

78. Mud flop

- No splits, no cuts, no damage
- Off from the ground
- Off from the tire

79. DOT stickers

- Properly secured
- Proper color white
- Proper color red
- Clearance from my mud flop to landing gear clearance between 5-7 inches

80. Brake lights

- Present, tight and secured
- Not broken or cracked
- Proper color Amber

81. Reverse light

- Not broken or cracked
- Proper color white or clear

82. Turbo

(Three pieces)

- Properly mounted and secured in my engine
- Not bent, broken or cracked
- No missing clamps
- No missing bolts
- No leaks
- No signs of soot or black smoke

Following the exhaust piping

- all clamps are tight and secured all the way to my emission tank device
- In the middle of emitting tank device not bent broken nor cracked no leaks no signs of soot, no black smoke
- Keep following all the way to the stack. Stack not bent broken or cracked, no signs of soot or black smoke
- Bracing or bracket present and secured no missing nuts secured to the stack, not bent broken or cracked, so no illegal welds

Conclude with form B

Form C

Start off with the front of the trailer.

66. My headboard and the side of my trailer:

- Properly mounted and secure.
- Not bent, broken, or cracked.
- No missing bolts or rivets.
- No damage or holes.

68. My Tarp Rack is: (ON TOP OF TRAILER)

- Properly mounted and secure.
- Not bent, broken, or cracked.

67. My clearance lights or marker lights:

- Properly mounted and secure.
- Not broken, or cracked.
- Proper color amber.

70. My DOT Reflectors or stickers:

- Present and secure.
- They cover at least 50% of my trailer.
- White and red. Not damaged.

71. My landing gear is:

- Fully raised and the support frames are not damaged.
- Properly mounted and secure.
- Not bent, broken, or cracked.
- No missing bolts, no illegal welds.

72. My landing gear handle is:

- Properly mounted and secure.
- Not bent, broken, or cracked.
- No missing bolts.
- It is LOCKED into place.

73. My pads are:

- They are not bent, broken or cracked.
- No illegal welds, no missing bolts.

74. My cross members are all:

- Properly mounted and secure.
- Not bent, broken, or cracked.
- No missing bolts, no illegal welds.

75. My A-Frame or trailer floor is: (FLOOR OF TRAILER)

- Properly mounted and secure.
- No holes, no damages. It is safe for my cargo.

Back of trailer to the dual axle. There are no air bags or shock absorbers.

76. My torque bar is: (If present) Torsion bar is secure on both sides :

- Properly mounted and secure.
- Not bent, broken, or cracked.
- No missing bolts, no illegal welds.

77. My spring mounts are:

- Properly mounted and secure.
- Not bent, broken, or cracked.
- No missing bolts, no illegal welds.
- The bushings have life on both sides.

78. My leaf springs are:

- Properly mounted and secure.
- Not bent, broken, or cracked.
- No missing bolts, no illegal welds.
- They are aligned or straight.

79. My U-Bolts are:

- Properly mounted and secure.
- Not bent, broken, or cracked.
- No missing nuts, no illegal welds.

80. Brakes hoses

- secure on both sides to my fitting.
- No bubbles, no cuts, no leaks.

81. My brake chamber is:

- Properly mounted, and secure.
- Not bent, broken, or cracked.
- No missing bolts.
- Secure with the clamps around the brake chamber.

82. My rear tires :

- Inside and outside tires.
- No bubbles, no cuts, no leaks.

83a: In between tires,

- No debris, no light, no space, no buddy to buddy.

83b:

- No flat spots, same sizes.
- Tread depth should be 2/32 seconds.

84: They are recappable

Towards the middle of the tires.

85. My Valve Stems are: (2 VALVE STEMS)

- Double valve stem.
- Properly mounted and secure.
- Not bent, broken, or cracked.
- My cap is present.
- There are no signs of leaks.
- I would check my air with my pressure gauge.

86. My Axle Seal or Hub cap seal:

- Properly mounted and secure.
- Not bent, broken, or cracked.
- No missing bolts or nuts.
- There are no leaks.
- Fluid level should be between add and full or proper level.
- My seal is present and secure.

87. My mud flaps is:

- Properly mounted and secure.
- Not bent, broken, or cracked.
- No missing bolts.

87a:

- Mud flaps bracket, No broken, cracked or Damage. No missing bolts.

87b:

- My DOT reflectors/stickers are present and secure.
- Proper color white and clear. Not damaged.
- There is proper clearance between the ground and my mud flaps and off from the ground and off from the tires.

Rear of trailer

88. My doors are:

- Properly mounted and secure.
- Not bent, broken, or cracked.
- No missing bolts.
- No holes or damage.

89. My hinges are all:

- Properly mounted and secure.
- Not bent, broken, or cracked.
- No missing bolts.

90. My door seal inside are:

- Properly mounted and secure.
- It's not torn or hanging.

91. The DOT Stickers are:

- Properly mounted and secure in the rear.

92. My tail lights are:

- Properly mounted and secure.
- Not bent, broken, or cracked.
- The proper color being red and white.

93. My bracket is:

- Properly mounted and secure.
- Not bent, broken, or cracked.
- No missing bolts, no illegal welds. 94: License Plate is secured and clean.

FORM C DONE!

Pre Trip Inspection – In Cabin Inspection

1. First thing that I am going to do is my **THREE POINTS OF CONTACT**. I will put my:

- Right foot on the step
- Left hand on door or handle
- Right hand on handle

2. My seatbelt should be:

- Properly mounted and secure from top to bottom.
- The belt should not be ripped or torn.
- It should click from the top shoulder to the floor properly.
- make sure it buckles and unbuckles

Check emergency equipment

1. My fire extinguisher is:

- Properly mounted and secure.
- Fully charged and up to date.
- with its clamp and pin present

2. Reflective triangles are:

- present and secured

3. Spare fuses or breakers are:

- present and secured

Then I will perform a safe start of the truck.

1. My truck is on neutral parking and my brakes are engaged.
2. I am going to take the key and put it in the ignition.
3. Take the key and turn it to the on position.
4. I will be looking for my ABS and my DEF lights. They will cut on and off.
- 4b. Then I will tell the instructor that my ABS and my DEF systems are working properly.
5. Then I will turn my truck on.
6. Then I will check the dashboard:
 - The temperature gauge is operating at a safe range.
 - The oil gauge is operating at a safe range.
 - The voltmeter is digital and is operating at a safe range between 12 and 14 volts.
 - DEF tank must have at least 1/8 of a tank to work properly.
 - DIESEL tank should be measured when you are doing the final exam.
 - air gauges, primary and secondary air gauges. They are reaching Governor cut off between 120 and 140 PSI.
7. I will then check the heater and defroster :
 - The heater is working properly from top to bottom.
 - The defroster is working properly on top.
8. I will then check the steering wheel:
 - Properly mounted and secure.
 - No more than 10 degrees or 2 inches of play.
 - I will check the city horn and country horn are working properly.
9. Then I will check the lights:
 - low beams are working properly
 - high beams are also working properly.
 - left and right turn signals are working properly.
 - four way flashers are also working properly.

- With my right hand I will point the GREEN ARROW and with my left hand I will move my turn signal light left and right.

10. Then I will check the windshield :

- Not broken, cracked, clean and no illegal stickers.

11. I will check my windshield rubber seal:

- Not ripped, torn and no leaks.

12. I will check my windshield wipers:

- Properly mounted and secured

- Not bent, broken or cracked.

13. I will check my rubber blades:

- Not ripped, torn, and properly adjusted to my windshield.

14. I will check my washer fluid to make sure they are working properly:

15. Then I will mention the mirrors:

- Properly mounted and secure.

- Not broken or cracked.

- No illegal stickers

- They are adjusted to me!!! (IMPORTANT)

Pre Trip Inspection – Air Brakes (PASS OR FAIL!!!)

TUG TEST

LAB TEST

DONE WITH AIR BRAKES!!

Pre Trip Inspection – CONNECTIONS/FIFTH WHEEL MANDATORY “ Air Lines :
Couplings”

1a. Fittings

- Properly mounted and secure.
- Not bent, broken, or cracked.

1b : Red is my emergency line

2a : My Glad-Hands are...

- Properly mounted and secure.
- Not bent, broken, or cracked.
- No leaks.
- They should be properly connected from my tractor to my trailer.

2b : Blue is my service line.

3. Inside my glad-hands are:

- A rubber seal.
- My rubber seal should be present and secured with no debris, damages or leaks.

4.(Both blue and red: should not have cuts, bubbles, leaks, no tape.)

5.Green is my electrical line.

6.ALL SHOULD HAVE PROPER CLEARANCE FROM MY CAT WALK! NO DRAGGING
ON MY “CATWALK”.

7. My air line:

- Properly mounted and secure.
- No bubbles, no cuts, no leaks, no tape.
- Fitting preset and secure, not broken or cracked.

Fifth wheel couplings

8. My fifth wheel:

- Airlines secure with my fitting “L” Bracket and fifth wheel plate form base.

9. Properly mounted and secured to the chassis with no bubbles, no cuts and no leaks.

10. My locking teeth or locking pins are:

- Properly mounted and secure.
- Not bent, broken, or cracked.
- No illegal welds, no missing bolts. And lock position.

11. My pedal stool is:

- Properly mounted and secure.
- Not bent, broken, or cracked.
- No illegal welds.

12. My release handle or release arm is:

- Properly mounted and secure.
- Not bent, broken, or cracked.
- It should be released freely in a locked position.

13a. My pin and cutter pin:

- Present
- Properly mounted and secure.
- Not bent, broken, or cracked.” And both sides

13b. My platform is based on an “L” bracket.

- Secured, not bent, cracked or broken
- No illegal welds.
- All my mounting bolts are tight and secure

14. My skid plate:

- Properly mounted and secure.
- Not bent, broken, or cracked.

- No illegal welds.
- It is properly greased and there is no space(Gap) in between my fifth wheel and my skid plate. in my trailer apron.

Go to middle of fifth wheel inside

15a. My locking jaw is:

- Properly secured around my king pin.
- Not bent, broken, or cracked
- No illegal welds, no missing bolts.
- Properly greased.
- No debris or the kingpin. No broken welds, broken or cracked inside. Secure locking jaw.

15b. My kingpin is not bent, broken, cracked or damaged, inside secure on the locking jaws.

Get back out to the back of the tractor.

16. There is proper clearance from the end of my tractor to my landing gear. It should have at least 5-7 feet of space.

DONE WITH CONNECTIONS/FIFTH WHEEL!