



INSTALLATION & USAGE INSTRUCTIONS

Prerequisites:

- IBM i 7.2 or higher.
- IBM Rational Development Studio for i (5770-WDS)

Download the installation save file STDXREFINS.SAVF to your hard drive in an easy to reach directory, preferably one at the root level of C. For example: C:\mydir

On your IBM i:


- Create a save file on your IBM i: CRTSAVF FILE(MYLIB/STDXREFINS)

From your desktop PC:

- Open the DOS command prompt
- FTP a.b.c.d <enter> (where a.b.c.d is the IP address of your IBM i)
- Enter user and password as prompted
- BIN <enter>
- PUT C:\MYDIR\STDXREFINS.SAVF MYLIB/STDXREFINS.SAVF <enter>
- QUIT <enter>

Back to your IBM i:

- Sign on as a user with *SECOFR authority
- Restore the installation objects to QTEMP: RSTOBJ OBJ(*ALL) SAVLIB(STDXREFINS) DEV(*SAVF) SAVF(MYLIB/STDXREFINS) MBROPT(*ALL) ALWOBJDIF(*ALL) RSTLIB(QTEMP)
- Ensure that QTEMP is in your library list: ADDLIB LIB(QTEMP)
- Enter the command INSSTDXREF and prompt with F4.



The two required parameters:

- The Installation Library is where the source code, service programs and SQL functions will go. It must not already exist on the system.
- The Owner User Profile will own all objects in the installation library. If it does not exist, a user profile of user class *PGMR will be created with a default password.

Note: Your system must be capable of compiling full freeform RPG. Therefore, IBM i release 7.2 or higher is required. Installing the latest available PTF cumulative and group packages is always recommended prior to installing STDREF. The installation process will attempt to compile a program named VERIFYRPG to see if your system meets the prerequisites. If it does not, the installation will terminate immediately.

Once the command completes (generally under 1minute), you will have the following:

- Table STDXREF.
 - Associated indexes.
- Service program STDXREFIOP, containing all I/O procedures.
 - Associated display file.
- SQL functions for most exported procedures in service program STDXREFIOP.
- Maintenance program STDXREFMNT.
 - Associated display file.
 - Associated command STDXREFMNT.
- Query management query STDXREFLST.
 - Associated query form.
 - Associated command STDXREFLST.
- Menu STDXREFS.
 - Option 1 is Reference Table Maintenance (STDXREFMNT).
 - Option 2 is Reference Table Listing (STDXREFLST).

Now, what do I do with it?

Examples of how cross reference tables could be used:

- Codes/categories and an associated descriptions.
- Codes/categories and an associated percentage or unit price.
- Room numbers with their associated function or description.
- Basically any 1-to-1 relationship where an identifier has a finite set of possibilities.
 - A much better alternative to traditional compile time tables in RPG, or to scores of tables whose sole purpose is to reflect a 1-to-1 relationship.

Some things you might want to consider:

- Table STDXREF and its associated indexes were created in the installation library. You might choose to move these objects into your live application data library as well as your test application data library.
- You might consider adding the installation library to your application library list. Or, if STDXREF is used across multiple applications, consider adding the library to QUSRLIBL.
- The STDXREFS menu which installs automatically, has only two options. You might choose to mimic these menu options on one of your existing user menus.
- Since this is an open source project, please use the GitHub page to provide ideas for enhancements and to report any issues you may discover.

Let's start by building a cross reference table. Go to menu STDXREFS. The Technical Reference contains a section about the 5250-based maintenance utility.