Reviewed: 28-Feb-2024 Expiry: 24-May-2026



www.sigmaaldrich.com

# SAFETY DATA SHEET

Version 6.5 Revision Date 24.05.2023 Print Date 28.02.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Minipax® absorbent packets

Product Number : Z163562 Brand : Aldrich

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

# 1.3 Details of the supplier of the safety data sheet

Company : MilliporeSigma Canada Ltd.

2149 WINSTON PARK DRIVE OAKVILLE ON L6H 6J8

CANADA

Telephone : +1 905 829-9500 Fax : +1 905 829-9292

1.4 Emergency telephone

Emergency Phone # : +1-703-527-3887 CHEMTREC

(International)

24 Hours/day; 7 Days/week

#### SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with Hazardous Products Regulations (HPR) (SOR/2015-17)

Respiratory sensitization (Category 1), H334

Skin sensitization (Category 1), H317

Carcinogenicity, Inhalation (Category 1B), H350

Reproductive toxicity (Category 1B), H360

Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Aldrich - Z163562

agagi

Page 1 of 13

#### Pictogram



Signal Word Danger

Hazard statement(s)

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

H350 May cause cancer by inhalation.

H360 May damage fertility or the unborn child. H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P261 Avoid breathing dust.

P272 Contaminated work clothing should not be allowed out of the

workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P284 Wear respiratory protection.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/

doctor.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

Sensitizing components:

Cobalt(II) chloride

May produce an allergic reaction.

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

- none

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Component	Classification	Concentration
		*

Aldrich - Z163562

Lipore

Silicon dioxide			
CAS-No.	60676-86-0		>= 80 - <=
EC-No.	262-373-8		100 %
* Weight %			
polymer of ethyler	ne		
CAS-No.	9002-88-4		>= 5 - < 10
			%
* Weight %			
Cobalt(II) chloride	2		
CAS-No.	7646-79-9	Acute Tox. 4; Eye Dam. 1;	>= 0.1 - < 1
EC-No.	231-589-4	Resp. Sens. 1; Skin Sens.	%
Index-No.	027-004-00-5	1; Muta. 2; Carc. 1B;	
		Repr. 1B; Aquatic Acute 1;	
		Aquatic Chronic 1; H302,	
		H318, H334, H317, H341,	
		H350, H360, H400, H410	
		Concentration limits:	
		>= 0.01 %: Carc. 1B,	
		H350;	
		M-Factor - Aquatic Acute:	
		10 - Aquatic Chronic: 10	
* Weight %			

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

# **General advice**

Show this material safety data sheet to the doctor in attendance.

# If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

# In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

# If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Aldrich - Z163562

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

# Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

silicon oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

### **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

# 6.4 Reference to other sections

For disposal see section 13.



# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

hygroscopic

### Storage class

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

# Ingredients with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Silicon dioxide	60676-86-	TWA	0.1 mg/m3	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
		TWAEV	0.1 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	0.025 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
Remarks	Suspected Human Carcinogen (means that the human data are accepted as adequate in quality but are conflicting or insufficient to classify the agent as A1)			



polymer of ethylene	9002-88-4	TWAEV	10 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants		
Cobalt(II) chloride	7646-79-9	TWA	0.02 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)		
		TWAEV	0.02 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants		
		Carcinogenic effect detected in animals. Results of studies relating to the carcinogenocity of these substances in animals are not necessarily applicable				
		TWA	0.02 mg/m3	Canada. British Columbia OEL		
	Substance v	stance with specific evidence of sensitization by dermal route stance with specific evidence of sensitization by respiratory route C '2B' applies to substances deemed possibly carcinogenic to humans.				
		TWA	0.02 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		

#### 8.2 Exposure controls

# **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

# Personal protective equipment

# Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Splash contact

Aldrich - Z163562

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

# **Body Protection** protective clothing

### Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

a) Appearance Form: solid

b) Odor No data available c) Odor Threshold No data available d) pH No data available e) Melting

point/freezing point

No data available

Initial boiling point f) and boiling range

No data available

g) Flash point ()No data available

h) Evaporation rate No data available

Flammability (solid, The product is not flammable. i) gas)

Upper/lower No data available i) flammability or explosive limits

k) Vapor pressure No data available Vapor density No data available m) Density No data available No data available Relative density n) Water solubility No data available

o) Partition coefficient: n-octanol/water

No data available

p) Autoignition Not applicable

temperature



q) Decomposition No data available temperature

r) Viscosity No data available

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

#### 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

no information available

# 10.5 Incompatible materials

Strong oxidizing agents

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Mixture**

#### **Acute toxicity**

Oral: No data available Inhalation: No data available Dermal: No data available

#### Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitization

Mixture may cause allergy or asthma symptoms or breathing difficulties if inhaled. Mixture may cause an allergic skin reaction.

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

Aldrich - Z163562

Possible carcinogen.

# Reproductive toxicity

May harm the unborn child.

May impair fertility.

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

#### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

# Components

#### Silicon dioxide

# **Acute toxicity**

Oral: No data available Inhalation: No data available Dermal: No data available

# Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available



### polymer of ethylene

### **Acute toxicity**

LD50 Oral - Rat - > 8,000 mg/kg

Remarks: (RTECS)

Inhalation: No data available Dermal: No data available

# Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

No data available

# Carcinogenicity

No data available

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

# Cobalt(II) chloride

# **Acute toxicity**

LD50 Oral - Rat - male and female - 537 mg/kg

(OECD Test Guideline 401) Inhalation: No data available

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive

(OECD Test Guideline 405)

# Respiratory or skin sensitization

May cause allergic respiratory and skin reactions Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

# Germ cell mutagenicity

Suspected of causing genetic defects.

Test Type: Ames test

Test system: S. typhimurium

Result: negative

Method: OECD Test Guideline 475 Species: Mouse - male and female

Result: negative

# Carcinogenicity

May cause cancer by inhalation.

# Reproductive toxicity

May damage fertility.

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

# **SECTION 12: Ecological information**

# 12.1 Toxicity

# Mixture

No data available

#### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

No data available

# **Components**

Silicon dioxide

No data available

# polymer of ethylene

No data available

Aldrich - Z163562

Cobalt(II) chloride

Toxicity to fish flow-through test LC50 - Danio rerio (zebra fish) - 85.3 mg/l -

96 h

Remarks: (ECHA)

Toxicity to daphnia and other aquatic

invertebrates

flow-through test LC50 - Chironomus sp. - 429 mg/l - 96 h

Remarks: (ECHA)

Toxicity to algae static test ErC50 - Dunaliella tertiolecta (marine algae) - 71.314

mg/l - 96 h Remarks: (ECHA)

Remarks: (ECHA)

Toxicity to bacteria static test EC50 - activated sludge - 120 mg/l - 30 min

(OECD Test Guideline 209)

Toxicity to flow-through test NOEC - Pimephales promelas (fathead

fish(Chronic toxicity) minnow) - 0.21 mg/l

Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates(Chronic

toxicity)

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

# **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

# **SECTION 14: Transport information**

TDG

UN number: 3077 Class: 9 Packing group: III
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Cobalt(II) chloride)

Labels: 9 ERG Code: 171 Marine pollutant: no

**IMDG** 

UN number: 3077 Class: 9 Packing group: III EMS-

No: F-A, S-F

Aldrich - Z163562

Millipore

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Cobalt(II) chloride) Marine pollutant : yes Marine pollutant : no

**IATA** 

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Cobalt(II)

chloride)

#### **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

# **SECTION 15: Regulatory information**

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

#### **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information product ordered and matches the product ordered. For further information please contact misbranding@sial.com.

Version: 6.5

Revision Date: 24.05.2023

Print Date: 28.02.2024

