according to Regulation (EC) No. 1907/2006 Reviewed 13-Sep-2022 BW



Magnesium sulfate solution

34276-1L

Version 1.1 Revision Date 05.10.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Magnesium sulfate solution

SDS-number 000000021968

Type of product : Mixture

Remarks : Document according to Art. 32 of Regulation (EC) 1907/2006.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the : Laboratory chemicals

Substance/Mixture

Uses advised against : none

1.3. Details of the supplier of the safety data sheet

Company Honeywell International Inc. Honeywell International, Inc.

> 115 Tabor Road 115 Tabor Road

07950-2546 Morris Plains Morris Plains, NJ 07950-2546

USA USA

Telephone

Telefax

For further information, : PMTEU Product Stewardship: please contact: SafetyDataSheet@Honeywell.com

1.4. Emergency telephone number

: +1-703-527-3887 (ChemTrec-Transport) Emergency telephone

number +1-303-389-1414 (Medical)

Country based Poison : see chapter 15.1

Control Center

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture.

2.2. Label elements

REGULATION (EC) No 1272/2008

according to Regulation (EC) No. 1907/2006



Magnesium sulfate solution

34276-1L

Version 1.1

Revision Date 05.10.2017

Precautionary statements : P280 Wear protective gloves/ eye protection/

face protection.

Not a hazardous substance or mixture.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Not a hazardous substance or mixture.

Occupational Exposure Limit(s), if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area. Take off all contaminated clothing immediately.

Inhalation:

Remove to fresh air. If respiratory problems develop, obtain medical attention.

Skin contact:

Wash off with soap and plenty of water. If skin irritation persists, call a physician.

Eye contact:

Rinse immediately with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

Ingestion:

Rinse mouth with water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

according to Regulation (EC) No. 1907/2006



Magnesium sulfate solution

34276-1L

Version 1.1

Revision Date 05.10.2017

no data available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

See Section 11 for more detailed information on health effects and symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water spray Foam Carbon dioxide (CO2) Dry powder

Extinguishing media which shall not be used for safety reasons: Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Fire may cause evolution of: Magnesium oxide Sulphur oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Unprotected persons must be kept away. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so.

6.3. Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

Sweep up and shovel into suitable containers for disposal.

Dispose of in accordance with local regulations.

according to Regulation (EC) No. 1907/2006



Magnesium sulfate solution

34276-1L

Version 1.1

Revision Date 05.10.2017

6.4. Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling:

Wear personal protective equipment. Use only in well-ventilated areas.

Advice on protection against fire and explosion:

Normal measures for preventive fire protection.

Hygiene measures:

General industrial hygiene practice.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers:

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

no additional data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

DNEL/ PNEC-Values

Component	End- use/impact	Exposure duration	Value	Exposure routes	Remarks
Magnesium sulphate	Workers / Long-term systemic effects		37,6 mg/m3	Inhalation	
Magnesium sulphate	Workers / Long-term systemic effects		21,3mg/kg bw/d	Skin contact	
Magnesium sulphate	Consumers / Long-term systemic		11,1 mg/m3	Inhalation	

according to Regulation (EC) No. 1907/2006



Magnesium sulfate solution

34276-1L

Version 1.1

Revision Date 05.10.2017

	effects			
Magnesium sulphate	Consumers / Long-term systemic effects	12,8mg/kg bw/d	Skin contact	
Magnesium sulphate	Consumers / Long-term systemic effects	12,8mg/kg bw/d	Ingestion	

Component	Environmental compartment / Value	Remarks
Magnesium sulphate	Fresh water: 0,68 mg/l	Assessment factor: 1000
Magnesium sulphate	Marine water: 0,068 mg/l	Assessment factor: 10000
Magnesium sulphate	Sewage treatment plant: 10 mg/l	Assessment factor: 10

8.2. Exposure controls

Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

Do not breathe vapours or spray mist.

Engineering measures

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Respiratory protection:

In case of insufficient ventilation wear suitable respiratory equipment.

Hand protection:

Glove material: Natural Latex Break through time: 480 min Glove thickness: 0,6 mm

Lapren®706

Gloves must be inspected prior to use.

Replace when worn.

according to Regulation (EC) No. 1907/2006



Magnesium sulfate solution

34276-1L

Version 1.1 Revision Date 05.10.2017

Remarks:Supplementary note: The specifications are based on information and tests from similar substances by analogy.

Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374.

Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer recomends to use the chemical protective glove in practice not longer than 50% of the recomended permeation time.

Manufacturer's directions for use should be observed because of great diversity of types . Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

Eye protection:

Safety glasses with side-shields

Skin and body protection:

Protective suit

Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form : liquid

Colour : colourless

Odour : odourless

molecular weight : 120,37 g/mol

Melting point/range : no data available

Boiling point/boiling range : no data available

Flash point : Not applicable

Flammability (solid, gas) : Not applicable

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Lower explosion limit : Not applicable

Upper explosion limit : Not applicable

Density : no data available

according to Regulation (EC) No. 1907/2006



Magnesium sulfate solution

34276-1L

Version 1.1 Revision Date 05.10.2017

Viscosity, dynamic : no data available

pH : no data available

Water solubility : completely miscible

9.2 Other Information

no additional data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended storage conditions.

10.2. Chemical stability

No decomposition if stored and applied as directed.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Fire may cause evolution of: Magnesium oxide Sulfur oxides (SOx)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity: no data available

Acute dermal toxicity: no data available

according to Regulation (EC) No. 1907/2006



Magnesium sulfate solution

34276-1L

Version 1.1

Revision Date 05.10.2017

Acute inhalation toxicity:

no data available

Skin irritation:

no data available

Eye irritation:

no data available

Respiratory or skin sensitisation:

no data available

Aspiration hazard:

no data available

Other information:

no data available

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish:

no data available

Toxicity to aquatic plants:

no data available

Toxicity to aquatic invertebrates:

no data available

12.2. Persistence and degradability

Biodegradability:

The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

according to Regulation (EC) No. 1907/2006



Magnesium sulfate solution

34276-1L

Version 1.1

Revision Date 05.10.2017

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product:

Dispose according to legal requirements.

Packaging:

Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

Further information:

Provisions relating to waste:

EC Directive 2006/12/EC; 2008/98/EEC

Regulation No. 1013/2006

For personal protection see section 8.

SECTION 14: Transport information

ADR/RID

Not dangerous goods

IATA

Not dangerous goods

IMDG

Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Control Center

Country	Phone Number
Austria	+4314064343
Belgium	070 245245
Bulgaria	(+)35929154233
Croatia	(+3851)23-48-342
Cyprus	no data available
Czech Republic	+420224919293; +420224915402
Denmark	82121212
Estonia	16662; (+372)6269390

Country	Phone Number
Latvia	+37167042473
Liechtenstein	no data available
Lithuania	+370532362052
Luxembourg	070245245; (+352)80002-5500
Malta	no data available
Netherlands	030-2748888
Norway	22591300
Poland	no data available

according to Regulation (EC) No. 1907/2006



Magnesium sulfate solution

34276-1L

Version 1.1

Revision Date 05.10.2017

1	1	
Finland	9471977	
France	+33(0)145425959	
Greece	no data available	
Hungary	(+36-80)201-199	
Iceland	5432222	
Ireland	+353(1)8092166	
Italy	no data available	
	Berlin : 030/19240	
	Bonn : 0228/19240	
	Erfurt : 0361/730730	
Germany	Freiburg : 0761/19240	
	Göttingen : 0551/19240	
	Homburg : 06841/19240	
	Mainz : 06131/19240	
	Munich : 089/19240	

Portugal	808250143
Romania	no data available
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	no data available
Spain	+34915620420
	112 (begär
Sweden	Giftinformation);+46104566786
United Kingdom	no data available

Other inventory information

US. Toxic Substances Control Act On TSCA Inventory

Australia. Industrial Chemical (Notification and Assessment) Act On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI) On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand On the inventory, or in compliance with the inventory

according to Regulation (EC) No. 1907/2006



Magnesium sulfate solution

34276-1L

Version 1.1

Revision Date 05.10.2017

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Further information

All directives and regulations refer to amended versions.

Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abreviations:

EC European Community

CAS Chemical Abstracts Service

DNEL Derived no effect level

PNEC Predicted no effect level

vPvB Very persistent and very biaccumulative substance

PBT Persistent, bioaccmulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.