

SAFETY DATA SHEET

Version 9.5 Revision Date 29.11.2021 Print Date 30.11.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : EXTRAN MA 01 ALKALINE

Product Number : 1.07555 Catalogue No. : 107555 Brand : Millipore

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Millipore (Canada) Ltd.

2149 Winston Park Dr., Oakville

ONTARIO L6H 6J8

CANADA

Telephone : +1 905 829 9500 Fax : +1 905 829 9500

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC

(International)

24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with Hazardous Products Regulations (HPR) (SOR/2015-17)

Corrosive to Metals (Category 1), H290 Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

Reproductive toxicity (Category 2), H361

Short-term (acute) aquatic hazard (Category 2), H401

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram





Signal word	Warning
Hazard statement(s) H290 H315 H319 H361 H401	May be corrosive to metals. Causes skin irritation. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. Toxic to aquatic life.
Precautionary statement(s) P201 P202	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
P234 P264 P273 P280	Keep only in original packaging. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face
P302 + P352 P305 + P351 + P338	protection. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 P332 + P313 P337 + P313 P362 + P364 P390 P405 P501	IF exposed or concerned: Get medical advice/ attention. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. Absorb spillage to prevent material damage. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

- none

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Component		Classification	Concentration *			
emulsifier K30						
CAS-No. EC-No.	68188-18-1 269-144-1	Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; Repr. 2; Aquatic Acute 2; Aquatic Chronic 3; H302, H315, H319, H361, H401, H412	>= 0.1 - < 1			
* Weight %						
polyethyleneglycoldodecyl ether with >5-20 mol ethylene oxide						
CAS-No.	9002-92-0	Eye Dam. 1; Aquatic Acute 1; H318, H400	>= 0.1 - < 1 %			
* Weight %		<u> </u>				



sodium hydroxide			
CAS-No.	1310-73-2	Met. Corr. 1; Skin Corr.	>= 0.5 - < 1
EC-No.	215-185-5	1A; Eye Dam. 1; Aquatic	%
Index-No.	011-002-00-6	Acute 3; H290, H314,	
Registration	01-2119457892-27-	H318, H402	
number	XXXX	Concentration limits:	
		>= 0.4 %: Met. Corr. 1,	
		H290; >= 5 %: Skin Corr.	
		1A, H314; 2 - < 5 %: Skin	
		Corr. 1B, H314; 0.5 - < 2	
		%: Skin Irrit. 2, H315; 0.5	
		- < 2 %: Eye Irrit. 2,	
		Н319;	
* Weight %			

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.



5.2 Special hazards arising from the substance or mixture

Oxides of phosphorus

Sodium oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® OH⁻, Merck Art. No. 101596). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal containers.

Tightly closed.

Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis	
sodium hydroxide	1310-73-2	С	2 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants	
		(c)	2 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)	
Remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required				
		С	2 mg/m3	Canada. British Columbia OEL	
		С	2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber



Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Body Protection protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

a) Appearance Form: liquid

Color: colorless

b) Odor odorless

c) Odor Threshold Not applicable

ca.12.94 at 20 °C (68 °F) - (undiluted) d) pH

e) Melting No data available

point/freezing point

Initial boiling point > 100 °C > 212 °F at 1,013 hPa f)

and boiling range

g) Flash point ()Not applicable No data available h) Evaporation rate

Flammability (solid, No data available i) gas)

Upper/lower

No data available flammability or

explosive limits

k) Vapor pressure < 23.4 hPa at 20 °C (68 °F)

Vapor density No data available

1.07 g/cm3 at 20 °C (68 °F) m) Density

No data available Relative density

soluble n) Water solubility

o) Partition coefficient: No data available

n-octanol/water

p) Autoignition Not applicable temperature

No data available Decomposition

temperature

r) Viscosity No data available

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Acids

Violent reactions possible with:

The generally known reaction partners of water.

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

Metals

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Acute toxicity estimate Oral - > 5,000 mg/kg

(Calculation method)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Symptoms: Possible symptoms:, mucosal irritations Acute toxicity estimate Dermal - > 5,000 mg/kg

(Calculation method)

Skin corrosion/irritation

Mixture causes skin irritation.

Serious eye damage/eye irritation

Mixture causes serious eye irritation.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available



Carcinogenicity

No data available

Reproductive toxicity

Suspected of damaging the unborn child. Suspected of damaging fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

emulsifier K30

Acute toxicity

LD50 Oral - Rat - male and female - 1,271 mg/kg (OECD Test Guideline 401)
Inhalation: No data available
LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit

Result: Skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation

(OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test

Test system: S. typhimurium

Result: negative

Test Type: gene mutation test

Test system: Chinese hamster lung cells

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female - Bone marrow



Result: negative

Carcinogenicity

No data available

Reproductive toxicity

Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Aspiration hazard

No data available

polyethyleneglycoldodecyl ether with >5-20 mol ethylene oxide

Acute toxicity

LD50 Oral - Rat - 2,880 mg/kg (OECD Test Guideline 401)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus

and gastrointestinal tract.

Symptoms: Irritation symptoms in the respiratory tract.

LD50 Dermal - Rat - > 2,000 mg/kg

Remarks: (External MSDS)

Skin corrosion/irritation

Skin - Rabbit

Result: slight irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test Result: negative

Remarks: (National Toxicology Program)

Result: negative

Remarks: (National Toxicology Program)

Result: negative

Remarks: (National Toxicology Program)

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Acute oral toxicity - Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.



Acute inhalation toxicity - Irritation symptoms in the respiratory tract.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

sodium hydroxide

Acute toxicity

Oral: No data available

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger

of perforation of the esophagus and the stomach.

Inhalation: No data available

Inhalation: Corrosive to respiratory system.

Symptoms: burns of mucous membranes, Cough, Shortness of breath, Possible

damages:, damage of respiratory tract

Dermal: No data available

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns.

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

(OECD Test Guideline 405)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Causes serious eye damage.

Respiratory or skin sensitization

Patch test: - In vitro study

Result: negative Remarks: (ECHA)

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No ingredient of this product present at levels greater

than or equal to 0.1% is identified as probable, possible

or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Acute oral toxicity - If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute inhalation toxicity - burns of mucous membranes, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Specific target organ toxicity - repeated exposure

No data available



Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

When discharged properly, no impairments in the function of adapted biological wastewater treatment plants are to be expected.

Discharge into the environment must be avoided.

Components

emulsifier K30

Toxicity to fish static test LC50 - Danio rerio (zebra fish) - 1.1 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia

static test EC50 - Daphnia magna Straus (Water flea) - 4.72 mg/l - 48 h

and other aquatic invertebrates

(OECD Test Guideline 202)

Toxicity to bacteria static test EC50 - activated sludge - 810 mg/l - 3 h

(OECD Test Guideline 209)

polyethyleneglycoldodecyl ether with >5-20 mol ethylene oxide

Toxicity to fish LC50 - Danio rerio (zebra fish) - 0.1 - 1 mg/l - 96 h

Remarks: (External MSDS)

Toxicity to daphnia and other aquatic

invertebrates


EC50 - Daphnia magna (Water flea) - 0.1 - 1 mg/l - 48 h

Remarks: (External MSDS)

Toxicity to algae IC50 - Desmodesmus subspicatus (green algae) - < 1 mg/l -

72 h

Remarks: (External MSDS)



Toxicity to bacteria BRINGMANN-KüHN-TEST EC10 - Pseudomonas putida - 3.2

mg/l - 16 h

sodium hydroxide

Toxicity to fish LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h

Remarks: (ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates

EC50 - Ceriodaphnia (water flea) - 40.4 mg/l - 48 h

Remarks: (ECHA)

Toxicity to bacteria EC50 - Photobacterium phosphoreum - 22 mg/l - 15 min

Remarks: (External MSDS)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

TDG

UN number: 1824 Class: 8 Packing group: III Proper shipping name: SODIUM HYDROXIDE SOLUTION

Labels: 8 ERG Code: 154 Marine pollutant: no

IMDG

UN number: 1824 Class: 8 Packing group: III EMS-No: F-A, S-B

Proper shipping name: SODIUM HYDROXIDE SOLUTION

IATA

UN number: 1824 Class: 8 Packing group: III

Proper shipping name: Sodium hydroxide solution

SECTION 15: Regulatory information

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.



SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 9.5 Revision Date: 29.11.2021 Print Date: 30.11.2021

