



Reviewed 22-Apr-2026 by NMG,
expire date: 20-Jul-2028

Proterra Management Group Inc.
Unit 220 - 3580 Moncton St.
Richmond, BC

V7E 3A4

T³6 Disinfex™ (Formerly T³6® Disinfectant)

Page 1 of 11

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **T³6 Disinfex™ (Formerly T³6® Disinfectant)**

Product Code(s) : 1000-60TS, 1000-TWV, 1000-TWVU, 1000-4FTV, 1000-4FTVU

Recommended use of the chemical and restrictions on use

: Hard Surface Disinfectant

Chemical family : Mixture.

Name, address, and telephone number of the manufacturer:

Refer to Supplier

Manufacturer's Telephone # : Refer to supplier

Name, address, and telephone number of the supplier:

Proterra Management Group Inc.

Unit 220 - 3580 Moncton Street
Richmond, BC, Canada
V7E 3A4

Supplier's Telephone # : (604) 370 - 3796 (Monday - Friday, 10:00AM - 4:00PM, Pacific Time Zone)

24 Hr. Emergency Tel # : (604) 370 - 3796

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear to light straw (coloured liquid). Mild alcohol odour.

Most important hazards : This material is classified as hazardous under OSHA regulations (29CFR 1910.1200) (Hazcom 2012). Hazardous classification

Flammable liquid -Category 2

Eye damage/irritation -Category 2A

Specific target organ toxicity - single exposure -Category 3

WHMIS information: This product is a WHMIS Controlled Product. It meets one or more of the criteria for a controlled product provided in Part IV of the Canadian Controlled Products Regulations (CPR).

WHMIS classification:

Class B2 (Flammable Liquids)

Class D2B (Materials Causing Other Toxic Effects, Toxic Material)

Label elements

The following label information is applicable only to the United States according to OSHA Regulations (29 CFR 1910.1200) (Hazcom 2012):

Signal Word

DANGER!

Hazard statement(s)

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness and dizziness.

**T³6 DisinfexTM (Formerly T³6[®]
Disinfectant)**

Page 2 of 11

SAFETY DATA SHEET

Precautionary statement(s)

Keep away from heat, open flames and hot surfaces. - No smoking.
Keep container tightly closed.
Ground/Bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Wear protective gloves/clothing and eye/face protection.
Wash hands thoroughly after handling.
Avoid breathing vapour or mist.
Use only outdoors or in a well-ventilated area.

In case of fire, use dry chemical, CO₂, or 'alcohol foam' to extinguish.
IF exposed or concerned: Get medical attention/advice.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing. If eye irritation persists, get medical advice/attention.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER or doctor/physician if you feel unwell.

Store in a well-ventilated place. Keep cool.
Keep container tightly closed.
Store locked up.

Dispose of contents/container in accordance with local regulation.



The following label information is applicable only to Canada according to the Canadian Controlled Products Regulations (CPR/WHMIS):

DANGER! Highly flammable liquid and vapour Vapours may cause flash fire. May cause central nervous system depression. Causes severe eye irritation. May be harmful or fatal if swallowed in large amounts. May be an aspiration hazard. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

PRECAUTIONS: Use only in well-ventilated areas. Wear chemically resistant protective equipment during handling. Keep away from heat, sparks and open flame. - No smoking. Do not ingest. Avoid breathing vapors or mists. Avoid contact with skin, eyes and clothing. Avoid contact with incompatible materials. Wash thoroughly after handling. Keep containers tightly closed when not in use. Store in a cool, dry, well ventilated area.

FIRST AID: If ingested, do not induce vomiting. Seek immediate medical attention/advice. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. For skin contact, flush with water for at least 15 minutes, while removing contaminated clothing. Get medical attention if irritation develops and persists. For eye contact, flush with running water for at least 15 minutes. Seek immediate medical attention/advice. If inhaled, move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing stopped, begin artificial respiration. Get medical advice/attention.

T³6 DisinfexTM (Formerly T³6[®] Disinfectant)

Page 3 of 11

SAFETY DATA SHEET

Other hazards

Other hazards which do not result in classification:

Burning produces obnoxious and toxic fumes. Ingestion may cause irritation of the mouth, throat and stomach. May be an aspiration hazard. Prolonged skin contact may cause dermatitis (rash), characterized by red, dry, itching skin.

Environmental precautions :Avoid release to the environment. See ECOLOGICAL INFORMATION, Section 12.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical name</u>	<u>CAS #</u>	<u>Concentration</u>
Ethanol	64-17-5	60.0 - 75.0
o-Phenylphenol	90-43-7	0.2 - 0.3

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

- Ingestion* : Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Do not induce vomiting, unless directed to do so by qualified medical personnel. Seek immediate medical attention/advice.
- Inhalation* : Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Seek immediate medical attention/advice.
- Skin contact* : Remove/Take off immediately all contaminated clothing. Wash exposed area thoroughly with soap and water for at least 15 minutes. If irritation or symptoms develop, seek medical attention.
- Eye contact* : Immediately flush eyes with plenty of water for at least 15 minutes. Seek immediate medical attention/advice.

Most important symptoms and effects, both acute and delayed

- : Causes serious eye irritation. Prolonged skin contact may cause dermatitis (rash), characterized by red, dry, itching skin. May cause drowsiness and dizziness. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically. This product is a CNS depressant.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

- Suitable extinguishing media* : Dry chemical, foam, carbon dioxide and water fog.

- Unsuitable extinguishing media* : Water may be ineffective because it may not cool product below the flashpoint.

Special hazards arising from the substance or mixture / Conditions of flammability

- : Highly flammable liquid and vapour. Will ignite when exposed to heat, flame and other sources of ignition. Vapours are heavier than air and collect in confined and low-lying areas. Vapour can travel considerable distance and flashback to a source of ignition. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

Flammability classification (OSHA 29 CFR 1910.106)

- : Flammable liquid -Category 2

Explosion Data: Sensitivity to Mechanical Impact / Static Discharge:

- : Not expected to be sensitive to mechanical impact. May be sensitive to static discharge. Vapours in the flammable range may be ignited by a static discharge of sufficient energy.

Hazardous combustion products

- : Carbon oxides and other irritating fumes and smoke.

T³6 DisinfexTM (Formerly T³6[®]
Disinfectant)

Page 4 of 11

SAFETY DATA SHEET

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

Special fire-fighting procedures

- : Immediately evacuate personnel to safe areas. Fight fires from a safe distance. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- : Ensure clean-up is conducted by trained personnel only. Keep all other personnel upwind and away from the spill/release. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.

Environmental precautions

- : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. For large spills, dike the area to prevent spreading.

Methods and material for containment and cleaning up

- : Ventilate area of release. Remove all sources of ignition. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Do not use combustible absorbents, such as sawdust. Notify the appropriate authorities as required.

Special spill response procedures

- : In case of a transportation accident, in the United States contact CHEMTREC at 1-800-424-9300 or International at 1-703-527-3887. If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8002).
US CERCLA Reportable quantity (RQ): Methanol (5000 lbs / 2270 kg)

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

- : Use in a well-ventilated area. Wear suitable protective equipment during handling. Do not ingest. Avoid breathing vapours. Avoid contact with skin, eyes and clothing. Keep away from heat, sparks, and open flames. Use proper bonding and grounding techniques when transferring liquid. Avoid contact with incompatible materials. Wash thoroughly after handling.

Conditions for safe storage

- : Store in a cool, dry, well-ventilated area. Store away from incompatibles and out of direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area.

Incompatible materials

- : Strong oxidizing agents; Acids; Reactive metals; Bases; Reducing agents.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:

<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Ethanol	N/Av	1000ppm	1000 ppm	N/Av
o-Phenylphenol	N/Av	N/Av	N/Av	N/Av

T³6 DisinfexTM (Formerly T³6[®] Disinfectant)

Page 5 of 11

SAFETY DATA SHEET

There is no established exposure limits for this product. The above exposure limits are provided for safety reasons.

Exposure controls

Ventilation and engineering measures

: Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits. Use explosion-proof equipment.

Respiratory protection

: Respiratory protection is required if the concentrations exceed the TLV. A NIOSH/MSHA approved air-purifying respirator with the appropriate chemical cartridges or a positive-pressure, air-supplied respirator may be used to reduce exposure.

Skin protection

: Impervious gloves must be worn when using this product. Advice should be sought from glove suppliers.

Eye / face protection

: Chemical splash goggles are recommended. A full face shield may also be necessary.

Other protective equipment

: Wear resistant clothing and boots. An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.

General hygiene considerations

: Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Do not ingest. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove and wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Clear to light straw (coloured liquid)

Odour : Mild alcohol odour.

Odour threshold : 10ppm

pH : No information available.

Melting/Freezing point : -114°C (-173.2°F) (Ethanol)

Initial boiling point and boiling range

: 78.3°C (172.94°F) (Ethanol)

Flash point : 24°C (75.2°F)

Flashpoint (Method) : Pensky Martens Closed Cup

Evaporation rate (BuAe = 1) : < 2.4

Flammability (solid, gas) : Not applicable.

Lower flammable limit (% by vol.)

: 3.3% (Ethanol)

Upper flammable limit (% by vol.)

: 19% (Ethanol)

Oxidizing properties : None known.

Explosive properties : No information available.

Vapour pressure : 5.9 kPa at 20°C

Vapour density : 1.59 (air=1)

Relative density / Specific gravity

: No information available.

Solubility in water : miscible

Other solubility(ies) : No information available.

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: Log P (oct) = -0.32

Auto-ignition temperature : < 363°C (< 685.4°F) (Ethanol)

Decomposition temperature : No information available.

Viscosity : No information available.

T³6 DisinfexTM (Formerly T³6[®] Disinfectant)

Page 6 of 11

SAFETY DATA SHEET

Volatiles (% by weight) : No information available.
Volatile organic Compounds (VOC's) : No information available.
Absolute pressure of container : N/Ap
Flame projection length : N/Ap
Other physical/chemical comments : No additional information.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.
Chemical stability : Hazardous polymerization does not occur.
Possibility of hazardous reactions : Direct sources of heat. Keep away from flames and sparks. Do not use in areas without adequate ventilation.
Conditions to avoid : Keep this product away from heat, sparks, flame, and other sources of ignition (e.g. pilot lights, electric motors, static electricity). Keep away from direct sunlight.
Incompatible materials : Strong oxidizing agents; Acids; Reactive metals; Bases; Reducing agents.
Hazardous decomposition products : None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption : NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

: May cause irritation to the nose, throat and upper respiratory tract. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects.

Sign and symptoms ingestion

: May cause irritation of mouth, throat, and stomach. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Product may present an aspiration hazard, if ingested in large amounts, causing life-threatening lung injury. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

Sign and symptoms skin

: May cause mild to moderate irritation.

Sign and symptoms eyes

: Causes severe eye irritation. May cause burning sensation, redness and tearing (watering).

Potential Chronic Health Effects

: Prolonged or repeated contact may cause drying, cracking and defatting of the skin.

Mutagenicity

: Not expected to have other reproductive effects. Contains ethanol, suspected of being a mutagen, based on animal data. Ethanol has been shown to cause mutagenic effects but at extremely high oral doses, which are not applicable in an occupational setting.

T³6 DisinfexTM (Formerly T³6[®] Disinfectant)

Page 7 of 11

SAFETY DATA SHEET

Carcinogenicity : Note that this product contains ethanol, a confirmed animal carcinogen (A3) by the ACGIH and human carcinogen (Group 1) by the IARC; however, this is only applicable when the chemical is present in alcoholic beverages. Contains: o-Phenylphenol. O-Phenylphenol is listed as an IARC Group 3.

Reproductive effects & Teratogenicity

: Not expected to cause reproductive effects.

Sensitization to material

: Not expected to be a skin or respiratory sensitizer.

Specific target organ effects

: This material is classified as hazardous under OSHA regulations (29CFR 1910.1200) (Hazcom 2012). Classification
Specific target organ toxicity - single exposure -Category 3 May cause drowsiness and dizziness.

Irritancy

: Severe eye irritant. Mild to moderate skin irritant.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

Synergistic materials

: No information available.

Toxicological data

: There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

The calculated ATE values for this mixture are:

ATE oral = 6982.63 mg/kg

ATE dermal = 1561.9 mg/kg

ATE inhalation (vapours) = 28.7 mg/L/4H

<u>Chemical name</u>	<u>LC₅₀(4hr)</u>	<u>LD₅₀</u>	
	<u>inh, rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Ethanol	>61mg/L (vapour)	7060 mg/kg	>15800mg/kg
o-Phenylphenol	0.237mg/L/4H	2000mg/kg	>5000 mg/kg

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity : See the following tables for individual ingredient ecotoxicity data.

Ecotoxicity data:

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Fish</u>		
		<u>LC50 / 96h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Ethanol	64-17-5	>100mg/L (Fathead minnow)	N/Av	None.
o-Phenylphenol	90-43-7	5.99mg/L (Pimephales promelas (fathead minnow))	N/Av	None.

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Daphnia</u>		
		<u>EC50 / 48h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Ethanol	64-17-5	5012mg/L Daphnia magna (Water flea)	N/Av	None.
o-Phenylphenol	90-43-7	1.5mg/L (Daphnia magna (Water flea))	N/Av	None.

T³6 DisinfexTM (Formerly T³6[®] Disinfectant)

Page 8 of 11

SAFETY DATA SHEET

<u>Ingredients</u>	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Ethanol	64-17-5	1000mg/L (Green algae)	N/Av	None.
o-Phenylphenol	90-43-7	0.98mg/L/72hr (Green algae)	N/Av	1

Persistence and degradability

: Ethanol is considered to be readily biodegradable. O-Phenylphenol is considered to be readily biodegradable.

Bioaccumulation potential

: The log Kow for Ethanol is -0.31, and it is not expected to bioaccumulate. The log Kow for O-Phenylphenol is 3.36.

Mobility in soil

: No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle waste according to recommendations in Section 7. Do not cut, weld, drill or grind on or near this container. Empty containers retain residue (liquid and/or vapour) and can be dangerous.

Methods of Disposal

: Reuse or recycling should be given priority over disposal. If the material is unsuitable for recycling or reclamation, dispose of in accordance with federal, provincial and local hazardous waste laws. Contact your local, state or federal environmental agency for specific rules.

RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14. TRANSPORTATION INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	UN1170	ETHANOL SOLUTION more than 24 per cent ethanol, by volume	3	III	
TDG Additional information	May be shipped as a Limited Quantity when transported in containers no larger than 5.0 L, in combination packagings no larger than 30 kg gross mass. Under the TDGR, refer to Section 1.17 for additional exemption information, if shipping under this exemption.				
49CFR/DOT	UN1170	ETHANOL SOLUTION more than 24 per cent ethanol, by volume	3	III	
49CFR/DOT Additional information	May be shipped as a Limited Quantity when transported in containers no larger than 5.0 L, in combination packagings no larger than 30 kg gross mass. Refer to 49 CFR Section 173.150.				

Special precautions for user

: Appropriate advice on safety must accompany the package. Keep away from heat, sparks and open flame. - No smoking.

Environmental hazards

: This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: This information is not available.

T³6 DisinfexTM (Formerly T³6[®] Disinfectant)

Page 9 of 11

SAFETY DATA SHEET

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	de minimus Concentration
Ethanol	64-17-5	Yes	N/Ap	N/Av	No	N/Ap
o-Phenylphenol	90-43-7	Yes	N/Ap	N/Av	Yes	1%

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Ethanol	64-17-5	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes
o-Phenylphenol	90-43-7	Yes	Carcinogen	No	Yes	No	Yes	Yes	No

SARA TITLE III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes: Immediate (Acute) health hazard; Chronic Health Hazard; Fire Hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

Canadian WHMIS Classification: Refer to Section 2 for a WHMIS Classification for this product.

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Ethanol	64-17-5	200-578-6	Present	Present	(2)-202	KE-13217	Present	HSR001144
o-Phenylphenol	90-43-7	201-993-5	Present	Present	(4)-19; (4)-20	KE-02870	Present	HSR002960

SECTION 16. OTHER INFORMATION

**T³6 DisinfexTM (Formerly T³6[®]
Disinfectant)**

Page 10 of 11

SAFETY DATA SHEET

Date of preparation January 31, 2014

Date of Last Revision July 20, 2025

Additional Information Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this product/material have been fully trained according to the requirement of all applicable legislation and regulation. No warranty, expressed or implied, is made and manufacturer/supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists
AICS: Australian Inventory of Chemical Substances
CAS: Chemical Abstract Services
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
DOT: Department of Transportation
EINECS: European Inventory of Existing Commercial chemical Substances
ENCS: Existing and New Chemical Substances
HSDB: Hazardous Substances Data Bank
IARC: International Agency for Research on Cancer
IATA: International Air Transport Association ICAO:
International Civil Aviation Organisation IECSC:
Inventory of Existing Chemical Substances Inh:
Inhalation
IOC: Inventory of Chemicals
KECI: Korean Existing Chemicals Inventory
KECL: Korean Existing Chemicals List
LC: Lethal Concentration
LD: Lethal Dose
MSHA: Mine Safety and Health Administration
N/Ap: Not Applicable
N/Av: Not Available
NIOSH: National Institute of Occupational Safety and Health
NOEC: No observable effect concentration
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Administration
PEL: Permissible exposure limit
PICCS: Philippine Inventory of Chemicals and Chemical Substances
RCRA: Resource Conservation and Recovery Act
RI: Rhode Island
RTECS: Registry of Toxic Effects of Chemical Substances
SARA: Superfund Amendments and Reauthorization Act
STEL: Short Term Exposure Limit
TCC: Tagliabue Closed Cup
TDG: Canadian Transportation of Dangerous Goods Act & Regulations
TLV: Threshold Limit Values TWA:
Time Weighted Average TSCA:
Toxic Substance Control Act
WHMIS: Workplace Hazardous Materials Identification System

References

- : 1. ACGIH, Threshold Limit Values and Biological Exposure Indices for 2013.
2. International Agency for Research on Cancer Monographs, searched 2013.
3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb databases (Chempendium, HSDB and RTECs). (2013)
4. Material Safety Data Sheet from manufacturer.
5. US EPA Title III List of Lists - October 2012 Version
6. California Proposition 65 List - 31 January 2014

Other special considerations for handling

- : Provide adequate information, instruction and training for operators.

**T³6 DisinfexTM (Formerly T³6[®]
Disinfectant)**

Page 11 of 11

SAFETY DATA SHEET

<u>Prepared by:</u> Proterra Management Group Inc. Unit 220 - 3580 Moncton Street Richmond, BC Canada V7E 3A4 Tel: (604) 771-7998 Please direct all enquiries to Proterra	
---	--

DISCLAIMER

This Safety Data Sheet was prepared by Proterra Management Group Inc. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. Proterra Management Group Inc. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of Proterra Management Group Inc.

END OF DOCUMENT